

flutter 之 json 转换为 DartBean(一条命令转换) - 简书

步骤 1. 在项目根目录新建 jsons 文件夹并将 json 数据新建成为文件，在 lib 目录下新建包名为 models 注意：这两个文件夹的名字都必须为 jsons 和 models 注意：这...



0.122019.09.26 09:34:14 字数 192 阅读 1,383

步骤

1. 在项目根目录新建 jsons 文件夹并将 json 数据新建成为文件，在 lib 目录下新建包名为 models

注意：这两个文件夹的名字都必须为 jsons 和 models






image.png

2. 加入依赖

```
dependencies:
#   json生成model需要的依赖
  json_annotation: ^2.0.0

dev_dependencies
#   json生成model需要的依赖
  build_runner: ^1.0.0
  json_serializable: ^2.0.0
  json_model: ^0.0.2
```

注意：这里添加完 json_serializable 相关依赖之后还添加了 json_model 的依赖，这就是快捷生成的关键，还有如果 json

中引用了其他 model 可以使用如下方式，具体可以查看官方地址 [json_model](#)

```
{
  "name": "wendux",
  "father": "$user", "$"符号引用其它model类
  "friends": "$[]user", "$[]"来引用数组
  "keywords": "$[]String",
  "age": 20
}
```

3. 完成上面的操作之后

在当前项目的根目录执行如下命令

```
flutter packages pub run json_model
```

控制太打印如下就成功了

```
[INFO] Generating build script...
[INFO] Generating build script completed, took 378ms

[INFO] Creating build script snapshot.....
[INFO] Creating build script snapshot... completed, took 10.9s

[INFO] Initializing inputs
[INFO] Building new asset graph...
[INFO] Building new asset graph completed, took 657ms

[INFO] Checking for unexpected pre-existing outputs....
[INFO] Checking for unexpected pre-existing outputs. completed,

[INFO] Running build...
[INFO] 1.2s elapsed, 0/7 actions completed.
[INFO] 2.2s elapsed, 2/7 actions completed.
[INFO] 5.0s elapsed, 2/7 actions completed.
[INFO] 6.7s elapsed, 5/7 actions completed.
[INFO] Running build completed, took 7.0s

[INFO] Caching finalized dependency graph...
[INFO] Caching finalized dependency graph completed, took 62ms

[INFO] Succeeded after 7.1s with 8 outputs (18 actions)

→ github_client_app flutter packages pub run json_model
[INFO] Generating build script...
[INFO] Generating build script completed, took 440ms

[INFO] Initializing inputs
```

```
[INFO] Reading cached asset graph...
[INFO] Reading cached asset graph completed, took 90ms

[INFO] Checking for updates since last build...
[INFO] Checking for updates since last build completed, took 83

[INFO] Running build...
[INFO] Running build completed, took 790ms

[INFO] Caching finalized dependency graph...
[INFO] Caching finalized dependency graph completed, took 43ms

[INFO] Succeeded after 841ms with 4 outputs (4 actions)
```

```
FormatException: Unexpected character (at line 3, character 26)
"name": "Hello-World", //项目名称
    ^

#0      _ChunkedJsonParser.fail (dart:convert-patch/convert_patch.dart:1392:5)
#1      _ChunkedJsonParser.parse (dart:convert-patch/convert_patch.dart:922:48)
#2      _parseJson (dart:convert-patch/convert_patch.dart:29:10)
#3      JsonDecoder.convert (dart:convert/json.dart:493:36)
#4      JsonCodec.decode (dart:convert/json.dart:151:41)
```

image.png

"小礼物走一走，来简书关注我"

还没有人赞赏，支持一下




总资产 15 (约 1.45 元) 共写了 2.9W 字获得 73 个赞共 17 个粉丝

推荐阅读 [更多精彩内容](#) >

- Training spaCy's Statistical Models 训练 spaCy 模型
This guide d...







- 一、json_serializable 使用步骤 1. 集成 json_serializable pubspec.yam...



- 点我查看本文集的说明及目录。 本项目相关内容包 括： 实现过程： CH7 创建在线商店 CH8 管理支付和 订单 CH...



- 概要 64 学时 3.5 学分 章节安排 电子商务网站概况 HTML5+CSS3 JavaScript Node 电子...



- 雨晴和于总偷情第二次后知道了于总比自己大 27 岁，当然不是于总告诉她的。清晨，两人从宾馆出来穿戴整坐在车上于总打了...



七皇后 阅读 39

全文完

本文由 简悦 SimpRead 优化，用以提升阅读体验

使用了 全新的简悦词法分析引擎^{beta}，[点击查看详细说明](#)

