

```
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import
org.openqa.selenium.chrome.ChromeDriver;
import java.util.concurrent.TimeUnit;
import
org.openqa.selenium.support.ui.WebDriverWa
it;
import
org.openqa.selenium.support.ui.ExpectedCon
ditions;
public class GoogleAutomationTesting {

    public static void main(String[] args)
    {

        System.setProperty("webdriver.chrome.dr
iver", "C:\\Users\\hp
pc\\Desktop\\SeleniumJarFiles\\chromedrive
r.exe");
        WebDriver driver=new ChromeDriver();

        driver.manage().timeouts().implicitlyWa
it(5,TimeUnit.SECONDS);
        driver.get("https://google.com/");
```

```

        WebElement
p=driver.findElement(By.name("q"));
        p.sendKeys("Selenium java");
        p.submit();
        driver.close();

    }

}

import java.util.concurrent.TimeUnit;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import
org.openqa.selenium.firefox.FirefoxDriver;
public class KRNInformationMatrix {

    public static void main(String[] args)
throws InterruptedException {
        WebDriver driver=new
FirefoxDriver();
        driver.manage().window().maximize();

        driver.get("https://krninformatix.com/s
elenium/testing.html");

```

```
driver.manage().timeouts().implicitlyWait(30, TimeUnit.SECONDS);
```

```
driver.findElement(By.xpath("//button[text()='Generate Alert box'"])).click();  
Thread.sleep(3000);
```

```
driver.findElement(By.xpath("//button[text()='Generate Alert Box'"])).click();  
Thread.sleep(3000);
```

```
String  
altText=driver.switchTo().alert().getText(  
);
```

```
System.out.println(altText);  
driver.switchTo().alert().accept();
```

```
}
```

```
}
```

```
import java.util.concurrent.TimeUnit;
```

```
import org.openqa.selenium.By;
```

```
import org.openqa.selenium.WebDriver;
```

```
import
```

```
org.openqa.selenium.firefox.FirefoxDriver;
```

```
public class KRNInformationMatrix {
```

```
    public static void main(String[] args)
throws InterruptedException {
    WebDriver driver=new
FirefoxDriver();
    driver.manage().window().maximize();

    driver.get("https://karninformatix.com/s
elenium/testing.html");

    driver.manage().timeouts().implicitlyWa
it(30, TimeUnit.SECONDS);

    driver.findElement(By.xpath("//button[t
ext()='Generate Alert box']")).click();
    Thread.sleep(3000);

    driver.findElement(By.xpath("//button[t
ext()='Generate Alert Box']")).click();
    Thread.sleep(3000);
    String
altText=driver.switchTo().alert().getText(
);
    System.out.println(altText);
    driver.switchTo().alert().accept();
}

}
```

```
import java.util.concurrent.TimeUnit;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import
org.openqa.selenium.firefox.FirefoxDriver;
public class RedBus {

    public static void main(String[] args)
    {
        WebDriver driver=new
FirefoxDriver();
        driver.manage().window().maximize();

        driver.get("https://www.redbus.in/");

        driver.manage().timeouts().implicitlyWait
(30,TimeUnit.NANOSECONDS);

        driver.findElement(By.xpath("//span[con
tains(@class,'onward')]")).click();

        driver.findElement(By.xpath("(//td[text
()='12'])[2]")).click();

        driver.findElement(By.id("sendLinkButto
n")).click();
```

```
        driver.findElement(By.id("smsTXTBOX")).  
sendKeys("7508292021");  
  
    }
```

```
}  
  
import org.openqa.selenium.By;  
import org.openqa.selenium.WebDriver;  
import  
org.openqa.selenium.firefox.FirefoxDriver;  
public class KrnAutomateRadio {  
    public static void main(String args[])  
throws InterruptedException {  
        WebDriver driver=new  
FirefoxDriver();
```

```
        driver.get("https://krninformatix.com/s  
ample.html");  
        boolean  
radioStatus=driver.findElement(By.id("fema  
le")).isSelected();//false  
        System.out.println("The status is"  
+radioStatus);  
        Thread.sleep(3000);
```

```
        driver.findElement(By.id("female")).click();
```

```
        boolean  
radioStatus1=driver.findElement(By.id("female")).isSelected();//true  
        System.out.println(radioStatus1);  
        Thread.sleep(3000);
```

```
        driver.findElement(By.id("female")).click();
```

```
        boolean  
radioStatus2=driver.findElement(By.id("female")).isSelected();  
        System.out.println("The status is:  
"+radioStatus2);  
    }
```

```
}
```

```
import org.openqa.selenium.By;
```

```
import org.openqa.selenium.WebDriver;
```

```
import
```

```
org.openqa.selenium.firefox.FirefoxDriver;
```

```
public class CheckBoxDemo {
```

```
    public static void main(String[] args)  
throws InterruptedException {
```

```
        WebDriver driver = new
FirefoxDriver();

        driver.get("https://www.krninformatix.c
om/sample.html");
        boolean
checkBoxStatus=driver.findElement(By.id("r
em")).isSelected();
        System.out.println(checkBoxStatus);
        Thread.sleep(3000);

        driver.findElement(By.id("rem")).click(
);
        boolean
checkBoxStatus2=driver.findElement(By.id("
rem")).isSelected();
        System.out.println(checkBoxStatus2);
        Thread.sleep(3000);
        boolean
checkBoxStatus3=driver.findElement(By.id("
rem")).isSelected();
        System.out.println(checkBoxStatus3);
        if(!checkBoxStatus3) {

            driver.findElement(By.id("rem")).click(
);
        }
```

```
}
```

```
}
```

write a java webdriver script to automate the website a2itonline.com

(<https://www.a2itsoft.com/>). The script

should count how many links are there on this website and also print the links

```
import java.util.List;
import java.util.concurrent.TimeUnit;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import
org.openqa.selenium.firefox.FirefoxDriver;
public class DemoLinkAutomation {
    @SuppressWarnings("deprecation")
    public static void main(String[] args)
    {
        WebDriver driver=new
FirefoxDriver();

        driver.get("https://krninformaticx.com/"
);

        driver.manage().timeouts().implicitlyWa
it(30,TimeUnit.SECONDS);
```

```

        List<WebElement>
allLinks=driver.findElements(By.xpath("//a
"));
        int si=allLinks.size();
        System.out.println(si);
        for(int i=0;i<si;i++) {
            WebElement link=allLinks.get(i);
            String te=link.getText();
            System.out.println(te);
        }
    }
}

```

```

import java.util.List;
import java.util.concurrent.TimeUnit;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import
org.openqa.selenium.firefox.FirefoxDriver;
import
org.openqa.selenium.support.ui.Select;
public class DropDownAutomation {
    public static void main(String[] args)
throws InterruptedException {

```

```
WebDriver driver=new
FirefoxDriver();

driver.get("https://krninformaticx.com/s
ample.html");

driver.manage().timeouts().implicitlyWa
it(30,TimeUnit.SECONDS);
WebElement
multiSelect=driver.findElement(By.id("test
ingDropdown"));
Select dd = new Select(multiSelect);
dd.selectByIndex(2);
Thread.sleep(3000);
dd.selectByValue("Manual Testing");
Thread.sleep(3000);
dd.selectByVisibleText("Database
Testing");
List<WebElement>
allOptions=dd.getAllSelectedOptions();
int si=allOptions.size();
for (int i=0;i<si;i++) {
    WebElement
option1=allOptions.get(i);
    String te1=option1.getText();
    System.out.println(te1);
}
```

```
}
```

```
import java.util.List;
import java.util.concurrent.TimeUnit;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.firefox.FirefoxDriver;
import org.openqa.selenium.support.ui.Select;
public class MultiSelect {
    public static void main(String args[])
throws InterruptedException {
    WebDriver driver = new FirefoxDriver();
    driver.get("https://krninformaticx.com/s
ample.html");
    driver.manage().timeouts().implicitlyWait
(30, TimeUnit.SECONDS);
    WebElement multiSelect =
driver.findElement(By.id("cities"));
    Select dd=new Select(multiSelect);
    dd.selectByIndex(2);
    Thread.sleep(3000);
```

```
dd.selectByValue("4");
Thread.sleep(3000);
dd.selectByVisibleText("Bangalore");
List<WebElement>
allOptions=dd.getAllSelectedOptions();
int si=allOptions.size();
for(int i=0;i<si;i++) {
    WebElement
option1=allOptions.get(i);
    String tel1=option1.getText();
    System.out.println(tel1);
}

}
```

```
}
```

```
}
```

```
}
```

<https://www.facebook.com>

```
import org.openqa.selenium.By;
```

```
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import
org.openqa.selenium.chrome.ChromeDriver;
public class FacebookApplicationAutomation
{

    public static void main(String[] args)
throws InterruptedException {

        System.setProperty("webdriver.chrome.dr
iver", "C:\\Users\\hp
pc\\Desktop\\SeleniumJarFiles\\chromedrive
r.exe");
        WebDriver driver=new ChromeDriver();
        driver.manage().window().maximize();

        driver.get("https://www.facebook.com");

        driver.findElement(By.id("pass")).sendK
eys("password");

        driver.findElement(By.id("email")).send
Keys("a2it@gmail.com");
        Thread.sleep(5000);
```

```
        driver.findElement(By.id("u_0_2")).click();
        Thread.sleep(5000);
    }
```

```
}
```

```
package makemytrip;
import java.awt.AWTException;
import java.awt.Robot;
import java.awt.event.KeyEvent;
import java.util.List;
import java.util.concurrent.TimeUnit;
import org.openqa.selenium.By;
import
org.openqa.selenium.JavascriptExecutor;
import org.openqa.selenium.WebDriver;
import
org.openqa.selenium.WebDriverException;
import org.openqa.selenium.WebElement;
import org.testng.annotations.AfterMethod;
import
org.testng.annotations.BeforeMethod;
import org.testng.annotations.Test;
import browser.BrowserSelection;
public class MakeMyTripProject
{
```

```
WebDriver driver;  
@BeforeMethod  
public void OpenBrowser()  
{  
    driver = BrowserSelection.UsingChrome();  
}  
@Test  
  
public void TripDetails() throws  
InterruptedException, AWTException  
  
{  
  
    driver.get("https://www.makemytrip.com/");  
  
    driver.manage().timeouts().implicitlyWait(  
        10, TimeUnit.SECONDS);  
  
    Thread.sleep(5000);  
  
    try  
  
    {  
  
        /*String frameStatus =  
        driver.findElement(By.id("webklipper-
```

```
publisher-widget-container-notification-  
frame"))).getTagName();
```

```
System.out.println(frameStatus);
```

```
driver.switchTo().frame("notification-  
frame-31764456");
```

```
driver.findElement(By.xpath(".//*[@id='web  
klipper-publisher-widget-container-  
notification-close-div']/i")).click();
```

```
driver.switchTo().defaultContent();
```

```
Thread.sleep(3000); */
```

```
driver.findElement(By.xpath("//input[@id='  
hp-widget__sfrom']")).click();
```

```
driver.findElement(By.xpath("//input[@id='  
hp-widget__sfrom']")).clear();
```

```
//driver.findElement(By.xpath("//input[@id  
='hp-widget__sfrom']")).sendKeys("Goa");
```

```
Thread.sleep(2000);
```

```
List<WebElement> fromCities =  
driver.findElements(By.xpath(“//ul[@id='ui-id-1']/li/div/p/span[1]”));
```

```
System.out.println(fromCities.size()+"\n")  
;
```

```
for(int i=0;i<fromCities.size();i++)
```

```
{
```

```
WebElement element=fromCities.get(i);
```

```
System.out.println(element.getAttribute(“i  
nnerHTML”));
```

```
}
```

```
//driver.findElement(By.xpath(“//u  
l[@id='ui-id-1']/li/div/p/span”)).click();
```

```
driver.findElement(By.xpath(“//li[contains  
(@aria-label,'Top Cities : Goa, India  
' )]/div/p/span[1]”)).click();
```

```
driver.findElement(By.xpath(“//input[@id='  
hp-widget__sTo’]”)).click();
```

```
driver.findElement(By.xpath("//input[@id='hp-widget__sTo']")).clear();
```

```
//driver.findElement(By.xpath("//input[@id='hp-widget__sTo']")).sendKeys("Mumbai");
```

```
Thread.sleep(2000);
```

```
List<WebElement> toCities =  
driver.findElements(By.xpath("//ul[@id='ui-id-2']/li/div/p/span[1]"));
```

```
System.out.println(toCities.size()+"\n");
```

```
for(int i=0;i<toCities.size();i++)
```

```
{
```

```
WebElement element=toCities.get(i);
```

```
System.out.println(element.getAttribute("innerHTML"));
```

```
}
```

```
//driver.findElement(By.xpath("//u1[@id='u  
i-id-2']/li/div/p/span")).click();
```

```
driver.findElement(By.xpath("//u1[@id='ui-  
id-2']/li[3]/div/p/span[1]")).click();
```

```
Thread.sleep(2000);
```

```
driver.findElement(By.xpath("//input[@id='  
hp-widget__depart']")).click();
```

```
Thread.sleep(2000);
```

```
String date = "10-OCTOBER-2018";
```

```
String splitter[] = date.split("-");
```

```
String month_year = splitter[1];
```

```
String day = splitter[0];
```

```
System.out.println(month_year);
```

```
System.out.println(day);
```

```
selectDate(month_year, day);
```

```
Thread.sleep(3000);
```

```
driver.findElement(By.xpath("//button[@id='searchBtn']")).click();
```

```
Thread.sleep(5000);
```

```
Thread.sleep(2000);
```

```
JavascriptExecutor js =  
(JavascriptExecutor) driver;
```

```
js.executeScript("window.scrollTo(0,3000)");
```

```
/*Robot robot = new Robot();
```

```
robot.keyPress(KeyEvent.VK_PAGE_DOWN);
```

```
robot.keyRelease(KeyEvent.VK_PAGE_DOWN);*/
```

```
Thread.sleep(5000);
```

```
driver.findElement(By.xpath("//div[@id='align_AI_dep']/span[3]")).click();
```

```
Thread.sleep(5000);
```

```
List<WebElement> flights =  
driver.findElements(By.xpath("//div[@class  
='top_first_part  
clearfix']/div/span/span[2]/span[1]"));
```

```
System.out.println("No. of indigo flight  
search results: "+flights.size());
```

```
}catch(WebDriverException e)
```

```
{
```

```
System.out.println("Exception is: =  
"+e+"\n");
```

```
}
```

```
}
```

```
public void selectDate(String monthyear,  
String Selectday) throws  
InterruptedException
```

```
{
```

```
List<WebElement> elements =  
driver.findElements(By.xpath("//div[@class  
='ui-datepicker-title']/span[1]"));
```

```
for (int i=0; i<elements.size();i++)
```

```
{
```

```
System.out.println(elements.get(i).getText  
());
```

```
//Selecting the month
```

```
if(elements.get(i).getText().equals(monthy  
ear))
```

```
{
```

```
//Selecting the date
```

```
List<WebElement> days =  
driver.findElements(By.xpath("//div[@class  
='ui-datepicker-inline ui-datepicker ui-  
widget ui-widget-content ui-helper-  
clearfix ui-corner-all ui-datepicker-multi  
ui-datepicker-multi-  
2']/div[2]/table/tbody/tr/td/a"));
```

```
for (WebElement d:days)
{
    System.out.println(d.getText());
    if(d.getText().equals(Selectday))
    {
        d.click();
        Thread.sleep(10000);
        return;
    }
}

driver.findElement(By.xpath("//div[@class=
'ui-datepicker-inline ui-datepicker ui-
widget ui-widget-content ui-helper-
```

```
clearfix ui-corner-all ui-datepicker-multi  
ui-datepicker-multi-  
2']/div[2]/div/a/span"))).click();
```

```
selectDate(monthyear,Selectday);
```

```
}
```

```
@AfterMethod
```

```
public void CloseBrowser()
```

```
{
```

```
driver.quit();
```

```
}
```

```
}
```

Testng:

```
import org.openqa.selenium.WebDriver;
```

```
import
```

```
org.openqa.selenium.firefox.FirefoxDriver;
```

```
import dev.fail-safe.internal.util.Assert;
```

```
import org.testng.Assert;

public class myclass {

    public static String
    baseUrl="http://newtours.demout.com/";
    public static WebDriver driver=new
    FirefoxDriver();

    public static void main(String[] args)
    {
        driver.get(baseUrl);
        verifyHomepageTitle();
        driver.quit();

    }

    public static void
    verifyHomepageTitle() {
        String
        expectedTitle="welcome:Mercury Tours";
        String
        actualTitle=driver.getTitle();
        try {
```

```
        Assert.assertEqual(actualTitle,expected
Title);
        System.out.println("Test
Passed");
    }
    catch(Throwable e) {
        System.out.println("Test
Failed");
    }
}
public void c_test() {
    Assert.fail();
}
public void a_test() {
    Assert.assertTrue(true);
}
public void b_test() {

    throw new SkilPexception("Skipping
b_test//....")

}
}
```

```
import org.openqa.selenium.WebDriver;
import
org.openqa.selenium.firefox.FirefoxDriver;
import dev.failsafe.internal.util.Assert;
import org.testng.Assert;
```

```
public class myclass {

    public static String
baseUrl="http://newtours.demout.com/";
    public static WebDriver driver=new
FirefoxDriver();

    public static void main(String[] args)
{
    driver.get(baseUrl);
    verifyHomepageTitle();
    driver.quit();

}

    public static void
verifyHomepageTitle() {
    String
expectedTitle="welcome:Mercury Tours";
```

```
        String
actualTitle=driver.getTitle();
        try {

            Assert.assertEqual(actualTitle,expected
Title);

            System.out.println("Test
Passed");
        }
        catch(Throwable e) {
            System.out.println("Test
Failed");
        }
    }
    public void c_test() {
        Assert.fail();
    }
    public void a_test() {
        Assert.assertTrue(true);
    }
    public void b_test() {

        throw new SkilPexception("Skipping
b_test//....")

    }
}
```

}

}

```
package firsttestngpackage;
import org.openqa.selenium.*;
import org.openqa.selenium.firefox.FirefoxDriver;
import org.testng.Assert;
import org.testng.annotations.*;
@Test
public class firsttestngfile {
    public String baseUrl = "http://demo.guru99.com/test/newtours/";
    String driverPath = "C:\\\\geckodriver.exe";
    public WebDriver driver;
    public String expected = null;
    public String actual = null;
    @BeforeTest
    public void launchBrowser() {
        System.out.println("launching firefox browser");
        System.setProperty("webdriver.gecko.driver", driverPath);
        driver= new FirefoxDriver();
        driver.get(baseUrl);
    }

    @BeforeMethod
    public void verifyHomepageTitle() {
        String expectedTitle = "Welcome: Mercury Tours";
        String actualTitle = driver.getTitle();
    }
}
```

```
    @Test(priority = 0)
    public void register(){
        driver.findElement(By.linkText("REGISTER")).click() ;
        expected = "Register: Mercury Tours";
        actual = driver.getTitle();
        Assert.assertEquals(actual, expected);
    }

    @Test(priority = 1)
    public void support() {
        driver.findElement(By.linkText("SUPPORT")).click() ;
        expected = "Under Construction: Mercury Tours";
        actual = driver.getTitle();
        Assert.assertEquals(actual, expected);
    }

    @AfterMethod
    public void goBackToHomepage ( ) {
        driver.findElement(By.linkText("Home")).click() ;
    }

    @AfterTest
    public void terminateBrowser(){
        driver.close();
    }
}
```