The Uphill Battle of Making Language Models Reliable

Daniel Khashabi

The success we dreamed of



Language models that are remarkably capable at solving many important NLP benchmarks.

Where, I think, we are

- ✓ Fluent generation (for rich-resource languages)
- ✓ Instruction following (for common “instructions”)
- ✓ Several rounds of conversation
- ✗ Guarantees on (successful or failed) behavior
- ✗ Guarantees on model’s ability to sustain over time
- ✗ Adapting to your audience (reading the room)
- ✗ Elastic, episodic memory
- …
- ✗ Making models helpful

Today

Verifiability of LLM responses

LLMs improving own generations

(*both works under review)

Today

Verifiability of LLM responses

LLMs improving own generations

(*both works under review)

Models make up stuff

Air Canada ordered to pay customer who was misled by airline's chatbot

Company claimed its chatbot 'was responsible for its own actions' when giving wrong information about bereavement fare



Will "scale" solve LM hallucinations?

- Evidence suggests that we're on a logarithmic path.
  - Diminishing returns w/ scaling compute, data, human supervision, etc.



Kaplan et al. 2020; others

LMs will remain brittle (at least, for the coming years)

- ✗ No evidence that scale will solve it.
- ✗ No evidence that architectural change will solve it.
- ✗ No formalisms that allow us to characterize its boundaries.

- How do we contain such brittleness?
- Current bet:
  - Innovate in terms of user-interface!
  - To trust LLMs, users need to **verify** generated claims against trusted resources.
  - A good interface should allow easy "verification" of responses.

Verifying LLM outputs: citing sources

- Search/retrieval + citation helps, but is not guaranteed to be accurate
- Non-trivial to verify whether text is supported by citation





Citation Precision (%; ↑)

	Average Over All Queries
Bing Chat	89.5
NeevaAI	72.0
perplexity.ai	72.7
YouChat	63.6
Average	74.5

Citation Recall (%; ↑)

	Average Over All Queries
Bing Chat	58.7
NeevaAI	67.6
perplexity.ai	68.7
YouChat	11.1
Average	51.5

Nelson Liu, Tianyi Zhang, and Percy Liang. 2023. Evaluating Verifiability in Generative Search Engines.
In *Findings of the Association for Computational Linguistics: EMNLP 2023*

Verifying LLM outputs: verifiability by quoting

- Making verifiability trivial by getting model to quote!
- If we are quoting from trusted data, quotes are reliable.
- The user needs to worry about the non-quoted portions.

Is this feasible?
(can LMs quote long segments?)



Why does the water have the lowest density at 4°C?

LM

Water is an unusual substance in many ways, and one of its peculiarities is that it has its lowest density at 4 °C. As water cools from room temperature, it becomes denser and denser until it reaches 4 °C. After that, as it continues to cool, it becomes less dense again.

Can LMs Quote? Two versions of the problem

- LMs can memorize sensitive information [Carlini et al. 2022; among others]

∃p such that:
LM(p) reveals quoted information.

- The question here:

∀p such that:
LM(p) reveals quoted information.

Verifiable by Design: Aligning Language Models to Quote from Pre-Training Data.

Jingyu Zhang, Marc Marone, Tianjian Li
Benjamin Van Durme, Daniel Khashabi





https://arxiv.org/abs/2404.03862

Verifiability by Quoting

- We propose increasing verifiability by generating **verbatim quotes** from high-quality sources of pre-training data, such as Wikipedia.

- **Quote-Tuning**: aligning LLMs to quote from their pre-training data!
  - Make the model **prefer generation with more quotes**!



Measuring Quoting

generated text

A large corpus

$$\text{QUIP}(Y; C)$$

[“According to . . . ” Prompting Language Models Improves Quoting from Pre-Training Data, Weller and Marone, et al. 2023]

Measuring Quoting

generated text

A large corpus

Y's membership in corpus

$$\text{QUIP}(Y; \text{Wikipedia}) = \frac{\#n\text{-grams in } Y \text{ found in } C}{\#n\text{-grams in } Y}$$

Y= "The initial digestion of starch happens in the mouth through our saliva. The enzymes found in saliva are essential in beginning the process of digestion of dietary starches."

$$\rightarrow \text{QUIP}(Y; \text{Wikipedia}) = \text{large}$$

Y= "Earth is flat rather than round, and that evidence supporting the Earth's spherical shape has been fabricated or misunderstood.."

$$\rightarrow \text{QUIP}(Y; \text{Wikipedia}) = \text{tiny}$$

["According to . . . " Prompting Language Models Improves Quoting from Pre-Training Data, Weller and Marone, et al. 2023]

Measuring Quoting



- QUIP is based on "Data Portraits" [Marone and Van Durme. 2023]
  - Fast membership query (whether a string belongs to your data)
  - Implemented via Bloom filter — it is not a bit noisy, but scalable.

[Data Portraits: Recording Foundation Model Training Data, Marone and Van Durme 2023]

Preparing training data for Quote-Tuning

Step1: Generate candidate answers



Step 1. Generate completions from an LLM (e.g. using QA pairs or text completions)

Step1: Generate candidate answers and score them



Step 1. Generate completions from an LLM (e.g. using QA pairs or text completions)

Step 2: Construct preference data



Step 2. We can construct a *preference dataset* by ranking generations by the amount of quoting (QUIP-Score; Weller et al., EACL 2024)

Step 2: Construct preference data



Step 2. We can construct a *preference dataset* by ranking generations by the amount of quoting

Step 3: Train the Model on Preference Data



Step 3. Tune a model to prefer more quotes with *direct preference optimization* (DPO)

Experimental Results



You can obtain models that provide quoted responses, without losing much accuracy.

Quote-Tuning improves truthfulness



Dataset: TruthfulQA (Lin et al., 2021)

Quote-Tuning significantly increases amount of quoting

sparse quotes

Question: Who won the most MVP awards in the NBA?	QUIP
LLAMA2-7B-CHAT: LeBron James has won the most NBA MVP awards with 4 championships, followed closely by Bill Russell with 5 MVP awards and 11 championships. Michael Jordan is also among the top MVP winners with 6 championships and 5 MVP awards.	3.9
QUOTE-TUNING: The player who has won the most Most Valuable Player (MVP) awards in the National Basketball Association (NBA) is Kareem Abdul-Jabbar, who has won the award a record six times during his career with the Milwaukee Bucks and the Los Angeles Lakers. Abdul-Jabbar played in the NBA from 1969 to 1989 and is widely considered one of the greatest basketball players of all time.	60.6

generation is densely quoted!

Failure mode: missing quotes + unnecessary quotes!

Question: When does the 14th season of grey's anatomy come out?	QUIP
Reference: The fourteenth season of the American television medical drama Grey's Anatomy was ordered on February 10, 2017, by American Broadcasting Company (ABC), and premiered on September 28, 2017 with a special two-hour premiere. ...	100.0
LLAMA2-7B-CHAT: The 14th season of Grey's Anatomy is scheduled to premiere on September 26, 2018, on ABC. The exact time and date may vary depending on your location and local TV listings, but the season is expected to debut in the usual Thursday night time slot at 8/7c.	28.1
QUOTE-TUNING: The 14th season of the medical drama television series Grey's Anatomy premiered on September 28, 2017, on the American Broadcasting Company (ABC) in the United States. The season consists of 24 episodes and is currently ongoing.	79.4

Fails to quote a critical portion of the question

Unnecessary quotes?

Open problems

- Optimizing for quotes that actually matter—
  - Incentivize LLM to generate quotes that users will find useful
  - There are portions of responses that don't need to be quoted
  - Abstaining from quoting when they're not relevant
  - (or, maybe just put humans in training loop?)
- Complementarity to retrieval—how should we combine the idea here with IR systems?
- Human utility of quoted responses—do they really lead to better verifiability?

Summary so far

- Motivation: Making verifiability trivial by getting LMs to quote!
- One can train LLMs to quote from known sources observed in their pre-training.
- Open problems remain.



Today

Verifiability of LLM responses

LLMs improving own generations

Today

Verifiability of LLM responses

LLMs improving own generations

Addressing LLM brittleness with self Feedback?

- What if LLMs can improve themselves?

LARGE LANGUAGE MODELS CAN SELF-IMPROVE

Jiaxin Huang[1*] **Shixiang Shane Gu**[2] **Le Hou**[2†] **Yuexin Wu**[2] **Xuezhi Wang**[2]
Hongkun Yu[2] **Jiawei Han**[1]
[1]University of Illinois at Urbana-Champaign [2]Google
[1]{jiaxinh3, hanj}@illinois.edu [2]{shanegu, lehou, crickwu,
xuezhiw, hongkuny}@google.com

Eutopia/dystopia where LLMs self-improve.

- What if LLMs can improve themselves?

LARGE LANGUAGE MODELS CAN SELF-IMPROVE

Jiaxin Huang[1*] **Shixiang Shane Gu**[2] **Le Hou**[2†] **Yuexin Wu**[2] **Xuezhi Wang**[2]
Hongkun Yu[2] **Jiawei Han**[1]
[1]University of Illinois at Urbana-Champaign [2]Google
[1]{jiaxinh3, hanj}@illinois.edu [2]{shanegu, lehou, crickwu,
xuezhiw, hongkuny}@google.com



Inference-time self-refinement

- If LLMs prompted appropriated, can they improve their previous generations?



Self-Refine: Iterative Refinement with Self-Feedback, Madaan et al., 2023
Reflexion: Language Agents with Verbal Reinforcement Learning, Shinn et al., 2023

Inference-time self-refinement

- If LLMs prompted appropriated, can they improve their previous generations?
- Reasons to be suspicious:
  - Few works assume oracle feedback
  - The nature of tasks can be exploited for showing improvements upon repetitions.

Constrained Generation	x: beach, vacation, relaxation
Generate sentences with given keywords.	y_t: During our beach vacation...
Dataset: (Lin et al., 2020) 200 samples	fb: Include keywords; maintain coherence
	y_{t+1}: .. beach vacation was filled with relaxatior

Self-Refine: Iterative Refinement with Self-Feedback, Madaan et al., 2023
Reflexion: Language Agents with Verbal Reinforcement Learning, Shinn et al., 2023

Self-[In]Correct

LLMs Struggle with Refining Self-Generated Responses

Dongwei Jiang, Jingyu Zhang, Orion Weller, Nathaniel Weir
Benjamin Van Durme, Daniel Khashabi





https://arxiv.org/abs/2404.04298

Setup and hypothesis



For inference-time refinement, LLMs should be better at discriminating among previously-generated alternatives than generating initial responses.

Evaluation setup



Evaluation setup



Evaluation setup



Evaluation results



There is no evidence that discriminating among candidates is necessarily an easier task than generating answers.

There is no evidence that discriminating among candidates is necessarily an easier task than generating answers.









Speculating about cause: pre-training obj

- Sub-hypothesis: Pre-training objective (next-token prediction) benefits generation more.



Why is "Discrimination" not easier than "Generation"?

- Sub-hypothesis: Pre-training objective (next-token prediction) benefits generation more.
- Sub-hypothesis: Alignment datasets are skewed toward generative tasks.
- Sub-hypothesis: Length generalization benefits generation more.
- We have partial evidence for all these.

Summary

- We do not see any evidence that inference-time refinement of answers leads to consistent gains.
  - Caveat: limited tasks, models, configurations.

- Parallel works show similar claims for "reasoning" tasks.

ICLR 2024



LARGE LANGUAGE MODELS CANNOT SELF-CORRECT REASONING YET

Jie Huang[1,2*] Xinyun Chen[1*] Swaroop Mishra[1] Huaixiu Steven Zheng[1] Adams Wei Yu[1]
Xinying Song[1] Denny Zhou[1]
[1]Google DeepMind [2]University of Illinois at Urbana-Champaign
jeffhj@illinois.edu, {xinyunchen, dennyzhou}@google.com

arXiv Feb 2024



LLMs cannot *find* reasoning errors, but can *correct* them!

Gladys Tyen*[1], Hassan Mansoor[2], Victor Cărbune[2], Peter Chen†[2], Tony Mak†[2]
[1]University of Cambridge, Dept. of Computer Science & Technology, ALTA Institute
[2]Google Research
gladys.tyen@cl.cam.ac.uk
{hassan,chenfeif,tonymak,vcarbune}@google.com

Self-Correction with external feedback works!

- What I showed earlier assumed model's own/intrinsic feedback.
- Recourse with external feedback remains a valid approach!
  - Examples:
    - LM's revising own SQL code based on discovered content from tables
    - LM's revising own Python code based on compiler error
    - LM's revising text output based on human (or another LM) feedback
    - …
- Open question: what does this imply about future utopia/dystopia where LLMs can improve with external feedback?

Implications for training with self-feedback

- Training time self-feedback—a la "Self-Instruct"* or RLAIF

- These schemes work because of their initial conditions.
  - i.e., the [implicit] boundaries defined by their demonstrations/prompts.
  - The richness offered by these demonstrations is limited.

- Training with self-feedback is not the way to the moon!

* See also concurrent work: Unnatural-Instructions [Honovich et al. 2022] and Self-Chat [Xu et al. 2023]

Back to the big picture

- LMs are likely to remain brittle.
- We need to think about innovative ways to scope them and contain their brittleness.
- Maybe "generality" is not all that we should aim for.
  - Specialized models that remain robust within that well-defined domain might be better alternatives.

Our success often depends on "assumptions"

- Models work well if it has seen similar-ish problems.
- We always need to make assumptions about tasks, domain, and data (e.g., "prompt-engineering").

"Computers are useless.
They can only give you answers"

-- Pablo Picasso, 1968



Thanks!


Helpful
Calibrated uncertainties
Consistent
Efficient
Transparent
Interact w/ world

Intelligence Continues to be a Moving Target

- Every step forward, we realize there are new challenges ahead.