

Imbondeiro Travel Website and Command Centre Manual

Operating guide for the live website, enquiries, reservations and safe website releases

Version 1.0 | 22 September 2026

This manual explains how to operate the live Imbondeiro Travel website and Command Centre, process customer enquiries, publish controlled changes through GitHub and Vercel, and recover safely when something fails. The live website is the production system; branch previews are the testing area.

How to use this manual

Use Sections 1 to 3 for everyday work. Use Section 4 whenever website code changes. Use Section 5 when a service fails, access is lost, or a release must be reversed. Never paste passwords, API keys or service-role keys into GitHub files, screenshots, chat messages or the public website.

Contents

Section	Purpose
1 Website operations	Check the public website, contact journey and visible content.
2 Command Centre	Manage enquiries, customers, reservations, departures, payments and media.
3 Daily procedures	Run the daily, weekly and monthly operating rhythm.
4 Website development	Use branches, Preview, pull requests and Production safely.
5 Troubleshooting and security	Diagnose failures, recover service and protect credentials.
Appendix	Launch checklist, ownership map and emergency contacts template.

System map

System	Role	Rule
imbondeirotravel.com	Public Production website	Customer-facing. Change only through an approved merge to main.
GitHub main	Production source	Protected reference point for all new branches.
GitHub branch	Isolated change set	Preview and test here before merging.
Vercel Preview	Temporary test deployment	Safe place to inspect each branch.
Vercel Production	Live deployment from main	Verify after every merge.
Supabase	Live business database and media	Command Centre changes affect live records.
Resend	Journey-request email delivery	Sends team notification and traveller acknowledgement.

1 Website operations

1.1 Daily public website check

1. Open <https://imbondeirotravel.com> in a private or incognito browser window.
2. Confirm the approved Imbondeiro logo appears in the header and footer.
3. Play or wait for the hero scenes and confirm the page remains readable over each scene.
4. Open Meet Angola and The Imbondeiro Explorer from the header.
5. Add a destination to My Journey and confirm the counter changes.
6. Open Menu and test the important chapter links.
7. Open the journey form, but do not send a test request every day unless a release affected enquiries.
8. Repeat the essential check on a mobile phone or using a narrow browser window.




Figure 1 Live customer confirmation after a successful journey request

1.2 Customer journey request

A successful request creates one reference number and should complete four connected actions:

Action	Expected result
Website	The customer sees Request Received with the reference, Journey Designer and response time.
Team email	The team receives New journey request with all submitted details.

Traveller email	The traveller receives an acknowledgement at the submitted email address.
Command Centre	A customer and Enquiry reservation are saved to Supabase.

1.3 Verify a real enquiry




Figure 2 Journey request email received by the team

1. Copy the reference number from the confirmation screen or email subject.
2. Open the Command Centre and search for the customer name or reference.
3. Confirm the customer record contains the submitted contact details.
4. Confirm Reservations contains an Enquiry with the same destination and traveller count.
5. Reply from the business email and record the operational follow-up in the reservation notes or status.

1.4 Website content controlled from Command Centre

Tours and departures shown publicly are loaded from the live database.

Hero media can be loaded from the Media Library; fallback scenes protect the homepage if a media request fails.

The header and footer logo use the approved website logo asset.

Company settings provide the tagline and may provide document branding.

Currency conversion requires the live exchange-rate endpoint; the website provides a clear error if it is unavailable.

2 Command Centre

2.1 Access and sign in

1. Open <https://imbondeirotravel.com/admin/>.
2. Enter the authorised Command Centre email and password.
3. If the page says the live Command Centre is not configured, do not change code. Check the Production environment variables in Vercel and redeploy.
4. After signing in, confirm dashboard dates, available seats and revenue show real values rather than NaN or Invalid Date.




Figure 3 Live Command Centre dashboard after the date and capacity correction

2.2 Dashboard

The dashboard is the starting operational view. Needs Attention contains Enquiry, On Hold and Quoted reservations. Respond to enquiry opens the relevant reservation. Upcoming departures summarises booked, held and available seats. Revenue is based on current confirmed records.

2.3 Reservations




Figure 4 Reservation Manager with departure, traveller, status and total controls

Status	Operational meaning	Next action
Enquiry	A new request has arrived.	Respond, qualify the request and prepare a quotation.
On Hold	Capacity or arrangements are temporarily held.	Confirm before expiry or release the hold.
Quoted	A quotation has been issued.	Follow up and record the outcome.
Deposit Paid	Initial payment is recorded.	Confirm remaining balance and supplier actions.
Confirmed	The booking is committed.	Complete traveller, payment and operational readiness.
Travelled	The journey has finished.	Close records and complete post-travel follow-up.
Cancelled	The booking will not proceed.	Record the reason and release capacity.

Reservation rules

Link a reservation to the correct customer and departure whenever possible.

Use traveller count as a whole number and confirm it matches the booking party.

Never mark a reservation Confirmed unless commercial approval and required payment conditions are met.

Generate a Pro Forma or Tax Preview only after customer, journey, totals and tax details have been checked.

Delete records only when they are genuine test or duplicate records and deletion is permitted.

2.4 Customers and enquiries




Figure 5 Customer CRM showing a customer created automatically from a website enquiry

1. Search before creating a customer to avoid duplicates.
2. Keep name, email and telephone or WhatsApp current.
3. Use language and preference fields to support personalised service.
4. Record concise operational notes. Do not store payment-card information, passwords or unnecessary sensitive details.
5. Open the linked reservation to manage the booking lifecycle.

2.5 Departures and capacity

For each departure, confirm the start date, maximum guests, reserved guests, held guests, guide and status. Available seats are calculated as maximum guests minus reserved guests minus held guests, never below zero.

Check

Pass condition

Date	A real future date appears consistently on dashboard, departures and reservations.
Capacity	Reserved plus held guests does not exceed maximum guests.
Status	Open, sold out, cancelled or other approved status matches reality.
Guide	Named before the journey is considered operationally ready.
Payments	Paid amounts are visible for reservations associated with the departure.

2.6 Tours and public departures

1. Create or edit the tour master record before creating related departures.
2. Use clear public titles, descriptions, inclusions and exclusions.
3. Publish only content that has been proofread and commercially approved.
4. Create a departure with the correct date, capacity, pricing and status.
5. Open the public website in a private window and confirm the tour or departure appears correctly.

2.7 Media Library

Use descriptive titles and destination names.

Prefer web-optimised images and MP4 video. Test playback on desktop and mobile.

Set hero words and place labels carefully because they appear over media.

Keep a fallback image or video available for every important public section.

Never delete a media asset until confirming it is no longer referenced by the website.

2.8 Payments, documents, operations and reports

Area	Primary use
Payments	Record paid, pending and refunded amounts against the correct reservation.
Documents	Generate Pro Forma, Tax Preview and operational printouts after checking source data.
Operations	Review future departures, travellers, seats, guide assignment and payment readiness.
Reports and Audit Log	Review business activity, exports and who changed important records.

3 Daily procedures

3.1 Start of day

Done	Procedure
☐	Open the live website and confirm the homepage loads.
☐	Open the Command Centre dashboard and review Needs Attention.
☐	Check new journey-request emails and match each one to an Enquiry record.
☐	Respond to new enquiries and update their status.
☐	Review today and upcoming departures for capacity or readiness warnings.

3.2 During the day

Update customer and reservation information immediately after confirmed changes.

Record payments only from verified evidence.

Keep On Hold and Quoted items moving; do not leave them without a follow-up date.

Check public output after changing tours, departures, media or company settings.

Use business email and approved WhatsApp channels for customer communications.

3.3 End of day

Done	Procedure
☐	Confirm every received enquiry has an owner and next action.
☐	Review held capacity and time-sensitive quotations.
☐	Confirm payments and important changes are recorded.
☐	Check tomorrow's operational requirements.
☐	Sign out on shared devices and close exported customer files.

3.4 Weekly and monthly controls

Frequency	Control
Weekly	Test one complete journey request using a controlled test customer, then remove or label test records.
Weekly	Review upcoming departure capacity, guides and payment readiness.
Weekly	Check important public pages on desktop and mobile.
Weekly	Review Vercel deployment health and unresolved GitHub pull requests.
Monthly	Review Command Centre users, credentials and environment-variable ownership.
Monthly	Review analytics, enquiry conversion and stale reservations.
Monthly	Confirm privacy wording, contact information and business details remain accurate.
Quarterly	Run a recovery exercise: identify the last stable deployment and rehearse rollback steps without changing Production.

Data quality standards

Use consistent names, dates and currencies.

Do not create duplicate customers when an existing record can be updated.

Keep notes factual, relevant and respectful.

Do not store full card numbers, security codes or account passwords.

Correct invalid dates or capacity values before publishing or generating documents.

4 Website development

4.1 The safe release workflow

Stage	What happens	Production impact
1 Start from main	Create a fresh branch from the latest main.	None
2 Make one focused change	Edit only the files needed for the task.	None
3 Build and inspect	Run the production build and resolve errors.	None
4 Preview	Vercel deploys the branch to a Preview URL.	None
5 Test	Check desktop, mobile, forms and Command Centre as relevant.	None
6 Pull request	Compare the branch with main and review checks.	None
7 Merge	Merge only after checks pass and conflicts are resolved.	Production deployment starts
8 Verify Production	Test the real domain and critical workflow.	Confirms release

4.2 Branch naming

Change	Example
Bug fix	fix/command-centre-dates
Small launch improvement	fix/launch-essentials
New feature	feature/customer-documents
Documentation	docs/operations-manual

Do not continue routine development on an old merged branch. Create a fresh branch from current main so the next Preview contains the real Production baseline.

4.3 Preview and pull request checklist

Done	Check
☐	Vercel reports Ready for the branch Preview.
☐	GitHub checks pass.

☐	The Preview opens without configuration warnings.
☐	Changed screens work on desktop and mobile.
☐	No NaN, Invalid Date, blank totals or broken images appear.
☐	If enquiries changed, a controlled test reaches email and Command Centre.
☐	The pull request shows only expected files.
☐	Any merge conflict is resolved deliberately; never choose all current or all incoming changes without reviewing each block.
☐	After conflict resolution, Preview and checks run again.
☐	Production is verified immediately after merge.

4.4 Environment variables

Vercel variables are scoped to Production, Preview or both. Branch-specific variables are valid only for Preview. A variable changed in Vercel does not affect an existing deployment until that deployment is rebuilt or redeployed.

Variable	Purpose	Scope guidance
SUPABASE_URL	Supabase project endpoint	Production and Preview
SUPABASE_SERVICE_ROLE_KEY	Server-only database access	Production and Preview; never expose publicly
COMMAND_CENTRE_EMAIL	Admin sign-in identity	Production and Preview
COMMAND_CENTRE_PASSWORD	Admin sign-in password	Production and Preview; rotate securely
COMMAND_CENTRE_SESSION_SECRET	Signs admin sessions	Production and Preview; long random secret
RESEND_API_KEY	Email delivery	Production and Preview
IMBONDEIRO_FROM_EMAIL	Verified sender identity	Production and Preview
IMBONDEIRO_TO_EMAIL	Team recipient	Production and Preview
NEXT_PUBLIC_SITE_URL	Canonical public URL	Production should be https://imbondeirotravel.com
NEXT_PUBLIC_GA_MEASUREMENT_ID	Google Analytics property	Production when analytics is approved

5 Troubleshooting and security

5.1 Fast diagnosis

Symptom	Likely area	First action
Command Centre says not configured	Missing Production variables	Check Production scope, then redeploy.
Public API returns 500 or 503	Supabase URL or service key	Check Vercel logs and variable scope.
Journey request returns 502	Database or email delivery	Check Vercel function logs, Supabase and Resend.
Email missing but confirmation shown	Email delivery failed after database save	Search Command Centre by reference, then inspect Resend logs.
NaN or Invalid Date	Incorrect field mapping or source data	Check the record and reproduce in Preview before fixing.
Old website after merge	Production deployment or cache	Confirm Vercel Production deployment, then hard refresh.
Preview differs from Production	Different branch, code or variables	Compare deployment commit and environment scope.
Broken logo or image	Missing asset or wrong URL	Check asset exists and public/company settings are correct.

5.2 Emergency rollback

1. Stop merging new changes.
2. Record the failing Production deployment, time and visible symptoms.
3. In Vercel, identify the last known good Production deployment.
4. Use Vercel rollback or promote the last known good deployment according to account permissions.
5. Verify the public homepage, Command Centre login and a read-only data view.
6. Create a new fix branch from current main, correct the defect, test Preview and merge normally.
7. Document the incident and the preventive action.

5.3 Security rules

Never commit .env files, API keys, service-role keys, passwords or session secrets to GitHub.

Never show secret values in screenshots or support messages.

Restrict Vercel, GitHub, Supabase, Resend and domain access to authorised people.

Use individual accounts and multi-factor authentication where available.

Rotate credentials immediately if exposure is suspected.

Treat Command Centre exports and customer information as confidential.

Keep the Supabase service-role key server-only; it must never use a NEXT_PUBLIC prefix.

Review audit logs after unexpected changes.

Add stronger automated rate limiting or bot protection before a material increase in public traffic.

5.4 Known launch follow-ups

Priority	Item	Owner decision
High	Confirm traveller acknowledgement email using a controlled external address.	Operations
High	Confirm NEXT_PUBLIC_SITE_URL is exactly https://imbondeirotravel.com in Production.	Technical administrator
Medium	Configure NEXT_PUBLIC_GA_MEASUREMENT_ID if Google Analytics is approved.	Management and marketing
Medium	Add managed rate limiting or bot protection for the enquiry endpoint.	Technical administrator
Medium	Complete full-page translation beyond the translated navigation, hero and Explorer interface.	Content and management
Routine	Review and remove old test records only after confirming they are not needed.	Operations

Appendix A Launch and release sign off

Area	Pass condition	Sign off
Homepage	Hero, logo, navigation and footer load on desktop and mobile.	☐
Explorer	Destinations can be selected and My Journey updates.	☐
Tours and departures	Live content, dates, prices and capacity are correct.	☐
Journey request	Confirmation, team email, traveller email and database record succeed.	☐
Command Centre	Sign-in, dashboard, customer and reservation workflows succeed.	☐
Documents	Pro Forma, Tax Preview and relevant printouts show correct data.	☐
SEO	Canonical domain, title, description, sitemap, robots and icon are present.	☐
Privacy	Consent and Privacy Policy links are visible and accurate.	☐
Security	Secrets are in Vercel only; no credentials are present in GitHub.	☐
Release	Preview checks passed, PR reviewed, merged, and Production verified.	☐

Appendix B Emergency ownership record

Complete this table internally. Do not include passwords or secret values.

System	Primary owner	Backup owner	Recovery location
Domain and DNS			
GitHub repository			
Vercel project			
Supabase project			
Resend account			
Business email			
Google Analytics			

Appendix C Guardian release record

Use one row per Production release. Record the pull request and deployment identifiers without recording credentials.

Date	Branch or PR	Change	Preview pass	Production pass	Owner
			☐	☐	
			☐	☐	
			☐	☐	
			☐	☐	
			☐	☐	

Final operating principle

The public website stays stable when changes are isolated, previewed, reviewed and verified. The Command Centre remains trustworthy when records are complete, statuses are current, capacity is checked and every enquiry has a clear next action.