CAMSHAFT (for Bank 1)

COMPONENTS




VSV CONNECTOR
INTAKE AIR SURGE TANK
WATER BY-PASS HOSE
28 (286, 21)
x4
x2
VSV CONNECTOR
FUEL VAPOR FEED HOSE
MT:
CLUTCH FLEXIBLE HOSE BRACKET
THROTTLE BODY WITH MOTOR CONNECTOR
NO. 2 SURGE TANK STAY
21 (214, 15)
NO. 1 VENTILATION HOSE
21 (214, 15)
THROTTLE BODY BRACKET
NO. 1 SURGE TANK STAY
24 (245, 18)
MT:
10 (102, 7.4)
GASKET
21 (214, 15)
9.0 (92, 80 in.*lbf)
x3
10 (102, 7.4)
x3
IGNITION COIL
OIL BAFFLE PLATE
9.0 (92, 80 in.*lbf)
9.0 (92, 80 in.*lbf)
x3
IGNITION COIL
9.0 (92, 80 in.*lbf)
9.0 (92, 80 in.*lbf)
10 (102, 7.4)
SEAL WASHER
CYLINDER HEAD COVER SUB ASSEMBLY LH
9.0 (92, 80 in.*lbf)
CYLINDER HEAD COVER SUB ASSEMBLY
GASKET
GASKET
TIMING CHAIN COVER PLATE
9.0 (92, 80 in.*lbf)
x4
10 (102, 7.4)
x2
GASKET
NO. 1 CHAIN TENSIONER ASSEMBLY
N*m (kgf*cm, ft*lbf) : Specified torque
Non-reusable part
Y
A113565E01



EM

N*m (kgf*cm, ft*lbf) : Specified torque

Y

A113592E02