



# Job: Emp-Cal3-Lot-32-27-07-A-REV

Model: Calderwood ph3  
Site Address: Thorold, On  
Designer: S.R  
Model: 27-07-A

## Elevation Report


Page: 1 of 13  
Date: 07/12/2024 10:03:24

Level: 1st Floor

Bundle: 1/6 1ST FLR GAR

Panel: L1-E6

**Stud Spacing**      **BF**      **Weight**  
1-04-00      287      419.00 lb



### Sheathing

Standard Material  
1" Cladmate 9'

### Hold/Extend

I      B      L      R  
-1-02      -      -1-00      -

### Cutting List

| Label | Member       | Description    | Qty  | Length   | Width   | L Miter | R Miter | L Bevel | R Bevel |
|-------|--------------|----------------|------|----------|---------|---------|---------|---------|---------|
| A     | Bottom Plate | 2x6 SPF No.2   | (1)  | 13-08-08 | 0-00    |         |         |         |         |
| B     | Top Plate    | 2x6 SPF No.2   | (1)  | 13-08-08 | 0-00    |         |         |         |         |
| C     | VTP          | 2x6 SPF No.2   | (1)  | 14-02-00 | 0-00    |         |         |         |         |
| D     | Stud         | 2x6 SPF No.2   | (12) | 8-08-10  | 0-00    |         |         |         |         |
| E     | Sheathing    | 1" Cladmate 9' | (1)  | 9-00-00  | 2-00-08 |         |         |         |         |
| F     | Sheathing    | 1" Cladmate 9' | (2)  | 9-00-00  | 4-00-00 |         |         |         |         |
| G     | Sheathing    | 1" Cladmate 9' | (1)  | 9-00-00  | 3-07-00 |         |         |         |         |

L1-E6



# Job: Emp-Cal3-Lot-32-27-07-A-REV

Model: Calderwood ph3  
Site Address: Thorold, On  
Designer: S.R  
Model: 27-07-A

## Elevation Report

Page: 2 of 13  
Date: 07/12/2024 10:03:24

Level: 1st Floor

Bundle: 1/6 1ST FLR GAR

Panel: L1-E6 Continued

### Metal Strip Bracing and Strapping

| Type          | Label | Description | Qty | Length   |
|---------------|-------|-------------|-----|----------|
| Strip Bracing | H     | WBC12       | (1) | 11-03-05 |

L1-E6



# Job: Emp-Cal3-Lot-32-27-07-A-REV

Model: Calderwood ph3  
Site Address: Thorold, On  
Designer: S.R  
Model: 27-07-A

## Elevation Report


Page: 3 of 13  
Date: 07/12/2024 10:03:24

Level: 1st Floor

Bundle: 1/6 1ST FLR GAR

Panel: L1-E8

| Stud Spacing | BF  | Weight    |
|--------------|-----|-----------|
| 1-04-00      | 106 | 146.00 lb |



### Sheathing

Standard Material

1" Cladmate 9'

### Hold/Extend

| I     | B | L | R     |
|-------|---|---|-------|
| -1-02 | - | - | -5-08 |

### Cutting List

| Label | Member       | Description    | Qty | Length  | Width   | L Miter | R Miter | L Bevel | R Bevel |
|-------|--------------|----------------|-----|---------|---------|---------|---------|---------|---------|
| A     | Bottom Plate | 2x6 SPF No.2   | (1) | 4-03-00 | 0-00    |         |         |         |         |
| B     | Top Plate    | 2x6 SPF No.2   | (1) | 4-03-00 | 0-00    |         |         |         |         |
| C     | VTP          | 2x6 SPF No.2   | (1) | 1-09-08 | 0-00    |         |         |         |         |
| D     | Stud         | 2x6 SPF No.2   | (5) | 8-08-10 | 0-00    |         |         |         |         |
| E     | Flat Stud    | 2x6 SPF No.2   | (1) | 8-08-10 | 0-00    |         |         |         |         |
| F     | Sheathing    | 1" Cladmate 9' | (1) | 9-00-00 | 3-09-08 |         |         |         |         |

L1-E8



# Job: Emp-Cal3-Lot-32-27-07-A-REV

Model: Calderwood ph3  
Site Address: Thorold, On  
Designer: S.R  
Model: 27-07-A

## Elevation Report


Page: 4 of 13  
Date: 07/12/2024 10:03:24

Level: 1st Floor

Bundle: 1/6 1ST FLR GAR

Panel: L1-E14

| Stud Spacing | BF | Weight    |
|--------------|----|-----------|
| 1-04-00      | 64 | 121.00 lb |



### Sheathing

Standard Material  
7/16" 4x9 OSB

### Hold/Extend

| I     | B | L    | R |
|-------|---|------|---|
| -1-02 | - | 3-04 | - |

### Cutting List

| Label | Member       | Description   | Qty | Length  | Width   | L Miter | R Miter | L Bevel | R Bevel |
|-------|--------------|---------------|-----|---------|---------|---------|---------|---------|---------|
| A     | Bottom Plate | 2x6 SPF No.2  | (1) | 2-09-08 | 0-00    |         |         |         |         |
| B     | Top Plate    | 2x6 SPF No.2  | (1) | 2-09-08 | 0-00    |         |         |         |         |
| C     | VTP          | 2x6 SPF No.2  | (1) | 2-09-08 | 0-00    |         |         |         |         |
| D     | Stud         | 2x6 SPF No.2  | (4) | 9-04-13 | 0-00    |         |         |         |         |
| E     | Sheathing    | 7/16" 4x9 OSB | (1) | 9-00-00 | 3-00-12 |         |         |         |         |
| F     | Sheathing    | 7/16" 4x9 OSB | (1) | 8-03    | 3-00-12 |         |         |         |         |

L1-E14



# Job: Emp-Cal3-Lot-32-27-07-A-REV

Model: Calderwood ph3  
Site Address: Thorold, On  
Designer: S.R  
Model: 27-07-A

## Elevation Report

Page: 5 of 13  
Date: 07/12/2024 10:03:24

Level: 1st Floor

Bundle: 1/6 1ST FLR GAR


Panel: L1-E13

**Stud Spacing**  
1-04-00

**BF**  
263

**Weight**  
559.00 lb

**Production Notes:**  
Tyvek



### Sheathing

Standard Material  
7/16" 4x9 OSB

### Hold/Extend

I -1-02 B - L - R 3-00

### Cutting List

| Label | Member        | Description   | Qty  | Length   | Width   | L Miter | R Miter | L Bevel | R Bevel |
|-------|---------------|---------------|------|----------|---------|---------|---------|---------|---------|
| A     | Bottom Plate  | 2x6 SPF No.2  | (1)  | 13-08-12 | 0-00    |         |         |         |         |
| B     | Top Plate     | 2x6 SPF No.2  | (1)  | 13-08-12 | 0-00    |         |         |         |         |
| C     | VTP           | 2x6 SPF No.2  | (1)  | 13-08-12 | 0-00    |         |         |         |         |
| D     | Stud          | 2x6 SPF No.2  | (12) | 9-10-12  | 0-00    |         |         |         |         |
| E     | Critical Stud | 2x6 SPF No.2  | (3)  | 9-10-12  | 0-00    |         |         |         |         |
| F     | Sheathing     | 7/16" 4x9 OSB | (1)  | 9-00-00  | 2-00-08 |         |         |         |         |
| G     | Sheathing     | 7/16" 4x9 OSB | (1)  | 1-02-02  | 6-00-08 |         |         |         |         |
| H     | Sheathing     | 7/16" 4x9 OSB | (2)  | 9-00-00  | 4-00-00 |         |         |         |         |
| I     | Sheathing     | 7/16" 4x9 OSB | (1)  | 1-02-02  | 7-11-04 |         |         |         |         |
| J     | Sheathing     | 7/16" 4x9 OSB | (1)  | 9-00-00  | 3-11-04 |         |         |         |         |

L1-E13



**Job: Emp-Cal3-Lot-32-27-07-A-REV**

**Model:** Calderwood ph3  
**Site Address:** Thorold, On  
**Designer:** S.R  
**Model:** 27-07-A

**Elevation Report**

Page: 6 of 13  
Date: 07/12/2024 10:03:24

**Level: 1st Floor** **Bundle: 1/6 1ST FLR GAR** **Panel: L1-E13 Continued**

| Metal Strip Bracing and Strapping |       |             |     |          |
|-----------------------------------|-------|-------------|-----|----------|
| Type                              | Label | Description | Qty | Length   |
| Strip Bracing                     | K     | WBC12       | (1) | 11-04-06 |



# Job: Emp-Cal3-Lot-32-27-07-A-REV

Model: Calderwood ph3  
Site Address: Thorold, On  
Designer: S.R  
Model: 27-07-A

## Elevation Report


Page: 7 of 13  
Date: 07/12/2024 10:03:24

Level: 1st Floor

Bundle: 1/6 1ST FLR GAR

Panel: L1-E12

**Stud Spacing**      **BF**      **Weight**  
1-04-00      30      49.00 lb



| Sheathing                |  | Hold/Extend |   |   |   |
|--------------------------|--|-------------|---|---|---|
| Standard Material        |  | I           | B | L | R |
| 7/16" 4x9 OSB            |  | -1-02       | - | - | - |
| 1" Cladmate 9' (Layer 2) |  | -1-02       | - | - | - |

| Cutting List |              |                |     |         |       |         |         |         |         |
|--------------|--------------|----------------|-----|---------|-------|---------|---------|---------|---------|
| Label        | Member       | Description    | Qty | Length  | Width | L Miter | R Miter | L Bevel | R Bevel |
| A            | Bottom Plate | 2x6 SPF No.2   | (1) | 5-08    | 0-00  |         |         |         |         |
| B            | Top Plate    | 2x6 SPF No.2   | (1) | 5-08    | 0-00  |         |         |         |         |
| C            | VTP          | 2x6 SPF No.2   | (1) | 5-08    | 0-00  |         |         |         |         |
| D            | Stud         | 2x6 SPF No.2   | (2) | 9-10-12 | 0-00  |         |         |         |         |
| E            | Sheathing    | 7/16" 4x9 OSB  | (1) | 9-00-00 | 5-08  |         |         |         |         |
| F            | Sheathing    | 7/16" 4x9 OSB  | (1) | 1-02-02 | 5-08  |         |         |         |         |
| G            | Sheathing    | 1" Cladmate 9' | (1) | 9-00-00 | 5-08  |         |         |         |         |
| H            | Sheathing    | 1" Cladmate 9' | (1) | 1-02-02 | 5-08  |         |         |         |         |

L1-E12



# Job: Emp-Cal3-Lot-32-27-07-A-REV

Model: Calderwood ph3  
Site Address: Thorold, On  
Designer: S.R  
Model: 27-07-A

## Elevation Report


Page: 8 of 13  
Date: 07/12/2024 10:03:24

Level: 1st Floor

Bundle: 1/6 1ST FLR GAR

Panel: L1-E7

| Stud Spacing | BF  | Weight    |
|--------------|-----|-----------|
| 1-04-00      | 258 | 371.00 lb |



### Sheathing

Standard Material  
1" Cladmate 9'

### Hold/Extend

| I     | B | L    | R |
|-------|---|------|---|
| -1-02 | - | 7-12 | - |

### Cutting List

| Label | Member        | Description    | Qty | Length   | Width   | L Miter | R Miter | L Bevel | R Bevel |
|-------|---------------|----------------|-----|----------|---------|---------|---------|---------|---------|
| A     | Bottom Plate  | 2x6 SPF No.2   | (1) | 6-05-12  | 0-00    |         |         |         |         |
| B     | Top Plate     | 2x6 SPF No.2   | (1) | 6-05-12  | 0-00    |         |         |         |         |
| C     | VTP           | 2x6 SPF No.2   | (1) | 4-06-08  | 0-00    |         |         |         |         |
| D     | King Stud     | 2x6 SPF No.2   | (2) | 10-00-02 | 0-00    |         |         |         |         |
| E     | Jack Stud     | 2x6 SPF No.2   | (4) | 9-04-14  | 0-00    |         |         |         |         |
| F     | Header        | 2x8 SPF No.2   | (2) | 3-04-12  | 0-00    |         |         |         |         |
| G     | Stud          | 2x6 SPF No.2   | (5) | 10-00-02 | 0-00    |         |         |         |         |
| H     | Critical Stud | 2x6 SPF No.2   | (3) | 10-00-02 | 0-00    |         |         |         |         |
| I     | Sheathing     | 1" Cladmate 9' | (1) | 9-00-00  | 1-04-10 |         |         |         |         |
| J     | Sheathing     | 1" Cladmate 9' | (1) | 1-03-08  | 1-04-10 |         |         |         |         |
| K     | Sheathing     | 1" Cladmate 9' | (1) | 3-04-12  | 2-10-12 |         |         |         |         |
| L     | Sheathing     | 1" Cladmate 9' | (1) | 9-00-00  | 2-10-02 |         |         |         |         |

L1-E7





# Job: Emp-Cal3-Lot-32-27-07-A-REV

Model: Calderwood ph3  
Site Address: Thorold, On  
Designer: S.R  
Model: 27-07-A

## Elevation Report

Page: 9 of 13  
Date: 07/12/2024 10:03:24

Level: 1st Floor

Bundle: 1/6 1ST FLR GAR

Panel: L1-E7 Continued

### Cutting List

| Label | Member               | Description    | Qty | Length  | Width   | L Miter | R Miter | L Bevel | R Bevel |
|-------|----------------------|----------------|-----|---------|---------|---------|---------|---------|---------|
| M     | Sheathing            | 1" Cladmate 9' | (1) | 1-03-08 | 2-10-02 |         |         |         |         |
| N     | Filler Cripple       | 2x6 SPF No.2   | (4) | 2-06-02 | 0-00    |         |         |         |         |
| O     | Filler Bottom Nailer | 2x6 SPF No.2   | (1) | 2-10-12 | 0-00    |         |         |         |         |

L1-E7



# Job: Emp-Cal3-Lot-32-27-07-A-REV

Model: Calderwood ph3  
Site Address: Thorold, On  
Designer: S.R  
Model: 27-07-A

## Elevation Report


Page: 10 of 13  
Date: 07/12/2024 10:03:24

Level: 1st Floor

Bundle: 1/6 1ST FLR GAR

Panel: L1-E19

| Stud Spacing | BF  | Weight    |
|--------------|-----|-----------|
| 1-04-00      | 138 | 257.00 lb |



### Sheathing

Standard Material  
7/16" 4x9 OSB

### Hold/Extend

| I     | B | L | R |
|-------|---|---|---|
| -1-02 | - | - | - |

### Cutting List

| Label | Member       | Description   | Qty | Length  | Width   | L Miter | R Miter | L Bevel | R Bevel |
|-------|--------------|---------------|-----|---------|---------|---------|---------|---------|---------|
| A     | Bottom Plate | 2x6 SPF No.2  | (1) | 6-01-00 | 0-00    |         |         |         |         |
| B     | Top Plate    | 2x6 SPF No.2  | (1) | 5-08-08 | 0-00    |         |         |         |         |
| C     | VTP          | 2x6 SPF No.2  | (1) | 5-07-08 | 0-00    |         |         |         |         |
| D     | King Stud    | 2x6 SPF No.2  | (1) | 9-04-13 | 0-00    |         |         |         |         |
| E     | Jack Stud    | 2x6 SPF No.2  | (3) | 9-00-05 | 0-00    |         |         |         |         |
| F     | Stud         | 2x6 SPF No.2  | (5) | 9-04-13 | 0-00    |         |         |         |         |
| G     | Sheathing    | 7/16" 4x9 OSB | (1) | 9-00-00 | 2-04-08 |         |         |         |         |
| H     | Sheathing    | 7/16" 4x9 OSB | (1) | 8-03    | 6-01-00 |         |         |         |         |
| I     | Sheathing    | 7/16" 4x9 OSB | (1) | 9-00-00 | 3-08-08 |         |         |         |         |

L1-E19



# Job: Emp-Cal3-Lot-32-27-07-A-REV

Model: Calderwood ph3  
Site Address: Thorold, On  
Designer: S.R  
Model: 27-07-A

## Elevation Report


Page: 11 of 13  
Date: 07/12/2024 10:03:24

Level: 1st Floor

Bundle: 1/6 1ST FLR GAR

Panel: L1-E18

**Stud Spacing**      **BF**      **Weight**  
1-04-00      229      389.00 lb



### Sheathing

Standard Material  
7/16" 4x9 OSB

### Hold/Extend

I      B      L      R  
-1-02      -      4-12      6-00

### Cutting List

| Label | Member       | Description   | Qty | Length   | Width   | L Miter | R Miter | L Bevel | R Bevel |
|-------|--------------|---------------|-----|----------|---------|---------|---------|---------|---------|
| A     | Bottom Plate | 2x6 SPF No.2  | (1) | 10-01-04 | 0-00    |         |         |         |         |
| B     | Top Plate    | 2x6 SPF No.2  | (1) | 10-01-04 | 0-00    |         |         |         |         |
| C     | VTP          | 2x6 SPF No.2  | (1) | 10-11-00 | 0-00    |         |         |         |         |
| D     | King Stud    | 2x6 SPF No.2  | (2) | 9-04-13  | 0-00    |         |         |         |         |
| E     | Jack Stud    | 2x6 SPF No.2  | (4) | 8-05-09  | 0-00    |         |         |         |         |
| F     | Header       | 2x12 SPF No.2 | (2) | 8-09-08  | 0-00    |         |         |         |         |
| G     | Stud         | 2x6 SPF No.2  | (2) | 9-04-13  | 0-00    |         |         |         |         |
| H     | Sheathing    | 7/16" 4x9 OSB | (1) | 9-00-00  | 1-02-04 |         |         |         |         |
| I     | Sheathing    | 7/16" 4x9 OSB | (1) | 8-03     | 1-02-04 |         |         |         |         |
| J     | Sheathing    | 7/16" 4x9 OSB | (1) | 4-04-02  | 6-12    |         |         |         |         |
| K     | Sheathing    | 7/16" 4x9 OSB | (1) | 4-04-02  | 4-00-00 |         |         |         |         |
| L     | Sheathing    | 7/16" 4x9 OSB | (1) | 4-04-02  | 3-08-12 |         |         |         |         |

L1-E18



# Job: Emp-Cal3-Lot-32-27-07-A-REV

Model: Calderwood ph3  
Site Address: Thorold, On  
Designer: S.R  
Model: 27-07-A

## Elevation Report

Page: 12 of 13  
Date: 07/12/2024 10:03:24

Level: 1st Floor

Bundle: 1/6 1ST FLR GAR

Panel: L1-E18 Continued

### Cutting List

| Label | Member               | Description   | Qty | Length  | Width   | L Miter | R Miter | L Bevel | R Bevel |
|-------|----------------------|---------------|-----|---------|---------|---------|---------|---------|---------|
| M     | Sheathing            | 7/16" 4x9 OSB | (1) | 9-00-00 | 1-06-04 |         |         |         |         |
| N     | Sheathing            | 7/16" 4x9 OSB | (1) | 8-03    | 1-06-04 |         |         |         |         |
| O     | Filler Cripple       | 2x6 SPF No.2  | (8) | 3-01-08 | 0-00    |         |         |         |         |
| P     | Filler Bottom Nailer | 2x6 SPF No.2  | (1) | 8-03-08 | 0-00    |         |         |         |         |

L1-E18



# Job: Emp-Cal3-Lot-32-27-07-A-REV

Model: Calderwood ph3  
Site Address: Thorold, On  
Designer: S.R  
Model: 27-07-A

## Elevation Report


Page: 13 of 13  
Date: 07/12/2024 10:03:24

Level: 1st Floor

Bundle: 1/6 1ST FLR GAR

Panel: L1-E15

| Stud Spacing | BF | Weight    |
|--------------|----|-----------|
| 1-04-00      | 60 | 113.00 lb |



### Sheathing

Standard Material  
7/16" 4x9 OSB

### Hold/Extend

| I     | B | L | R |
|-------|---|---|---|
| -1-02 | - | - | - |

### Cutting List

| Label | Member       | Description   | Qty | Length  | Width   | L Miter | R Miter | L Bevel | R Bevel |
|-------|--------------|---------------|-----|---------|---------|---------|---------|---------|---------|
| A     | Bottom Plate | 2x4 SPF No.2  | (1) | 3-04-08 | 0-00    |         |         |         |         |
| B     | Top Plate    | 2x4 SPF No.2  | (1) | 3-04-08 | 0-00    |         |         |         |         |
| C     | VTP          | 2x4 SPF No.2  | (1) | 2-11-00 | 0-00    |         |         |         |         |
| D     | Stud         | 2x4 SPF No.2  | (4) | 9-04-13 | 0-00    |         |         |         |         |
| E     | Flat Stud    | 2x6 SPF No.2  | (1) | 9-04-13 | 0-00    |         |         |         |         |
| F     | Sheathing    | 7/16" 4x9 OSB | (1) | 9-00-00 | 3-04-08 |         |         |         |         |
| G     | Sheathing    | 7/16" 4x9 OSB | (1) | 8-03    | 3-04-08 |         |         |         |         |

L1-E15