

Nagios XI API Reference

Authentication

Each API request requires an API key from Nagios XI user account.

Example: <https://nagiosxi.example.com/nagiosxi/api/v1/objects/host?apikey=YOURKEY>

Objects API

Manage configuration objects like hosts, services, contacts, groups.

Endpoints:

- /objects/host
- /objects/service
- /objects/contact
- /objects/hostgroup
- /objects/servicegroup
- /objects/timeperiod
- /objects/command

Methods: GET / POST / DELETE

Config API

Directly manage Nagios XI config DB.

Endpoints:

- /config/host
- /config/service

Methods: GET / POST / PUT / DELETE

System API

Get overall Nagios XI system information.

Nagios XI API Reference

Endpoints:

- /system/status
- /system/info
- /system/scheduleddowntime

State API

Get real-time monitoring state.

Endpoints:

- /state/host
- /state/service
- /state/hostgroup
- /state/servicegroup

Report API

Retrieve historical reports.

Endpoints:

- /reports/availability
- /reports/histogram
- /reports/topalertproducers

Alert & Notification

Manage alert actions.

Endpoints:

- /notifications
- /acknowledgements
- /comments

Nagios XI API Reference

User Management

Create, update, delete XI users.

Endpoint:

- /user

Schedule / Commands

Send commands to Nagios XI engine.

Endpoints:

- /commands/restart
- /commands/recheckhost
- /commands/recheckservice
- /commands/deletehost

Advanced Use Cases

Examples:

- NOC Monitoring Dashboard
- Asset Sync with CMDB
- Auto Remediation
- Daily SLA Report
- Self-Healing Infrastructure