Model Oracle Sales Application

Model Id: 977c2264-a4ab-4c7f-a975-93adcea0a618 **Description**:

Model name: Oracle Sales Application Creation date: Mar 1, 2022 2:29:30 PM

Technology: Oracle Created by: SUPERVISOR

Logical Schema: HIEU_ORACLE_ORCL_LOCAL_SALES Last modification: Mar 1, 2022 2:39:30 PM

Modified by: SUPERVISOR

Number of Sub-Models: 1

Sub-Models list:

ld	Name
c47d3ab4-2147-4d55-be6a- 40460386e0f1	Global

Sub-Model Global

 Sub-Model Id:
 2
 Creation date:
 Mar 1, 2022 2:29:32 PM

Sub-Model name: Global Created by: SUPERVISOR

Technology: Oracle **Last modification:** Mar 1, 2022 2:39:29 PM

Logical Schema: HIEU_ORACLE_ORCL_LOCAL_SALES Modified by: SUPERVISOR

Number of Tables: 8

Datastore list:

Name	Resource name	Туре	No. of Rows	Modification date
HIEU_DAO_TRG_BULK_CUSTOMER	HIEU_DAO_TRG_BULK_CUSTOMER	Table		Mar 1, 2022 2:33:35 PM
HIEU_DAO_TRG_CITY	HIEU_DAO_TRG_CITY	Table		Mar 1, 2022 2:38:38 PM
HIEU_DAO_TRG_COUNTRY	HIEU_DAO_TRG_COUNTRY	Table		Mar 1, 2022 2:34:45 PM
HIEU_DAO_TRG_CUSTOMER	HIEU_DAO_TRG_CUSTOMER	Table		Mar 1, 2022 2:38:47 PM
HIEU_DAO_TRG_PRODUCT	HIEU_DAO_TRG_PRODUCT	Table		Mar 1, 2022 2:38:57 PM
HIEU_DAO_TRG_PROD_FAMILY	HIEU_DAO_TRG_PROD_FAMILY	Table		Mar 1, 2022 2:36:52 PM
HIEU_DAO_TRG_REGION	HIEU_DAO_TRG_REGION	Table		Mar 1, 2022 2:39:07 PM
HIEU_DAO_TRG_SALES	HIEU_DAO_TRG_SALES	Table		Mar 1, 2022 2:39:28 PM

Datastore HIEU_DAO_TRG_BULK_CUSTOMER

Resource name: HIEU_DAO_TRG_BULK_CUSTOMER Type: Table No. of Rows:

OLAP Type: Description:

Flex Fields:

Name Value	
------------	--

Ord.	Name	Short Description	Туре	Length	Prec.	Dec.	Mand.
1	CUST_ID	CUST_ID	NUMBER	10	10	0	No
2	DEAR	DEAR	VARCHAR2	4	4		No
3	CUST_NAME	CUST_NAME	VARCHAR2	50	50		No
4	ADDRESS	ADDRESS	VARCHAR2	100	100		No
5	CITY_ID	CITY_ID	NUMBER	10	10	0	No
6	PHONE	PHONE	VARCHAR2	50	50		No
7	AGE	AGE	NUMBER	3	3	0	No
8	AGE_RANGE	AGE_RANGE	VARCHAR2	50	50		No
9	SALES_PERS	SALES_PERS	VARCHAR2	50	50		No
10	CRE_DATE	CRE_DATE	DATE				No
11	UPD_DATE	UPD_DATE	DATE				No

Attribute Details:

CUST_ID

Position: 1 Precision: 10 SCD Behaviour:

Description:

Type: NUMBER Mandatory: No Length: 10 Description:

Flex Fields

Name Value

DEAR

Position: 2 Precision: 4 SCD Behaviour:

Short DEAR Scale:

Description:

Type: VARCHAR2 Mandatory: No Length: 4 Description:

Flex Fields

Name Value

CUST_NAME

Position: 3 Precision: 50 SCD Behaviour:

Short CUST_NAME Scale :

Description :

Type: VARCHAR2 Mandatory: No Length: 50 Description:

Flex Fields

Name Value

ADDRESS

Position: 4 Precision: 100 SCD Behaviour:

Short ADDRESS Scale:

Description:

Type: VARCHAR2 Mandatory: No Length: 100 Description:

Flex Fields

Name Value

CITY_ID

Position: 5 Precision: 10 SCD Behaviour:

Short CITY_ID Scale: 0

Description :

Type: NUMBER Mandatory: No Length: 10 Description:

Flex Fields

Name Value

PHONE

Position: 6 Precision: 50 SCD Behaviour:

Short PHONE Scale:

Description:

Type: VARCHAR2 Mandatory: No Length: 50 Description:

Flex Fields

Name Value

AGE

Position: 7 Precision: 3 SCD Behaviour:

Short AGE **Scale**: 0

Description :

Type: NUMBER Mandatory: No Length: 3 Description:

Flex Fields

Name Value

AGE_RANGE

Position: 8 Precision: 50 SCD Behaviour:

 $\begin{tabular}{lll} \textbf{Short} & AGE_RANGE & \textbf{Scale}: \\ \end{tabular}$

Description:

Type: VARCHAR2 Mandatory: No Length: 50 Description:

Flex Fields

Name Value

SALES_PERS

Position: 9 Precision: 50 SCD Behaviour:

Short SALES_PERS Scale:

Description :

Type: VARCHAR2 Mandatory: No Length: 50 Description:

Flex Fields

Name Value

CRE_DATE

Position: 10 Precision: SCD Behaviour:

Short CRE_DATE Scale:

Description :

Type: DATE Mandatory: No Length: Description:

Flex Fields

Name Value

UPD DATE

Position: 11 Precision: SCD Behaviour:

Short UPD_DATE **Scale**:

Description :

Type: DATE Mandatory: No Length: Description:

Flex Fields

Name Value

Partition List:

Name Parent Partition Description: Type:

Datastore HIEU_DAO_TRG_CITY

Resource name: HIEU_DAO_TRG_CITY Type: Table No. of Rows:

OLAP Type: Description:

Flex Fields:

Name Value

Attribute list:

Ord.	Name	Short Description	Туре	Length	Prec.	Dec.	Mand.
1	CITY_ID	CITY_ID	NUMBER	10	10	0	Yes
2	REGION_ID	REGION_ID	NUMBER	10	10	0	Yes
3	CITY	CITY	VARCHAR2	50	50		No
4	POPULATION	POPULATION	NUMBER	10	10	0	No

Attribute Details :

CITY_ID

Position: 1 Precision: 10 SCD Behaviour:

0

Short CITY_ID **Scale**:

Description:

Type: NUMBER Mandatory: Yes
Length: 10 Description:

Flex Fields

Name Value

REGION_ID

Position: 2 Precision: 10 SCD Behaviour:

Short REGION_ID **Scale**: 0

Description :

Type: NUMBER Mandatory: Yes
Length: 10 Description:

Flex Fields

Name Value

CITY

Position: 3 Precision: 50 SCD Behaviour:

Short CITY Scale:

Description:

Type: VARCHAR2 Mandatory: No Length: 50 Description:

Flex Fields

Name Value

POPULATION

Position: 4 Precision: 10 SCD Behaviour:

Short POPULATION Scale:

Description :

Type: NUMBER Mandatory: No Length: 10 Description:

Flex Fields

Name Value

Key list:

HIEU_DAO_PK_TRG_CITY

Type:Primary KeyStatic Control:YesActive:YesFlow Control:Yes

Attribute Pos.

CITY_ID 1

Outgoing References:

HIEU_DAO_FK_CITY_REGION

Referenced Table: HIEU_DAO_TRG_REGION Type: Database Update rule: Cascade Flow Control: Yes

reference

Catalog: Yes Delete rule: Restrict Static Control: Yes

Schema: ODI_SALES_DEV

 Pos.
 FK Attribute
 PK Attribute

 1
 REGION_ID
 REGION_ID

Incoming References:

HIEU_DAO_FK_CUST_CITY

Type: Database Referencing Table: HIEU_DAO_TRG_CITY Flow Control: Yes

reference

Active: Yes Update rule: Cascade Static Control: Yes

Delete rule: Restrict

 Pos.
 FK Attribute
 PK Attribute

 1
 CITY_ID
 CITY_ID

Partition List:

Name Parent Partition Description: Type:

Datastore HIEU_DAO_TRG_COUNTRY

Resource name: HIEU_DAO_TRG_COUNTRY Type: Table No. of Rows:

OLAP Type: Description:

Flex Fields:

Name Value

Attribute list:

Ord.	Name	Short Description	Туре	Length	Prec.	Dec.	Mand.
1	COUNTRY_ID	COUNTRY_ID	NUMBER	10	10	0	Yes
2	COUNTRY	COUNTRY	VARCHAR2	50	50		No

Attribute Details:

COUNTRY_ID

Position: 1 Precision: 10 SCD Behaviour:

Type: NUMBER Mandatory: Yes
Length: 10 Description:

Flex Fields

Name Value

COUNTRY

Position: 2 Precision: 50 SCD Behaviour:

Scale:

Short COUNTRY

Description:

Type:

Length:

VARCHAR2 **Mandatory**: No 50 **Description**:

Flex Fields

Name Value

Key list:

HIEU_DAO_PK_TRG_COUNTRY

Type:Primary KeyStatic Control:YesActive:YesFlow Control:Yes

Attribute	Pos.
COUNTRY_ID	1

Incoming References:

HIEU_DAO_FK_REGION_COUNTRY

Type: Database Referencing Table: HIEU_DAO_TRG_COUNTRY Flow Control: Yes

reference

Active: Yes Update rule: Cascade Static Control: Yes

Delete rule: Restrict

Pos.	FK Attribute	PK Attribute
1	COUNTRY_ID	COUNTRY_ID

Partition List:

Name Parent Partition Description: Type:

Datastore HIEU_DAO_TRG_CUSTOMER

Resource name: HIEU_DAO_TRG_CUSTOMER Type: Table No. of Rows:

OLAP Type: Description:

Flex Fields:

Name Value

Ord.	Name	Short Description	Туре	Length	Prec.	Dec.	Mand.
1	CUST_ID	CUST_ID	NUMBER	10	10	0	Yes
2	DEAR	DEAR	VARCHAR2	4	4		No
3	CUST_NAME	CUST_NAME	VARCHAR2	50	50		No
4	ADDRESS	ADDRESS	VARCHAR2	100	100		No
5	CITY_ID	CITY_ID	NUMBER	10	10	0	Yes
6	PHONE	PHONE	VARCHAR2	50	50		No
7	AGE	AGE	NUMBER	3	3	0	No
8	AGE_RANGE	AGE_RANGE	VARCHAR2	50	50		No

9	SALES_PERS	SALES_PERS	VARCHAR2	50	50	No
10	CRE_DATE	CRE_DATE	DATE			No
11	UPD_DATE	UPD_DATE	DATE			No

Attribute Details:

CUST_ID

Position: 1 Precision: 10 SCD Behaviour:

Short CUST_ID **Scale**: 0

Description :

Type: NUMBER Mandatory: Yes
Length: 10 Description:

Flex Fields

Name Value

DEAR

Position: 2 Precision: 4 SCD Behaviour:

Short DEAR Scale:

Description :

Type: VARCHAR2 Mandatory: No Length: 4 Description:

Flex Fields

Name Value

CUST_NAME

Position: 3 Precision: 50 SCD Behaviour:

thort CUST_NAME Scale :

Description :

Type: VARCHAR2 Mandatory: No Length: 50 Description:

Flex Fields

Name Value

ADDRESS

Position: 4 Precision: 100 SCD Behaviour:

Short ADDRESS Scale:

Description :

Type: VARCHAR2 Mandatory: No Length: 100 Description:

Flex Fields

Name Value

CITY_ID

Position: 5 Precision: 10 SCD Behaviour:

Short CITY_ID **Scale**: 0

Description:

Type: NUMBER Mandatory: Yes Length: 10 Description:

Flex Fields

Name Value

PHONE

Position: 6 Precision: 50 SCD Behaviour:

Short PHONE Scale:

Description :

Type: VARCHAR2 Mandatory: No Length: 50 Description:

Flex Fields

Name Value

AGE

Position: 7 Precision: 3 SCD Behaviour:

Short AGE Scale: 0

Description:

Type: NUMBER Mandatory: No Length: 3 Description:

Flex Fields

Name Value

AGE_RANGE

Position: 8 Precision: 50 SCD Behaviour:

 $\begin{tabular}{lll} \textbf{Short} & AGE_RANGE & \textbf{Scale}: \\ \end{tabular}$

Description:

Type: VARCHAR2 Mandatory: No Length: 50 Description:

Flex Fields

Name Value

SALES_PERS

Position: 9 Precision: 50 SCD Behaviour:

Scale:

Short SALES_PERS

Description:

Type: VARCHAR2 Mandatory: No Length: 50 Description:

Flex Fields

Name Value

CRE_DATE

Position:10Precision:SCD Behaviour:

Short CRE_DATE Scale:

Description :

Type: DATE Mandatory: No Length: Description:

Flex Fields

Name Value

UPD_DATE

Position: 11 Precision: SCD Behaviour:

Short UPD_DATE Scale:

Description :

Type: DATE Mandatory: No Length: Description:

Flex Fields

Name Value

Key list:

HIEU_DAO_PK_TRG_CUSTOMER

Type:Primary KeyStatic Control:YesActive:YesFlow Control:Yes

Attribute Pos.

CUST_ID 1

Outgoing References:

HIEU_DAO_FK_CUST_CITY

Referenced Table: HIEU_DAO_TRG_CITY Type: Database Update rule: Cascade Flow Control: Yes

reference

Catalog: Yes Delete rule: Restrict Static Control: Yes

Schema: ODI_SALES_DEV

 Pos.
 FK Attribute
 PK Attribute

 1
 CITY_ID
 CITY_ID

Incoming References:

HIEU_DAO_FK_SALES_CUST

Type: Database Referencing Table: HIEU_DAO_TRG_CUSTOMER Flow Control: Yes

reference

Active: Yes Update rule: Cascade Static Control: Yes

Delete rule: Restrict

 Pos.
 FK Attribute
 PK Attribute

 1
 CUST_ID
 CUST_ID

Partition List:

Name Parent Partition Description: Type:

Datastore HIEU_DAO_TRG_PRODUCT

Resource name: HIEU_DAO_TRG_PRODUCT Type: Table No. of Rows:

OLAP Type:

Flex Fields:

Name Value

Attribute list:

Ord.	Name	Short Description	Туре	Length	Prec.	Dec.	Mand.
1	PRODUCT_ID	PRODUCT_ID	NUMBER	10	10	0	Yes
2	FAMILY_ID	FAMILY_ID	VARCHAR2	3	3		Yes
3	PRICE	PRICE	NUMBER	10	10	2	No
4	PRODUCT	PRODUCT	VARCHAR2	50	50		No

Attribute Details:

PRODUCT_ID

Position: 1 Precision: 10 SCD Behaviour:

Short PRODUCT_ID **Scale**: 0

Description :

Type: NUMBER Mandatory: Yes
Length: 10 Description:

Flex Fields

Name Value

FAMILY_ID

Position: 2 Precision: 3 SCD Behaviour:

Short FAMILY_ID Scale :

Description:

Type: VARCHAR2 Mandatory: Yes
Length: 3 Description:

Flex Fields

Name Value

PRICE

Position: 3 Precision: 10 SCD Behaviour:

Short PRICE Scale: 2

Description :

Type: NUMBER Mandatory: No Length: 10 Description:

Flex Fields

Name Value

PRODUCT

Position: 4 Precision: 50 SCD Behaviour:

Short PRODUCT Scale:

Description :

Type: VARCHAR2 Mandatory: No Length: 50 Description:

Flex Fields

Name	Value

Key list:

HIEU_DAO_PK_TRG_PRODUCT

Type:Primary KeyStatic Control:YesActive:YesFlow Control:Yes

Attribute	Pos.
PRODUCT_ID	1

Outgoing References:

HIEU_DAO_FK_PROD_PROD_FAM

Referenced Table: HIEU_DAO_TRG_PROD_FAMILY Type: Database Update rule: Cascade Flow Control: Yes

reference

Catalog: Yes Delete rule: Restrict Static Control: Yes

Schema: ODI_SALES_DEV

Pos.	FK Attribute	PK Attribute
1	FAMILY_ID	FAMILY_ID

Incoming References:

HIEU_DAO_FK_SALES_PROD

Type: Database Referencing Table: HIEU_DAO_TRG_PRODUCT Flow Control: Yes

reference

Active: Yes Update rule: Cascade Static Control: Yes

Delete rule: Restrict

Pos.	FK Attribute	PK Attribute
1	PRODUCT_ID	PRODUCT_ID

Partition List:

Name Parent Partition Description: Type:

Datastore HIEU_DAO_TRG_PROD_FAMILY

Resource name: HIEU_DAO_TRG_PROD_FAMILY Type: Table No. of Rows:

OLAP Type: Description:

Flex Fields:

Name Value

Ord.	Name	Short Description	Туре	Length	Prec.	Dec.	Mand.
1	FAMILY_ID	FAMILY_ID	VARCHAR2	3	3		Yes
2	FAMILY_NAME	FAMILY_NAME	VARCHAR2	50	50		No

Attribute Details:

FAMILY_ID

Position: 1 Precision: 3 SCD Behaviour:

Scale:

Short FAMILY_ID

Description :

Type: VARCHAR2 Mandatory: Yes
Length: 3 Description:

Flex Fields

Name Value

FAMILY_NAME

Position: 2 Precision: 50 SCD Behaviour:

Short FAMILY_NAME Scale :

Description:

Type: VARCHAR2 Mandatory: No Length: 50 Description:

Flex Fields

Name Value

Key list:

HIEU_DAO_PK_TRG_PROD_FAMILY

Type:Primary KeyStatic Control:YesActive:YesFlow Control:Yes

Attribute	Pos.
FAMILY_ID	1

Incoming References:

$HIEU_DAO_FK_PROD_PROD_FAM$

 Type:
 Database
 Referencing Table:
 HIEU_DAO_TRG_PROD_FAMILY
 Flow Control:
 Yes

reference

Active: Yes Update rule: Cascade Static Control: Yes

Delete rule: Restrict

 Pos.
 FK Attribute
 PK Attribute

 1
 FAMILY_ID

Partition List:

Name Parent Partition Description: Type:

Datastore HIEU_DAO_TRG_REGION

Resource name: HIEU_DAO_TRG_REGION Type: Table No. of Rows:

OLAP Type:

Flex Fields:

Name Value

Attribute list:

Ord.	Name	Short Description	Туре	Length	Prec.	Dec.	Mand.
1	REGION_ID	REGION_ID	NUMBER	10	10	0	Yes
2	COUNTRY_ID	COUNTRY_ID	NUMBER	10	10	0	Yes
3	REGION	REGION	VARCHAR2	50	50		No

Attribute Details:

REGION_ID

Position: 1 Precision: 10 SCD Behaviour:

Short REGION_ID **Scale**: 0

Description :

Type: NUMBER Mandatory: Yes
Length: 10 Description:

Flex Fields

Name Value

COUNTRY_ID

Position: 2 Precision: 10 SCD Behaviour:

Short COUNTRY_ID Scale: 0

Description :

Type: NUMBER Mandatory: Yes
Length: 10 Description:

Flex Fields

Name Value

REGION

Position: 3 Precision: 50 SCD Behaviour:

Short REGION Scale:

Description:

Type: VARCHAR2 Mandatory: No Length: 50 Description:

Flex Fields

Name Value

Key list:

HIEU_DAO_PK_TRG_REGION

Type:Primary KeyStatic Control:YesActive:YesFlow Control:Yes

Attribute	Pos.
REGION_ID	1

Outgoing References:

HIEU_DAO_FK_REGION_COUNTRY

Referenced Table: HIEU_DAO_TRG_COUNTRY Type: Database Update rule: Cascade Flow Control: Yes

reference

Catalog: Yes Delete rule: Restrict Static Control: Yes

Schema: ODI_SALES_DEV

Pos. FK Attribute PK Attribute

1 COUNTRY_ID COUNTRY_ID

Incoming References:

HIEU_DAO_FK_CITY_REGION

Type: Database Referencing Table: HIEU_DAO_TRG_REGION Flow Control: Yes

reference

Active: Yes Update rule: Cascade Static Control: Yes

Delete rule: Restrict

 Pos.
 FK Attribute
 PK Attribute

 1
 REGION_ID
 REGION_ID

Partition List:

Name Parent Partition Description: Type:

Datastore HIEU_DAO_TRG_SALES

Resource name: HIEU_DAO_TRG_SALES Type: Table No. of Rows:

OLAP Type:

Description:

Flex Fields:

Name Value

Ord.	Name	Short Description	Туре	Length	Prec.	Dec.	Mand.
1	CUST_ID	CUST_ID	NUMBER	10	10	0	Yes
2	PRODUCT_ID	PRODUCT_ID	NUMBER	10	10	0	Yes
3	FIRST_ORD_ID	FIRST_ORD_ID	NUMBER	10	10	0	Yes
4	FIRST_ORD_DATE	FIRST_ORD_DATE	DATE				Yes
5	LAST_ORD_ID	LAST_ORD_ID	NUMBER	10	10	0	Yes
6	LAST_ORD_DATE	LAST_ORD_DATE	DATE				Yes
7	QTY	QTY	NUMBER	10	10	0	Yes
8	AMOUNT	AMOUNT	NUMBER	10	10	2	Yes
9	PROD_AVG_PRICE	PROD_AVG_PRICE	NUMBER	10	10	2	Yes

Attribute Details:

CUST_ID

Position: 1 Precision: 10 SCD Behaviour:

Description :

Type: NUMBER Mandatory: Yes
Length: 10 Description:

Flex Fields

Name Value

PRODUCT_ID

Position: 2 Precision: 10 SCD Behaviour:

Short PRODUCT_ID **Scale**: 0

Description:

Type: NUMBER Mandatory: Yes
Length: 10 Description:

Flex Fields

Name Value

FIRST_ORD_ID

Position: 3 Precision: 10 SCD Behaviour:

Description:

Type: NUMBER Mandatory: Yes
Length: 10 Description:

Flex Fields

Name Value

FIRST_ORD_DATE

Position: 4 Precision: SCD Behaviour:

Short FIRST_ORD_DATE **Scale**:

Description:

Type: DATE Mandatory: Yes
Length: Description:

Flex Fields

Name Value

LAST_ORD_ID

Position: 5 Precision: 10 SCD Behaviour:

Short LAST_ORD_ID Scale: 0

Description:

Type: NUMBER Mandatory: Yes
Length: 10 Description:

Flex Fields

Name Value

LAST_ORD_DATE

Position: 6 Precision: SCD Behaviour:

Short LAST_ORD_DATE **Scale**:

Description :

Type: DATE Mandatory: Yes
Length: Description:

Flex Fields

Name Value

QTY

Position: 7 Precision: 10 SCD Behaviour:

Short QTY Scale: 0

Description :

Type: NUMBER Mandatory: Yes
Length: 10 Description:

Flex Fields

Name Value

AMOUNT

Position: 8 Precision: 10 SCD Behaviour:

Short AMOUNT Scale: 2

Description:

Type: NUMBER Mandatory: Yes
Length: 10 Description:

Flex Fields

Name Value

PROD_AVG_PRICE

Position: 9 Precision: 10 SCD Behaviour:

 $\begin{tabular}{lll} \textbf{Short} & PROD_AVG_PRICE & \textbf{Scale}: & 2 \\ \end{tabular}$

Description :

Type:NUMBERMandatory:YesLength:10Description:

Flex Fields

Name Value

Key list:

 $HIEU_DAO_PK_TRG_SALES$

Type:Primary KeyStatic Control:YesActive:YesFlow Control:Yes

Attribute Pos.

PRODUCT_ID 1

CUST_ID 2

Outgoing References:

HIEU_DAO_FK_SALES_CUST

Referenced Table: HIEU_DAO_TRG_CUSTOMER Type: Database Update rule: Cascade Flow Control: Yes

reference

Catalog: Yes Delete rule: Restrict Static Control: Yes

Schema: ODI_SALES_DEV

Pos. FK Attribute PK Attribute

1 CUST_ID CUST_ID

HIEU_DAO_FK_SALES_PROD

Referenced Table: HIEU_DAO_TRG_PRODUCT Type: Database Update rule: Cascade Flow Control: Yes

reference

Catalog: Yes Delete rule: Restrict Static Control: Yes

Schema: ODI_SALES_DEV

 Pos.
 FK Attribute
 PK Attribute

 1
 PRODUCT_ID
 PRODUCT_ID

Partition List:

Name Parent Partition Description: Type: