

# Brain tumor segmentation using deep learning

Gal Peretz , Elad Amar

## Abstract

Brain tumor is one of the deadliest forms of cancer and as all cancer types, early detection is very important and can save lives. By the time symptoms appear cancer may have begun to spread and be harder to treat. The screening process (the process of performing MRI or CT scans to detect tumors) can be divided to two main tasks. The first task is the classification task, doctors need to identify the type of the brain tumor. There are three types of brain tumors meningioma, pituitary and glioma. the type of the tumor can be an indication of the tumor's aggressiveness, however to estimate the tumor's stage (the size of the cancer and how far it's spread) an expert needs to segment the tumor first in order to measure it in an accurate way. This lead to the second and more time consuming task of segment the brain tumors which doctors need to separate the infected tissues from the healthy ones by label each pixel in the scan. This paper will investigate how can we utilize deep learning to help doctors in the segmentation process. The paper will be divided into four main sections. in the first section we will explore the problem domain and the existing approaches of solving it. the second section will discuss about the UNet architecture and its variations as this model gives state of the art result on various medical image(MRI/CT) datasets for the semantic segmentation task. In the third section we will describe how we chose to adapt the Deep ResUnet architecture [7] and the experiments setup that we did to evaluate our model. In addition we will introduce the ONet architecture and show how we can boost the model performance by using bounding box labels.

## 1 Introduction

Cancer is one of the leading causes of death globally and it is responsible for 9.6 million deaths a year. One of the most deadliest type of cancer is brain cancer, the 5-years survival rate is 34% for men and 36% for women. An prevalent treatment for brain tumors is radiation therapy where high-energy radiation source like gamma rays or x-rays shoots in a very precise way at the tumor and therefore kill the tumor's cells while sparing surrounding tissues. However in order to perform the radiation treatment doctors need to segment the infected tissues by separate the infected cells from the healthy ones. Creating this segmentation map in an accurate way is very tedious, expensive, time-consuming and error-prone task therefore we can gain a lot from automate this process.

Semantic segmentation is an active research area in the deep learning space. One of the most dominant proposed model for medical images segmentation is the UNet [5] model that uses encoder decoder structure combined with skip connections between the encoder's layers the decoder's layers. the UNet architecture is composed of two main paths, the down path e.g the encoder and the up path e.g the decoder. each encoder layer is composed of two convolution layers with relu activation functions followed by maxpooling operation. the output of the two convolution layers goes directly to the decoder layer in the corresponding level. each decoder layer is composed of two convolution layers with relu activation followed by upsampling layer. the decoder layer takes as an input the output from the corresponding layer of the encoder and concatenate it with the upsample output of the previous decoder layer. the output of the network has the same width and height as the original image with a depth that indicate the activation for each label.




Figure 1: UNet structure as shown in the U-Net: Convolutional Networks for Biomedical [5] Image Segmentation paper.

Other variations of UNet have been proposed like Deep ResUnet[7] that uses preactivation residual blocks instead of regular double conv blocks and element wise sum to restore the identity function. Deep ResUnet uses the improved version of ResNet blocks suggested in [3]. In this paper we want to revisit this idea to get better model for our dataset with different network that uses resnet blocks. Another variation of UNet that can deal with three dimension input is 3D-UNet [6] that uses Conv3D layers instead of the original Conv2D layers. Attention UNet[4] suggests an attention gate that can improve model sensitivity to foreground pixels without requiring complicated heuristics. Lastly an adaptation of UNet that use recurrent residual blocks has been proposed and

used in [1]. Encoder-Decoder architectures have been used to solve the semantic segmentation problem before UNet, however the depth of those models usually causes the "vanish gradient" problem. Thus the main contribution of the UNet paper is the introduction of skip connections between the encoder outputs to the decoder inputs. The Deep ResUNet model takes this idea a step further by changing the CNN layers to pre-activation Res Blocks and by doing this the network can restore the identity function more easily and in addition it increases the gradient flow by connecting the input more closely to the output.




Figure 2: Pre-activation layer and clean shortcut connection path for UNet architect

## 2 Methodology

The ResNet blocks help improve the performance of the network comparing to the UNet model, but in our experiments we found that switching all the double convolution blocks to resnet blocks makes the network too complicated and tend to overfit the training data. Our suggestion is to use the ResBlocks in the downpath but keep the double CNN layers in the up path that way we still increase the gradient flow for the down path that are far from the output of the network while keeping the model relatively simple. Thus our suggestion for an architecture is to use the resnet blocks to the down path and normal double

convolution block to the up path we will call this model the hybrid ResUnet. we will show that this model generalize better and get higher performance on the dice metric for our dataset. we use the "brain tumor dataset" [2], this dataset consist of 3064 MRI scans represented as 512 x 512 matrices, and 512 x 512 boolean masks that indicate the pixels of the infected tissues in the image. Our performace metric will be the dice coefficient as this is a common metric for the segmentation problem, when there is imbalance between the true labels(the tumor's pixels) and the false labels(the non tumor's pixels). the dice formula for the binary case can be stated as follows:

$$\frac{2TP}{2TP + FP + FN}$$

And more concrete in our case the network will output 512 x 512 score map then after softmax and thresholding we will convert it to 0-1 map. we will check the set similarity of this map with the corresponding labeled mask using the dice formula as such:

Let  $X :=$  output map  
Let  $Y :=$  labeled mask

$$\frac{2 \cdot |X \cap Y|}{|X| + |Y|}$$

For the loss function we will use the dice loss, the dice loss is a soft version of the dice formula and gives a value between 0 to 1, where 0 means perfect match between the sets.

We can think of a way to provide additional knowledge to perform the semantic task better by adding "regions of interest (ROI)" to the network input and "inject" it to the network in the right places. Classic computer vision algorithms can be use to estimate the ROI or we can ask experts to provide rough estimation of the tumor region by drawing a bounding box around it(or give us 4 dimensional vector  $[x\_min, x\_max, y\_min, y\_max]$ ). The suggested network use skip connection with concatination that makes the UNet architechth looks like ONet so we will use this name as an alias to the proposed model.




Figure 3: ONet model

The ONet model sum the input and the activation map which contains the activated ROI pixels that makes the network focus on the region that contains the tumor. In addition we concatenate the ROI map to the output and add convolution layer with 1x1 kernel to learn the relationship between the ROI pixels to the output feature map pixels that would decrease the dice loss. We will add 2 hyperparameters to the network which indicate the activation coefficient of the ROI map before sum it to the original input. the activation coefficient of the ROI map that been concatenated with the network output.

### 3 Experiments

We have implemented the UNet architect and the Deep ResUnet architect to benchmark their performance against our models, the Hybrid ResUnet and the ONet. To estimate our models we will use the same configutation for all the experiments and the only thing that will be change is the model choice. we will split our dataset into train and test datasets. Adam optimizer will be used

with learning rate of 0.001 for all of the experiments and the loss function will be a soft version of the dice metric as known as dice loss. The input will be 512 x 512 grayscale images (one channel) and the batch size will be 2 images. we want to retain the high resolution of the images because this is essential for the segmentation task. we normalized the images by subtracting the mean of the images. The first experiment will compare the dice performance of the UNet, Deep ResUnet and the Hybrid solution where the down path contains Res blocks and the up path double conv blocks. The second experiment will compare the ONet to the other networks.

## 4 Result

First we will analyze the Hybrid ResUnet model generalization capability by comparing it with the UNet architecture and the ResUnet architecture with the same experiment setup as described above.




Figure 4: First experiment dice score results

Model	Dice score
UNet	0.8098
Deep ResUnet	0.8318
Hybrid ResUnet	<b>0.8366</b>

we can notice that the hybrid solution between resnet blocks and double conv blocks generalization better than the basic Unet and the Deep ResUnet for our dataset and in addition it convert faster and has less noisy curve.

In our second experiment we compare the Deep ResUnet, Hybrid ResUnet and the proposed network the ONet on the dice metric for the test dataset.




Figure 5: First experiment dice score results

Model	Dice score
Deep ResUnet	0.8318
Hybrid ResUnet	0.8366
ONet	<b>0.8496</b>

We can see that adding the bounding box with the tumor area can boost dramatically the performance of the model.

## 5 Conclusion

The ONet architecture gets very good performance on the brain tumor dataset, however it depends on a good estimation of the tumor region. Fortunately ROI estimation is a much easier task and can be done pretty accurately by another model or by human. We also noticed from our experiment that getting the more complex model does not always improve the performance of the network and sometimes even makes it worse as we observed from the Deep ResUnet and the Hybrid ResUnet compression.

## References

- [1] Md Zahangir Alom et al. “Recurrent Residual Convolutional Neural Network based on U-Net (R2U-Net) for Medical Image Segmentation”. In: *arXiv* (Feb. 2018). eprint: 1802.06955. URL: <https://arxiv.org/abs/1802.06955>.
- [2] *brain tumor dataset*. [Online; accessed 27. Sep. 2019]. Apr. 2017. URL: [https://figshare.com/articles/brain\\_tumor\\_dataset/1512427/5](https://figshare.com/articles/brain_tumor_dataset/1512427/5).
- [3] Kaiming He et al. “Identity Mappings in Deep Residual Networks”. In: *arXiv* (Mar. 2016). eprint: 1603.05027. URL: <https://arxiv.org/abs/1603.05027>.
- [4] Ozan Oktay et al. “Attention U-Net: Learning Where to Look for the Pancreas”. In: *arXiv* (Apr. 2018). eprint: 1804.03999. URL: <https://arxiv.org/abs/1804.03999>.
- [5] Olaf Ronneberger, Philipp Fischer, and Thomas Brox. “U-Net: Convolutional Networks for Biomedical Image Segmentation”. In: *arXiv* (May 2015). eprint: 1505.04597. URL: <https://arxiv.org/abs/1505.04597>.
- [6] Chengjia Wang et al. “A two-stage 3D Unet framework for multi-class segmentation on full resolution image”. In: *arXiv* (Apr. 2018). eprint: 1804.04341. URL: <https://arxiv.org/abs/1804.04341>.
- [7] Zhengxin Zhang, Qingjie Liu, and Yunhong Wang. “Road Extraction by Deep Residual U-Net”. In: *arXiv* (Nov. 2017). DOI: 10.1109/LGRS.2018.2802944. eprint: 1711.10684.