Fibonacci Numbers: A Deep Dive

Stanislav Ostapenko October 14, 2025

Abstract

TODO

Contents

1	ecursion and Mathematical Induction
2	aive Recursion
	1 Algorithm in Java
	2 Binet's formula
	2.2.1 Intuitive Explanation
	2.2.2 Formal Derivation
	3 Time Complexity (Big \mathcal{O})
	4 Empirical Validation of Time Complexity
	5 Introduction to JVM Memory Structures
	6 Method Execution in Java
	2.6.1 Core concepts
	2.6.2 Pass-by-Value in Java
	2.6.3 Tail Recursion
	7 Depth and StackOverflow
	8 Recursion Tree
	9 Space Complexity
	2.9.1 Call Stack Analysis
	2.9.2 Clarification on Exponential Misconception
	10 JVM Debugger view
	11 Conclusion
	11 Conclusion
3	ptimizing Recursion
	1 Memoization
	2 Dynamic Programming
	3 Linear algebra and Fibonacci
	3.3.1 Matrices and Transformations
	3.3.2 Algorithm implementation in Java
	3.3.3 Time and space complexity
	4 Computer Algebra Systems
	5 Binet formula in real life
	6 Conclusion
	0 Conclusion
1	imitations of Primitive Types for Large Fibonacci Numbers
	1 Showcase: from int to double
	2 When double goes wild
	4.2.1 $0.1 + 0.2 \neq 0.3$
	4.2.2 IEEE 754 Representation
	4.2.3 Calculate as machines
	3 Handling Large Numbers with BigDecimal
5	eal-World Applications
•	1 Fibonacci heaps for Dijkstra's algorithm optimization
	2 Fibonacci retracement levels in stock market analysis
	3 Some of pseudorandom number generators
	o pome of beengotangom number generators

Listings

$$\mathcal{O}(1)$$
 = $\mathcal{O}(\text{yeah})$
 $\mathcal{O}(\log n)$ = $\mathcal{O}(\text{nice})$
 $\mathcal{O}(n)$ = $\mathcal{O}(k)$
 $\mathcal{O}(n^2)$ = $\mathcal{O}(\text{my})$
 $\mathcal{O}(2^n)$ = $\mathcal{O}(\text{no})$
 $\mathcal{O}(n!)$ = $\mathcal{O}(\text{mg})$
 $\mathcal{O}(n^n)$ = $\mathcal{O}(\text{sh*t!})$

1 Recursion and Mathematical Induction

2 Naive Recursion

- 2.1 Algorithm in Java
- 2.2 Binet's formula
- 2.2.1 Intuitive Explanation
- 2.2.2 Formal Derivation
- 2.3 Time Complexity (Big \mathcal{O})
- 2.4 Empirical Validation of Time Complexity
- 2.5 Introduction to JVM Memory Structures
- 2.6 Method Execution in Java
- 2.6.1 Core concepts
- 2.6.2 Pass-by-Value in Java
- 2.6.3 Tail Recursion
- 2.7 Depth and StackOverflow
- 2.8 Recursion Tree
- 2.9 Space Complexity
- 2.9.1 Call Stack Analysis
- 2.9.2 Clarification on Exponential Misconception
- 2.10 JVM Debugger view
- 2.11 Conclusion

3 Optimizing Recursion

- 3.1 Memoization
- 3.2 Dynamic Programming
- 3.3 Linear algebra and Fibonacci
- 3.3.1 Matrices and Transformations
- 3.3.2 Algorithm implementation in Java
- 3.3.3 Time and space complexity
- 3.4 Computer Algebra Systems
- 3.5 Binet formula in real life
- 3.6 Conclusion

4 Limitations of Primitive Types for Large Fibonacci Numbers

- 4.1 Showcase: from int to double
- 4.2 When double goes wild

4.2.2 IEEE 754 Depresentation

491 01 109 / 09