

General Information

Location: BANDUNG IDN
ICAO/IATA: WICC / BDO
Lat/Long: S06° 54.12', E107° 34.57'
Elevation: 2445 ft

Airport Use: Public
Daylight Savings: Not Observed
UTC Conversion: -7:00 = UTC
Magnetic Variation: 0.0° E

Fuel Types: 73 Octane, 100-130 Octane
Customs: Yes
Airport Type: IFR
Landing Fee: No
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: Yes

Sunrise: 2254 Z
Sunset: 1101 Z

Runway Information

Runway: 11
Length x Width: 7283 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 2445 ft
Lighting: Edge, REIL

Runway: 29
Length x Width: 7283 ft x 148 ft
Surface Type: asphalt
TDZ-Elev: 2406 ft
Lighting: Edge, ALS


Communication Information

ATIS: 128.400
Husein Tower: 118.650
Husein Tower: 122.700
Bandung Approach: 121.000 TCA
Bandung Approach: 119.650 Secondary


WICC/BDO
HUSEIN SASTRANEGARA

JEPPesen
3 AUG 12 10-2

BANDUNG, INDONESIA
.STAR.



ROUTING
Arriving aircraft from W-17, after CLP proceed to BND on BND R-117.





ROUTING
Arriving aircraft from W-16S, proceed to BND on BND R-080.

WICC/BDO
HUSEIN SASTRANEGARA

JEPPESSEN
3 AUG 12 10-2A

BANDUNG, INDONESIA
.STAR.






| JEPPESEN, 2014. ALL RIGHTS RESERVED.

WICC/BDO
HUSEIN SASTRANEGARA

JEPPESSEN
19 MAR 10 10-3


BANDUNG, INDONESIA
.SID.



WICC/BDO
HUSEIN SASTRANEGARA

JEPPESSEN
19 MAR 10 10-3A


BANDUNG, INDONESIA
.SID.



WICC/BDO
HUSEIN SASTRANEGARA

JEPPESSEN
26 SEP 14 10-3B

BANDUNG, INDONESIA
.SID.



Trans alt: 11000'




(RWY 11)



Trans alt: 11000'



(RWY 29)



CKG1W requires a minimum climb gradient of 3.6% until 3100'.
CLP1W & PIA1W require a minimum climb gradient of 3.8% until 4800'.


Gnd speed-KT	75	100	150	200	250	300
3.6% V/V (fpm)	273	365	547	729	911	1094
3.8% V/V (fpm)	289	385	577	770	962	1155

| JEPPESEN, 2014. ALL RIGHTS RESERVED.

WICC/BDQ
Apt Elev 2445'
S06 54.1 E107 34.5

JEPPESSEN
26 SEP 14 (10-9)

BANDUNG, INDONESIA
HUSEIN SASTRANEGARA



ADDITIONAL RUNWAY INFORMATION					
RWY				USABLE LENGTHS	
				LANDING BEYOND	
				Threshold	TAKE-OFF
11	RL	REIL	PAPI-L (angle 2.74°)		
29	RL	ALS	PAPI-L (angle 2.74°)		

TAKE-OFF					
AIR CARRIER All Rwys			AIR CARRIER (FAR 121) All Rwys		
LVP must be in Force RCLM (Day only) or RL		RCLM (Day only) or RL	Adequate Vis Ref		
A			2 Eng		
B	250m	400m	3 & 4 Eng	400m	
C					
D	300m				

WICC/BDO
HUSEIN SASTRANEGARA

JEPPESSEN
12 SEP 14 12-21 .Eff.18.Sep.

BANDUNG, INDONESIA
RNAV (RNP) Rwy 11

ATIS
128.4

*BANDUNG Approach
121.0

*HUSEIN Tower
118.65

RNAV

Final
Apch Crs
109[^]

Minimum Alt
BAGOL
4500' (2055')

RNP 0.30
DA(H)
Refer to
Minimums

Apt Elev 2445'
Rwy 11 2445'

MISSED APCH: Climb to 11000' via the RNAV (RNP) missed approach to TARIS. At TARIS hold or start a new approach via TARIS. If unable to reach 11000' at TARIS, start the approach Rwy 11 via TARIS or continue climbing following the lateral track of the approach to Rwy 11, and above MSA proceed to TARIS and hold or follow ASTC instructions.

1 5700'
2 8500'



MSA WICC ARP

Alt Set: hPa
1. AUTHORIZATION REQUIRED.

Rwy Elev: 86 hPa
2. Minimum temperature 0°C (32°F).


Trans level: FL 130

Trans alt: 11000'



Gnd speed-Kts	70	90	100	120	140	160	REIL PAPI-L	11000' ↑ via TRACK	RNAV (RNP)	
Descent Angle	3.00^	372	478	531	637	743				849
MAP at DA										
STRAIGHT-IN LANDING RWY 11 RNP 0.30										
DA(H)	A:	2750' (305')			C:	2770' (325')				
	B:	2760' (315')			D:	2780' (335')				

A		
B	1400m	
C		
D	1500m	

STRAIGHT-IN LANDING RWY 29		CIRCLE-TO-LAND		No Circling North of Rwy 11/29 
MDA(H) 2840' (434')		Max Kts	MDA(H)	
A	2200m	100	3600' (1155') -2200m	
B		135	3600' (1155') -2400m	
C		180	3600' (1155') -4000m	
D		205	3600' (1155') -5000m	
ALS out				

WICC/BDO
HUSEIN SASTRANEGARA

JEPPESSEN
18 DEC 15 16-1

BANDUNG, INDONESIA
NDB DME Rwy 29

