

Parameter-Free Scalar Engine for Grounded Fuel Thermochemistry: FSOT Fuel Lab with Formal Priors and Preregistered Predictions

Damian Arthur Palumbo
Independent researcher

<https://github.com/dappalumbo91/FSOT-2.1-Lean>

Edition freeze 2026-07-16 Manuscript 2026-07-31

Abstract

Engineering fuel design typically mixes empirical curve fits with many free parameters. We present a focused application of Fluid Spacetime Omni-Theory (FSOT): the same seed-derived scalar engine $\text{raw_}S = \text{term}_1 + \text{term}_2 + \text{term}_3$ (from π , e , φ , γ , and Catalan's G) used in the companion formal-cosmology paper [4], evaluated on a Fuel Lab live panel of **366** thermochemistry and engine-simulator records with **zero** per-observable least-squares tuning.

Empirically, `Fuel_Lab_Live_Panel` achieves a pooled median error of **0.039349%** under a 0.5% green gate, versus an **8%** typical operational baseline for fuel-property error in the repository SOTA comparison. Seven FSOT-designed alternative fuels plus a gasoline baseline are cross-checked against seed-scalar predictions. Formally, Fuel Lab priors export into the multi-prover obligation spine (Lean 4 primary) [3, 6]; verified-desktop cross-proof closure reports `VERIFIED_DESKTOP_CROSS_PROOF_READY` with oracle replay deltas of 0.0 on sampled properties. Preregistered **PRED-034** locks the thermochemistry panel discriminant before refresh.

This paper does not re-argue the full 402-domain atlas or contested H_0 sector. It shows the same parameter-free engine yields grounded engineering readouts with executable reproduction at <https://github.com/dappalumbo91/FSOT-2.1-Lean> (tag `v2.6-arxiv-paper01`).

Keywords: formal methods; Lean 4; parameter-free models; fuel thermochemistry; alternative fuels; reproducible engineering; Fluid Spacetime Omni-Theory.

Software availability. Canonical code: <https://github.com/dappalumbo91/FSOT-2.1-Lean>
Pin: tag `v2.6-arxiv-paper01` (commit `8a44947`).
Oracle SHA-256: `D1D38A185487B452E470AC68ECE2EB45AEB1CA9CE25FC9BF9564C19633FFBE70`.

```
git clone https://github.com/dappalumbo91/FSOT-2.1-Lean.git
cd FSOT-2.1-Lean
git checkout v2.6-arxiv-paper01
pip install -r requirements.txt
python scripts/build_verified_desktop_cross_proof_closure.py
python scripts/build_verified_desktop_fuel_figure.py
python scripts/audit_parameter_count.py
```

```
Publication      bundle      (includes      fuel      figure      pack):          python
scripts/run_publication_verification_bundle.py
Navigator: python scripts/query_fsot_domain_navigator.py -intent fuel_lab_engine
```

1 Introduction

1.1 Why fuels after cosmology

A companion paper [4] presents a machine-checked, zero free-parameter scalar engine and contested cosmological readouts. A natural critique of unified engines is that they only ever look good on astrophysical tables. This paper answers that critique with a **different sector**: grounded fuel thermochemistry and engine-simulator channels under the same seeds and formal export path [5].

1.2 Operational claim

The FSOT seed engine evaluates Fuel Lab observables at preregistered route parameters with **no per-row least-squares tuning**, exports Lean priors for the live panel, and meets a $\leq 0.5\%$ pooled-median green gate on 366 records (freeze pooled median 0.039349%).

1.3 Scope

In scope	Out of main body
Fuel Lab panel math routing + results	Full 402-domain atlas
Formal priors + desktop cross-proof	Contested H_0 deep dive ([4])
PRED-034 preregistration	Wet-lab chemistry campaigns
Sibling desktop panels (brief)	Propulsion / transporter volume

1.4 Contributions

1. **Engineering readout of a formal scalar engine.** Same raw_ S architecture as [4], applied to fuels.
2. **Fuel Lab empirical closure.** 366 records; pooled median 0.039349%; green gate 0.5%; SOTA baseline comparison 8% in-repo.
3. **Seven designed fuels + gasoline baseline.** Seed-scalar predictions vs thermochemistry / Prius-style engine simulator outputs [5].
4. **Formal priors + cross-proof closure.** FSOT.Formal.FuelLabLivePanelPriors; desktop verdict VERIFIED_DESKTOP_CROSS_PROOF_READY.
5. **Preregistered PRED-034 + executable reproduction.** Discriminant locked before panel refresh; one-command paths for independent readers.

1.5 Claim taxonomy

Category	Meaning	Examples
Proved	Machine-checked obligations	Fuel Lab prior exports; multi-prover spine
Numerically verified	Oracle replay / hash gate	Replay $\Delta = 0$ samples
Empirical	Panel vs measured/simulator targets	0.039349% pooled median
Interpretation	Design narrative	“FSOT-designed” molecular labels

2 Scalar engine (summary)

We reuse the companion formalization [4, 5]. Seeds: π , e , $\varphi = (1 + \sqrt{5})/2$, Euler–Mascheroni γ , Catalan’s G . Vitality:

$$\text{raw_}S(p) = \text{term}_1(p) + \text{term}_2(p) + \text{term}_3(p). \quad (1)$$

Fuel Lab routes through energy/chemical/material folds with $D_{\text{eff}} = 16$ in the live panel benchmark (`data/fuel_lab_live_panel_benchmark.json`). PRED-034 uses branch `term1.coherence_efficiency`. **Zero free parameters (operational):** `scripts/audit_parameter_count.py` reports `ZERO_FREE` on the freeze clone—no per-observable least squares at test time.

3 Fuel Lab panel

3.1 Panel definition

| Item | Freeze value | |——|———:| | Panel id | `Fuel_Lab_Live_Panel` | | Records | 366 | | Pooled median error | 0.039349% | | Green gate | $\leq 0.5\%$ | | Lean module | `FSOT.Formal.FuelLabLivePanelPrior` | | Maps to Lean domains | energy, chemical, material | | D_{eff} | 16 |

Designed fuels (7): `fsot_hemp_waste_grounded`, `fsot_hemp_waste_advanced`, `fsot_algae_oil_biodie`, `fsot_mushroom_spore_fuel`, `fsot_green_hydrogen`, `fsot_optimax`, `fsot_bio_spark`; plus gasoline baseline.

Observable channels (13 properties in the material record set) include lower heating value (`lhv_kj_per_kg`), stoichiometric AFR, thermal efficiency, flame speed, density, octane-related indices, emissions and material-compatibility indices, among others (`material_records` in the panel benchmark).

3.2 Error metric

Per record (m_i, c_i) (measured/simulator target, FSOT prediction):

$$\varepsilon_i = 100 \cdot \frac{|c_i - m_i|}{\max(|m_i|, \epsilon_{\text{floor}})}, \quad \tilde{\varepsilon} = \text{median}_i(\varepsilon_i). \quad (2)$$

GREEN: $\tilde{\varepsilon} \leq 0.5\%$. Freeze: $\tilde{\varepsilon} = 0.039349\%$.

3.3 Preregistered PRED-034

From `data/preregistered_predictions_manifest.yaml`:

Field	Value
ID	PRED-034
Name	<code>fsot_designed_fuel_thermochemistry_panel</code>
Domain	<code>Fuel_Lab_Live_Panel</code>
Branch	<code>term1.coherence_efficiency</code>
FSOT predicted (panel)	0.039349 (pooled median %)
SOTA baseline	8.0% typical fuel-property error
Discriminant	<code>within_10pct_of_observed_gap</code>

Post-hoc retuning after seeing the panel invalidates prereg status.




Figure 1: Verified desktop fuels panel (7 designed fuels + gasoline). Artifact: `data/figures/verified_desktop_fuels.png`. Regenerate: `python scripts/build_verified_desktop_fuel_figure.py` (also produced by `python scripts/run_publication_verification_bundle.py`).

3.4 SOTA comparison stance

The repository comparison labels an 8% typical operational error for fuel-property channels in this panel’s SOTA block—not a claim that all published combustion literature sits at 8%. FSOT’s contribution is **zero free parameters + formal export + preregistration**, not a claim to replace industry CFD toolchains.

4 Formal verification

4.1 Lean priors

`scripts/gen_verified_desktop_lean.py` writes `FSOT/Formal/FuelLabLivePanelPriors.lean` from the live panel (366 records, median 0.039349% on freeze). These priors join the repository obligation export used by the five-prover spine [5, 3].

4.2 Verified-desktop cross-proof closure

`python scripts/build_verified_desktop_cross_proof_closure.py` produces `data/verified_desktop_c`

- Verdict: `VERIFIED_DESKTOP_CROSS_PROOF_READY`
- Fuel Lab: oracle OK; 5 obligations in the closure accounting
- Sampled oracle replay: stored vs replay error $\Delta = 0.0$

4.3 Shared multi-prover spine

Edition freeze reports `overall_ok`: `true` with ≥ 1863 atomic obligations on the public tag (Paper 01 spine). This paper does not re-derive the full triangulation; it **depends on** that spine for Fuel Lab prior export integrity [4].

4.4 What is not proved

Lean does not prove that a novel fuel molecule is safe or commercializable. It certifies internal panel prior structure and participates in obligation export; empirical agreement is the green-gate table, not a theorem of combustion physics [1].

5 Sibling desktop panels (context)

Panel	Records	Pooled median %
Machine & Molecule	120	0.01341
Fuel Lab (this paper)	366	0.039349
Black-hole / white-hole cycle	24	0.026472
Transporter (supplementary)	1575	0.031159

Fuel Lab is the primary claim. Siblings show the same verified-desktop pattern without expanding scope into transporter technology narratives.

6 Falsifiability and reproduction

6.1 Portable path (recommended)

```
“bash git clone https://github.com/dappalumbo91/FSOT-2.1-Lean.git cd FSOT-2.1-Lean git checkout v2.6-arxiv-paper01 pip install -r requirements.txt python scripts/build_verified_desktop_cross_proof_closure
```

Expect: desktop verdict ready; fuel figure written; parameter audit **ZERO_FREE**; panel JSON median 0.039349%.

6.2 Automated freeze checker

From this paper package:

```
python verify_paper_claims.py --fsot-root /path/to/FSOT-2.1-Lean --strict-hash
```

6.3 Deep ingest caveat

`reproduce_domain_panel.py -panel Fuel_Lab_Live_Panel -deep` may require desktop/external caches not present on a bare GitHub clone. **Portable claims** use on-disk `data/fuel_lab_live_panel_benchmark` plus closure/figure scripts above—validated on a clean clone in this work.

6.4 How to reject

1. Freeze checkout cannot regenerate Fuel Lab median $\approx 0.039\%$ from shipped benchmarks/closure.
2. Parameter audit loses **ZERO_FREE**.
3. Desktop closure verdict fails or oracle replay Δ becomes nonzero under the pinned oracle hash.
4. PRED-034 discriminant fails after honest refresh without retuning.

7 Discussion

7.1 Relation to Paper 01

Paper 01 [4]: formal spine + contested cosmology. Paper 02 (this work): **same engine**, engineering fuel panel. Together they argue cross-sector reuse without reopening the full atlas.

7.2 Related work

Formal methods in chemical theory [1] make premises explicit in Lean; we add a multi-record engineering panel with preregistration and a desktop cross-proof closure. Classical ICE references [2] frame engine-simulator baselines; FSOT does not replace detailed combustion CFD.

7.3 Limitations

1. Simulator/thermochemistry targets are only as good as their provenance files in the repo/archive.
2. 8% SOTA baseline is an in-repo operational comparison, not a meta-analysis of all fuel papers.
3. Novel fuel names are design labels—not regulatory certifications.
4. Full multi-prover re-run is optional; we rely on the public tag spine.
5. Deep desktop re-ingest needs extra caches beyond bare GitHub.

7.4 Reading the claim stack

Cite *empirical* panel medians separately from *proved* prior export and *interpretation* of “designed fuel” branding.

8 Conclusion

We showed that the FSOT parameter-free scalar engine—already formalized and multi-prover triangulated in the companion paper—delivers a Fuel Lab panel with **366** records at **0.039349%** pooled median error, formal Lean priors, verified-desktop cross-proof closure, and preregistered **PRED-034**, all executable from tag **v2.6-arxiv-paper01**. Engineering readouts need not be an afterthought to cosmology: under FSOT they share seeds, gates, and a public ledger.

Acknowledgments

Grok assisted manuscript assembly under the standardized arXiv paper pipeline. Generative AI tools are not co-authors.

Data and code availability

<https://github.com/dappalumbo91/FSOT-2.1-Lean>, tag v2.6-arxiv-paper01. Paper package: FREEZE.yaml, SCIENTIST_REPRODUCE.md, verify_paper_claims.py.

References

- [1] Maxwell P. Bobbin et al. Formalizing chemical physics using the Lean theorem prover. *Digital Discovery*, 3:264–280, 2024.
- [2] John B. Heywood. Internal combustion engine fundamentals. *McGraw-Hill*, 1988. Classic ICE thermochemistry reference context for engine-simulator baselines.
- [3] Leonardo de Moura and Sebastian Ullrich. The Lean 4 theorem prover and programming language. In *Automated Deduction – CADE 28*, volume 12699 of *LNCS*, pages 625–635. Springer, 2021.
- [4] Damian Arthur Palumbo. Formally verified parameter-free scalar engine for contested cosmology: Lean 4 and multi-prover certification of fluid spacetime omni-theory, 2026. Companion manuscript; Desktop/arxiv-papers/01-fsot-formal-contested-cosmology.
- [5] Damian Arthur Palumbo. FSOT-2.1-Lean: Fluid spacetime omni-theory formalization and verification. <https://github.com/dappalumbo91/FSOT-2.1-Lean>, 2026. Tag v2.6-arxiv-paper01 (commit 8a44947).

[6] The mathlib Community. The Lean mathematical library, 2020.