



آزمایشگاه پاتوبیولوژی بیمارستان رسالت تهران

تهران - سید خندان - نبش ابوذر غفاری- ۵۲-۲۲۸۶۹۶۴۲

TTAST - 1A

اره پذیرش: ۶۳۸۹-۰۰ کد ملی: ۴۳۹۸۰۳۹۲۶ تاریخ پذیرش: ۱۴۰۰/۰۰/۰۹ پزشک معالج: جناب آقای د کتر عباس حاجی فتحعلی

سن: ۲۳ سال

نام مراجعه كننده: آقاى محمد ساراني

Flow cytometry

Test Flowcytometry Result See The attach Sheet

Unit

Normal Range

* = Confirmed by Repeated Analysis

آزمایشگاه یاتوبیولوژی بیمارستان رسالت تهران

تهران - سید خندان - نبش ابوذر غفاری- ۵۲-۲۲۸۶۹۶۴۷

TTAST - 1A

شماره پذیرش: ۶۳۸۹-۰۰ کد ملی: ۴۳۹۸۰۳۹۲۶ تاریخ پذیرش: ۱۴۰۰/۰۵/۰۹ پزشک معالج: جناب آقای د کتر عباس حاجی فتحملی نام مراجعه کننده: آقای محمد سارانی سن: ۷۳ سال ۳: س ص ۲ از ۲

	- "			, D.W. W.	
Test	Result	Unit	Normal Range	Differential	
C.B.C		-40404-1-1			
. W.B.C	H17.8	x10 ³ /micL	4 - 10	Neutrophils	20 %
. RBC	5.39	mil/ul	4.5 - 6.2	Lymphocyte	78 %
. Hemoglobin	16.3	g/dl	14 - 18	Eosinophil	2 %
. Hematocrit	49.2	%	40 - 54		
. M.C.V	91.3	fl	80 - 96		
. M.C.H	30.2	pg	26 - 34		
. M.C.H.C	33.1	g/dl	32 - 38		-
Platelet Count	259	x10 ³ /micL	150 - 450		
RDW	13.8		10 - 15		
PDW	14.4		8 - 18		
H=High					

Flow Cytometry

اره پذیرش: ۲۰۶۸-۰۰ نام مراجعه كننده: آقاي محمد ساراني ۶۳۸۹ سن: ۲۳ سال

Sample CD8

Result Peripheral Blood

Please see the

Unit Method

Flow Cytometry 12 - 36

Flow Cytometry Refer to attachment Immunophenotyping was performed by high performance multilaser flow cytometry analyzer, Partec CyFlow ® Cube8. Checked by : USER 1. . ry

%

Flow Cytometry Result

Sampling process was not done in Armin Lab. Therefore, the lab cannot take responsibility for the sampling procedure, storage, delivery

