开源许可证检测报告

项目名称: rabbitmq-server-master

最后一次分析时间: 2017-09-19-17:05:02

文件总数:248

结果概览

软件包含3种开源许可证,分别为

。 erlangpl-1.1 1个文件

。isc 1个文件

。mpl-1.1 201个文件

。 相同许可证要求

风险评级

高风险 。 商业化风险

。商标使用风险

所有许可证详细信息

许可证名 称	类型	许可证归属	官方链接
erlangpl- 1.1	Copyleft	Erlang	http://www.erlang.org/EPLICENSE
isc	Permissive	ISC - Internet Systems Consortium	http://fedoraproject.org/wiki/Licensing:MIT#Old_Style_with_legal_disclaimer_2
mpl-1.1	Copyleft Limited	Mozilla	http://www.mozilla.com/MPL/1.1/index.html

如果您想基于此软件发布开源软件,请注意:

以下文件的许可证要求衍生作品必须采用同一许可证

许可证	包含许可证的文件路径
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/LICENSE
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/LICENSE-MPL-RabbitMQ
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/README.md
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/check_xref
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-echopid.8
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-env.conf.5
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-plugins.8
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-server.8
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-service.8
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmqctl.8
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/include/gm_specs.hrl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/include/rabbit_cli.hrl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-defaults
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics.bat
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-env

许可证	rabbitmq-server-master/r包含许可证的文件路径/scripts/rabbitmq-plugins
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-plugins.bat
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server.bat
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-service.bat
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl.bat
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/background_gc.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/dtree.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/file_handle_cache.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/file_handle_cache_stats.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/gatherer.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/gm.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/lqueue.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/mirrored_supervisor_sups.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/mnesia_sync.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_access_control.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_alarm.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqqueue_process.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqqueue_sup.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqqueue_sup_sup.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_amqplain.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_cr_demo.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_plain.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_autoheal.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_binding.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_boot_steps.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_channel_sup.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_channel_sup_sup.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_cli.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_client_sup.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_helper_sup.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_sup.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_tracking.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_tracking_handler.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_control_pbe.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_core_metrics_gc.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validation.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator_accept_everything.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator_min_password_length.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator_password_regexp.erl

mpl-1_1 许可证	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_dead_letter.erl 包含许可证的文件路径
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_diagnostics.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_direct.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_disk_monitor.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_epmd_monitor.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_error_logger.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_parameters.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_direct.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_fanout.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_headers.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_invalid.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_topic.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_file.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_framing.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_guid.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_lager.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_limiter.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_log.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_memory_monitor.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_metrics.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_coordinator.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_master.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_misc.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_mode.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_mode_all.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_mode_exactly.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_mode_nodes.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_slave.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_sync.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mnesia.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mnesia_rename.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_file.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_store.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_store_ets_index.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_store_gc.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_node_monitor.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_parameter_validation.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password_hashing_md5.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password_hashing_sha256.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password_hashing_sha512.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_peer_discovery.erl
,	.abbaning co. re. macter/rabbining co. re. macter/ore/rabbin_pool_diocovery.com
l	

许可证	rabbitmq-server-master/rabbit包含许可证的文件路径abbit_peer_discovery_dns.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_plugins.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_plugins_main.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_policies.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_policy.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_policy_merge_strategy.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_prelaunch.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_prequeue.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_priority_queue.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_consumers.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_index.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_client_local.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_min_masters.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_random.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_validator.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_master_location_misc.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_recovery_terms.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_resource_monitor_misc.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_restartable_sup.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_router.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_runtime_parameters.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_ssl.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_sup.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_table.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_trace.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_upgrade.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_upgrade_functions.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_variable_queue.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_version.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_limit.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_msg_store.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup_sup.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup_watcher.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup_wrapper.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vm.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/supervised_lifecycle.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/tcp_listener.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/tcp_listener_sup.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/truncate.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/vm_memory_monitor.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/worker_pool.erl

mpl-1.1 许可证	rabbitmq-server-master/rabbitmg-server-master/src/worker_pool_sup.erl 包含许可证的文件路径
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/worker_pool_worker.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/backing_queue_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/channel_interceptor_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/channel_operation_timeout_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/channel_operation_timeout_test_queue.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/cluster_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/cluster_rename_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/clustering_management_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/config_schema_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/crashing_queues_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/credential_validation_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/disconnect_detected_during_alarm_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/dummy_event_receiver.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/dummy_runtime_parameters.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/dummy_supervisor2.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/dynamic_ha_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/eager_sync_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/gm_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/health_check_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/lazy_queue_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/list_consumers_sanity_check_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/list_queues_online_and_offline_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/many_node_ha_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/metrics_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/mirrored_supervisor_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/mirrored_supervisor_SUITE_gs.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/msg_store_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/partitions_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/peer_discovery_dns_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/per_user_connection_tracking_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_connection_limit_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_connection_limit_partitions_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_msg_store_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_queue_limit_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/plugin_versioning_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/policy_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/priority_queue_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/priority_queue_recovery_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/proxy_protocol_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/queue_master_location_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/rabbit_core_metrics_gc_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/rabbit_ha_test_consumer.erl

mpl-1.1 许可证 mpl-1.i	rabbitmq-server-master/rabbitmq-server-master/test/rabbit ha test producer.erl 包含许可证的文件描述 rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl_integration_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl_shutdown_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/simple_ha_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/sup_delayed_restart_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/sync_detection_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/temp/rabbitmqadmin.py
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/topic_permission_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/unit_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/unit_inbroker_non_parallel_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/unit_inbroker_parallel_SUITE.erl
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/test/worker_pool_SUITE.erl

如果您想基于此软件发布商业软件,请注意:

以下文件的许可证不允许衍生作品闭源发布

许可证	包含许可证的工程,但是由于自己的工程的工程,但是由于自己的工程的工程的工程,但是由于自己的工程的工程的工程的工程,但是由于自己的工程的工程的工程的工程的工程的工
	rabbitmq-server-master/rabbitmq-server-master/LICENSE
	rabbitmq-server-master/rabbitmq-server-master/LICENSE-MPL-RabbitMQ
	rabbitmq-server-master/rabbitmq-server-master/README.md
	rabbitmq-server-master/rabbitmq-server-master/check_xref
	rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-echopid.8
	rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-env.conf.5
	rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-plugins.8
	rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-server.8
	rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-service.8
	rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmqctl.8
	rabbitmq-server-master/rabbitmq-server-master/include/gm_specs.hrl
	rabbitmq-server-master/rabbitmq-server-master/include/rabbit_cli.hrl
	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-defaults
	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics
	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics.bat
	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-env
	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-plugins
	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-plugins.bat
	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server
	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server.bat
	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-service.bat
	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl
	rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl.bat
	rabbitmq-server-master/rabbitmq-server-master/src/background_gc.erl
	rabbitmq-server-master/rabbitmq-server-master/src/dtree.erl
	rabbitmq-server-master/rabbitmq-server-master/src/file_handle_cache.erl
	rabbitmq-server-master/rabbitmq-server-master/src/file_handle_cache_stats.erl
	rabbitmq-server-master/rabbitmq-server-master/src/gatherer.erl
	rabbitmq-server-master/rabbitmq-server-master/src/gm.erl
	rabbitmq-server-master/rabbitmq-server-master/src/lqueue.erl
	rabbitmq-server-master/rabbitmq-server-master/src/mirrored_supervisor_sups.erl
	rabbitmq-server-master/rabbitmq-server-master/src/mnesia_sync.erl
	rabbitmq-server-master/rabbitmq-server-master/src/rabbit.erl
	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_access_control.erl
	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_alarm.erl
	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqqueue_process.erl
	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqqueue_sup.erl
	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqqueue_sup_sup.erl
	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_amqplain.erl
	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_cr_demo.erl

r/src/rabbit_autoheal.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_binding.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit boot steps.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_channel_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit channel sup sup.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit cli.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit client sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_helper_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit connection tracking.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_tracking_handler.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_control_pbe.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_core_metrics_gc.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validation.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit credential validator accept everything.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit credential validator min password length.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit credential validator password regexp.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_dead_letter.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_diagnostics.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit direct.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_disk_monitor.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_epmd_monitor.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_error_logger.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit exchange parameters.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit exchange type direct.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit exchange type fanout.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit exchange type headers.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit exchange type invalid.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit exchange type topic.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit file.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_framing.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_guid.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit lager.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit limiter.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit log.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit memory monitor.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit metrics.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_coordinator.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit mirror queue master.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit mirror queue misc.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_mode.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_mode_all.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit mirror queue mode exactly.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit mirror queue mode nodes.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit mirror queue slave.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit mirror queue sync.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit mnesia.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit mnesia rename.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit msg file.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit msg store.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit msg store ets index.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_store_gc.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_node_monitor.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit parameter validation.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit password.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit password hashing md5.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit password hashing sha256.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit password hashing sha512.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit peer discovery.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_peer_discovery_classic_config.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit peer discovery dns.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit plugins.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit_policy.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit policy merge strategy.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_prelaunch.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit prequeue.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit priority queue.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit queue consumers.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_index.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit gueue location client local.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit queue location min masters.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_random.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_validator.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_master_location_misc.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_recovery_terms.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit resource monitor misc.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit restartable sup.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit router.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit runtime parameters.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_ssl.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit sup.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit table.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_trace.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_upgrade.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_upgrade_functions.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_variable_queue.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit version.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit vhost.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit vhost limit.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit vhost msg store.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit vhost sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit vhost sup sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit vhost sup watcher.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup_wrapper.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit vm.erl rabbitmq-server-master/rabbitmq-server-master/src/supervised lifecycle.erl rabbitmq-server-master/rabbitmq-server-master/src/tcp listener.erl rabbitmq-server-master/rabbitmq-server-master/src/tcp listener sup.erl rabbitmq-server-master/rabbitmq-server-master/src/truncate.erl rabbitmg-server-master/rabbitmg-server-master/src/vm memory monitor.erl rabbitmq-server-master/rabbitmq-server-master/src/worker pool.erl rabbitmq-server-master/rabbitmq-server-master/src/worker pool sup.erl rabbitmq-server-master/rabbitmq-server-master/src/worker pool worker.erl rabbitmq-server-master/rabbitmq-server-master/test/backing queue SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/channel_interceptor_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/channel operation timeout SUITE.erl rabbitmg-server-master/rabbitmg-server-master/test/channel operation timeout test gueue.erl rabbitmq-server-master/rabbitmq-server-master/test/cluster_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/cluster rename SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/clustering management SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/config schema SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/crashing_queues_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/credential validation SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/disconnect detected during alarm SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/dummy_event_receiver.erl rabbitmq-server-master/rabbitmq-server-master/test/dummy_runtime_parameters.erl rabbitmq-server-master/rabbitmq-server-master/test/dummy supervisor2.erl rabbitmg-server-master/rabbitmg-server-master/test/dynamic ha SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/eager sync SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/gm SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/health check SUITE.erl rabbitmg-server-master/rabbitmg-server-master/test/lazy gueue SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/list_consumers_sanity_check_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/list queues online and offline SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/many node ha SUITE.erl

rabbitmq-server-master/rabbitmq-server-master rabbitmq-server-master/rabbitmq-server-master/testri er/test/metrics_SUITE_erl 许可证 mirrored_supervisor_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/mirrored_supervisor_SUITE_gs.erl rabbitmg-server-master/rabbitmg-server-master/test/msg store SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/partitions_SUITE.erl rabbitmg-server-master/rabbitmg-server-master/test/peer discovery dns SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per user connection tracking SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per vhost connection limit SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_connection_limit_partitions_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_msg_store_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per vhost queue limit SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/plugin_versioning_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/policy_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/priority_queue_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/priority_queue_recovery_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/proxy_protocol_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/queue master location SUITE.erl rabbitmg-server-master/rabbitmg-server-master/test/rabbit core metrics gc SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbit ha test consumer.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbit_ha_test_producer.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl_integration_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl shutdown SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/simple_ha_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/sup_delayed_restart_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/sync_detection_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/temp/rabbitmqadmin.py rabbitmq-server-master/rabbitmq-server-master/test/topic permission SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/unit SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/unit inbroker non parallel SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/unit inbroker parallel SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/worker pool SUITE.erl

另外,以下条款您也需要关注:

以下文件的许可证不承认衍生作品申请商标

许可证 包含许可证的文件路径 rabbitmg-server-master/rabbitmg-server-master/LICENSE rabbitmq-server-master/rabbitmq-server-master/LICENSE-MPL-RabbitMQ rabbitmq-server-master/rabbitmq-server-master/README.md rabbitmq-server-master/rabbitmq-server-master/check_xref rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-echopid.8 rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-env.conf.5 rabbitmg-server-master/rabbitmg-server-master/docs/rabbitmg-plugins.8 rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-server.8 rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-service.8 rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmqctl.8 rabbitmq-server-master/rabbitmq-server-master/include/gm specs.hrl rabbitmq-server-master/rabbitmq-server-master/include/rabbit_cli.hrl rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-defaults rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics.bat rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-env rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-plugins rabbitmg-server-master/rabbitmg-server-master/scripts/rabbitmg-plugins.bat rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server.bat rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-service.bat rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl.bat rabbitmq-server-master/rabbitmq-server-master/src/background gc.erl rabbitmq-server-master/rabbitmq-server-master/src/dtree.erl rabbitmq-server-master/rabbitmq-server-master/src/file handle cache.erl

rabbitmq-server-master/rabbitmq-server-master/src/gm.erl rabbitmg-server-master/rabbitmg-server-master/src/lqueue.erl rabbitmq-server-master/rabbitmq-server-master/src/mirrored_supervisor_sups.erl rabbitmg-server-master/rabbitmg-server-master/src/mnesia sync.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit access control.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit alarm.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit amqqueue process.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit amggueue sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqqueue_sup_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_amqplain.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_cr_demo.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit auth mechanism plain.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit autoheal.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit binding.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit boot steps.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit channel sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_channel_sup_sup.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit cli.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit client sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_helper_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_tracking.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_tracking_handler.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit control pbe.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit core metrics gc.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit credential validation.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit credential validator.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit credential validator accept everything.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit credential validator min password length.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit credential validator password regexp.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_dead_letter.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_diagnostics.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit direct.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit disk monitor.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit epmd monitor.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit error logger.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit exchange.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit exchange parameters.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit exchange type direct.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit exchange type fanout.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit exchange type headers.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_invalid.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit exchange type topic.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit file.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit framing.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit guid.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit lager.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit limiter.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_log.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit memory monitor.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit metrics.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_coordinator.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_master.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit mirror queue misc.erl rabbitmg-server-master/rabbitmg-server-master/src/rabbit mirror gueue mode.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit mirror queue mode all.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit mirror queue mode exactly.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit mirror queue mode nodes.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit mirror queue slave.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_sync.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit mnesia.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit mnesia rename.erl

rabbitmq-server-master/rabbitmq-server-master/test/backing_queue_SUITE.erl
rabbitmq-server-master/rabbitmq-server-master/test/channel_interceptor_SUITE.erl
rabbitmq-server-master/rabbitmq-server-master/test/channel_operation_timeout_SUITE.erl
rabbitmq-server-master/rabbitmq-server-master/test/channel_operation_timeout_test_queue.erl
rabbitmq-server-master/rabbitmq-server-master/test/cluster_SUITE.erl
rabbitmq-server-master/rabbitmq-server-master/test/cluster_rename_SUITE.erl
rabbitmq-server-master/rabbitmq-server-master/test/clustering_management_SUITE.erl
rabbitmq-server-master/rabbitmq-server-master/test/config_schema_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/crashing_queues_SUITE.erl 包含许可证的文件路径 rabbitmq-server-master/rabbitmq-server-master/test/credential_validation_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/disconnect_detected_during_alarm_SUITE.erl rabbitmg-server-master/rabbitmg-server-master/test/dummy event receiver.erl rabbitmq-server-master/rabbitmq-server-master/test/dummy_runtime_parameters.erl rabbitmg-server-master/rabbitmg-server-master/test/dummy supervisor2.erl rabbitmg-server-master/rabbitmg-server-master/test/dynamic ha SUITE.erl rabbitmg-server-master/rabbitmg-server-master/test/eager sync SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/gm_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/health check SUITE.erl rabbitmg-server-master/rabbitmg-server-master/test/lazy gueue SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/list_consumers_sanity_check_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/list_queues_online_and_offline_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/many_node_ha_SUITE.erl rabbitmg-server-master/rabbitmg-server-master/test/metrics SUITE.erl rabbitmg-server-master/rabbitmg-server-master/test/mirrored supervisor SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/mirrored supervisor SUITE gs.erl rabbitmg-server-master/rabbitmg-server-master/test/msg store SUITE.erl rabbitmg-server-master/rabbitmg-server-master/test/partitions SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/peer_discovery_dns_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_user_connection_tracking_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per vhost connection limit SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_connection_limit_partitions_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_msg_store_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_queue_limit_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/plugin_versioning_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/policy SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/priority queue SUITE.erl rabbitmg-server-master/rabbitmg-server-master/test/priority gueue recovery SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/proxy protocol SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/queue master location SUITE.erl rabbitmg-server-master/rabbitmg-server-master/test/rabbit core metrics gc SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbit ha test consumer.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbit_ha_test_producer.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl_integration_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl shutdown SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/simple ha SUITE.erl rabbitmg-server-master/rabbitmg-server-master/test/sup delayed restart SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/sync detection SUITE.erl rabbitmg-server-master/rabbitmg-server-master/test/temp/rabbitmgadmin.py rabbitmq-server-master/rabbitmq-server-master/test/topic permission SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/unit SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/unit inbroker non parallel SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/unit inbroker parallel SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/worker_pool_SUITE.erl

所有版权和许可证信息

文件路径	开始 位置	结束 位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/check_xref	5	17	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/check_xref	17	18	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/LICENSE	1	1	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/README.md	38	38	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/README.md	49	49	copyright	(c) Pivotal Software Inc., 2007-2017.
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	1	1	copyright	Copyright (c) 2013-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	3	13	license	isc
				Copyright (c) 2013-2016 Loic Hoguin

rabbitmq-server-master/rabbitmq-server-master/erlang.mk 文件路径 rabbitmq-server-master/rabbitmq-server-master/erlang.mk	119 开始 位置	120 结束 4 5 4 5	copyright 信息类型 copyright	<essen@ninenines.eu> 许可证/版权详情 Copyright (c) 2015-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	4109	4110	copyright	Copyright (c) 2013-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	4734	4735	copyright	Copyright (c) 2015-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	4765	4766	copyright	Copyright (c) 2013-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5061	5063	copyright	Copyright (c) 2016, Loic Hoguin <essen@ninenines.eu> Copyright (c) 2015, Viktor Soderqvist <viktor@zuiderkwast.se></viktor@zuiderkwast.se></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5082	5083	copyright	Copyright (c) 2015-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5102	5103	copyright	Copyright (c) 2015-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5157	5158	copyright	Copyright (c) 2015-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5193	5194	copyright	Copyright (c) 2015-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5276	5277	copyright	Copyright (c) 2014-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5734	5735	copyright	Copyright (c) 2014-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5969	5970	copyright	Copyright (c) 2015-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6073	6074	copyright	Copyright (c) 2013-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6157	6158	copyright	Copyright (c) 2013-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6218	6219	copyright	Copyright (c) 2013-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6253	6254	copyright	Copyright (c) 2013-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6316	6318	copyright	Copyright (c) 2016, Loic Hoguin <essen@ninenines.eu> Copyright (c) 2014, Dave Cottlehuber <dch@skunkwerks.at></dch@skunkwerks.at></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6365	6367	copyright	Copyright (c) 2015-2016, Loic Hoguin <essen@ninenines.eu> Copyright (c) 2014, Enrique Fernandez <enrique.fernandez@erlang- solutions.com></enrique.fernandez@erlang- </essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6436	6437	copyright	Copyright (c) 2013-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6526	6528	copyright	Copyright (c) 2015-2016, Loic Hoguin <essen@ninenines.eu> Copyright (c) 2014, M Robert Martin <rob@version2beta.com></rob@version2beta.com></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6557	6558	copyright	Copyright (c) 2017, Jean-Sebastien Pedron <jean-sebastien@rabbitmq.com></jean-sebastien@rabbitmq.com>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6571	6572	copyright	Copyright (c) 2015-2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>

rabbitmq-server-master/文件路径server-master/erlang.mk	开始 位置	结束 位置	信息类型	Copyright (c) 2016, Loic Hoguin <essen@n许可证 (<br="" 版权详情pyright="">2015, Erlang Solutions Ltd.</essen@n许可证>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6654	6656	copyright	Copyright (c) 2016, Loic Hoguin <essen@ninenines.eu> Copyright 2015, Viktor Soderqvist <viktor@zuiderkwast.se></viktor@zuiderkwast.se></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6782	6783	copyright	Copyright (c) 2016, Loic Hoguin <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6829	6830	copyright	Copyright (c) 2013-2017, Loic Hogu <essen@ninenines.eu></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6841	6843	copyright	Copyright (c) 2013-2015, Loic Hogo <essen@ninenines.eu> Copyright 2015-2016, Jean-Sebastien Pedro <jean-sebastien@rabbitmq.com></jean-sebastien@rabbitmq.com></essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/LICENSE-MPL- RabbitMQ	1	455	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/LICENSE-MPL- RabbitMQ	449	450	copyright	Copyright (c) 2007-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/include/rabbit_cli.hrl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/include/rabbit_cli.hrl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/include/gm_specs.hrl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/include/gm_specs.hrl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_peer_discovery.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_peer_discovery.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_exchange_type_fanout.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_fanout.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_connection_helper_sup.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_helper_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/pg_local.erl	16	16	copyright	(c) 2010-2013 GoPivotal, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/pg_local.erl	20	20	copyright	Copyright Ericsson AB 1997-2009
rabbitmq-server-master/rabbitmq-server-master/src/pg_local.erl	22	31	license	erlangpl-1.1
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_misc.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_misc.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/mirrored_supervisor_sups.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-				Copyright (c) 2011-2015 Pivotal

master/src/mirrored_supervisor_sups.erl 文件路径 rabbitmq-server-master/rabbitmq-server- master/src/rabbit_sup.erl	开始 位置	4 结束 位置 13	copyright 信息类型 license	Software, Inc. 许可证/版权详情 <u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-				Copyright (c) 2007-2017 Pivotal
master/src/rabbit_sup.erl	13	14	copyright	Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_msg_store_gc.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_msg_store_gc.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_exchange.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_exchange.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/supervised_lifecycle.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/supervised_lifecycle.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_upgrade.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_upgrade.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/mnesia_sync.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/mnesia_sync.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mirror_queue_mode_nodes.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mirror_queue_mode_nodes.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/file_handle_cache_stats.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/file_handle_cache_stats.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_policies.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_policies.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password_hashing_md5.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password_hashing_md5.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_ssl.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_ssl.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_channel_sup_sup.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_channel_sup_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_amqqueue_sup.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-				Copyright (c) 2007-2017 Pivotal

master/src/rabbit_amqqueue_sup.erl rabbitmq-server文性路径abbitmq-server- master/src/rabbit_prequeue.erl	13 开始 位置	14 结束 位置	copyright 信息类型 license	Software, Inc. 许可证/版权详情 <u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_prequeue.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_table.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_table.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_amqqueue_sup_sup.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_amqqueue_sup_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_log.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_log.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_policy.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_policy.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_channel_sup.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_channel_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mirror_queue_mode.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mirror_queue_mode.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_msg_file.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_msg_file.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_plugins_main.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_plugins_main.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_metrics.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_metrics.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_connection_tracking.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_connection_tracking.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mirror_queue_mode_all.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mirror_queue_mode_all.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_vhost_sup.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-	13	14	copyright	Copyright (c) 2017 Pivotal Software, Inc.

rabbitmq-server文件路控abbitmq-server- master/src/rabbit_vhost_sup_sup.erl	开始 位置	结束 位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_vhost_sup_sup.erl	13	14	copyright	Copyright (c) 2007-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/background_gc.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/background_gc.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_sync.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mirror_queue_sync.erl	13	14	copyright	Copyright (c) 2010-2012 GoPivotal, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator_password_regexp.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator_password_regexp.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_alarm.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_alarm.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/gm.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/src/gm.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/worker_pool_worker.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/worker_pool_worker.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_runtime_parameters.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_runtime_parameters.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
abbitmq-server-master/rabbitmq-server-master/src/rabbit_cli.erl	1	13	license	<u>mpl-1.1</u>
abbitmq-server-master/rabbitmq-server-master/src/rabbit_cli.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_prelaunch.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_prelaunch.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_disk_monitor.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_disk_monitor.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_client_sup.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_client_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_variable_queue.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_variable_queue.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-				

master/src/rabbit_diagnostics.erl rabbitmq-server文件路径abbitmq-server- master/src/rabbit_diagnostics.erl	开始 位置	13 结束 位置	license 信息类型 copyright	mpl-1.1 Copyrig许可证/版权详情 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_credential_validator.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_credential_validator.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_exchange_parameters.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_exchange_parameters.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_peer_discovery_dns.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_peer_discovery_dns.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_vhost.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_vhost.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/worker_pool_sup.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/worker_pool_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mirror_queue_slave.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mirror_queue_slave.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/tcp_listener_sup.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/tcp_listener_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_queue_index.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_queue_index.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_vhost_sup_wrapper.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_vhost_sup_wrapper.erl	13	14	copyright	Copyright (c) 2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_vm.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_vm.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_exchange_type_direct.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_exchange_type_direct.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_msg_store.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_msg_store.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-	1	13	license	<u>mpl-1.1</u>

master/src/rabbit_core_metrics_gc_erl rabbitmq-server文件路径abbitmq-server- master/src/rabbit_core_metrics_gc.erl	开始 位置	结束 位置	信息类型 copyright	Copyrig许句证/版权详情 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mnesia.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mnesia.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_restartable_sup.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_restartable_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_direct.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_direct.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_queue_location_min_masters.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_queue_location_min_masters.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_password_hashing_sha256.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_password_hashing_sha256.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_resource_monitor_misc.erl	1	13	license	mpl-1.1
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_resource_monitor_misc.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_queue_location_random.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_queue_location_random.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_vhost_limit.erl	1	13	license	mpl-1.1
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_vhost_limit.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_priority_queue.erl	1	13	license	mpl-1.1
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_priority_queue.erl	13	14	copyright	Copyright (c) 2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_file.erl	1	13	license	mpl-1.1
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_file.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_boot_steps.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_boot_steps.erl	13	14	copyright	Copyright (c) 2007-2014 GoPivotal, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/vm_memory_monitor.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/vm_memory_monitor.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-	1	13	license	<u>mpl-1.1</u>

rabbitmq-server文件路径abbitmq-server- master/src/rabbit_msg_store_ets_index.erl	开始 位置	结束 位置	信息类型 copyright	Copyrig许句证/版权详情 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-	1	13	license	mpl-1.1
master/src/rabbit_version.erl rabbitmq-server-master/rabbitmq-server-	•	10	ilideniee	Copyright (c) 2007-2017 Pivotal
master/src/rabbit_version.erl	13	14	copyright	Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/worker_pool.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/worker_pool.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_upgrade_functions.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_upgrade_functions.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_queue_location_client_local.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_client_local.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mirror_queue_mode_exactly.erl	1	13	license	mpl-1.1
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mirror_queue_mode_exactly.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_auth_mechanism_amqplain.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_amqplain.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_peer_discovery_classic_config.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_peer_discovery_classic_config.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/truncate.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/src/truncate.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_binding.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_binding.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mnesia_rename.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mnesia_rename.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_node_monitor.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_node_monitor.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_guid.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_guid.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_memory_monitor.erl	1	13	license	<u>mpl-1.1</u>

rabbitmq-server-master/rabbitmq-server- master/src/rabbit_rieff-ory_monitor.erl	开始 位置	结束 位置	信息类型	Copyright (c) 2007-2017 Pivotal 许可证/版权详情
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_parameter_validation.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_parameter_validation.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validation.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_credential_validation.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_exchange_type_headers.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_exchange_type_headers.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_router.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_router.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/dtree.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/src/dtree.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_queue_master_location_misc.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_queue_master_location_misc.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_cr_demo.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_auth_mechanism_cr_demo.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_vhost_sup_watcher.erl	1	13	license	mpl-1.1
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_vhost_sup_watcher.erl	13	14	copyright	Copyright (c) 2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_lager.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_lager.erl	13	14	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/lqueue.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/src/lqueue.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_error_logger.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_error_logger.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_password.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_password.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_control_pbe.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_control_pbe.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.

rabbitmq-server-master/rabbitmq-server- master/src/rabbit_dead_letter.erl	开始 位置	结束 位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_dead_letter.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_autoheal.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_autoheal.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_password_hashing_sha512.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_password_hashing_sha512.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_access_control.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_access_control.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_connection_tracking_handler.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_connection_tracking_handler.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_vhost_msg_store.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_vhost_msg_store.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_credential_validator_accept_everything.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_credential_validator_accept_everything.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mirror_queue_master.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mirror_queue_master.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_policy_merge_strategy.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_policy_merge_strategy.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_recovery_terms.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_recovery_terms.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/tcp_listener.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/tcp_listener.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mirror_queue_coordinator.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_mirror_queue_coordinator.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_amqqueue_process.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_amqqueue_process.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.

rabbitmq-server-master/rabbitmq-server- master/src/rabb文件路径_consumers.erl	开始 位置	结束 位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_queue_consumers.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_plain.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_plain.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_invalid.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_invalid.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
abbitmq-server-master/rabbitmq-server-master/src/gatherer.erl	1	13	license	<u>mpl-1.1</u>
abbitmq-server-master/rabbitmq-server-master/src/gatherer.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_limiter.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_limiter.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/file_handle_cache.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/file_handle_cache.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_epmd_monitor.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_epmd_monitor.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_plugins.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_plugins.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_queue_location_validator.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_queue_location_validator.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_framing.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_framing.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_trace.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_trace.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_connection_sup.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/src/rabbit_connection_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- naster/src/rabbit_credential_validator_min_password_length.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- naster/src/rabbit_credential_validator_min_password_length.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-				

rabbitmq-server	位置	13 结束 位置 14	信息类型 copyright	Copyrig笊瓦证/版权送情 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmgctl	2	14	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmqctl	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmqctl.bat	2	14	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmqctl.bat	13	15	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-plugins	2	14	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-plugins	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-diagnostics.bat	2	14	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-diagnostics.bat	13	15	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-server	2	14	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-server	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-plugins.bat	3	15	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-plugins.bat	14	16	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-env	2	14	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-env	14	15	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-defaults	2	14	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-defaults	14	15	copyright	Copyright (c) 2012-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-service.bat	2	14	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-service.bat	13	15	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-diagnostics	2	14	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-diagnostics	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-server.bat	2	14	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/scripts/rabbitmq-server.bat	13	15	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_msg_store_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_msg_store_SUITE.erl	13	14	copyright	Copyright (c) 2007-2016 Pivotal Software, Inc.

master/test/config_schema_SUITE.erl rabbitmq-server-补齿镜/fabbitmq-server- master/test/config_schema_SUITE.erl	开始 位置 13	13 结束 位置 14	信息类型 copyright	许可证/版权详情 Copyright (c) 2016 Pivotal Software, Inc.
master/test/comig_scriema_son E.en		14	сорупуп	Copyright (c) 2010 i Wotar Software, mc.
rabbitmq-server-master/rabbitmq-server- master/test/sync_detection_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/sync_detection_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/worker_pool_SUITE.erl	1	13	license	mpl-1.1
rabbitmq-server-master/rabbitmq-server- master/test/worker_pool_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- naster/test/disconnect_detected_during_alarm_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- naster/test/disconnect_detected_during_alarm_SUITE.erl	13	14	copyright	Copyright (c) 2011-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/channel_operation_timeout_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/channel_operation_timeout_SUITE.erl	13	14	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/proxy_protocol_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/proxy_protocol_SUITE.erl	13	14	copyright	Copyright (c) 2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/rabbit_ha_test_producer.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/rabbit_ha_test_producer.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/rabbit_core_metrics_gc_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/test/rabbit_core_metrics_gc_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/cluster_rename_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/cluster_rename_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/clustering_management_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/test/clustering_management_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/dummy_event_receiver.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/dummy_event_receiver.erl	13	14	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/gm_SUITE.erl	1	13	license	mpl-1.1
rabbitmq-server-master/rabbitmq-server- master/test/gm_SUITE.erl	13	14	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/channel_interceptor_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/test/channel_interceptor_SUITE.erl	13	14	copyright	Copyright (c) 2016 Pivotal Software, Inc.

rabbitmq-server-master/rabbitmq-server- master/test/priority文件路径ecovery_SLIITF_erl rabbitmq-server-master/rabbitmq-server-	开始 位置 — <u>13</u> —	13 结束 位置 14	license 信息类型 copyright	mpl-1.1 许可证/版权详情 Copyright (c) 2011-2016 Pivotal
master/test/priority_queue_recovery_SUITE.erl			0007.19	Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/unit_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/unit_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/lazy_queue_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/lazy_queue_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/rabbit_ha_test_consumer.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/test/rabbit_ha_test_consumer.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/credential_validation_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/test/credential_validation_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/plugin_versioning_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/test/plugin_versioning_SUITE.erl	13	14	copyright	Copyright (c) 2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/mirrored_supervisor_SUITE_gs.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/test/mirrored_supervisor_SUITE_gs.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/channel_operation_timeout_test_queue.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/channel_operation_timeout_test_queue.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/topic_permission_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/test/topic_permission_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/priority_queue_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/priority_queue_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/per_user_connection_tracking_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/test/per_user_connection_tracking_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-naster/test/per_vhost_connection_limit_partitions_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- naster/test/per_vhost_connection_limit_partitions_SUITE.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl_shutdown_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl_shutdown_SUITE.erl	13	14	copyright	Copyright (c) 2017 Pivotal Software, Inc.

文件路径 rabbitmq-server-master/rabbitmq-server- master/test/dummy_runtime_parameters.erl	位置	13 结束 位置	信息类型 copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/eager_sync_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/eager_sync_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/simple_ha_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/simple_ha_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/partitions_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/partitions_SUITE.erl	13	14	copyright	Copyright (c) 2011-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/many_node_ha_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/many_node_ha_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- naster/test/list_consumers_sanity_check_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- naster/test/list_consumers_sanity_check_SUITE.erl	13	14	copyright	Copyright (c) 2011-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/unit_inbroker_parallel_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/unit_inbroker_parallel_SUITE.erl	13	14	copyright	Copyright (c) 2011-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/cluster_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/cluster_SUITE.erl	13	14	copyright	Copyright (c) 2011-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/health_check_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/health_check_SUITE.erl	13	14	copyright	Copyright (c) 2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/per_vhost_connection_limit_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/per_vhost_connection_limit_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/policy_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/policy_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/msg_store_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/test/msg_store_SUITE.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/test/per_vhost_queue_limit_SUITE.erl	1	13	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_queue_limit_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-				

master/test/unit_inbroker_non_parallel_SUITE.erl rabbitmq-server 文性語彙abbitmq-server- master/test/unit_inbroker_non_parallel_SUITE.erl rabbitmq-server-master/rabbitmq-server- master/test/sup_delayed_restart_SUITE.erl		13 结束 位置	信息类型 copyright	mpl-1.1 Copyrig许包证版权详情 Pivotal Software, Inc. mpl-1.1	
		13	license		
rabbitmq-server-master/rabbitmq-server-master/test/sup_delayed_restart_SUITE.erl	13	14	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.	
rabbitmq-server-master/rabbitmq-server- master/test/dummy_supervisor2.erl	1	13	license	<u>mpl-1.1</u>	
rabbitmq-server-master/rabbitmq-server- master/test/dummy_supervisor2.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.	
rabbitmq-server-master/rabbitmq-server- master/test/backing_queue_SUITE.erl	1	13	license	<u>mpl-1.1</u>	
rabbitmq-server-master/rabbitmq-server- master/test/backing_queue_SUITE.erl	13	14	copyright	Copyright (c) 2011-2017 Pivotal Software, Inc.	
rabbitmq-server-master/rabbitmq-server- aster/test/list_queues_online_and_offline_SUITE.erl	1	13	license	<u>mpl-1.1</u>	
rabbitmq-server-master/rabbitmq-server- aster/test/list_queues_online_and_offline_SUITE.erl	13	14	copyright	Copyright (c) 2011-2017 Pivotal Software, Inc.	
rabbitmq-server-master/rabbitmq-server-master/test/peer_discovery_dns_SUITE.erl	1	13	license	<u>mpl-1.1</u>	
rabbitmq-server-master/rabbitmq-server- master/test/peer_discovery_dns_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.	
rabbitmq-server-master/rabbitmq-server- master/test/metrics_SUITE.erl	1	13	license	<u>mpl-1.1</u>	
rabbitmq-server-master/rabbitmq-server- master/test/metrics_SUITE.erl	13	14	copyright	Copyright (c) 2016 Pivotal Software, Inc.	
rabbitmq-server-master/rabbitmq-server-master/test/mirrored_supervisor_SUITE.erl	1	13	license	<u>mpl-1.1</u>	
rabbitmq-server-master/rabbitmq-server-master/test/mirrored_supervisor_SUITE.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.	
rabbitmq-server-master/rabbitmq-server- master/test/dynamic_ha_SUITE.erl	1	13	license	<u>mpl-1.1</u>	
rabbitmq-server-master/rabbitmq-server- master/test/dynamic_ha_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.	
rabbitmq-server-master/rabbitmq-server- master/test/crashing_queues_SUITE.erl	1	13	license	<u>mpl-1.1</u>	
rabbitmq-server-master/rabbitmq-server- master/test/crashing_queues_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.	
rabbitmq-server-master/rabbitmq-server-master/test/queue_master_location_SUITE.erl	1	13	license	<u>mpl-1.1</u>	
rabbitmq-server-master/rabbitmq-server-master/test/queue_master_location_SUITE.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.	
rabbitmq-server-master/rabbitmq-server- master/test/rabbitmqctl_integration_SUITE.erl	1	13	license	<u>mpl-1.1</u>	
rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl_integration_SUITE.erl	13	14	copyright	Copyright (c) 2016 Pivotal Software, Inc.	
rabbitmq-server-master/rabbitmq-server- master/test/temp/rabbitmqadmin.py	3	13	license	<u>mpl-1.1</u>	
rabbitmq-server-master/rabbitmq-server- master/test/temp/rabbitmqadmin.py	15	16	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.	

plugins.8 rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq- plugins.8	产 开始 位置	14 结束 位置 15	license 信息类型 copyright	mpl-1.1 Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-service.8	2	14	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-service.8	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-server.8	2	14	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-server.8	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server- master/docs/rabbitmqctl.8	2	14	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server- master/docs/rabbitmqctl.8	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-echopid.8	2	14	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-echopid.8	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-env.conf.5	2	14	license	<u>mpl-1.1</u>
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-env.conf.5	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.