

# 开源许可证检测报告

项目名称: rabbitmq-server-master

最后一次分析时间: 2017-09-19-17:34:54

文件总数:248

## 结果概览

软件包含 3 种开源许可证, 分别为

- erlangpl-1.1 1个文件
- isc 1个文件
- mpl-1.1 201个文件

## 风险评级

**高风险**

- 相同许可证要求
- 商业化风险
- 商标使用风险

## 所有许可证详细信息

许可证名称	类型	许可证归属	官方链接
erlangpl-1.1	Copyleft	Erlang	<a href="http://www.erlang.org/EPLICENSE">http://www.erlang.org/EPLICENSE</a>
isc	Permissive	ISC - Internet Systems Consortium	<a href="http://fedoraproject.org/wiki/Licensing:MIT#Old_Style_with_legal_disclaimer_2">http://fedoraproject.org/wiki/Licensing:MIT#Old_Style_with_legal_disclaimer_2</a>
mpl-1.1	Copyleft Limited	Mozilla	<a href="http://www.mozilla.com/MPL/1.1/index.html">http://www.mozilla.com/MPL/1.1/index.html</a>

## 潜在风险分析

如果您想基于此软件发布开源软件, 请注意:

以下文件的许可证要求衍生作品必须采用同一许可证

许可证	包含许可证的文件路径
	<ul style="list-style-type: none"><li>rabbitmq-server-master/rabbitmq-server-master/LICENSE</li><li>rabbitmq-server-master/rabbitmq-server-master/LICENSE-MPL-RabbitMQ</li><li>rabbitmq-server-master/rabbitmq-server-master/README.md</li><li>rabbitmq-server-master/rabbitmq-server-master/check_xref</li><li>rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-echopid.8</li><li>rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-env.conf.5</li><li>rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-plugins.8</li><li>rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-server.8</li><li>rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-service.8</li><li>rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmqctl.8</li><li>rabbitmq-server-master/rabbitmq-server-master/include/gm_specs.hrl</li><li>rabbitmq-server-master/rabbitmq-server-master/include/rabbit_cli.hrl</li><li>rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-defaults</li><li>rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics</li><li>rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics.bat</li><li>rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-env</li><li>rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-plugins</li><li>rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-plugins.bat</li><li>rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server</li><li>rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server.bat</li><li>rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-service.bat</li></ul>

## 许可证

rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl  
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl.bat

包含许可证的文件路径

rabbitmq-server-master/rabbitmq-server-master/src/background\_gc.erl  
rabbitmq-server-master/rabbitmq-server-master/src/dtree.erl  
rabbitmq-server-master/rabbitmq-server-master/src/file\_handle\_cache.erl  
rabbitmq-server-master/rabbitmq-server-master/src/file\_handle\_cache\_stats.erl  
rabbitmq-server-master/rabbitmq-server-master/src/gatherer.erl  
rabbitmq-server-master/rabbitmq-server-master/src/gm.erl  
rabbitmq-server-master/rabbitmq-server-master/src/lqueue.erl  
rabbitmq-server-master/rabbitmq-server-master/src/mirrored\_supervisor\_supers.erl  
rabbitmq-server-master/rabbitmq-server-master/src/mnesia\_sync.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_access\_control.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_alarm.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_amqueue\_process.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_amqueue\_sup.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_amqueue\_sup\_sup.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_auth\_mechanism\_amqplain.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_auth\_mechanism\_cr\_demo.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_auth\_mechanism\_plain.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_autoheal.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_binding.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_boot\_steps.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_channel\_sup.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_channel\_sup\_sup.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_cli.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_client\_sup.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_connection\_helper\_sup.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_connection\_sup.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_connection\_tracking.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_connection\_tracking\_handler.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_control\_pbe.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_core\_metrics\_gc.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_credential\_validation.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_credential\_validator.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_credential\_validator\_accept\_everything.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_credential\_validator\_min\_password\_length.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_credential\_validator\_password\_regexp.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_dead\_letter.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_diagnostics.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_direct.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_disk\_monitor.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_epmd\_monitor.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_error\_logger.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_parameters.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_type\_direct.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_type\_fanout.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_type\_headers.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_type\_invalid.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_type\_topic.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_file.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_framing.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_guid.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_lager.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_limiter.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_log.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_memory\_monitor.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_metrics.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_coordinator.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_master.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_misc.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_mode.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_mode\_all.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_mode\_exactly.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_mode\_noack.erl

许可证	包含许可证的文件路径
mpl-1.1	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_mode_nodes.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_slave.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_sync.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mnesia.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mnesia_rename.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_file.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_store.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_store_ets_index.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_store_gc.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_node_monitor.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_parameter_validation.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password_hashing_md5.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password_hashing_sha256.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password_hashing_sha512.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_peer_discovery.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_peer_discovery_classic_config.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_peer_discovery_dns.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_plugins.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_plugins_main.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_policies.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_policy.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_policy_merge_strategy.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_prelaunch.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_prequeue.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_priority_queue.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_consumers.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_index.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_client_local.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_min_masters.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_random.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_validator.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_master_location_misc.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_recovery_terms.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_resource_monitor_misc.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_restartable_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_router.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_runtime_parameters.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_ssl.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_table.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_trace.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_upgrade.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_upgrade_functions.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_variable_queue.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_version.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_limit.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_msg_store.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup_watcher.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup_wrapper.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vm.erl rabbitmq-server-master/rabbitmq-server-master/src/supervised_lifecycle.erl rabbitmq-server-master/rabbitmq-server-master/src/tcp_listener.erl rabbitmq-server-master/rabbitmq-server-master/src/tcp_listener_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/truncate.erl rabbitmq-server-master/rabbitmq-server-master/src/vm_memory_monitor.erl rabbitmq-server-master/rabbitmq-server-master/src/worker_pool.erl rabbitmq-server-master/rabbitmq-server-master/src/worker_pool_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/worker_pool_worker.erl rabbitmq-server-master/rabbitmq-server-master/test/backing_queue_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/channel_interceptor_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/channel_operation_timeout_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/channel_operation_timeout_test_queue.erl

许可证	包含许可证的文件路径
	rabbitmq-server-master/rabbitmq-server-master/test/cluster_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/cluster_rename_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/clustering_management_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/config_schema_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/crashing_queues_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/credential_validation_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/disconnect_detected_during_alarm_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/dummy_event_receiver.erl rabbitmq-server-master/rabbitmq-server-master/test/dummy_runtime_parameters.erl rabbitmq-server-master/rabbitmq-server-master/test/dummy_supervisor2.erl rabbitmq-server-master/rabbitmq-server-master/test/dynamic_ha_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/eager_sync_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/gm_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/health_check_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/lazy_queue_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/list_consumers_sanity_check_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/list_queues_online_and_offline_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/many_node_ha_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/metrics_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/mirrored_supervisor_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/mirrored_supervisor_SUITE_gs.erl rabbitmq-server-master/rabbitmq-server-master/test/msg_store_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/partitions_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/peer_discovery_dns_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_user_connection_tracking_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_connection_limit_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_connection_limit_partitions_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_msg_store_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_queue_limit_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/plugin_versioning_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/policy_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/priority_queue_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/priority_queue_recovery_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/proxy_protocol_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/queue_master_location_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbit_core_metrics_gc_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbit_ha_test_consumer.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbit_ha_test_producer.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl_integration_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl_shutdown_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/simple_ha_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/sup_delayed_restart_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/sync_detection_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/temp/rabbitmqadmin.py rabbitmq-server-master/rabbitmq-server-master/test/topic_permission_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/unit_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/unit_inbroker_non_parallel_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/unit_inbroker_parallel_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/worker_pool_SUITE.erl

如果您想基于此软件发布商业软件，请注意：

以下文件的许可证不允许衍生作品闭源发布

许可证	包含许可证的文件路径
	rabbitmq-server-master/rabbitmq-server-master/LICENSE rabbitmq-server-master/rabbitmq-server-master/LICENSE-MPL-RabbitMQ rabbitmq-server-master/rabbitmq-server-master/README.md rabbitmq-server-master/rabbitmq-server-master/check_xref rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-echopid.8 rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-env.conf.5 rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-plugins.8 rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-server.8

## 许可证

rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-service.8  
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmqctl.8

包含许可证的文件路径

rabbitmq-server-master/rabbitmq-server-master/include/gm\_specs.hrl  
rabbitmq-server-master/rabbitmq-server-master/include/rabbit\_cli.hrl  
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-defaults  
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics  
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics.bat  
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-env  
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-plugins  
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-plugins.bat  
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server  
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server.bat  
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-service.bat  
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl  
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl.bat  
rabbitmq-server-master/rabbitmq-server-master/src/background\_gc.erl  
rabbitmq-server-master/rabbitmq-server-master/src/dtree.erl  
rabbitmq-server-master/rabbitmq-server-master/src/file\_handle\_cache.erl  
rabbitmq-server-master/rabbitmq-server-master/src/file\_handle\_cache\_stats.erl  
rabbitmq-server-master/rabbitmq-server-master/src/gatherer.erl  
rabbitmq-server-master/rabbitmq-server-master/src/gm.erl  
rabbitmq-server-master/rabbitmq-server-master/src/lqueue.erl  
rabbitmq-server-master/rabbitmq-server-master/src/mirrored\_supervisor\_supers.erl  
rabbitmq-server-master/rabbitmq-server-master/src/mnesia\_sync.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_access\_control.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_alarm.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_amqueue\_process.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_amqueue\_sup.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_amqueue\_sup\_sup.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_auth\_mechanism\_amqplain.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_auth\_mechanism\_cr\_demo.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_auth\_mechanism\_plain.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_autoheal.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_binding.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_boot\_steps.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_channel\_sup.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_channel\_sup\_sup.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_cli.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_client\_sup.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_connection\_helper\_sup.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_connection\_sup.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_connection\_tracking.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_connection\_tracking\_handler.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_control\_pbe.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_core\_metrics\_gc.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_credential\_validation.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_credential\_validator.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_credential\_validator\_accept\_everything.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_credential\_validator\_min\_password\_length.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_credential\_validator\_password\_regexp.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_dead\_letter.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_diagnostics.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_direct.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_disk\_monitor.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_epmd\_monitor.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_error\_logger.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_parameters.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_type\_direct.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_type\_fanout.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_type\_headers.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_type\_invalid.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_type\_topic.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_file.erl  
rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_framing.erl



## 许可证

mpl-1.1

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_framing.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_guid.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_lager.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_limiter.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_log.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_memory\_monitor.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_metrics.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_coordinator.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_master.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_misc.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_mode.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_mode\_all.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_mode\_exactly.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_mode\_nodes.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_slave.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_sync.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mnesia.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mnesia\_rename.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_msg\_file.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_msg\_store.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_msg\_store\_ets\_index.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_msg\_store\_gc.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_node\_monitor.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_parameter\_validation.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_password.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_password\_hashing\_md5.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_password\_hashing\_sha256.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_password\_hashing\_sha512.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_peer\_discovery.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_peer\_discovery\_classic\_config.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_peer\_discovery\_dns.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_plugins.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_plugins\_main.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_policies.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_policy.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_policy\_merge\_strategy.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_prelaunch.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_prequeue.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_priority\_queue.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_queue\_consumers.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_queue\_index.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_queue\_location\_client\_local.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_queue\_location\_min\_masters.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_queue\_location\_random.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_queue\_location\_validator.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_queue\_master\_location\_misc.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_recovery\_terms.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_resource\_monitor\_misc.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_restartable\_sup.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_router.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_runtime\_parameters.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_ssl.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_sup.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_table.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_trace.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_upgrade.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_upgrade\_functions.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_variable\_queue.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_version.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_vhost.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_vhost\_limit.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_vhost\_msg\_store.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_vhost\_sup.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_vhost\_sup\_sup.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_vhost\_sup\_watcher.erl  
 rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_vhost\_sup\_wrapper.erl

许可证	包含许可证的文件路径
	rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vm.erl rabbitmq-server-master/rabbitmq-server-master/src/supervised_lifecycle.erl rabbitmq-server-master/rabbitmq-server-master/src/tcp_listener.erl rabbitmq-server-master/rabbitmq-server-master/src/tcp_listener_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/truncate.erl rabbitmq-server-master/rabbitmq-server-master/src/vm_memory_monitor.erl rabbitmq-server-master/rabbitmq-server-master/src/worker_pool.erl rabbitmq-server-master/rabbitmq-server-master/src/worker_pool_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/worker_pool_worker.erl rabbitmq-server-master/rabbitmq-server-master/test/backing_queue_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/channel_interceptor_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/channel_operation_timeout_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/channel_operation_timeout_test_queue.erl rabbitmq-server-master/rabbitmq-server-master/test/cluster_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/cluster_rename_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/clustering_management_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/config_schema_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/crashing_queues_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/credential_validation_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/disconnect_detected_during_alarm_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/dummy_event_receiver.erl rabbitmq-server-master/rabbitmq-server-master/test/dummy_runtime_parameters.erl rabbitmq-server-master/rabbitmq-server-master/test/dummy_supervisor2.erl rabbitmq-server-master/rabbitmq-server-master/test/dynamic_ha_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/eager_sync_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/gm_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/health_check_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/lazy_queue_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/list_consumers_sanity_check_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/list_queues_online_and_offline_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/many_node_ha_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/metrics_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/mirrored_supervisor_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/mirrored_supervisor_SUITE_gs.erl rabbitmq-server-master/rabbitmq-server-master/test/msg_store_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/partitions_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/peer_discovery_dns_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_user_connection_tracking_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_connection_limit_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_connection_limit_partitions_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_msg_store_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_queue_limit_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/plugin_versioning_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/policy_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/priority_queue_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/priority_queue_recovery_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/proxy_protocol_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/queue_master_location_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbit_core_metrics_gc_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbit_ha_test_consumer.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbit_ha_test_producer.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl_integration_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl_shutdown_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/simple_ha_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/sup_delayed_restart_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/sync_detection_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/temp/rabbitmqadmin.py rabbitmq-server-master/rabbitmq-server-master/test/topic_permission_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/unit_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/unit_inbroker_non_parallel_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/unit_inbroker_parallel_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/worker_pool_SUITE.erl

另外，以下条款您也需要关注：

许可证	包含许可证的文件路径
	rabbitmq-server-master/rabbitmq-server-master/LICENSE rabbitmq-server-master/rabbitmq-server-master/LICENSE-MPL-RabbitMQ rabbitmq-server-master/rabbitmq-server-master/README.md rabbitmq-server-master/rabbitmq-server-master/check_xref rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-echopid.8 rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-env.conf.5 rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-plugins.8 rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-server.8 rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-service.8 rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmqctl.8 rabbitmq-server-master/rabbitmq-server-master/include/gm_specs.hrl rabbitmq-server-master/rabbitmq-server-master/include/rabbit_cli.hrl rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-defaults rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics.bat rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-env rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-plugins rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-plugins.bat rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server.bat rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-service.bat rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl.bat rabbitmq-server-master/rabbitmq-server-master/src/background_gc.erl rabbitmq-server-master/rabbitmq-server-master/src/dtree.erl rabbitmq-server-master/rabbitmq-server-master/src/file_handle_cache.erl rabbitmq-server-master/rabbitmq-server-master/src/file_handle_cache_stats.erl rabbitmq-server-master/rabbitmq-server-master/src/gatherer.erl rabbitmq-server-master/rabbitmq-server-master/src/gm.erl rabbitmq-server-master/rabbitmq-server-master/src/lqueue.erl rabbitmq-server-master/rabbitmq-server-master/src/mirrored_supervisor_supers.erl rabbitmq-server-master/rabbitmq-server-master/src/mnesia_sync.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_access_control.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_alarm.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqueue_process.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqueue_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqueue_sup_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_amqplain.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_cr_demo.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_plain.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_autoheal.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_binding.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_boot_steps.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_channel_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_channel_sup_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_cli.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_client_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_helper_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_sup.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_tracking.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_tracking_handler.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_control_pbe.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_core_metrics_gc.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validation.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator_accept_everything.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator_min_password_length.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator_password_regexp.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_dead_letter.erl rabbitmq-server-master/rabbitmq-server-master/src/rabbit_diagnostics.erl



## 许可证

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_direct.erl  
包含许可证的文件路径

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_disk\_monitor.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_epmd\_monitor.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_error\_logger.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_parameters.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_type\_direct.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_type\_fanout.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_type\_headers.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_type\_invalid.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_exchange\_type\_topic.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_file.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_framing.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_guid.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_lager.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_limiter.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_log.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_memory\_monitor.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_metrics.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_coordinator.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_master.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_misc.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_mode.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_mode\_all.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_mode\_exactly.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_mode\_nodes.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_slave.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mirror\_queue\_sync.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mnesia.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_mnesia\_rename.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_msg\_file.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_msg\_store.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_msg\_store\_ets\_index.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_msg\_store\_gc.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_node\_monitor.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_parameter\_validation.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_password.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_password\_hashing\_md5.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_password\_hashing\_sha256.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_password\_hashing\_sha512.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_peer\_discovery.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_peer\_discovery\_classic\_config.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_peer\_discovery\_dns.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_plugins.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_plugins\_main.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_policies.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_policy.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_policy\_merge\_strategy.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_prelaunch.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_prequeue.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_priority\_queue.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_queue\_consumers.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_queue\_index.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_queue\_location\_client\_local.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_queue\_location\_min\_masters.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_queue\_location\_random.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_queue\_location\_validator.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_queue\_master\_location\_misc.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_recovery\_terms.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_resource\_monitor\_misc.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_restartable\_sup.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_router.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_runtime\_parameters.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_ssl.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_sup.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_table.erl

mpl-1.1

## 许可证

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_table.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_trace.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_upgrade.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_upgrade\_functions.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_variable\_queue.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_version.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_vhost.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_vhost\_limit.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_vhost\_msg\_store.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_vhost\_sup.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_vhost\_sup\_sup.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_vhost\_sup\_watcher.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_vhost\_sup\_wrapper.erl

rabbitmq-server-master/rabbitmq-server-master/src/rabbit\_vm.erl

rabbitmq-server-master/rabbitmq-server-master/src/supervised\_lifecycle.erl

rabbitmq-server-master/rabbitmq-server-master/src/tcp\_listener.erl

rabbitmq-server-master/rabbitmq-server-master/src/tcp\_listener\_sup.erl

rabbitmq-server-master/rabbitmq-server-master/src/truncate.erl

rabbitmq-server-master/rabbitmq-server-master/src/vm\_memory\_monitor.erl

rabbitmq-server-master/rabbitmq-server-master/src/worker\_pool.erl

rabbitmq-server-master/rabbitmq-server-master/src/worker\_pool\_sup.erl

rabbitmq-server-master/rabbitmq-server-master/src/worker\_pool\_worker.erl

rabbitmq-server-master/rabbitmq-server-master/test/backing\_queue\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/channel\_interceptor\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/channel\_operation\_timeout\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/channel\_operation\_timeout\_test\_queue.erl

rabbitmq-server-master/rabbitmq-server-master/test/cluster\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/cluster\_rename\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/clustering\_management\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/config\_schema\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/crashing\_queues\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/credential\_validation\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/disconnect\_detected\_during\_alarm\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/dummy\_event\_receiver.erl

rabbitmq-server-master/rabbitmq-server-master/test/dummy\_runtime\_parameters.erl

rabbitmq-server-master/rabbitmq-server-master/test/dummy\_supervisor2.erl

rabbitmq-server-master/rabbitmq-server-master/test/dynamic\_ha\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/eager\_sync\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/gm\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/health\_check\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/lazy\_queue\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/list\_consumers\_sanity\_check\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/list\_queues\_online\_and\_offline\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/many\_node\_ha\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/metrics\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/mirrored\_supervisor\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/mirrored\_supervisor\_SUITE\_gs.erl

rabbitmq-server-master/rabbitmq-server-master/test/msg\_store\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/partitions\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/peer\_discovery\_dns\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/per\_user\_connection\_tracking\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/per\_vhost\_connection\_limit\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/per\_vhost\_connection\_limit\_partitions\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/per\_vhost\_msg\_store\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/per\_vhost\_queue\_limit\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/plugin\_versioning\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/policy\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/priority\_queue\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/priority\_queue\_recovery\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/proxy\_protocol\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/queue\_master\_location\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/rabbit\_core\_metrics\_gc\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/rabbit\_ha\_test\_consumer.erl

rabbitmq-server-master/rabbitmq-server-master/test/rabbit\_ha\_test\_producer.erl

rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl\_integration\_SUITE.erl

rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl\_shutdown\_SUITE.erl

许可证	rabbitmq-server-master/rabbitmq-server-master/test/simple_ha_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/sup_delayed_restart_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/sync_detection_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/temp/rabbitmqadmin.py rabbitmq-server-master/rabbitmq-server-master/test/topic_permission_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/unit_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/unit_inbroker_non_parallel_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/unit_inbroker_parallel_SUITE.erl rabbitmq-server-master/rabbitmq-server-master/test/worker_pool_SUITE.erl
-----	---

所有版权和许可证信息

文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/check_xref	5	17	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/check_xref	17	18	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/LICENSE	1	1	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/README.md	38	38	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/README.md	49	49	copyright	(c) Pivotal Software Inc., 2007-2017.
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	1	1	copyright	Copyright (c) 2013-2016, Loic Hoguein <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	3	13	license	<a href="#">isc</a>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	119	120	copyright	Copyright (c) 2013-2016 Loic Hoguein <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	4082	4083	copyright	Copyright (c) 2015-2016, Loic Hoguein <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	4109	4110	copyright	Copyright (c) 2013-2016, Loic Hoguein <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	4734	4735	copyright	Copyright (c) 2015-2016, Loic Hoguein <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	4765	4766	copyright	Copyright (c) 2013-2016, Loic Hoguein <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5061	5063	copyright	Copyright (c) 2016, Loic Hoguein <essen@ninenines.eu> Copyright (c) 2015, Viktor Soderqvist <viktor@zuiderkwast.se>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5082	5083	copyright	Copyright (c) 2015-2016, Loic Hoguein <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5102	5103	copyright	Copyright (c) 2015-2016, Loic Hoguein <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5157	5158	copyright	Copyright (c) 2015-2016, Loic Hoguein <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5193	5194	copyright	Copyright (c) 2015-2016, Loic Hoguein <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5276	5277	copyright	Copyright (c) 2014-2016, Loic Hoguein <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5734	5735	copyright	Copyright (c) 2014-2016, Loic Hoguein <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	5969	5970	copyright	Copyright (c) 2015-2016, Loic Hoguein <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6073	6074	copyright	Copyright (c) 2013-2016, Loic Hoguein <essen@ninenines.eu>

文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6157	6158	copyright	Copyright (c) 2013-2016, Loic Hoguin <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6218	6219	copyright	Copyright (c) 2013-2016, Loic Hoguin <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6253	6254	copyright	Copyright (c) 2013-2016, Loic Hoguin <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6316	6318	copyright	Copyright (c) 2016, Loic Hoguin <essen@ninenines.eu> Copyright (c) 2014, Dave Cottlehuber <dch@skunkwerks.at>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6365	6367	copyright	Copyright (c) 2015-2016, Loic Hoguin <essen@ninenines.eu> Copyright (c) 2014, Enrique Fernandez <enrique.fernandez@erlang- solutions.com>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6436	6437	copyright	Copyright (c) 2013-2016, Loic Hoguin <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6526	6528	copyright	Copyright (c) 2015-2016, Loic Hoguin <essen@ninenines.eu> Copyright (c) 2014, M Robert Martin <rob@version2beta.com>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6557	6558	copyright	Copyright (c) 2017, Jean-Sebastien Pedron <jean-sebastien@rabbitmq.com>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6571	6572	copyright	Copyright (c) 2015-2016, Loic Hoguin <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6614	6616	copyright	Copyright (c) 2016, Loic Hoguin <essen@ninenines.eu> Copyright (c) 2015, Erlang Solutions Ltd.
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6654	6656	copyright	Copyright (c) 2016, Loic Hoguin <essen@ninenines.eu> Copyright (c) 2015, Viktor Soderqvist <viktor@zuiderkwast.se>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6782	6783	copyright	Copyright (c) 2016, Loic Hoguin <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6829	6830	copyright	Copyright (c) 2013-2017, Loic Hoguin <essen@ninenines.eu>
rabbitmq-server-master/rabbitmq-server-master/erlang.mk	6841	6843	copyright	Copyright (c) 2013-2015, Loic Hoguin <essen@ninenines.eu> Copyright (c) 2015-2016, Jean-Sebastien Pedron <jean-sebastien@rabbitmq.com>
rabbitmq-server-master/rabbitmq-server-master/LICENSE-MPL-RabbitMQ	1	455	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/LICENSE-MPL-RabbitMQ	449	450	copyright	Copyright (c) 2007-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/include/rabbit_cli.hrl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/include/rabbit_cli.hrl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/include/gm_specs.hrl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/include/gm_specs.hrl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.

文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/src/rabbit.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_peer_discovery.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_peer_discovery.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_fanout.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_fanout.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_helper_sup.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_helper_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/pg_local.erl	16	16	copyright	(c) 2010-2013 GoPivotal, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/pg_local.erl	20	20	copyright	Copyright Ericsson AB 1997-2009.
rabbitmq-server-master/rabbitmq-server-master/src/pg_local.erl	22	31	license	<a href="#">erlangmpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_misc.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_misc.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/mirrored_supervisor_sups.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/mirrored_supervisor_sups.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_sup.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_store_gc.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_store_gc.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/supervised_lifecycle.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/supervised_lifecycle.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_upgrade.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_upgrade.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/mnesia_sync.erl	1	13	license	<a href="#">mpl-1.1</a>



文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/src/mnesia_sync.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_mode_nodes.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_mode_nodes.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/file_handle_cache_stats.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/file_handle_cache_stats.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_policies.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_policies.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password_hashing_md5.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password_hashing_md5.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_ssl.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_ssl.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_channel_sup_sup.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_channel_sup_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqueue_sup.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqueue_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_prequeue.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_prequeue.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_table.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_table.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqueue_sup_sup.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqueue_sup_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_log.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_log.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_policy.erl	1	13	license	<a href="#">mpl-1.1</a>

文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_policy.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_channel_sup.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_channel_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_mode.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_mode.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_file.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_file.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_plugins_main.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_plugins_main.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_metrics.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_metrics.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_tracking.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_tracking.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_mode_all.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_mode_all.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup.erl	13	14	copyright	Copyright (c) 2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup_sup.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup_sup.erl	13	14	copyright	Copyright (c) 2007-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/background_gc.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/background_gc.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_sync.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_sync.erl	13	14	copyright	Copyright (c) 2010-2012 GoPivotal, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator_password_regexp.erl	1	13	license	<a href="#">mpl-1.1</a>

文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator_password_regexp.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_alarm.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_alarm.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/gm.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/gm.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/worker_pool_worker.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/worker_pool_worker.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_runtime_parameters.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_runtime_parameters.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_cli.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_cli.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_prelaunch.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_prelaunch.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_disk_monitor.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_disk_monitor.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_client_sup.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_client_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_variable_queue.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_variable_queue.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_diagnostics.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_diagnostics.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_parameters.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_parameters.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.

文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_peer_discovery_dns.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_peer_discovery_dns.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/worker_pool_sup.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/worker_pool_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_slave.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_slave.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/tcp_listener_sup.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/tcp_listener_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_index.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_index.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup_wrapper.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup_wrapper.erl	13	14	copyright	Copyright (c) 2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vm.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vm.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_direct.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_direct.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_store.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_store.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_core_metrics_gc.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_core_metrics_gc.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mnesia.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mnesia.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.

文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_restartable_sup.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_restartable_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_direct.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_direct.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_min_masters.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_min_masters.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password_hashing_sha256.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password_hashing_sha256.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_resource_monitor_misc.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_resource_monitor_misc.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_random.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_random.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_limit.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_limit.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_priority_queue.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_priority_queue.erl	13	14	copyright	Copyright (c) 2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_file.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_file.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_boot_steps.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_boot_steps.erl	13	14	copyright	Copyright (c) 2007-2014 GoPivotal, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/vm_memory_monitor.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/vm_memory_monitor.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_store_ets_index.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_msg_store_ets_index.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.



文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_version.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_version.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/worker_pool.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/worker_pool.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_upgrade_functions.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_upgrade_functions.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_client_local.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_client_local.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_mode_exactly.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_mode_exactly.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_amqplain.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_amqplain.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_peer_discovery_classic_config.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_peer_discovery_classic_config.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/truncate.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/truncate.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_binding.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_binding.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mnesia_rename.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mnesia_rename.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_node_monitor.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_node_monitor.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_guid.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_guid.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_memory_monitor.erl	1	13	license	<a href="#">mpl-1.1</a>

文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_memory_monitor.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_parameter_validation.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_parameter_validation.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validation.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validation.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_headers.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_headers.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_router.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_router.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/dtree.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/dtree.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_master_location_misc.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_master_location_misc.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_cr_demo.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_cr_demo.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup_watcher.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_sup_watcher.erl	13	14	copyright	Copyright (c) 2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_lager.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_lager.erl	13	14	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/lqueue.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/lqueue.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_error_logger.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_error_logger.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.

文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_control_pbe.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_control_pbe.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_dead_letter.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_dead_letter.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_autoheal.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_autoheal.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password_hashing_sha512.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_password_hashing_sha512.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_access_control.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_access_control.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_tracking_handler.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_tracking_handler.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_msg_store.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_vhost_msg_store.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator_accept_everything.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator_accept_everything.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_master.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_master.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_policy_merge_strategy.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_policy_merge_strategy.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_recovery_terms.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_recovery_terms.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/tcp_listener.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/tcp_listener.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.

文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_coordinator.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_mirror_queue_coordinator.erl	13	14	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqueue_process.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_amqueue_process.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_consumers.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_consumers.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_plain.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_auth_mechanism_plain.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_invalid.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_invalid.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/gatherer.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/gatherer.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_limiter.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_limiter.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/file_handle_cache.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/file_handle_cache.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_epmd_monitor.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_epmd_monitor.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_plugins.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_plugins.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_validator.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_queue_location_validator.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_framing.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_framing.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_trace.erl	1	13	license	<a href="#">mpl-1.1</a>

文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_trace.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_sup.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_connection_sup.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator_min_password_length.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_credential_validator_min_password_length.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_topic.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/src/rabbit_exchange_type_topic.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl	2	14	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl.bat	2	14	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmqctl.bat	13	15	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-plugins	2	14	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-plugins	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics.bat	2	14	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics.bat	13	15	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server	2	14	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-plugins.bat	3	15	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-plugins.bat	14	16	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-env	2	14	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-env	14	15	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-defaults	2	14	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-defaults	14	15	copyright	Copyright (c) 2012-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-service.bat	2	14	license	<a href="#">mpl-1.1</a>



文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-service.bat	13	15	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics	2	14	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-diagnostics	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server.bat	2	14	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/scripts/rabbitmq-server.bat	13	15	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_msg_store_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_msg_store_SUITE.erl	13	14	copyright	Copyright (c) 2007-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/config_schema_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/config_schema_SUITE.erl	13	14	copyright	Copyright (c) 2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/sync_detection_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/sync_detection_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/worker_pool_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/worker_pool_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/disconnect_detected_during_alarm_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/disconnect_detected_during_alarm_SUITE.erl	13	14	copyright	Copyright (c) 2011-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/channel_operation_timeout_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/channel_operation_timeout_SUITE.erl	13	14	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/proxy_protocol_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/proxy_protocol_SUITE.erl	13	14	copyright	Copyright (c) 2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/rabbit_ha_test_producer.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/rabbit_ha_test_producer.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/rabbit_core_metrics_gc_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/rabbit_core_metrics_gc_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/cluster_rename_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>

文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/test/cluster_rename_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/clustering_management_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/clustering_management_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/dummy_event_receiver.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/dummy_event_receiver.erl	13	14	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/gm_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/gm_SUITE.erl	13	14	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/channel_interceptor_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/channel_interceptor_SUITE.erl	13	14	copyright	Copyright (c) 2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/priority_queue_recovery_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/priority_queue_recovery_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/unit_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/unit_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/lazy_queue_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/lazy_queue_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/rabbit_ha_test_consumer.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/rabbit_ha_test_consumer.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/credential_validation_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/credential_validation_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/plugin_versioning_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/plugin_versioning_SUITE.erl	13	14	copyright	Copyright (c) 2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/mirrored_supervisor_SUITE_gs.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/mirrored_supervisor_SUITE_gs.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/channel_operation_timeout_test_queue.erl	1	13	license	<a href="#">mpl-1.1</a>

文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/test/channel_operation_timeout_test_queue.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/topic_permission_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/topic_permission_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/priority_queue_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/priority_queue_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/per_user_connection_tracking_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/per_user_connection_tracking_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_connection_limit_partitions_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_connection_limit_partitions_SUITE.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl_shutdown_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl_shutdown_SUITE.erl	13	14	copyright	Copyright (c) 2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/dummy_runtime_parameters.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/dummy_runtime_parameters.erl	13	14	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/eager_sync_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/eager_sync_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/simple_ha_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/simple_ha_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/partitions_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/partitions_SUITE.erl	13	14	copyright	Copyright (c) 2011-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/many_node_ha_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/many_node_ha_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/list_consumers_sanity_check_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/list_consumers_sanity_check_SUITE.erl	13	14	copyright	Copyright (c) 2011-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/unit_inbroker_parallel_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>

文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/test/unit_inbroker_parallel_SUITE.erl	13	14	copyright	Copyright (c) 2011-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/cluster_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/cluster_SUITE.erl	13	14	copyright	Copyright (c) 2011-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/health_check_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/health_check_SUITE.erl	13	14	copyright	Copyright (c) 2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_connection_limit_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_connection_limit_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/policy_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/policy_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/msg_store_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/msg_store_SUITE.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_queue_limit_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/per_vhost_queue_limit_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/unit_inbroker_non_parallel_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/unit_inbroker_non_parallel_SUITE.erl	13	14	copyright	Copyright (c) 2011-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/sup_delayed_restart_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/sup_delayed_restart_SUITE.erl	13	14	copyright	Copyright (c) 2007-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/dummy_supervisor2.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/dummy_supervisor2.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/backing_queue_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/backing_queue_SUITE.erl	13	14	copyright	Copyright (c) 2011-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/list_queues_online_and_offline_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/list_queues_online_and_offline_SUITE.erl	13	14	copyright	Copyright (c) 2011-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/peer_discovery_dns_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>

文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/test/peer_discovery_dns_SUITE.erl	13	14	copyright	Copyright (c) 2011-2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/metrics_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/metrics_SUITE.erl	13	14	copyright	Copyright (c) 2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/mirrored_supervisor_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/mirrored_supervisor_SUITE.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/dynamic_ha_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/dynamic_ha_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/crashing_queues_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/crashing_queues_SUITE.erl	13	14	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/queue_master_location_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/queue_master_location_SUITE.erl	13	14	copyright	Copyright (c) 2011-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl_integration_SUITE.erl	1	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/rabbitmqctl_integration_SUITE.erl	13	14	copyright	Copyright (c) 2016 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/test/temp/rabbitmqadmin.py	3	13	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/test/temp/rabbitmqadmin.py	15	16	copyright	Copyright (c) 2010-2015 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-plugins.8	2	14	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-plugins.8	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-service.8	2	14	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-service.8	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-server.8	2	14	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-server.8	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmqctl.8	2	14	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmqctl.8	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-echopid.8	2	14	license	<a href="#">mpl-1.1</a>



文件路径	开始位置	结束位置	信息类型	许可证/版权详情
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-echopid.8	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-env.conf.5	2	14	license	<a href="#">mpl-1.1</a>
rabbitmq-server-master/rabbitmq-server-master/docs/rabbitmq-env.conf.5	14	15	copyright	Copyright (c) 2007-2017 Pivotal Software, Inc.