



# C Piscine

Day 02

Staff 42 [pedago@42.fr](mailto:pedago@42.fr)

*Summary: This document is the subject for Day02 of the C Piscine @ 42.*

# Contents

1	Instructions	2
2	Topics	4
3	Foreword	5
4	Exercise 00 : ft_print_alphabet	6
5	Exercise 01 : ft_print_reverse_alphabet	7
6	Exercise 02 : ft_print_numbers	8
7	Exercise 03: ft_is_negative	9
8	Exercise 04 : ft_print_comb	10
9	Exercise 05 : ft_print_comb2	11
10	Exercise 06 : ft_putnbr	12
11	Exercise 07 : ft_print_combn	13

# Chapter 1

## Instructions

- The exercises are carefully laid out in order of difficulty, from easiest to hardest. An exercise is only graded if all previous ones are correct. In other words: the grading for a day stops at the first mistake.
- Be mindful of the submission procedures indicated at the start of every exercise.
- Your exercises will be checked and graded by your fellow classmates.
- On top of that, your exercises will be checked and graded by a program called Moulinette.
- Moulinette is very meticulous and strict in its evaluation of your work. It is entirely automated and there is no way to negotiate with it. Be as thorough as possible!
- Moulinette relies on a program called **norminette** to check if your files respect the Norm. An exercise containing files that do not respect the Norm will be graded 0.
- Using a forbidden function is considered cheating. Cheaters get -42, and this grade is non-negotiable.
- If **ft\_putchar()** is an authorized function, we will compile your code with our **ft\_putchar.c**.
- You'll only have to submit a **main()** function if we ask for a program.
- Moulinette compiles with these flags: **-Wall -Wextra -Werror**, and uses **gcc**.
- If your program doesn't compile, it will be graded 0.
- You should not leave any additional file in your directory than those specified in the subject.



**norminette must be launched with the -R CheckForbiddenSourceHeader flag. Moulinette will use it too.**



The forewords are entirely unrelated to the subjects and can safely be ignored.

# Chapter 2

## Topics

Today, you start programming in C. You will have to learn about, among other things:

- Using the C compiler
- Printing to the standard output
- Functions
- Loops

# Chapter 3

## Foreword

Cod liver oil is a nutritional supplement derived from liver of cod fish (Gadidae).

As with most fish oils, it has high levels of the omega-3 fatty acids, eicosapentaenoic acid (EPA) and docosahexaenoic acid (DHA).

Cod liver oil also contains vitamin A and vitamin D.

It has historically been taken because of its vitamin A and vitamin D content.

It was once commonly given to children, because vitamin D has been shown to prevent rickets and other symptoms of vitamin D deficiency.

Contrary to Cod liver oil, C is good, eat some!

# Chapter 4

## Exercise 00 : ft\_print\_alphabet

Turn-in directory : ex00/

Files to turn in: ft\_print\_alphabet.c

Allowed functions: ft\_putchar

---

- Create a function that displays the alphabet in lowercase, on a single line, by ascending order, starting from the letter 'a'.
- Here's how it should be prototyped :

```
void ft_print_alphabet(void);
```

# Chapter 5

## Exercise 01 : ft\_print\_reverse\_alphabet

Turn-in directory : ex01/

Files to turn in: ft\_print\_reverse\_alphabet.c

Allowed functions: ft\_putchar

---

- Create a function that displays the alphabet in lowercase, on a single line, by descending order, starting from the letter 'z'.
- Here's how it should be prototyped :

```
void ft_print_reverse_alphabet(void);
```



# Chapter 6

## Exercise 02 : ft\_print\_numbers

Turn-in directory : ex02/

Files to turn in: ft\_print\_numbers.c

Allowed functions: ft\_putchar

---

- Create a function that displays all digits, on a single line, by ascending order.
- Here's how it should be prototyped :

```
void ft_print_numbers(void);
```

# Chapter 7

## Exercise 03: ft\_is\_negative

Turn-in directory : ex03/

Files to turn in: ft\_is\_negative.c

Allowed functions: ft\_putchar

---

- Create a function that displays 'N' or 'P' depending on the integer's sign entered as a parameter. If `n` is negative, display 'N'. If `n` is positive or null, display 'P'.
- Here's how it should be prototyped :

```
void ft_is_negative(int n);
```

# Chapter 8

## Exercise 04 : ft\_print\_comb

Turn-in directory : ex04/

Files to turn in: ft\_print\_comb.c

Allowed functions: ft\_putchar

---

- Create a function that displays all different combinations of three different digits in ascending order, listed by ascending order - yes, repetition is voluntary.
- Here's the intended output :

```
$>./a.out | cat -e
012, 013, 014, 015, 016, 017, 018, 019, 023, ..., 789$>
```

- 987 isn't there because 789 already is.
- 999 isn't there because the digit 9 is present more than once.
- Here's how it should be prototyped :

```
void ft_print_comb(void);
```

# Chapter 9

## Exercise 05 : ft\_print\_comb2

Turn-in directory : ex05/

Files to turn in: ft\_print\_comb2.c

Allowed functions: ft\_putchar

---

- Create a function that displays all different combination of two digits between 00 and 99, listed by ascending order.
- Here's the expected output :

```
$>./a.out | cat -e
00 01, 00 02, 00 03, 00 04, 00 05, ..., 00 99, 01 02, ..., 97 99, 98 99$>
```

- Here's how it should be prototyped :

```
void ft_print_comb2(void);
```

# Chapter 10

## Exercise 06 : ft\_putnbr

Turn-in directory : ex06/

Files to turn in: ft\_putnbr.c

Allowed functions: ft\_putchar

---

- Create a function that displays the number entered as a parameter. The function has to be able to display all possible values within an `int` type variable.
- Here's how it should be prototyped :

```
void ft_putnbr(int nb);
```

- For example:
  - `ft_putnbr(42)` displays "42".

# Chapter 11

## Exercise 07 : ft\_print\_combn

Turn-in directory : ex07/

Files to turn in: ft\_print\_combn.c

Allowed functions: ft\_putchar

---

- Create a function that displays all different combinations of **n** numbers by ascending order.
- **n** will be so that :  $0 < n < 10$ .
- If **n** = 2, here's the expected output :

```
$>./a.out | cat -e  
01, 02, 03, ..., 09, 12, ..., 79, 89$>
```

- Here's how it should be prototyped :

```
void ft_print_combn(int n);
```