Test the effectiveness

A vital contribution management of savings and of household hygiene





Test protocol How to test the effectiveness How to Save

Partiellement atteint prévue par année

Appréciation



Preparation / base:

When installing the unit, descale every faucet filters, shower head and washing facilities, a late pass colloidal forms of limestone. Check after about a month if possible hard deposits were formed to shower faucet set.

Test: After about 6 weeks, clean again with a nail brush filter faucet shower set.

Result: The use of abrasives is no longer necessary. The cleaning cycle and the life of the instruments is prolonged.







Bathroom

Remove the old lime deposits and clean thoroughly: bathtubs, shower stalls, sinks, tiles, taps.

Test: Clean sanitary environment once a week with a microfiber cloth, or daily after showering, rinse the shower with cold water. After a thorough cleaning, reduce abrasive or acid base. In the future, use only water or, if necessary, a mild product.

After approx. 6 weeks, check the facilities in question, about the behavior of limestone.

Result: The facilities are less dirty, remain bright and beautiful longer. The valve seizes less.

Result: The machine is pleasant on the skin. You protect nature and saving money. The state of your body heat is preserved aggression







Laundry

limestone

Test: Clear away the limescale product. Reduce laundry products 20% - 30%. Reduce softeners and other chemicals by 30% - 40%. 30.-20.-



 \odot





Gain daily maintenance time

Result: Cleaning and maintenance easier and faster cooking and bathrooms.





Automatic coffee

Result: The maintenance of the controller is less frequent and reliability significantly extended.



10.-



kettle

Test: Never leave the hot kettle without water. After use, always put cold water.

Result: Easy cleaning. The soft limestone walls be removed more easily.



Made in Switzerland +	How to Save	Economic	Attoint Partielleme Pas attoint	I NO CONTRACTOR AND ADDRESS OF THE PARTY OF
		prévue par année	O Parti	Appréciation du client
	Water Heater			
	Result: The anode is consumed less rapidly or is no longer to replace. Scaling is easier and less expensive. The periodicity of	20	000	
	scaling (~ 6-8 years), and the life of the installation are significantly increased. A soft limestone significantly improves the heat exchange	50	999	
	with the heating elements and is easily removed during the scaling. Heat transfer is not disturbed. Energy gain: 25% approx. Less maintenance: 70% approx.	150	888	
	Pipe network			
	In new installations, creating a protective film is facilitated. Regarding older plants (from 4-5 years), it is possible to drain the system and verify the elimination of excess. We are happy to assist you.			
	Result: Clean-up of rusty water or calcified is beneficial, he ensures the continuation of life, carles pipes are largely embedded in walls, ceilings, floors or tiles.			
		100	<u>©</u>	
266	Hygiene			
	The limestone deposits, rust, like all other displays in the network of hot water are a danger to the bacterial level.			
	Result: With Mediagon you protect yourself from an overgrowth of bacteria. (legionella)	_	900	
		?	000	
	Wellness			
	Depending on the sensitivity of each, you get the feeling physical softer water, therefore less aggressive. this is observed in a particularly dry or sensitive skin.			
	Result: Reduction of shampoo, shower gel, lotion body and hand cream.	20	999	
	Well-being			
	The water contains minerals (calcium, magnesium), are necessary for the physiological equilibrium of the human being. According to the report of the study by the Hagalis laboratory Mediagon treated water is close in its quality, fresh water gushing crystal source.) (
	Result: The vitalized water has proven on the body and is highly recommended for a healthy diet and body care positive effect. Animals a plants also react positively to the vitalized water.	nd ?	999	
		~		
	Environmental Protection	?	999	
	With energy saving and lower consumption of chemicals, you are helping to protect nature.	r		*******
	Total expected annual savings, approx.	510		

OBSERVATION & ASSESSMENT

With the physical treatment Mediagon, water is not decalcified.

> All valuable minerals, such as calcium and magnesium in water remain. In its basic structure, limestone is modified such that it can not make solid deposit, it remains unbound in shape, dusty, and is thus carried by water.

 Upon evaporation of water, a limestone deposit in the form of dust appears in the sinks, shower enclosures, on tiles, taps fittings, etc.. This fine white powder is removed regularly.

Draining the water system

. During the first phase of operation Mediagon, it is possible that dissolved substances clog the jets breeze (néoperls or other shower heads). We recommend to loosen and rinse

This shows the operation of the device, deposits disappear after some time. It is open to drain the system to evacuate more quickly possible residues (recommended but not required). In condominiums, it is not usual to drain.

. For more details, refer to forms "How to test the effectiveness" and if you buy our "checklist" you will still be very useful.

Try before you buy!

- Test Mediagon technology without obligation.
- After 4-6 weeks you will see the results and we will ask for your opinions.
- For direct purchase without test, a right of return and full refund of the amount
- you pay will be granted for one year, in case of non-operation.
- The invoice will be sent only if you want to purchase the device Mediagon.
- 10 years warranty with exchange rights.



















