anticalcaire + Corrosion without physical chemistry









For condominiums and large buildings

Protect your plants ...





Before it's too late



Protect your plants

can not adhere to the pipe wall.

yours.

There are only advantages to installing this device that requires neither energy nor between-



The operation of the water softener unit and corrosion

Mediagon structures present in high value alloys, through processes special cooling press and hardness. Water is circulated through a multistudy of fine lines and static magnetic fields (150 to 400 field lines; suitable for installation according model). It is thus polarized several times. It is therefore not a single permanent magnet. In this way, it no longer formed agglomerates and concretions, but only noticeably softer residue which is easily removed by means of a brushis or cloth. Existing layers of hard limestone can slowly dissolve. Mediagon promotes the formation of a thin protective layer and may also be used in case of corrosion problems. unprotected protected Mediagon Mediagon reduces the formation of new hard limestone deposits in pipes and the heater and prolongs life facilities. The field lines magnetic and static are so finely arranged that the ferruginous particles

Brief physical explanation

The principle is simple and effective. Very fine lines influ-static fields percent of the anions hydrogen carbonate (HCO-3) which are dissolved in water this promot greater colloid formation. Crystallization begins already in the water itself. At the same time, the calcium crystals form in an unstable manner, that float in the pipes instead of settling there. This physical process withdraws water no valuable mineral (Ca + Mg). The water is so stable and healthy.



Your benefits in the kitchen and bathroom



respects environmental facilite l'entretien improves cooking

reduced product extends lye life Appliance

DHW: potential savings of 25% Water pipes: life doubled Laundry: lower revenues up 30%

Easy installation and clean

The apparatus consists of two half shells which fit the water inlet pipe. The installation is done without cutting the pipe. Editing is possible horizontal tally and vertically either before or after the water meter at a location right (without fitting), 20 cm minimum.





For old and new buildings





Environmentally

- · no additive chemicals
- · by saving energy and reducing the consumption of cleaning chemicals and maintenance, you can help protect nature.
- · revitalization of water, protection of proliferation bacteria
- Mediagon the technology meets the highest requirements quality, functionality and durability, this without maintenance and ensuring the quality of water Avantageux
- · Fast amortization
- · no electricity or maintenance cost
- · lease on request
- 10 years warranty

Offer leasing







































Mediagon is the registered trademark of Mediagon AG . Copyright by www mediagon











