GenoBots

LEADING THE NEW ERA OF CLEANING ROBOTICS

PRODUCT CATALOG

OUR COMPANY

CenoBots is a leading international robotics company specializing in commercial and industrial cleaning automation. We have established subsidiaries in Singapore, the USA, United Kingdom, Germany, the Netherlands, and China. CenoBots is committed to creating the next generation of intelligent, reliable, and hassle-free cleaning robots, making advanced cleaning automation accessible to customers worldwide.

CenoBots' robots are now widely deployed and actively used across the globe, including in the United States, Canada, United Kingdom, Germany, Denmark, Spain, France, Italy, Sweden, Australia, Japan, South Korea, and Singapore, among others.

Our Goal

To create the next wave of "general-purpose" AI cleaning robots that can tackle a wide range of cleaning tasks.

Our Mission

To make reliable, hassle-free cleaning automation accessible to customers worldwide.

OUR GLOBAL FOOTPRINT

Europe

United Kingdom, France, Spain, Portugal, Belgium, Netherlands, Luxembourg, Denmark, Norway, Sweden, Finland, Germany, Austria, Switzerland, Italy, Czech Republic, Slovakia, Hungary, Poland, Romania, Latvia, Lithuania, Estonia, North Macedonia

North America

United States, Canada

Asia-Pacific

China, New Zealand, Australia, Singapore, Japan, South Korea, Thailand, Vietnam

500+

Partners & Distributors

30+

Countries Worldwide

24/7 SERVICE

CenoBots provides responsive service support through its global sales and service network, helping customers keep cleaning operations running with confidence.

AUTONOMOUS SCRUBBER DRYER L3

TECHNICAL DATA

Dimensions(L*W*H, w/o squeegee)
763*572*1000 mm | 30*22.5*39.4 in

Weight
127 kg | 280 lbs

Max. Speed
1.4 m/s | 3.13 mph

Min. Passable Width
700 mm | 27.6 in

Max. Theoretical Productivity
Up to 2,016 m²/hr | 21,674 ft²/hr

Cleaning Width
400 mm | 15.7 in

Solution Tank
25L | 6.6gal

Recovery Tank
25L | 6.6gal

Brush Pressure
18 kg | 39.7 lbs

Max. Runtime
Up to 4 hrs

Charging Time
1.5/2 hrs

Sound Level
≥ 64 dB(A)

Sensing
128-beam 3D LiDAR, Depth Camera, Bumper Sensor

Safety Features
Detection of Protruding Objects, Small Objects, Cliffs, Temporary Rugs, and Cables

COMMERCIAL

Retail | Office Buildings | Hotels | Schools | Hospitals

KEY FEATURES

Precise Corner & Edge Cleaning

Designed to effectively reach and clean corners and along walls, ensuring thorough coverage in tight spaces like hotel hallways, retail stores, and offices.

Maximized Productivity

The 25L / 6.6gal recovery tank, 400mm / 15.7in dual brushes with 18kg / 39.7lbs pressure enable efficient cleaning with fewer refills and superior dirt removal, delivering strong cleaning performance with excellent cost efficiency.

Exceptional Maneuverability

Minimum passage width of 700mm/ 27.6in allows easy access through narrow doorways and tight corridors.

Enhanced AI Power

Featuring an advanced NVIDIA AI chip delivering 100 TOPS of AI performance, and equipped with a 128-beam 3D LiDAR for obstacle avoidance, adaptive navigation, and reduced manual intervention.

Extended Runtime

Compatible with a mobile water tank and workstation for longer operation in areas without fixed water sources, suitable for larger or remote spaces.

Intelligent & User-Friendly

Features like voice control, quick-release attachments (squeegee and brushes), and smart carpet detection improve ease of use, maintenance efficiency, and overall operating performance.

AUTONOMOUS SCRUBBER DRYER L4

TECHNICAL DATA

Dimensions(L*W*H)
810*615*1075 mm | 31.9*24.2*42.3 in

Weight
150 kg | 331 lbs

Max. Speed
1.4 m/s | 3.13 mph

Min. Passable Width
810 mm | 31.9 in

Max. Theoretical Productivity
Up to 2,268 m²/hr | 24,384 ft²/hr

Cleaning Width
450 mm | 17.7 in

Solution Tank
38 L | 10 gal

Recovery Tank
36 L | 9.5 gal

Brush Pressure
20 kg | 44 lbs

Max. Runtime
Up to 4.5 hrs

Charging Time
2.5 hrs

Sound Level
≥ 66 dB(A)

Sensing
3D LiDAR, Depth Camera, Bumper Sensor, IMU Sensor

Safety Features
Detection of Protruding Objects, Small Objects, Cliffs, Temporary Rugs, and Cables

COMMERCIAL

Healthcare
Retail
Office Buildings
Hotels

MUNICIPAL

Airports
Schools
Governments
Hospitals

KEY FEATURES

Compact Yet Productive

The L4 can pass through doors with a width of 810 mm/ 32 in and is equipped with a 38 L/ 10 gal solution tank, making it effective in handling crowded, narrow, and complex mid-to-large-scale environments.

Easy to Use

Touch screen operation is not required to start tasks. Users can remotely view cleaning reports and set cleaning tasks using the mobile app.

Simplified Maintenance

30-second squeegee blade replacement; large-opening design for easy recovery tank maintenance; features a magnetic brush for easy maintenance.

Hassle-Free

Automatic map adaptation and free OTA software updates.

High Level of Safety

Equipped with multiple sensors and a comprehensive 3D, 360-degree safety protection system.

Best-in-Class Components

Equipped with automotive-grade 32-beam LiDAR and an NVIDIA AI chip with 100 TOPS performance.



AUTONOMOUS SCRUBBER DRYER L50

TECHNICAL DATA

Dimensions(L*W*H)
1030*580*1045 mm | 40.6*22.8*41.1 in

Weight
220 kg | 485 lbs

Max. Speed
1.4 m/s | 3.13 mph

Min. Distance to the Edge
<50 mm | 2 in

Max. Theoretical Productivity
Up to 2,570 m²/hr | 27,641 ft²/hr

Cleaning Width
510 mm | 20 in

Solution Tank
55 L | 14.5 gal

Recovery Tank
55 L | 14.5 gal

Brush Pressure
25 kg | 55 lbs

Max. Runtime
Up to 6 hrs

Charging Time
4 hrs

Sound Level
≥ 67dBA

Sensing
3D LiDAR, Depth Camera, Bumper Sensor, IMU Sensor

Safety Features
Detection of Protruding Objects, Small Objects, Cliffs, Temporary Rugs, and Cables

COMMERCIAL

Healthcare
Retail
Office Buildings
Hotels

INDUSTRIAL

Warehouses
Factories
Distribution Centers

MUNICIPAL

Airports
Schools
Governments
Hospitals

KEY FEATURES

Superior Productivity and Performance

The L50 features a 55 L/ 14.5 gal solution tank and a 510 mm/ 20 in cleaning width.

Best-in-Class Components

Equipped with automotive-grade 32-beam LiDAR and an NVIDIA AI chip with 100 TOPS performance.



Built-to-Last

The L50 features an integrated water tank and body design, crafted using rotomolding technology to ensure durability and wear resistance. It incorporates proven components to enhance longevity and reliability.

Easy to Use

Touch screen operation is not required to start tasks. Users can remotely view cleaning reports and set cleaning tasks using the mobile app.

Hassle-Free

Automatic map adaptation and free OTA software updates.

Workstation

Equipped with a workstation, the L50 is capable of automatic water filling, drainage, and charging, allowing for 24/7 operation.

AUTONOMOUS SWEEPER S5

TECHNICAL DATA

Dimensions(L*W*H)
1030*720*990 mm | 40.6*28.3*39 in

Weight
130 kg | 287 lbs

Max. Speed
1.4 m/s | 3.13 mph

Min. Passable Width
810 mm | 32 in

Max. Climb Angle
8°

Cleaning Productivity
~2,500 m²/h | 27,000 ft²/h

Sweeping Width
820 mm | 32.3 in

Debris Hopper Capacity
50 L | 13.2 gal

Min. Distance from Wall
0 cm | 0 in

Battery Type
Lithium iron phosphate

Battery Capacity
75 Ah

Charging Time
2 hrs

Runtime
5 to 7 hrs

Computing Platform
NVIDIA AI computing chip (with 100 TOPS AI performance)

Core Environmental Sensor
32-beam 3D LiDAR (150 m / 492 ft)

Industrial | Warehousing | Transportation hubs | Parking Garages | Retail

KEY FEATURES

Superior Cleaning Performance

Engineered to handle debris ranging from fine dust to larger waste, including wood chips, packaging film, plastic bottles, cardboard, screws, and other common industrial debris.

Advanced Dust Control

A powerful suction motor combined with HEPA filtration effectively captures fine dust. The automatic filter shaker prevents clogging and maintains consistent dust control performance.

Compact Design, Powerful Productivity

With its compact yet highly efficient design, the S5 is built to perform in spaces of all sizes—from supermarkets to large parking garages and mega warehouses.

Excellent Maneuverability

Built for real-world environments, the S5 glides through standard 32" doorways, narrow aisles, and over speed bumps for seamless operation.

AI-Powered Intelligence

Powered by a **100 TOPS NVIDIA** AI chip and equipped with industry-leading **32-beam 3D LiDAR** delivering up to **150 m (492 ft)** detection range.

Team Clean

Works with CenoBots autonomous scrubber dryers for **sweep-then-scrub** cleaning.

Spot Cleaning

Intelligently detects and cleans debris up to **4× faster** than traditional full-coverage cleaning.

Dynamic Environment Adaptation

Intelligent navigation adapts to real-time changes to ensure stable, consistent operation across large-scale industrial facilities.

Vehicle Recognition

Identifies vehicles and plans safe avoidance paths.



Easy Maintenance

Quick-release side brushes and hopper: swap and clean in seconds.

Continuous Autonomous Operation

The S5 automatically returns to its charging station, enabling extended, hands-off operation with minimal labor.

AUTONOMOUS VACUUM SWEEPER SP50

TECHNICAL DATA

Dimensions(L*W*H)
855*600*1050 mm | 33.7*23*41 in

Max. Theoretical Productivity (Regular cleaning)
Up to 1,987 m²/h | 21,388 ft²/hr

Max. Suction of Vacuum Motor
25 kPa

Weight
132 kg | 291 lbs

Dust Filter Bag Capacity
18 L | 4.8 gal

Max. Runtime
Up to 8 hrs (Regular Cleaning), up to 13 hrs (Spot Cleaning)

Max. Speed
1.2 m/s | 2.68 mph

Max. Air Flow
75 CFM

Charging Time
4 hrs

Min. Distance to the Edge
<50 mm | 2 in

Trash Tray Capacity
5 L | 1.3 gal

Sound Level
≥ 58 dB(A)

Sensing
3D LiDAR, Depth Camera, Bumper Sensor, IMU Sensor

Safety Features
Detection of Protruding Objects, Small Objects, Cliffs, Temporary Rugs, and Cables

COMMERCIAL

Healthcare | Retail | Office Buildings | Hotels

MUNICIPAL

Airports | Schools | Governments | Hospitals

KEY FEATURES

Spot Cleaning

Achieve up to 8× productivity with CenoBots' advanced spot cleaning technology.

Large Capacity

18 L / 4.8 gal dust filter bag and 5 L / 1.3 gal trash tray capacity.

High Filtration Efficiency

H13 HEPA filter captures at least 99.95% of particles as small as 0.3 microns, ensuring the removal of dust, pollen, pet dander, and other allergens from the air.

Best-in-Class Components

Equipped with automotive-grade 32-beam LiDAR and an NVIDIA AI chip with 100 TOPS performance.



Easy to Use

Touch screen operation is not required to start tasks.

Hassle-Free

Automatic map adaptation and free OTA software updates.

ACCESSORIES

Workstation WS3

Available for the L3

Workstation CWS-01



Available for the L50 and L4

Charging Station CS5

Available for the S5

Charging Station CCS-02



Available for L4, L50 and SP50

Mobile Water Tank WT3

Available for the L3

Workstation WS3

This workstation is designed to simplify maintenance and improve the performance of the L3 autonomous scrubber dryer. It allows for charging, water refilling, drainage, and cleaning detergent filling. Upgraded with a higher output power of up to 40A, it enables the robot to operate more efficiently, running continuously 24/7 with minimal human intervention.

Workstation CWS-01

The workstation is equipped with an array of automatic functions that ensure the effortless maintenance of the robot. From charging to refilling clean water, draining wastewater, and filling detergent, this station has it all covered. Discover hassle-free maintenance like never before with our innovative workstation.

Charging Station CCS-02 and CS5

The charging station enables automatic charging for compatible cleaning robots. When the battery is low, the robot can automatically return to the charging station to recharge itself, and once the charging is complete, it can automatically resume its previous task. Discover hassle-free maintenance like never before with our innovative charging station.

Mobile Water Tank WT3

The Mobile Water Tank system, with a 60L / 16gal fresh water tank and a wastewater tank, addresses the inconvenience of connecting water hoses to the workstation in certain locations. By providing a larger water capacity, it allows for longer cleaning operations without interruption, enabling more flexible and efficient cleaning in areas without plumbing connections.

TECHNICAL DATA

	Workstation WS3	Workstation CWS-01	Charging Station CS5	Charging Station CCS-02	Mobile Water Tank WT3
Dimensions(L*W*H)	409*256*700 mm | 16.1*10.1*27.6 in	460*270*860 mm | 18.1*10.6*33.9 in	409*256*700 mm | 16.1*10.1*22.4 in	420*225*620 mm | 16.5*8.9*24.4 in	610*590*966 mm | 24*23.2*38 in
Weight	35 kg | 77 lbs	45 kg | 99 lbs	23 kg | 51 lbs	27 kg | 60 lbs	32.5 kg | 71.7 lbs
Input Voltage	100 ~ 240 V a.c.	100 ~ 240 V a.c.	100 ~ 240 V a.c.	100 ~ 240 V a.c.	24 V d.c.
Max. Power	1400 W | 1.88 hp	1000 W | 1.34 hp	1200 W | 1.6 hp	1000 W | 1.34 hp	N/A
Output Voltage	28.8 V d.c.	28.8 V d.c.	28.8 V d.c.	28.8 V d.c.	
Operating Temperature	1 °C ~ 45 °C | 34 °F ~ 113 °F	1 °C ~ 45 °C | 34 °F ~ 113 °F	-10 °C ~ 45 °C | 14 °F ~ 113 °F	-10 °C ~ 45 °C | 14 °F ~ 113 °F	
Clean Water Tank	N/A	N/A	N/A	N/A	60 L | 16 gal
Waste Water Tank					50 L | 13.2 gal
Water Temperature					1 °C ~ 45 °C | 34 °F ~ 113 °F

Leading the New Era of Cleaning Robotics

PIONEERING INTELLIGENT FEATURES

Quick Demo

The One-Tap Demonstration Tool

With a simple tap, the robot autonomously navigates and cleans on the spot—no pre-mapping, no labeling, no manual pushing, and no tedious setup required. It creates an impressive, live demonstration within a minute, captivating customers instantly.
This is more than a demo; it is a powerful sales enablement tool designed to shorten the sales cycle, reduce demonstration costs, and help teams showcase autonomous cleaning with confidence.

Follow-Me Mode

The Effortless Mapping and Transport Solution

The Follow-Me Mode enables fully autonomous mapping without manual intervention, eliminating the need to manually push the machine for mapping, a time-consuming process particularly in large areas. The robot follows staff while simultaneously building accurate maps and also facilitates seamless multi-floor transitions and facility transport, significantly reducing operational time.

DeepClean

The Multi-Stage Intensive Cleaning Solution

The Deep Clean mode is an intensive cleaning function for floors with stubborn stains in places like sports halls, schools, restaurants, and hospitals. It uses a two-step process: first, it pre-scrubs with the squeegee lifted, dispensing solution to loosen dirt. Then, it scrubs the floor while lowering the squeegee to vacuum up the dirty water, ensuring thorough cleaning.

PIONEERING INTELLIGENT FEATURES

TeamClean

The Coordinated Multi-Robot Cleaning Solution

CenoBots TeamClean enables multiple robots to work together in a coordinated sweep-then-scrub cleaning workflow. For example, the S5 first sweeps loose dust and debris from an area, and once the sweeping task is completed, it automatically sends a cleaning command to an autonomous scrubber dryer to scrub the floor. This coordinated process improves overall cleaning efficiency and delivers better cleaning results by separating dry debris removal and floor scrubbing into optimized steps.

Voice Command

Simply Speak to Control

The voice command feature enables cleaning staff to operate robots using simple spoken instructions. Commands are given through the mobile app, removing the need for complex screen-based interactions. This approach reduces technology apprehension associated with robot interfaces, lowers training requirements, and increases operational efficiency by making advanced robotics accessible to all experience levels.



CenoChat

The AI-Powered Instant Support Solution

CenoChat is the AI chat assistant built into the CenoBots App and robot management platform, designed specifically for commercial and industrial cleaning robots. It provides instant answers for operation guidance, troubleshooting, maintenance, and product support—without the need to search manuals or wait for assistance. Available anytime, CenoChat helps reduce downtime, simplify training, and keep cleaning operations running with confi-dence.



SUCCESSFUL CASES

RETAIL

The L4 helps maintain a cleaner and more welcoming shopping environment in Pennsylvania.

The L50 demonstrates excellent flexibility and cleaning performance at Asia Mall in Minnesota.

The L50 demonstrates strong flexibility and cleaning performance in a shopping mall in Minnesota.

AIRPORTS

The L50 improves cleanliness and hygiene standards at an airport on Australia's Gold Coast.

The SP50 helps optimize cleaning operations at an airport in Singapore.

HOSPITALS

The L50 significantly improves cleaning quality and efficiency in hospitals throughout Texas.

The L50 plays a crucial role in maintaining a high level of hygiene and cleanliness in medical centers in Illinois.

The SP50 improves cleaning quality and productivity at a hospital in Boston.

The SP50 helps a hospital in Austin optimize daily cleaning operations.

The L50 improves the working environment and operational efficiency in a hospital in Texas.

SUCCESSFUL CASES

SCHOOLS

The L50 received positive feedback after deployment at a university in Chicago.

The L50 helps maintain a cleaner campus environment for students at a university in Virginia.

FACTORIES

The L50 enhances cleanliness and hygiene standards in a factory in Wisconsin.

The L50 helps support a cleaner and more productive working environment in a factory in the Czech Republic.

WAREHOUSES

The SP50 enhances operational efficiency in a warehouse in Sydney.

SPORTS CENTERS

The L4 helps maintain cleanliness and hygiene standards in a sports center in Europe.



CASINOS

The L50 helps improve cleaning efficiency in a casino environment in Texas.

The SP50 enhances operational efficiency and customer satisfaction in a casino in New Mexico.

CenoBots

The Reliable, Hassle-Free Cleaning Robots You Can Trust

Singapore
140 Robinson Road
Singapore, 068907

USA
5900 Balcones Drive
23119 Austin,
Texas 78731

Netherlands
Margriet Toren
Haaksbergweg 75
1101 BR, Amsterdam

China
699 Wang Shang Road,
Hangzhou, Zhejiang
Province 310052

Search: CenoBots
www.cenobots.com
info@cenobots.com