Legend

F = page fault
B = process blocked
R = process ready
Pa(Xb) = processed page b of process a (X = R read, W write)

Clock - Fixed-Local Replacement, 30 frames (7 per process, 2 not allocated), quantum 3, input: Process1.txt ... Process4.txt

WB = dirty page(s) written back to the disk (1 time unit): a dirty victim page (paid by the faulting process) or, after the last execution of a process, all its dirty pages in paralle
Orange blocked-indicator cell = the write-back time unit (the process finishes at the end of the orange cell if it is the last write-back)

time		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
CPU events		P1F				P1(W1)	P1F					P1(R2)	P1F						P1(W3)	P1F					P1(R4)	P1F				P1(R5)							
		P2F					P2(W5)	P2F								P2(R4)	P2F				P2(R3)	P2F				P2(W2)	P2F								P2(R1)			
		P3F						P3(R1)	P3(R1)	P3(R1)			P3(R1)	P3(R1)	P3(R1)			P3(R1)																				
		P4F									P4(R1)	P4F					P4(W2)	P4F				P4(R3)	P4(R2)	P4(W1)		P4F				P4(R4)	P4(R4)	P4(R4)	P4(W4)				
Process status events		P1B				P1R	P1B				P1R		P1B				P1R			P1B				P1R		P1B				P1R	P1WB						
		P2B				P2R		P2B				P2R					P2B				P2R	P2B				P2R	P2B				P2R				P2WB		
		P3B				P3R																															
		P4B				P4R						P4B				P4R		P4B				P4R				P4B				P4R				P4WB			
Blocked Indicator	P1																																				
	P2																																				
	P3																																				
	P4																																				

Summary

PID	Turnaround time	Faults	Fault times	Write-backs
P1	30	5	0, 5, 11, 18, 24	1
P2	34	5	0, 6, 15, 20, 25	1
P3	17	1	0	0
P4	33	4	0, 10, 16, 24	1

avr: 28.5