



Medicare Advantage and Prescription Drug Plans

August 22, 2007

**Plan Communications
User Guide Appendices
Version 2.3**

This page intentionally left blank.

CENTERS FOR MEDICARE AND MEDICAID SERVICES

Center for Beneficiary Choices



**Medicare Advantage and Prescription Drug
Plan Communications**

User Guide

Appendices

Version 2.3

(August 22, 2007)

This page intentionally left blank.

Change Log

August 22, 2007 Updates

Section	Changes
Global Changes	Changed the version number from 2.2 to 2.3 Changed the publication date from April 18 to August 22, 2007
Appendix A	Modified definition of Current Payment Month (CPM) on page A-1 Modified definition of Election Periods on page A-2 Modified definition of Special Needs Plan on page A-3 Removed “s” from Guide’s on page A-6 Removed “PICS” – page A-7
Appendix B	Replaced entire appendix with expanded contact information
Appendix C	No change
Appendix D	No change
Appendix E	Added comma after any reference to “R” items – Section E.7.4 PBP Change Record Modified BCSS record layouts page E-12 to E-18 for rejected, accepted and pending file layouts due to typos in the field numbers Modified Header Record length to 300 on Transaction Data E.7.1 file page E-31 Modified table E.7.1 Enrollment Header record on page E-31 filler size to 261 for 4Rx changes Modified table E.7.2 Enrollment Record on page E-32 for 4Rx changes Modified table E.7.2 Enrollment Record on page E-33 field 17 for Prior Commercial Override Modified table E.7.2 Enrollment Record on page E-34 field 22 for Number of Uncovered Months Modified table E.7.3 Disenrollment Record on page E-38 for 4Rx changes Modified table E.7.4 PBP Change Record on page E-41 for 4Rx changes Modified table E.7.4 PDP Change Record on page E-43 field 22 for Number of Uncovered Months Modified table E.7.5 Plan Change Record on page E-46 for 4Rx changes Modified table E.7.5 Plan Change Record on page E-48 field 22 for Number of Uncovered Months Modified record length on table E.7.6 - Correction Record for 4Rx changes page E-54 Modified table E.7.6 Correction Record on page E-54 filler size to 239 for 4Rx changes Modified table E.8.1 Header Record and Failed Record on page E-55 for 4Rx changes Added table number E.8.2 to record layout Failed Records for 51-, 60-, 61-, 71-, and 72-Type Transactions Modified table E.8.3 Failed Record for Type 01 on page E-58 for 4Rx changes Corrected typo for transaction type 51 (was previously listed as 54) on Failed File layout page E-56 in the layout description and field #16 Transaction Code Updated length fields to E.11.3 Trailer Record page E-74 item 9 and E18.2 Detail Record page E-121 item #20. Replaced E.13 Header, Detail and Trailer Record page E-77 Added 4Rx fields to Weekly/Monthly Transaction Reply Activity Data File page E-110 Updated E.19 Loss of Subsidy description for 2007 transmission page E-128 Modified E.19 Loss of Subsidy field #24 description page E-129

	Updated E.19 Loss of Subsidy field 15 size column - Transaction Reply Code page E-129 Changed T = Detail to T = Trailer on E.21 Monthly LIS History Date file Record Type page E-136 Added header and trailer record to Auto Assignment Full Dual Notification File E.27 page E-173 Added note to E.22 page E-137 as report is obsolete due to 4Rx Summer Software changes Added note to E.24 page E-150 as report is obsolete due to 4Rx summer Software changes
Appendix F	No change
Appendix G	Modified 3 entries on Table G-1 page G-1
Appendix H	Add new 200, 600 and 700 series TRC to Table H-2 page H-3 Added note to H.5 page H-39 as report is obsolete due to 4Rx Summer Software changes
Appendix I	Modified Plan Payment Report I.12 add Field 42 – Retro ESRD MSP Factor to page I-42 Added Interim Plan Payment Report I.13 description - page I-45 and renumbered all remaining reports in this section Added note to I-17 page I-67 as report is obsolete due to 4Rx Summer Software changes
Appendix J	Removed ID #12 HPMS Complaints Tracking File as obsolete page J-4 Renumbered remaining ID #'s due to above deletion Changed Enrollment Transmission Message File Status Report #9 description on page J-3 Changed Dataset Naming Convention for Report #39, RAS RxHCC Model Output report on page J-12 Added 4 new yearly reports for RAS release 5.0 Modified BEQ Request File information (item #3) on page J-1 to indicate multiple file transmissions are allowed as of the November 2006 release Added Transmission Inventory version 12 note to Monthly Reports regarding date stamp of 01 vs. actual date stamp Added Interim #55 - APPS Plan Payment Report to Plans on page J-16 – renumbered all remaining reports Modified FEF file layout report #57- Monthly Full Enrollment Data File on page J-17 to now read FEFD vs. TRWEEKD Removed reference to previous file naming conventions in use prior to April 2007 Added obsolete note to reports #2, #15 and #16 - these files will no longer be transmitted to Plans due to the August 16, 2007 Summer Software changes updating 4Rx data submission process. Added new Yearly Report #71 for Loss of Subsidy (Deemed Status) Data File page j-21
Appendix K	Removed “Test” from title of the form
Appendix L	Under Development
Appendix M	Modified appendix title page M-1 Modified PDP election type within table M-1 page M-1 Modified Cost with Part D election type within table M-1 page M-1 Moved Cost without Part D up in the table M-1 page M-1

Table of Contents

A: Glossary and List of Abbreviations and Acronyms	A-1
Glossary	A-1
List of Abbreviations and Acronyms	A-5
B: CMS Central Office Contact Information	B-1
C: Monthly Schedule.....	C-1
D: Enrollment Data Transmission Schedule.....	D-1
E: Record Layouts.....	E-1
E.1 820 Format Payment Advice Data File	E-3
E.2 Part D Auto and Facilitated Enrollment Address Data File.....	E-9
E.3 Batch Completion Status Summary Report Data File	E-11
E.4 BIPA 606 Payment Reduction Data File	E-19
E.5 Bonus Payment Report Data File.....	E-21
E.6 Coordination of Benefits (COB) Data File	E-23
E.7 Enrollment/Disenrollment/Change/Correction Transactions Data File	E-31
E.8 Failed Transaction Data File	E-55
E.9 Monthly Membership Detail Data File	E-59
E.10 Monthly Membership Summary Data File	E-67
E.11 Monthly Premium Withholding Report Data File	E-71
E.12 Part B Claims (Record Type 1 and Record Type 2) Data File	E-75
E.13 Part C Risk Adjustment Model Output Data File	E-77
E.14 Part D Risk Adjustment Model Output Data File	E-89
E.15 Weekly/Monthly Transaction Reply Activity Data File	E-103
E.16 Special Transaction Reply Report Data File	E-112
E.17 Full Enrollment Data File.....	E-116
E.18 Low-Income Subsidy/Late Enrollment Penalty Data File	E-120
E.19 Loss of Subsidy (Deemed Status) Data File	E-128
E.20 Bi-Weekly Deemed/LIS Premium Report Data File.....	E-132
E.21 Monthly LIS History Data File.....	E-134
E.22 4Rx Notification File Record Formats	E-137
E.23 NoRx Notification Record Format	E-144
E.24 4Rx Response File Record Formats	E-150
E.25 Batch Eligibility Query (BEQ) Request File	E-157
E.26 Batch Eligibility Query (BEQ) Response File	E-163
E.27 Auto Assignment Full Dual Notification File	E-173
E.28 Auto Assignment PDP Auto-Enrollment Notification File	E-177
F: Screen Hierarchy	F-1

F.1 Main Menu	F-3
F.2 Welcome Submenu	F-4
F.3 Beneficiaries Submenu	F-5
F.4 Transactions Submenu	F-6
F.5 Payments Submenu	F-7
F.6 Reports Submenu	F-8
G: Validation Messages	G-1
H: Codes	H-1
H.1 Transaction Codes.....	H-1
H.2 Transaction Reply Codes.....	H-3
H.3 MMR Adjustment Reason Codes.....	H-35
H.4 State Codes	H-37
H.5 4Rx Notification Error Condition Tables.....	H-39
H.6 Batch Eligibility Query (BEQ) Response File Error Condition Table	H-46
I: Report Files	I-1
I.1 BIPA 606 Payment Reduction Report	I-3
I.2 Bonus Payment Report	I-9
I.3 Demographic Report	I-17
I.4 HMO Bill Itemization Report	I-21
I.5 Monthly Membership Detail Report – Drug Report File (Part D)	I-23
I.6 Monthly Membership Detail Report – Non Drug Report File (Part C)	I-25
I.7 Monthly Membership Summary Report.....	I-27
I.8 Monthly Summary of Bills Report	I-31
I.9 Part C Risk Adjustment Model Output Report	I-33
I.10 Part D Risk Adjustment Model Output Report	I-35
I.11 Payment Records Report (Part B Claims Records Posted)	I-37
I.12 Plan Payment Report (APPS Payment Letter)	I-39
I.13 Interim Plan Payment Report (APPS Interim Payment Letter)	I-45
I.14 Transaction Reply Report (TRR) (Weekly / Monthly)	I-47
I.15 Enrollment Transmission Message File (STATUS)	I-59
I.16 Batch Completion Status Summary Data File	I-65
I.17 Sample 4Rx Notification File Pass and Fail Acknowledgements.....	I-67
I.18 Sample BEQ Request File Pass and Fail Acknowledgements	I-69
J: All Transmissions Overview	J-1
K: MMA Plan Connectivity Checklist.....	K-1
L: Disaster Recovery Implications for Plans	L-1
M: Valid Election Types for Plan Submitted Transactions	M-1

A: Glossary and List of Abbreviations and Acronyms

Glossary

Term	Definition
Abend	In mainframe computing, an abnormal job termination (<u>ab</u> normal <u>end</u>).
Account Number	A number obtained from your Resource Access Control Facility (RACF) or system administrator.
Adjustment Reason Codes	Code given to explain adjustments on Plan Membership Reports
Batch Processing	An automated systems approach to processing in which data items to be processed must be grouped.
Beneficiary Identification Code (BIC)	That portion of the Medicare health insurance claim number that identifies a specific beneficiary.
Benefit Stabilization Fund	Established by CMS upon request of an HMO or CMP when it is required to provide its Medicare enrollees with additional benefits, in order to prevent excessive fluctuation in the provision of those benefits in subsequent contract periods.
Button	A rectangular icon on a screen. When the button is clicked, an action is taken. The button is labeled with word(s) that describe the action, such as Find or Update.
Checkbox	A field on a screen that is part of a group of options, any number of which may be selected. Each checkbox is represented with a small box, where 'x' means "on" and an empty box means "off." When a checkbox is clicked, an 'x' appears in the box. When the checkbox is clicked again, the 'x' is removed.
Concatenation	The process of combining files, especially those being uploaded or downloaded with one transmission.
Connect:Direct	Proprietary software that transfers files between systems.
Correction	A record submitted by a Plan or CMS office to correct or update existing data concerning a beneficiary.
Cost	A type of contract under which a Plan is reimbursed by CMS for its reasonable costs.
Current Payment Month (CPM)	The month for which Plans receive payment from CMS, not the current calendar month. The current Processing Month (PM) is the current calendar month in which processing occurs to generate payments.
Data entry field	A field on a screen that requires the user to type in information.
Disenrollment	A record submitted by a Plan, SSA DO, MCSC, or CMS when a beneficiary discontinues membership in the Plan.
Dropdown list	A field on a screen that contains a list of values from which you can choose. Click on the down arrow on the right of the field to see the list of values, and then click on a value to select it.

Term	Definition
Election period	Time periods during which a beneficiary may elect to join, change or leave Medicare Part C and/or Part D plans. These periods are fully defined in CMS Enrollment and Disenrollment guidance for Part C and D plans available on the web at: http://www.cms.hhs.gov/home/medicare.asp under “Eligibility and Enrollment.”
Enrollment	A record submitted when a beneficiary joins an MCO.
Exception	A transaction that was not processed because it contains errors or internal inconsistencies.
Gentran	A server, which provides Electronic Data Interchange (EDI) capabilities to CMS. Gentran supports the transfer of files to and from CMS with CMS business partners.
Group Health Plan	A historic term for “managed care organization.”
Group Health Plan System	The CMS legacy computer system that records managed care information for Medicare beneficiaries.
Hospice	A health facility for the terminally ill.
Logoff	The method of exiting an online system.
Logon	The method for gaining entry to an online system.
Lookup field	A field on a screen for which a list of possible values is provided. Click on the “binocular” button next to the field, and a window will pop up with a list of values for that field. Click on one of those values, and the pop-up window will close and the field will be filled in with the value that you chose.
Medicaid	A jointly funded, federal-state health insurance program for certain low-income and needy people. It covers approximately 36 million individuals including children, the aged, blind, and/or disabled, and people who are eligible to receive federally assisted income maintenance payments.
Medicare+Choice (M+C) (now known as Medicare Advantage)	See Medicare Advantage
Medicare Advantage (formerly known as Medicare+Choice)	A type of contract under which a payment is received from CMS for each member, based on demographic characteristics and health status (also referred to as Risk). In a Risk or M+C contract, the MCO accepts the risk if the payment does not cover the cost of services (but keeps the difference if the payment is greater than the cost of services). Risk is managed by having a membership where the high cost for very sick members can be balanced by the lower cost for a larger number of relatively healthy members.
Menu	A horizontal list of items at the top of a screen. Clicking on a menu item will display a screen and possibly display a submenu of items corresponding to the selected menu item.
Medicare Managed Care System	The system that replaced Group Health Plan system.
Network Data Mover	Software used for transmitting and receiving data (replaced by Connect:Direct).
MicroStrategy	A tool used for generating and viewing standard and ad hoc reports.

Term	Definition
Nursing Home Certifiable	A code that reflects the relative frailty of an individual. Beneficiaries who are NHC are those whose condition would ordinarily require them to be cared for in a nursing home. Only acceptable for certain demonstration social health maintenance organization (SHMO)-type plans.
Off-cycle	A retroactive transaction waiting for approval from CMS. A retroactive transaction needs CMS approval because its effective date is too far in the past to be accepted automatically.
Online	An automated systems approach to processing that processes data in an interactive manner, normally through computer input.
Program for All Inclusive Care for the Elderly (PACE) Plans	The PACE program is a unique capitated managed care benefit for the frail elderly provided by a not-for-profit or public entity that features a comprehensive medical and social service delivery system. It uses a multidisciplinary team approach in an adult day health center supplemented by in-home and referral service in accordance with participants' needs.
Radio button	A field on a screen that is part of a group of options, of which only one may be selected. A radio button is represented with a small circle, where a circle that is filled in means the button is selected, and an empty circle means it is not selected. Clicking a radio button will select that option and deselect the existing selection.
Reply Codes	Codes used to explain what action the system took in response to new information from CMS systems or in response to input from MCOs, CMS, or other users.
Required field	A field on a screen that must be filled in before a button is clicked to take some action. If the button is clicked and the field is not filled in, an error message is displayed and the action is not carried out. There are two types of required fields: • Always required. These are marked with an asterisk (*) • Conditionally required, that is, at least one or only one of the conditionally required fields must be filled in. These are marked with a plus sign (+)
Risk	A type of contract under which beneficiaries are "locked in" to network providers and a payment is received from CMS for each member, based on demographic characteristics and health status (also referred to as M+C). In a Risk or M+C contract, the MCO accepts the risk if the payment does not cover the cost of services (but keeps the difference if the payment is greater than the cost of services). Risk is managed by having a membership where the high costs for very sick members can be balanced by the lower costs for a larger number of relatively healthy members.
Special Needs Plan	A certain type of MA plan that serves a limited population of individuals in CMS defined special-needs categories, as defined in CMS Part C Enrollment and Eligibility Guidance." This plan is fully defined on the web at: http://www.cms.hhs.gov/home/medicare.asp under "Health Plans."
Submenu	A horizontal list of items below the screen's menu. The items on the menu are specific to the selected menu item. Clicking on a submenu item will display a screen.
Transaction Reply Codes	See Reply Codes.
User ID	Valid user identification code for accessing the CMS Data Center and the Medicare Data Communications Network.

Term	Definition
User Interface	The screens, forms, and menus that are displayed to a user logged on to an automated system.

List of Abbreviations and Acronyms

AAPCC	Adjusted Average Per Capita Cost (now called M+C rates)
AEP	Annual Enrollment Period
APPS	Automated Plan Payment System
BBA	Balanced Budget Act of 1997
BCSS	Batch Completion Status Summary
BEQ	Beneficiary Eligibility Query
BIC	Beneficiary Identification Code
BIPA	Benefits Improvement & Protection Act of 2000
BPT	Bid Pricing Tool
BSF	Benefit Stabilization Fund
CAN	Claim Account Number
CBC	Center for Beneficiary Choices
CCB	Change Control Board
C:D	Connect:Direct
CHF	Congestive Heart Failure
CMS	Centers for Medicare & Medicaid Services
CO	Central Office
COB	Close of Business
COB	Coordination of Benefits
CPM	Current Payment Month
CUI	Common User Interface
CWF	Common Working File database (CMS' beneficiary database)
DCG	Diagnostic Cost Group
DO	District Office
DOB	Date of Birth
DOD	Date of Death
DSN	Data Set Name
ECRS	Electronic Correspondence Referral System
EDB	Enrollment Database
EGHP	Employer Group Health Plan
ERC	Error Return Codes
ESRD	End Stage Renal Disease
FERAS	Front End Risk Adjustment System
FFS	Fee-For-Service

FTR	Failed Transaction Report
GHP	Group Health Plan
GROUCH	GHP Report Output User Communication Help System
Guide	Medicare Advantage and Prescription Drug System Plan Communications User Guide
HCC	Hierarchical Condition Code
HCFA	Health Care Financing Administration (renamed to CMS)
HIC	Health Insurance Claim
HICN	Health Insurance Claim Number
HMO	Health Maintenance Organization
HPMS	Health Plan Management System
HTML	Hypertext Markup Language
HTTPS	Hypertext Transfer Protocol Secure
IACS	Individuals Authorized Access to CMS Computer Services
ICEP	Initial Coverage Election Period
ID	Identification
IEP	Initial Enrollment Period
IRC	Information Request Code
IT	Information Technology
LEP	Late Enrollment Penalty
LIS	Low Income Subsidy
M+C	Medicare+Choice (now known as MA)
M+CO	Medicare+Choice Organization
MA	Medicare Advantage (formerly known as M+C)
MA BSF	Medicare Advantage Benefit Stabilization Fund
MA-PD	Medicare Advantage – Prescription Drug
MARx	Medicare Advantage and Prescription Drug System
MBD	Medicare Beneficiary Database
MCO	Managed Care Organization
MCSC	Medicare Customer Service Center (1-800-MEDICARE)
MMA	Medicare Modernization Act
MMCS	Medicare Managed Care System
MMR	Monthly Membership Report
MMRD	Monthly Membership Detailed Report
MMSR	Monthly Membership Summary Report
MSP	Medicare Secondary Payer

NDM	Network Data Mover
NHC	Nursing Home Certifiable
OEP	Open Enrollment Period
OEPI	Open Enrollment Period for Institutionalized Individuals
OEPNEW	Open Enrollment Period for Newly Eligible Individuals
OMB	Office of Management and Budget
OPM	Office of Personnel Management
PACE	Program of All-Inclusive Care for the Elderly
PBO	Payment Bill Option
PBP	Plan Benefit Package
PDE	Prescription Drug Event
PDP	Prescription Drug Plan
PIP-DCG	Principal Inpatient Diagnostic Cost Group
PM	Processing Month
PWS	Payment Withhold System
RACF	Resource Access Control Facility
RAS	Risk Adjustment System
RO	CMS Regional Office
RRB	Railroad Retirement Board
RTG	Return to Government
SCC	State and County Code
SEP	Special Election Period
SFTP	Secure Shell File Transfer Protocol
SHMO	Social Health Maintenance Organization
SNP	Special Needs Plan
SSA	Social Security Administration
SSA DO	Social Security Administration District Office
SSAFO	Social Security Administration Field Office
TPA	Third Party Administrator
TRC	Transaction Reply Code
TRR	Transaction Reply Report
TSO	Time Sharing Option
UI	User Interface
URL	Universal Resource Locator (worldwide web address)
USPCC	United States Per Capita Cost

This page intentionally left blank.

B: CMS Central Office Contact Information

This appendix contains consolidated contact information for Plans to reference when they need assistance with questions or issues on information contained in the Plan Communications User Guide (PCUG) or on other issues or topics as summarized in the tables below.

Table B-1: CMS Central Office (DPO) Contact Information

For questions or issues on policy information contained in this guide or on any of the topics listed below, please contact your CMS Central Office Health Insurance Specialist in the Division of Payment Operations (DPO) for your particular region (See DPO contact list by region below).	
Full Dual Eligibility (Business Questions Only) - Dual eligibility in general - Rules for auto assignment - Rules for passive enrollment - Info on SNPs - NOT the files	Requirements & File Layouts - Data Submission requirements - File layouts - Rules for field contents - Submittal and transmittal timing
Plan Payments - Calculation of payment - Delivery of payment - Payment errors - Premium calculations - APPS operation and APPS reports - Actual payments going to the plans - Payment Rules - Payment Operations - Interim Payments	MARx Reports - Enrollment system transitioned to MARx - Transition from MMCS to MARx. Includes data comparability & how it will be transitioned
CMS Plan Reporting Requirements (Not file format)	MARx File Layouts (Business Only)
Reports Report Contents, Timing, Enrollment and Payment (MARx and MMCS)	MARx Requirements (Business Only)
Enrollment Systems - Rules & Requirements (Business Only)	All APPS Payment Reports (Business Only)
Full Dual Eligibility (Business Only)	MSP Survey
Late Enrollment Penalty (LEP) (Business Only)	IntegriGuard
Monthly Membership Report (MMR) (Not file format)	Retroactivity Questions - Approvals to submit retroactive transactions - Submission of Retroactive files
CBC Plan Payment Letters	Plan Communications User Guide

CMS Central Office Health Insurance Specialists Division of Payment Operations (DPO) by Region			
Region	Contact	Telephone Number	Email Address
1. Boston:	John Campbell	(410) 786-0542	John.Campbell2@cms.hhs.gov
2. New York:	John Campbell	(410) 786-0542	John.Campbell2@cms.hhs.gov
3. Philadelphia:	James Krall	(410) 786-6999	James.Krall@cms.hhs.gov
4. Atlanta:	Gloria Webster	(410) 786-7655	Gloria.Webster@cms.hhs.gov
5. Chicago:	Janice Bailey	(410) 786-7603	Janice.Bailey@cms.hhs.gov
6. Dallas:	Joanne Weller	(410) 786-5111	Joanne.Weller@cms.hhs.gov
7. Kansas City:	Mary Stojak	(410) 786-6939	Mary.Stojak@cms.hhs.gov
8. Denver:	Francine Jordan	(410) 786-6505	Francine.Jordan@cms.hhs.gov
9. San Francisco:	Kim Miegel	(410) 786-3311	Kim.Miegel@cms.hhs.gov
	or Terry Williams	(410) 786-0705	Terry.Williams@cms.hhs.gov
10. Seattle:	David Evans	(410) 786-0412	David.Evans2@cms.hhs.gov
11. PACE and Demos	William Bucksten	(410) 786-7477	William.Bucksten@cms.hhs.gov

Special Note:

For beneficiary specific issues with enrollments, disenrollments, changes, premium withholding etc., please contact your designated regional caseworker at CMS who can assist you with research on individual beneficiary issues. Email your inquiry or research request to the home regional office associated with your beneficiary's address at

PartDComplaints_RO#@cms.hhs.gov

Note: Replace the # sign in the above email address with the specific regional office number from the list above. For example – if your Beneficiary resides in Baltimore, you will send your inquiry to the Philadelphia regional office using the following email address:

Example: PartDComplaints_RO3@cms.hhs.gov

Table B-2: MMA Help Desk Contact Information

MMA HELP DESK	
For non-payment-related software, database questions, errors or issues related to any of the topics listed below. Please contact the MMA Help desk at 1-800-927-8069 or via email at MMAHelp@cms.hhs.gov .	
• File transfer software (Connect:Direct, Secure FTP, HTTPS)	• Supporting access to CMS systems (IACS, & Common UI)
• Ongoing Connectivity, File Transmission Support and Troubleshooting	• Coordination with other help desks for proper routing of issues
• Gentran mailbox server (electronic mailbox) [small plans]	• Questions related to file layouts (MMA Help and OIS system letters), user guides, FAQs, etc.

Table B-3: Plan Manager Contact Information

PLAN MANAGER	
Plan Manager (MA Plans Only) – Contact your regional Plan Manager for questions or issues related to the topics listed below:	
• Special Needs Plan questions (unless drug related)	• Regional PPO Plan Questions (unless drug related)
• MA MSA - Part C plan manager issue, unless drug related	• Part C Managed Care Appeals Policy
• MA only Plan Finder Tool	

Table B-4: Account Manager Contact Information

ACCOUNT MANAGER	
Account Manager (<i>Part D Plans Only</i>) – Contact your Account Manager for questions or issues related to the topics listed below:	
• On-line Enrollment Center	• General Part D Information
• General Part D Medicare Information	• General Part D MMA Information
• General Part D Policy Questions	• Part D Managed Care Appeals Policy
• Part D vs. Part B Drug Coverage	• HIPAA Privacy
• Creditable Coverage	• Marketing Requirements
• Financial Solvency - Application	• COB Survey
• Plan Finder & Formulary	

C: Monthly Schedule

The following pages contain the Year 2007 Plan MARx Monthly Schedule. This schedule provides dates for the following:

- Plan Data Due
- Down Days
- Availability of Monthly Reports
- Certification of Enrollment Reports
- Payments due to Plans
- Holidays

NOTES:

The Weekly Transaction Reply Report (TRR), when available, will be distributed on Saturdays. This report is not indicated on this schedule because it is a weekly report.

For your convenience, the calendar included here in this appendix also can be found as a single document through the link in the Downloads section of the Medicare Managed Care web site: <http://www.cms.hhs.gov/medicaremangcaresys>, titled MARx Monthly Processing Schedule.

The MMA Help Desk web site also posts a current, regular Enrollment and Eligibility System Production Calendar, which reflects all regularly scheduled files as well as any necessary schedule changes.

This page intentionally left blank.

YEAR 2007 PLAN MARx MONTHLY SCHEDULE

S	M	T	W	T	F	SA
JANUARY						
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

S	M	T	W	T	F	SA
FEBRUARY						
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28			

S	M	T	W	T	F	SA
MARCH						
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

S	M	T	W	T	F	SA
APRIL						
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

S	M	T	W	T	F	SA
MAY						
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

S	M	T	W	T	F	SA
JUNE						
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

JANUARY 2007	
1	New Year's Day
2	JANUARY Payment Due Plan
12	PLAN DATA DUE
13	Certification of Enrollment for November 28, 2006 report
15	Martin Luther King, Jr. (Holiday)
16	MARx DOWN DAY
17	MARx DOWN DAY
25	MONTHLY REPORTS AVAILABLE
FEBRUARY 2007	
1	FEBRUARY Payment Due Plan
7	Certification of Enrollment for December 22, 2006 report
9	PLAN DATA DUE
12	MARx DOWN DAY
13	MARx DOWN DAY
19	President's Birthday (Observed)
23	MONTHLY REPORTS AVAILABLE
MMR List for Working Aged/MSP Survey 2008 Pmt.	
MARCH 2007	
1	MARCH Payment Due Plan
11	Certification of Enrollment for January 25, 2007 Report
15	PLAN DATA DUE
16	MARx DOWN DAY
26	MONTHLY REPORTS AVAILABLE
30	APRIL Payment Due Plan
APRIL 2007	
9	Certification of Enrollment for February 23, 2007 report
13	PLAN DATA DUE
14	MARx DARK DAY through
22	MARx DARK DAY (Software Release)
25	MONTHLY REPORTS AVAILABLE

MAY 2007	
1	MAY Payment Due Plan
11	Certification of Enrollment for March 26, 2007 report
15	PLAN DATA DUE
16	MARx DOWN DAY through
17	MARx DOWN DAY
24	MONTHLY REPORTS AVAILABLE
25	MARx DARK DAYS through
28	MARx DARK DAYS (2006 Final Recon)
28	Memorial Day (Observed)
JUNE 2007	
1	JUNE Payment Due Plan
10	Certification of Enrollment for April 25, 2007 report
13	PLAN DATA DUE
14	MARx DOWN DAY
15	MARx DOWN DAY
25	MONTHLY REPORTS AVAILABLE
29	JULY Payment Due Plan
30	MARx DARK DAY
JULY 2007	
1	MARx DARK DAYS through
8	MARx DARK DAYS (Software Release)
4	Independence Day (Holiday)
11	Certification of Enrollment for May 25, 2007 report
13	PLAN DATA DUE
14	MARx DOWN DAY through
17	MARx DOWN DAY
26	MONTHLY REPORTS AVAILABLE
MARx DARK DAY – No UI access/ No MARx processing	
MARx DOWN DAY – UI READ ONLY ACCESS	

S	M	T	W	T	F	SA
JULY						
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

S	M	T	W	T	F	SA
AUGUST						
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

S	M	T	W	T	F	SA
SEPTEMBER						
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

S	M	T	W	T	F	SA
OCTOBER						
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

S	M	T	W	T	F	SA
NOVEMBER						
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	

S	M	T	W	T	F	SA
DECEMBER						
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

November 9, 2006 *DFB- Division of Finance & Benefits

YEAR 2007 PLAN MARx MONTHLY SCHEDULE

S	M	T	W	T	F	SA
JANUARY						
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

S	M	T	W	T	F	SA
FEBRUARY						
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28			

S	M	T	W	T	F	SA
MARCH						
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

S	M	T	W	T	F	SA
APRIL						
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

S	M	T	W	T	F	SA
MAY						
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

S	M	T	W	T	F	SA
JUNE						
				1	2	
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

AUGUST 2007

1 AUGUST Payment Due Plan

10 Certification of Enrollment for June 25, 2007 report

16 PLAN DATA DUE

17 MARx DOWN DAY through

20 MARx DOWN DAY

27 MONTHLY REPORTS AVAILABLE

31 SEPTEMBER Payment Due Plan

SEPTEMBER 2007

3 Labor Day (Holiday)

10 Certification of Enrollment for July 26, 2007 Report

13 PLAN DATA DUE

14 MARx DOWN DAY through

17 MARx DOWN DAY

15 Working Aged/MSP Survey Results and Non-Respondent List Due (2008 Payment)

25 MONTHLY REPORTS AVAILABLE

OCTOBER 2007

1 OCTOBER Payment Due Plan

8 Columbus Day (Observed)

13 Certification of Enrollment for August 27, 2007 report

17 PLAN DATA DUE

18 MARx DOWN DAY

19 MARx DOWN DAY

26 MONTHLY REPORTS AVAILABLE

NOVEMBER 2007

1 NOVEMBER Payment Due Plan

3 *DFB Last day for Cost Rates/Plan Level Adjustments (by 1 PM)

8 PLAN DATA DUE

9 MARx DOWN DAY through

24 MARx DOWN DAY

10 Certification of Enrollment for Sept. 25, 2007 report

12 Veteran's Day (Holiday)

15 Annual Election Period Begins

22 Thanksgiving Day (Holiday)

27 MONTHLY REPORTS AVAILABLE

30 DECEMBER Payment Due Plan

DECEMBER 2007

7 PLAN DATA DUE

8 MARx DOWN DAY through

17 MARx DOWN DAY

13 Certification of Enrollment for October 26, 2007 report

22 MONTHLY REPORTS AVAILABLE

25 Christmas Day (Holiday)

31 Annual Election Period Ends

January 2- JANUARY 2008 Payment Due Plan

MARx DARK DAY – No UI access/ No MARx processing

MARx DOWN DAY – UI READ ONLY ACCESS

S	M	T	W	T	F	SA
JULY						
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

S	M	T	W	T	F	SA
AUGUST						
				1	2	3
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

S	M	T	W	T	F	SA
SEPTEMBER						
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

S	M	T	W	T	F	SA
OCTOBER						
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

S	M	T	W	T	F	SA
NOVEMBER						
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	

S	M	T	W	T	F	SA
DECEMBER						
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

November 9, 2006 *DFB- Division of Finance & Benefits

D: Enrollment Data Transmission Schedule

The following is a recommendation for the best time to transmit your data:

1. Monday through Friday - 24 hours

Data **WILL** be received for monthly processing.

2. Saturday, Sunday and system down days.

Data **WILL BE RECEIVED AND HELD** for monthly processing.

Refer to the Plan Monthly Schedule. (Refer to Appendix C).

3. Enrollment Data Cutoff Day - **Data is due by 6:00 p.m., ET.**

Plans may transmit enrollment data up to 6:00 p.m., ET.

Please refer to Appendix C for the Plan Monthly Schedule. This section lists cutoff dates for each month.

NOTE: Retros are due by noon on the Plan Data Due day.

This page intentionally left blank.

E: Record Layouts

This appendix provides record layouts for data files exchanged with Plans. Field lengths, formats and descriptions are included along with expected values where applicable. Table E below lists the names of all the layouts and on which page of this appendix (E) they can be found. Appendix J identifies the naming conventions of for all files exchanged between CMS and the Plans.

Table E - Record Layouts Lookup Table

Section	Name	Page
E.1	820 Format Payment Advice Data File	E-3
E.2	Part D Auto and Facilitated Enrollment Address Data File	E-9
E.3	Batch Completion Status Summary Report Data File	E-11
E.4	BIPA 606 Payment Reduction Data File	E-19
E.5	Bonus Payment Report Data File	E-21
E.6	Coordination of Benefits (COB) Data File	E-23
E.7	Enrollment/Disenrollment/Change/Correction Transactions	E-31
E.8	Failed Transaction Data File	E-55
E.9	Monthly Membership Detail Data File	E-59
E.10	Monthly Membership Summary Data File	E-67
E.11	Monthly Premium Withholding Report Data File	E-71
E.12	Part B Claims (Record Type 1 and Record Type 2) Data File	E-75
E.13	Part C Risk Adjustment Model Output Data File	E-77
E.14	Part D Risk Adjustment Model Output Data File	E-89
E.15	Weekly/Monthly Transaction Reply Activity Data File	E-103
E.16	Special Transaction Reply Report Data File	E-112
E.17	Full Enrollment File Data File	E-116
E.18	Low-Income Subsidy/Late Enrollment Penalty Data File	E-120
E.19	Loss of Subsidy (Deemed Status) Data File	E-128
E.20	Bi-Weekly Deemed/LIS Premium Report Data File	E-132
E.21	Monthly LIS History Data File	E-134
E.22	4Rx Notification File Record Formats	E-137
E.23	NoRx Notification File Record Formats	E-144
E.24	4Rx Response File Record Formats	E-150

Section	Name	Page
E.25	Batch Eligibility Query (BEQ) Request File	E-157
E.26	Batch Eligibility Query (BEQ) Response File	E-163
E.27	Auto Assignment Full Dual Notification File Layout	E-173
E.28	Auto Assignment PDP Auto-Enrollment Notification File Layout	E-177

E.1 820 Format Payment Advice Data File

The segments are listed in a required order:

1. ST, 820 Header
2. BPR, Financial Information
3. TRN, Re-association Key
4. DTM, Coverage Period
5. N1, Premium Receiver's Name
6. N1, Premium Payer's Name
7. RMR, Organization Summary Remittance Detail
8. IT1, Summary Line Item
9. SLN, Member Count
10. ADX, Organization Summary Remittance Level Adjustment
11. SE, 820 Trailer

The physical layout of a segment is:

- Segment Identifier, an alphanumeric code, followed by
- Each selected field (data element) preceded by a data element separator ("*")
- And terminated by a segment terminator ("~").

Fields are mostly variable in length and do not contain leading/trailing spaces.

Fields are skipped (if they contain nothing) by inserting contiguous data element separators ("**") unless they are at the end of the segment. Fields which are not selected are represented in the same way as fields that have been selected but in this particular iteration of the transaction set contain no data, i.e., they are skipped.

For example, in fictitious segment XXX, fields 2, 3, and 5 (the last field) are skipped:

XXX*field 1 content*field 4 content~**

BALANCING REQUIREMENTS¹

¹ See pp.16 in National EDI Transaction Set Implementation Guide for 820, ASCX12N, 820 (004010X061), dated May 2000

Following two balancing rules are given:

1. BPR02 = total of all RMR04
2. RMR04 = RMR05 + ADX01

In order to comply with balancing rules, BPR02 and RMR04 are set equal to Net Payment (paid amount), RMR05 is set equal to Gross/Calculated Payment (billed amount), and ADX01 is set equal to Adjustment amount.

On Cost/HCPP contracts, put the actual dollars billed --- rather than the “risk equivalent” dollar amounts --- into RMR05.

X12 820 Table	Segment	Data Element	Description	Len	Type	Contents
HEADER			820 HEADER SEGMENT ID	2	AN	“ST”
		ST01	Transaction Set ID Code	3/3	ID	“820”
		ST02	Transaction Set Control Number	4/9	AN	Begin with “00001” Increment each Run
HEADER			BEGINNING SEGMENT FOR PAYMENT ORDER/REMITTANCE ADVICE	3	AN	“BPR”
	BPR	BPR01	Transaction Handling Code	1/2	ID	“I” (Remittance Information Only)
	BPR	BPR02	Total Premium Payment Amount	1/18	R	Payment Letter – Net Payment See discussion on Balancing.
	BPR	BPR03	Credit/Debit Flag Code	1/1	ID	“C” (Credit)
	BPR	BPR04	Payment Method Code	3/3	ID	“BOP” (Financial Institution Option)
	BPR	BPR16	Check Issue or EFT Effective Date	8/8	DT	Use Payment Letter – Payment Date in CCYYMMDD format

X12 820 Table	Segment	Data Element	Description	Len	Type	Contents
HEADER			RE-ASSOCIATION KEY	3	AN	"TRN"
	TRN	TRN01	Trace Type Code	1/2	ID	"3" (Financial Re-association Trace Number)
	TRN	TRN02	Check or EFT Trace Number	1/30	AN	"USTREASURY"
HEADER			COVERAGE PERIOD	3	AN	"DTM"
	DTM	DTM01	Date/Time Qualifier	3/3	ID	"582" (Report Period)
	DTM	DTM05	Date/Time Period Format Qualifier	2/3	ID	"RD8" (Range of dates expressed in format CCYYMMDD – CCYYMMDD)
	DTM	DTM06	Date/Time Period	1/35	AN	Range of Dates for Payment Month. See DTM05.
HEADER			PREMIUM RECEIVER'S NAME	2	AN	"N1"
	1000A	N101	Entity Identifier Code	2/3	ID	"PE" (Payee)
	1000A	N102	Name	1/60	AN	Contract Name
	1000A	N103	Identification Code Qualifier	1/2	ID	"EQ" Insurance Company Assigned Identification Number
	1000A	N104	Identification Code	2/80	AN	Contract Number
HEADER			PREMIUM PAYER'S NAME	2	AN	"N1"
	1000B	N101	Entity Identifier Code	2/3	ID	"PR" (Payer)
	1000B	N102	Name	1/60	AN	"CMS"
	1000B	N103	Identification Code Qualifier	1/2	ID	"EQ" Insurance Company Assigned Identification Number
	1000B	N104	Identification Code	2/80	AN	"CMS"
DETAIL			ORGANIZATION SUMMARY REMITTANCE DETAIL	3	AN	"RMR"

X12 820 Table	Segment	Data Element	Description	Len	Type	Contents
	2300A	RMR01	Reference Identification Qualifier	2/3	ID	"CT"
	2300A	RMR02	Contract Number	1/30	AN	Payment Letter – Contract #
	2300A	RMR04	Detail Premium Payment Amount	1/18	R	Payment Letter – Net Payment See discussion on Balancing.
	2300A	RMR05	Billed Premium Amount	1/18	R	Payment Letter – Demographic Report Payment See discussion on Balancing.
DETAIL			SUMMARY LINE ITEM	3	AN	"IT1"
	2310A	IT101	Line Item Control Number	1/20	AN	"1" (Assigned for uniqueness)
DETAIL			MEMBER COUNT	3	AN	"SLN"
	2315A	SLN01	Line Item Control Number	1/20	AN	"1" (Assigned for uniqueness)
	2315A	SLN03	Information Only Indicator	1/1	ID	"O" (For Information only)
	2315A	SLN04	Head Count	1/15	R	Payment Letter – Total Members
	2315A	SLN05-1	Unit or Basis for Measurement Code	2/2	ID	"IE" (used to identify that the value of SLN04 represents the number of contract holders with individual coverage)
DETAIL			ORGANIZATION SUMMARY REMITTANCE LEVEL ADJUSTMENT	3	AN	"ADX"
	2320A	ADX01	Adjustment Amount	1/18	R	Payment Letter – Total Adjustments: Total Adjustments is the difference between Demographic Payment and Net Payment. See discussion on Balancing.

X12 820 Table	Segment	Data Element	Description	Len	Type	Contents
	2320A	ADX02	Adjustment Reason Code	2/2	ID	"H1" (Information forthcoming – detailed information related to the adjustment will be provided through a separate mechanism)
SUMMARY			820 TRAILER		AN	"SE"
		SE01	Number of Included Segments	1/10	N0	"11"
		SE02	Transaction Set Control Number	4/9	AN	Use control number, same as in 820 Header.

This page intentionally left blank.

E.2 Part D Auto and Facilitated Enrollment Address Data File

Item	Field	Size	Position	Description
1	HICN#	12	1 – 12	Beneficiary's Health Insurance Claim Number
2	First Name	30	13 – 42	Beneficiary's First Name
3	Last Name	40	43 – 82	Beneficiary's Last Name
4	Middle Initial	1	83	Beneficiary's Middle Initial
5	Date of Birth	8	84 – 91	Format: YYYYMMDD
6	Sex	1	92	Sex Code: M = Male, F = Female, U = Unknown
7	Contract #	5	93 –97	
8	PBP #	3	98 – 100	
9	Segment #	3	101 – 103	
10	Low-Income Co-Pay Category	1	104	Definitions of the co-payment categories: '0' = none, not low-income '1' = \$2/\$5 (High) '2' = \$1/\$3 (Low) '3' = \$0 (0) '4' = 15% '5' = Unknown
11	Enrollment Effective Date	8	105 – 112	Format: YYYYMMDD
12	Beneficiary Address Line 1	40	113 – 152	
13	Beneficiary Address Line 2	40	153 – 192	
14	Beneficiary Address Line 3	40	193 – 232	
15	Beneficiary Address City	40	233 – 272	
16	Beneficiary Address State	2	273 – 274	
17	Beneficiary Zip Code	5	275 – 279	Standard Zip Code
18	Beneficiary Zip Code Extension	4	280 – 283	Zip Code Extension

This page intentionally left blank.

E.3 Batch Completion Status Summary Report Data File

This is a data file sent to the submitter once a batch of submitted transactions has been processed. It provides a count of all transactions within the batch and details the number of rejected, accepted, and pending transactions. It also provides an image of the rejected, accepted, and pending transactions. For every batch submission (Enrollment, Disenrollment, PBP Change, Plan Change, and Correction) this file will be generated after the submission is processed. This file's output is organized into one file per batch consisting of:

- Summary Record (batch 1)
- All Rejected Records (batch 1)
- All Accepted Records (batch 1)
- All Pending Records (batch 1)

E.3.1 Summary Record

Item	Field Name	Len	Pos	Description
1	Batch Completion Status Summary Record	12	1-12	Content: "#BATCHDSPSTN"
2	Batch ID	12	13-24	MARx System Assigned
3	Batch Run Start Date	10	25-34	Format: YYYY-MM-DD
4	Batch Run Start Time	8	35-42	Format: HH-MM-SS
5	Total Transactions in Batch	8	43-50	Counts, ZZZZZZ9
6	Transaction Status Accepted	8	51-58	Counts, ZZZZZZ9
7	Transaction Status Rejected	8	59-66	Counts, ZZZZZZ9, of rejected transaction records attached
8	Transaction Status Failed	8	67-74	Counts, ZZZZZZ9
9	Transaction Status Pending	8	75-82	Counts, ZZZZZZ9
10	Transactions Received	8	83-90	Count, 99999999, of the total number received transaction records in batch
11	Submitter ID	8	91-98	Submitter ID
12	Date Stamp of transaction file	10	99-108	Format: YYYY-MM-DD
13	Time Stamp of transaction file	8	109-116	Format: HH.MM.SS
14	FILLER	225	117- 341	Spaces
15	End of Status Summary Record	1	342	Content: ";

E.3.2 Rejected Record

#	Field Name	Len	Pos	Description
1	Rejected Transaction Record Header	12	1-12	Content: "#RJCTEDTRANS"
2	Transaction Record Counter	8	13-20	Sequential count, ZZZZZZZ9, of rejected records
3	Beneficiary HICN#	12	21-32	From input transaction
4	Beneficiary Surname	12	33-44	From input transaction
5	Beneficiary First Name	7	45-51	From input transaction
6	Beneficiary Middle Initial	1	52	From input transaction
7	Sex	1	53	From input transaction; otherwise blank
8	Birth Date	8	54-61	From input transaction
9	EGHP Flag	1	62	From input transaction; otherwise blank
10	PBP #	3	63-65	From input transaction; otherwise blank
11	Election Type	1	66	From input transaction; otherwise blank
12	Contract #	5	67-71	From input transaction
13	Application Date	8	72-79	From input transaction; otherwise blank
14	Transaction Code	2	80-81	From input transaction
15	Disenrollment Reason	2	82-83	From input transaction; otherwise blank
16	Effective Date	8	84-91	From input transaction; otherwise blank
17	Segment ID	3	92-94	From input transaction; otherwise blank
18	Filler	5	95-99	
19	Prior Commercial Override	1	100	From input transaction; otherwise blank
20	Premium Withhold Option/Parts C-D	1	101	From input transaction; otherwise blank
21	Part C Premium Amount	6	102-107	From input transaction; otherwise blank
22	Part D Premium Amount	6	108-113	From input transaction; otherwise blank
23	Creditable Coverage Flag	1	114	From input transaction; otherwise blank
24	Number of Uncovered Months	3	115-117	From input transaction; otherwise blank
25	Employer Subsidy Enrollment Override Flag	1	118	From input transaction; otherwise blank
26	Part D Opt-Out Flag	1	119	From input transaction; otherwise blank
27	Filler	20	120-139	Field removed

28	Filler	15	140-154	Field removed
29	Secondary Drug Insurance Flag	1	155	From input transaction; otherwise blank
30	Secondary Rx ID	20	156-175	From input transaction; otherwise blank
31	Secondary Rx Group	15	176-190	From input transaction; otherwise blank
32	Enrollment Source	1	191	From input transaction; otherwise blank
33	Filler (MSA Fields – Future Use)	36	192-227	Future Use
34	Filler	17	228-244	Spaces
35	Part D Rx BIN	6	245-250	From input transaction; otherwise blank
36	Part D Rx PCN	10	251-260	From input transaction; otherwise blank
37	Part D Rx Group	15	261-275	From input transaction; otherwise blank
38	Part D Rx ID	20	276-295	From input transaction; otherwise blank
39	Secondary Rx BIN	6	296-301	From input transaction; otherwise blank
40	Secondary Rx PCN	10	302-311	From input transaction; otherwise blank
41	Filler	13	312-324	Spaces
42	'01' Transaction Action Code	1	325	From input transaction; otherwise blank
43	Transaction Reply Codes	15	326-340	Up to five, 3-character transaction reply codes, left justified
44	End of Rejected Transaction Record	2	341-342	Content: “;”

E.3.3 Accepted Record

#	Field Name	Len	Pos	Description
1	Accepted Transaction Record Header	12	1-12	Content: “#ACPTEDTRANS”
2	Transaction Record Counter	8	13-20	Sequential count, ZZZZZZZ9, of accepted records
3	Beneficiary HICN#	12	21-32	From input transaction
4	Beneficiary Surname	12	33-44	From input transaction
5	Beneficiary First Name	7	45-51	From input transaction
6	Beneficiary Middle Initial	1	52	From input transaction
7	Sex	1	53	From input transaction; otherwise blank
8	Birth Date	8	54-61	From input transaction

9	EGHP Flag	1	62	From input transaction; otherwise blank
10	PBP #	3	63-65	From input transaction; otherwise blank
11	Election Type	1	66	From input transaction; otherwise blank
12	Contract #	5	67-71	From input transaction
13	Application Date	8	72-79	From input transaction; otherwise blank
14	Transaction Code	2	80-81	From input transaction
15	Disenrollment Reason	2	82-83	From input transaction; otherwise blank
16	Effective Date	8	84-91	From input transaction; otherwise blank
17	Segment ID	3	92-94	From input transaction; otherwise blank
18	Filler	5	95-99	
19	Prior Commercial Override	1	100	From input transaction; otherwise blank
20	Premium Withhold Option/Parts C-D	1	101	From input transaction; otherwise blank
21	Part C Premium Amount	6	102-107	From input transaction; otherwise blank
22	Part D Premium Amount	6	108-113	From input transaction; otherwise blank
23	Creditable Coverage Flag	1	114	From input transaction; otherwise blank
24	Number of Uncovered Months	3	115-117	From input transaction; otherwise blank
25	Employer Subsidy Enrollment Override Flag	1	118	From input transaction; otherwise blank
26	Part D Opt-Out Flag	1	119	From input transaction; otherwise blank
27	Filler	20	120-139	Field removed
28	Filler	15	140-154	Field removed
29	Secondary Drug Insurance Flag	1	155	From input transaction; otherwise blank
30	Secondary Rx ID	20	156-175	From input transaction; otherwise blank
31	Secondary Rx Group	15	176-190	From input transaction; otherwise blank
32	Enrollment Source	1	191	From input transaction; otherwise blank
33	Filler (MSA Fields – Future Use)	36	192-227	Future Use
34	Filler	17	228-244	Spaces
35	Part D Rx BIN	6	245-250	From input transaction; otherwise blank
36	Part D Rx PCN	10	251-260	From input transaction; otherwise blank
37	Part D Rx Group	15	261-275	From input transaction; otherwise blank
38	Part D Rx ID	20	276-295	From input transaction; otherwise blank

39	Secondary Rx BIN	6	296-301	From input transaction; otherwise blank
40	Secondary Rx PCN	10	302-311	From input transaction; otherwise blank
41	Filler	9	312-320	Spaces
42	Part D Premium Subsidy Level	3	321-323	Part D low-income premium subsidy category: '000' = No subsidy, '025' = 25% subsidy level, '050' = 50% subsidy level, '075' = 75% subsidy level, '100' = 100% subsidy level
43	Low-Income Co-Pay Category	1	324	Definitions of the co-payment categories: '0' = none, not low-income '1' = (High) '2' = (Low) '3' = (0) '4' = 15% '5' = Unknown
44	'01' Transaction Action Code	1	325	From input transaction; otherwise blank
45	Transaction Reply Codes	15	326-340	Up to five, 3-character transaction reply codes, left justified
46	End of Accepted Transaction Record	2	341-342	Content: “.,,”

E 3.4 Pending Record

#	Field Name	Len	Pos	Description
1	Pending Transaction Record Header	12	1-12	Content: “#PENDINGTRANS”
2	Transaction Record Counter	8	13-20	Sequential count, ZZZZZZ9, of pending records
3	Beneficiary HICN#	12	21-32	From input transaction
4	Beneficiary Surname	12	33-44	From input transaction
5	Beneficiary First Name	7	45-51	From input transaction
6	Beneficiary Middle Initial	1	52	From input transaction
7	Sex	1	53	From input transaction; otherwise blank
8	Birth Date	8	54-61	From input transaction
9	EGHP Flag	1	62	From input transaction; otherwise blank
10	PBP #	3	63-65	From input transaction; otherwise blank
11	Election Type	1	66	From input transaction; otherwise blank
12	Contract #	5	67-71	From input transaction
13	Application Date	8	72-79	From input transaction; otherwise blank
14	Transaction Code	2	80-81	From input transaction
15	Disenrollment Reason	2	82-83	From input transaction; otherwise blank
16	Effective Date	8	84-91	From input transaction; otherwise blank
17	Segment ID	3	92-94	From input transaction; otherwise blank
18	Filler	5	95-99	
19	Prior Commercial Override	1	100	From input transaction; otherwise blank
20	Premium Withhold Option/Parts C-D	1	101	From input transaction; otherwise blank
21	Part C Premium Amount	6	102-107	From input transaction; otherwise blank
22	Part D Premium Amount	6	108-113	From input transaction; otherwise blank
23	Creditable Coverage Flag	1	114	From input transaction; otherwise blank
24	Number of Uncovered Months	3	115-117	From input transaction; otherwise blank
25	Employer Subsidy Enrollment Override Flag	1	118	From input transaction; otherwise blank
26	Part D Opt-Out Flag	1	119	From input transaction; otherwise blank
27	Filler	20	120-139	Field removed

#	Field Name	Len	Pos	Description
28	Filler	15	140-154	Field removed
29	Secondary Drug Insurance Flag	1	155	From input transaction; otherwise blank
30	Secondary Rx ID	20	156-175	From input transaction; otherwise blank
31	Secondary Rx Group	15	176-190	From input transaction; otherwise blank
32	Enrollment Source	1	191	From input transaction; otherwise blank
33	Filler (MSA Fields – Future Use)	36	192-227	Future Use
34	Filler	17	228-244	Spaces
35	Part D Rx BIN	6	245-250	From input transaction; otherwise blank
36	Part D Rx PCN	10	251-260	From input transaction; otherwise blank
37	Part D Rx Group	15	261-275	From input transaction; otherwise blank
38	Part D Rx ID	20	276-295	From input transaction; otherwise blank
39	Secondary Rx BIN	6	296-301	From input transaction; otherwise blank
40	Secondary Rx PCN	10	302-311	From input transaction; otherwise blank
41	Filler	13	312-324	Spaces
42	'01' Transaction Action Code	1	325	From input transaction; otherwise blank
43	Transaction Reply Codes	15	326-340	Up to five, 3-character transaction reply codes, left justified
44	End of Rejected Transaction Record	2	341-342	Content: “,”

E.4 BIPA 606 Payment Reduction Data File

Item	Field	Size	Position	Description
1	Contract Number	5	1 – 5	Contract Number
2	PBP Number	3	6 – 8	999
3	Run Date	8	9 – 16	YYYYMMDD
4	Payment Month	6	17 – 22	YYYYMM
5	Adjustment Reason Code	2	23 – 24	99 SPACES = Payment
6	Payment/Adjustment Start Month	6	25 – 30	YYYYMM
7	Payment/Adjustment End Month	6	31 – 36	YYYYMM
8	HIC	12	37 – 48	External Format
9	Surname First 7	7	49 – 55	
10	First Initial	1	56	
11	Sex	1	57	M = Male F = Female
12	Date of Birth	8	58 – 65	YYYYMMDD
13	BIPA606 Payment Reduction Rate	6	66 – 71	999.99 must be GE ZERO
14	Total Net Blended Payment/Adjustment Excluding BIPA606 Reduction Amount	9	72 – 80	-99999.99
15	BIPA606 Net Payment Reduction Amount	8	81 – 88	-9999.99 Normally negative May be positive on adjustments Applies only to Part B amounts
16	Net Part A Blended Amount	9	89 – 97	-99999.99 Same as MMR amount
17	Net Part B Blended Amount plus BIPA606 Net Payment Reduction	9	98 – 106	-99999.99
18	Total Net Blended Payment/Adjustment Including BIPA606 Reduction Amount	9	107 – 115	-99999.99
19	FILLER	18	116 – 133	SPACES

This page intentionally left blank.

E.5 Bonus Payment Report Data File

Item	Field	Size	Position	Description
1	Contract Number	5	1 – 5	Plan contract number
2	Run Date	8	6 – 13	YYYYMMDD; date the report was created
3	Payment Month	6	14 – 19	YYYYMM; the month payments are effective
4	Adjustment Reason Code	2	20 – 21	Reason for the adjustment; equal to spaces if a payment
5	Payment/Adjustment Start Month	6	22 – 27	YYYYMM
6	Payment/Adjustment End Month	6	28 – 33	YYYYMM
7	State and County Code	5	34 – 38	2-digit state code followed by 3-digit county code of residence
8	HIC	12	39 – 50	Beneficiary's claim number
9	Surname	7	51 – 57	First 7 letters of the last name
10	Initial	1	58	Initial of the first name
11	Sex	1	59	Gender; M=male, F=female
12	Date of Birth	8	60 – 67	YYYYMMDD
13	Bonus Percentage	5	68 – 72	Bonus payment percent; 5.000% or 3.000%
14	Total Blended Payment/Adjustment w/o Bonus	9	73 – 81	Total Payment/Adjustment without bonus
15	Bonus Part A Payment/Adjustment	8	82 – 89	Part A bonus payment/adjustment
16	Bonus Part B Payment/Adjustment	8	90 – 97	Part B bonus payment/adjustment
17	Total Bonus Payment/Adjustment	9	98 – 106	Total bonus payment/adjustment
18	Blended + Bonus Payment/Adjustment Part A	9	107 – 115	Part A payment/adjustment with bonus
19	Blended + Bonus Payment/Adjustment	9	116 – 124	Part B payment/adjustment with bonus Part B
20	Total Blended + Bonus Payment/Adjustment	9	125 – 133	Total payment/adjustment with bonus

This page intentionally left blank.

E.6 Coordination of Benefits (COB) Data File

This file contains members' primary and secondary coverage that has been validated through COB processing. The enrollment processing system forwards this information whenever a Plan's enrollees are affected. It may be as often as daily. The enrollees included on the file are those newly enrolled who have known Other Health Insurance (OHI) and those Plan enrollees with changes to their OHI.

The following records are included in this file:

- Detail Record
- Primary Record
- Supplemental Record

E.6.1 General Organization of Records

Detail Record (DTL) Record 1 (Beneficiary A)
Primary (PRM) records associated with 'DTL' Record 1 (Beneficiary A)
Supplemental (SUP) records associated with 'DTL' Record 1 (Beneficiary A)
'DTL' Record 2 (Beneficiary B)
'PRM' records associated with 'DTL' Record 2 (Beneficiary B)
'SUP' records associated with 'DTL' Record 2 (Beneficiary B)
'DTL' Record 3 (Beneficiary C)
'PRM' records associated with 'DTL' Record 3 (Beneficiary C)
'SUP' records associated with 'DTL' Record 3 (Beneficiary C)
...
'DTL' Record n
'PRM' records associated with 'DTL' Record n
'SUP' records associated with 'DTL' Record n

E.6.2 Detail Records: Indicates the Beginning of a Series of Beneficiary Subordinate Detail Records

Item	Field	Size	Position	Format	Valid Values/Description
1	Record Type	3	1-3	CHAR	"DTL"
2	HICN/RRB Number	12	4-15	CHAR	Spaces if unknown
3	SSN	9	16-24	ZD	000000000 if unknown
4	Date of Birth (DOB)	8	25-32	CHAR	YYYYMMDD
5	Gender Code	1	33-33	CHAR	0=unknown, 1 = male, 2 = female
6	Contract Number	5	34-38	CHAR	
7	Plan Benefit Package	3	39-41	CHAR	
8	Action Type	1	42-42	CHAR	2 = Full replacement
9	Filler	958	43-1000	CHAR	Spaces

Note: Record Length = 1000

E.6.3 Primary Record: Subordinate to Detail Record (Unlimited Occurrences)

Item	Field	Size	Position	Format	Valid Values/Description
1	Record Type	3	1-3	CHAR	"PRM"
2	HICN/RRB Number	12	4-15	CHAR	Spaces if unknown
3	SSN	9	16-24	ZD	000000000 if unknown
4	Date of Birth (DOB)	8	25-32	CHAR	YYYYMMDD
5	Gender Code	1	33-33	CHAR	0=unknown, 1 = male, 2 = female
6	RxID Number*	20	34-53	CHAR	
7	RxGroup Number*	15	54-68	CHAR	
8	RxBIN Number*	6	69-74	ZD	
9	RxPCN Number*	10	75-84	CHAR	
10	Rx Plan Toll Free Number*	18	85-102	CHAR	
11	Sequence Number*	3	103-105	CHAR	

Item	Field	Size	Position	Format	Valid Values/Description
12	COB Source Code*	5	106-110	CHAR	11100 Non Payment/Payment Denial 11101 IEQ 11102 Data Match 11103 HMO 11104 Litigation Settlement BCBS 11105 Employer Voluntary Reporting 11106 Insurer Voluntary Reporting 11107 First Claim Development 11108 Trauma Code Development 11109 Secondary Claims Investigation 11110 Self Report 11111 411.25 11112 BCBS Voluntary Agreements 11113 Office of Personnel Management (OPM) Data Match 11114 Workers' Compensation Data Match 11118 Pharmacy Benefit Manager (PBM) 11120 COBA 11125 Recovery Audit Contractor (RAC) 1 (April Release) 11126 RAC 2 (April Release) 11127 RAC 3 (April Release) P0000 PBM S0000 Assistance Program Note: Contractor numbers 11100 - 11199 are reserved for COB

Item	Field	Size	Position	Format	Valid Values/Description
13	MSP Reason (Entitlement Reason from COB)	1	111-111	CHAR	A=Working Aged B=ESRD C=Conditional Payment D=Automobile Insurance, No fault E=Workers Compensation F=Federal (public) G=Disabled H=Black Lung I=Veterans L=Liability
14	Coverage Code*	1	112-112	CHAR	A=Hospital and Medical U=Drug (network benefit) V=Drug with Major Medical (non-network benefit) W=Comprehensive, Hospital, Medical, Drug (network) X=Hospital and Drug (network) Y=Medical and Drug (network) Z=Health Reimbursement Account (hospital, medical, and drug)
15	Insurer's Name*	32	113-144	CHAR	
16	Insurer's Address-1*	32	145-176	CHAR	
17	Insurer's Address-2*	32	177-208	CHAR	
18	Insurer's City*	15	209-223	CHAR	
19	Insurer's State*	2	224-225	CHAR	
20	Insurer's Zip Code*	9	226-234	CHAR	
21	Insurer TIN	10	235-244	CHAR	
22	Individual Policy Number*	17	245-261	CHAR	
23	Group Policy Number*	20	262-281	CHAR	
24	Effective Date*	8	282-289	ZD	CCYYMMDD
25	Termination Date*	8	290-297	ZD	CCYYMMDD
26	Relationship Code*	2	298-299	CHAR	01=Bene is Policy Holder 02=Spouse 03=Child 04=Other
27	Payor ID*	10	300-309	CHAR	<i>This is a future element.</i>
28	Person Code*	3	310-312	CHAR	

Item	Field	Size	Position	Format	Valid Values/Description
29	Payer Order*	3	313-315	ZD	
30	Policy Holder's First Name	9	316-324	CHAR	
31	Policy Holder's Last Name	16	325-340	CHAR	
32	Policy Holder's SSN	12	341-352	CHAR	
33	Employee Information Code	1	353-353	CHAR	P=Patient S=Spouse M=Mother F=Father
34	Employer's Name	32	354-385	CHAR	
35	Employer's Address 1	32	386-417	CHAR	
36	Employer's Address 2	32	418-449	CHAR	
37	Employer's City	15	450-464	CHAR	
38	Employer's State	2	465-466	CHAR	
39	Employer's Zip Code	9	467-475	CHAR	
40	Filler	20	476-495	CHAR	
41	Employer TIN	10	496-505	CHAR	
42	Filler	20	506-525	CHAR	
43	Claim Diagnosis Code 1	10	526-535	CHAR	
44	Claim Diagnosis Code 2	10	536-545	CHAR	
45	Claim Diagnosis Code 3	10	546-555	CHAR	
46	Claim Diagnosis Code 4	10	556-565	CHAR	
47	Claim Diagnosis Code 5	10	566-575	CHAR	
48	Attorney's Name	32	576-607	CHAR	
49	Attorney's Address 1	32	608-639	CHAR	
50	Attorney's Address 2	32	640-671	CHAR	
51	Attorney's City	15	672-686	CHAR	
52	Attorney's State	2	687-688	CHAR	
53	Attorney's Zip	9	689-697	CHAR	
54	Lead Contractor	9	698-706	CHAR	
55	Class Action Type	2	707-708	CHAR	
56	Administrator Name	32	709-740	CHAR	
57	Administrator Address 1	32	741-772	CHAR	
58	Administrator Address 2	32	773-804	CHAR	
59	Administrator City	15	805-819	CHAR	

Item	Field	Size	Position	Format	Valid Values/Description
60	Administrator State	2	820-821	CHAR	
61	Administrator Zip	9	822-830	CHAR	
62	WCSA Amount	9	831-839	ZD	Integer value
63	WCSA Indicator	2	840-841	CHAR	
64	Filler	159	842-1000	CHAR	
Note: Record Length = 1000; *Indicates that these fields have same position in PRM and SUPrecord layouts.					

E.6.4 Supplemental Record: Subordinate to DTL (Unlimited Occurrences)

Data Field	Length	Position			Format	Valid Values
Record Type	3	1	...	3	CHAR	"SUP"
HICN/RRB Number	12	4	...	15	CHAR	Spaces if unknown
SSN	9	16	...	24	ZD	000000000 if unknown
Date of Birth (DOB)	8	25	...	32	CHAR	YYYYMMDD
Gender Code	1	33	...	33	CHAR	0=unknown, 1 = male, 2 = female
RxID Number*	20	34	...	53	ZD	
RxGroup Number*	15	54	...	68	CHAR	
RxBIN Number*	6	69	...	74	ZD	
RxPCN Number*	10	75	...	84	CHAR	
Rx Plan Toll Free Number*	18	85	...	102	CHAR	
Sequence Number*	3	103	...	105	CHAR	

Data Field	Length	Position			Format	Valid Values
COB Source Code*	5	106	...	110	CHAR	11100 Non Payment/Payment Denial 11101 IEQ 11102 Data Match 11103 HMO 11104 Litigation Settlement BCBS 11105 Employer Voluntary Reporting 11106 Insurer Voluntary Reporting 11107 First Claim Development 11108 Trauma Code Development 11109 Secondary Claims Investigation 11110 Self Report 11111 411.25 11112 BCBS Voluntary Agreements 11113 Office of Personnel Management (OPM) Data Match 11114 Workers' Compensation Data Match 11118 Pharmacy Benefit Manager (PBM) 11120 COBA 11125 Recovery Audit Contractor (RAC) 1 (April Release) 11126 RAC 2 (April Release) 11127 RAC 3 (April Release) P0000 PBM S0000 Assistance Program Note: Contractor numbers 11100 - 11199 are reserved for COB
Supplemental Type Code	1	111	...	111	CHAR	L=Supplemental M=Medigap N=State Program (Non Qualified SPAP) O=Other P=Patient Assistance Program Q=Qualified State Pharmaceutical Assistance Program (SPAP) R=Charity S=AIDS Drug Assistance Program T=Federal Health Program 1=Medicaid 2=Tricare
Coverage Code*	1	112	...	112	CHAR	U=Drug (network benefit) V=Drug with Major Medical (non-network benefit)
Insurer's Name*	32	113	...	144	CHAR	

Data Field	Length	Position			Format	Valid Values
Insurer's Address-1*	32	145	...	176	CHAR	
Insurer's Address-2*	32	177	...	208	CHAR	
Insurer's City*	15	209	...	223	CHAR	
Insurer's State*	2	224	...	225	CHAR	
Insurer's Zip Code*	9	226	...	234	CHAR	
Filler	10	235	...	244	CHAR	Spaces
Individual Policy Number*	17	245	...	261	CHAR	
Group Policy Number*	20	262		281	CHAR	
Effective Date*	8	282	...	289	ZD	CCYYMMDD
Termination Date*	8	290	...	297	ZD	CCYYMMDD
Relationship Code*	2	298	...	299	CHAR	01=Bene is Policy Holder 02=Spouse 03=Child 04=Other
Payor ID*	10	300	...	309	CHAR	
Person Code*	3	310	...	312	CHAR	
Payer Order*	3	313	...	315	ZD	
Filler	685	316	...	1000	SPACES	
Record Length =	1000					
*Indicates that these fields have same position in PRM and SUP record layouts						

E.7 Enrollment/Disenrollment/Change/Correction Transactions Data File

A transaction file is submitted to CMS by a Plan, and consists of a header record followed by individual transaction records. The transaction code identifies the types of transaction record. This section details the contents and format for each type of record that may be included in the transaction file.

The following records can be included in this file:

- Header Record
- Enrollment Record
- Disenrollment Record
- PBP Change
- Plan Change
- Correction

E.7.1 Header Record

Item	Field	Size	Position	Header	Description
1	Header Message	12	1 – 12	R	'AAAAAAHEADER'
2	Filler	21	13 – 33	N/A	Spaces
3	Payment Month	6	34 – 39	R	MMYYYY (Note that the date should be represent the month and year of the Current Payment Month; e.g., From May 17 – June 13, transactions are submitted for the JULY payment month and should have the header date of 072006)
4	Filler	261	40 – 300	N/A	Spaces

E.7.2 Enrollment Record

Transaction types 60 and 61 are used to enroll beneficiaries in a Part D Plan. Transaction type 60 is used only to submit EGHP enrollments that are 1-3 months prior to the current processing month. Example: For a transaction file with header date 042006, type 60 transactions are used to submit transactions with EGHP Flag equal to Y and effective dates of February 2006 through May 2006.

Plan Communications User Guide Appendices, Version 2.3

Item	Field	Size	Position	Enrollment (Employer & MCO 60/61)			Description
				MA	MA-PD	PDP	
1	HIC#	12	1 – 12	R	R	R	Nine-byte SSN of primary beneficiary (Beneficiary Claim Account Number); two-byte BIC (Beneficiary Identification Code); one-byte filler (except RRB)
2	Surname	12	13 – 24	R	R	R	Beneficiary's last name
3	First Name	7	25 – 31	R	R	R	Beneficiary's first name
4	M. Initial	1	32				Beneficiary's middle initial
5	Sex	1	33	R	R	R	'1' = male, '2' = female, '0' = unknown
6	Birth Date (YYYYMMDD)	8	34 – 41	R	R	R	YYYYMMDD — Beneficiary's date of birth
7	EGHP Flag	1	42	Blank field has a meaning	Blank field has a meaning	Blank field has a meaning	'Y' if EGHP; otherwise, blank = not EGHP for transaction types 60 and 61
8	PBP #	3	43 – 45	R	R	R	3-blanks = non-PBP organizations, COST (if non-PBP) and non-MA Demos; otherwise, 3-character numeric = PBP number, zero-padded, 001-999 valid for MA, MA-PD, PDP, and certain COST, PACE and DEMO plans.
9	Election Type	1	46	R	R	R	'A' = AEP; 'E' = IEP, 'I' = ICEP; 'S' = SEP; 'O' = OEP; 'N' = OEPNEW; 'T' = OEPI. MA and MA-PDs have I, A, O, S, N, and T. PDPs have E, A, and S.
10	Contract #	5	47 – 51	R	R	R	Hxxxx = identifies local MAs and MA-PDs. Rxxxx = identifies regional MAs and MA-PDs. Sxxxx = identifies PDPs. Fxxxx = identifies fallback plans. Exxxx = identifies regular employer PDPs
11	Application Date	8	52 – 59	R	R	R	YYYYMMDD — The date that the plan received the beneficiary's completed enrollment.
12	Transaction Code	2	60 – 61	R	R	R	'60' or '61' = Enrollment

Item	Field	Size	Position	Enrollment (Employer & MCO 60/61)			Description
				MA	MA-PD	PDP	
13	Disenrollment Reason (Future Use)	2	62 – 63	N/A	N/A	N/A	Future use.
14	Effective Date (YYYYMMDD)	8	64 – 71	R	R	R	YYYYMMDD — Enrollment effective date
15	Segment ID	3	72 – 74	R, blank for non-segmented organizations; otherwise, 3 digits	R, blank for non-segmented organizations; otherwise, 3 digits	N/A	3-blanks = non-segmented organization transaction; for segmented organization transactions, 3-character numeric = segment number, zero padded, 001-999 valid plan Segment ID range. Only local plans (Hxxxx) may have segments.
16	Filler	5	75 – 79	N/A	N/A	N/A	
17	Prior Commercial Override	1	80	If applies; otherwise, zero or blank	If applies; otherwise, zero or blank	N/A	Required if beneficiary is ESRD and wants to enroll in a MA, MA-PD, Cost, HCPP plans. Not required if plan is a special needs plan (SNP). Alpha-numeric, blank, 0-9 and A-F. A zero (0) or a blank indicates no override. 1-9 and A-F indicate an override.
18	Premium Withhold Option/ Parts C-D	1	81	R	R	R	D = direct self-pay; S = deduct from SSA benefits; R = deduct from RRB benefits; O = deduct from OPM benefits; N = No premium applicable. The option applies to both Part C and D premiums. Note: R and O are future use values.
19	Part C Premium Amount (XXXXvXX)	6	82 – 87	R	R	N/A	6-digits with leading zeroes, or blank if premium does not apply. Decimal point assumed 2-digits from right, XXXXvXX. For example, '000000' is \$0.00 and '010073' is \$100.73.
20	Part D Premium Amount (XXXXvXX)	6	88 – 93	N/A	R	R	6-digits with leading zeroes, or blank if premium does not apply. Decimal point assumed 2-digits from right, XXXXvXX. For example, '000000' is \$0.00 and '010073' is \$100.73.

Item	Field	Size	Position	Enrollment (Employer & MCO 60/61)			Description
				MA	MA-PD	PDP	
21	Creditable Coverage Flag	1	94	N/A	R	R	'Y' if covered, 'N' if not covered.
22	Number of Uncovered Months	3	95 – 97	N/A	R, blank = zero, meaning no uncovered months	R, blank = zero, meaning no uncovered months	Count of total months without drug coverage, leading zeroes and right justified. Count must be greater than or equal to two (002) when "Creditable Coverage Flag," item (21) above, is 'N'. Count must be zero (000) when "Creditable Coverage Flag" is 'Y'.
23	Employer Subsidy Enrollment Override Flag	1	98	N/A	R, if beneficiary has Employer Subsidy status; otherwise blank	R, if beneficiary has Employer Subsidy status; otherwise blank	If the beneficiary is in a plan receiving an employer subsidy, but still wants to enroll in a Part D plan, submit the enrollment with the override = 'Y'; otherwise, blank.
24	Part D Opt-Out Flag	1	99	N/A	N/A	N/A	N/A
25	Filler	20	100 – 119	N/A	N/A	N/A	Spaces.
26	Filler	15	120 – 134	N/A	N/A	N/A	Spaces.
27	Secondary Drug Insurance Flag	1	135	N/A	R (Blank if auto-enroll)	R (Blank if auto-enroll)	For MA-PD and PDP transactions, 'Y' = beneficiary has secondary drug insurance; 'N' = beneficiary does not have secondary drug insurance available; blank = do not know whether beneficiary has secondary drug insurance.
28	Secondary Rx ID	20	136 – 155	N/A	R, if secondary insurance; otherwise, N/A	R, if secondary insurance; otherwise, N/A	Secondary insurance plan's ID number for beneficiary. Alphanumeric; uppercase when alpha; left justified. Uppercase printable characters and default value of spaces.

Item	Field	Size	Position	Enrollment (Employer & MCO 60/61)			Description
				MA	MA-PD	PDP	
29	Secondary Rx Group	15	156 – 170	N/A	R, if secondary insurance; otherwise, N/A	R, if secondary insurance; otherwise, N/A	Secondary insurance plan's group ID number for beneficiary. Alphanumeric; upper case when alpha; left justified. Upper case printable characters and default value of spaces.
30	Enrollment Source	1	171	FILLER	FILLER	FILLER	Not currently available for MCO use.
31	SSN	9	172 – 180	R (MSA ONLY) Future Use	FILLER	FILLER	Future use.
32	Trustee Routing Number	9	181 – 189	R (MSA ONLY) Future Use	FILLER	FILLER	Future use.
33	Bank Account Number	17	190 – 206	R (MSA ONLY) Future Use	FILLER	FILLER	Future use.
34	Bank Account Type	1	207	R (MSA ONLY) Future Use	FILLER	FILLER	Future use.
35	Filler	17	208 – 224	N/A	N/A	N/A	Spaces.
36	Part D Rx Bin	6	225-230	N/A	R (for all Part D plan except PACE National); otherwise blank	R (for all Part D plan except PACE National); otherwise blank	

Item	Field	Size	Position	Enrollment (Employer & MCO 60/61)			Description
				MA	MA-PD	PDP	
37	Part D Rx PCN	10	231-240	N/A	Change-to value (for all Part D plans except PACE National); otherwise blank	Change-to value (for all Part D plans except PACE National); otherwise blank	
38	Part D Rx Group	15	241-255	N/A	Change-to value (for all Part D plans except PACE National); otherwise blank	Change-to value (for all Part D plans except PACE National); otherwise blank	
39	Part D Rx ID	20	256-275	N/A	R (for all Part D plan except PACE National); otherwise blank	R (for all Part D plan except PACE National); otherwise blank	
40	Secondary Rx BIN	6	276-281	N/A	R if secondary insurance; otherwise blank	R if secondary insurance; otherwise blank	
41	Secondary Rx PCN	9	282-291	N/A	R if secondary insurance; otherwise blank	R if secondary insurance; otherwise blank	

Item	Field	Size	Position	Enrollment (Employer & MCO 60/61)			Description
				MA	MA-PD	PDP	
42	Filler	9	292-300	FILLER	FILLER	FILLER	Spaces.

E.7.3 Disenrollment Record

Item	Field	Size	Position	Disenrollment 51			Description
				MA	MA-PD	PDP	
1	HIC#	12	1 – 12	R	R	R	Nine-byte SSN of primary beneficiary (Beneficiary Claim Account Number); two-byte BIC (Beneficiary Identification Code); one-byte filler (except RRB)
2	Surname	12	13 – 24	R	R	R	Beneficiary's last name
3	First Name	7	25 – 31	R	R	R	Beneficiary's first name
4	M. Initial	1	32				Beneficiary's middle initial
5	Sex	1	33	R	R	R	'1' = male, '2' = female, '0' = unknown
6	Birth Date (YYYYMMDD)	8	34 – 41	R	R	R	YYYYMMDD
7	EGHP Flag	1	42	N/A	N/A	N/A	N/A
8	PBP #	3	43 – 45	N/A	N/A	N/A	N/A
9	Election Type	1	46	R	R	R	'A' = AEP; 'E' = IEP, 'I' = ICEP; 'S' = SEP; 'O' = OEP; 'N' = OEPNEW; 'T' = OEPI. MA and MA-PDs have I, A, O, S, N, and T. PDPs have E, A, and S.
10	Contract #	5	47 – 51	R	R	R	Hxxxx = identifies local MAs and MA-PDs. Rxxxx = identifies regional MAs and MA-PDs. Sxxxx = identifies PDPs. Fxxxx = identifies fallback plans. Exxxx = identifies regular employer PDPs.
11	Application Date	8	52 – 59	N/A	N/A	N/A	N/A
12	Transaction Code	2	60 – 61	R	R	R	'51' = Disenrollment
13	Disenrollment Reason (Future Use)	2	62 – 63	N/A	N/A	N/A	Future use.
14	Effective Date (YYYYMMDD)	8	64 – 71	R	R	R	YYYYMMDD — disenrollment effective date
15	Segment ID	3	72 – 74	N/A	N/A	N/A	N/A

Item	Field	Size	Position	Disenrollment 51			Description
				MA	MA-PD	PDP	
16	Filler	5	75 – 79	N/A	N/A	N/A	
17	Prior Commercial Override	1	80	N/A	N/A	N/A	N/A
18	Premium Withhold Option/ Parts C-D	1	81	N/A	N/A	N/A	N/A
19	Part C Premium Amount (XXXXvXX)	6	82 – 87	N/A	N/A	N/A	N/A
20	Part D Premium Amount (XXXXvXX)	6	88 – 93	N/A	N/A	N/A	N/A
21	Creditable Coverage Flag	1	94	N/A	N/A	N/A	N/A
22	Number of Uncovered Months	3	95 – 97	N/A	N/A	N/A	N/A
23	Employer Subsidy Enrollment Override Flag	1	98	N/A	N/A	N/A	N/A
24	Part D Opt-Out Flag	1	99	N/A	R, for auto-enrollees only; otherwise, N/A	R, for auto-enrollees only; otherwise, N/A	Applies to full benefit dual eligible and facilitated enrolled beneficiaries. 'Y' = opt-out of auto-/facilitated-enrollment; blank = no change to opt-out status.
25	Filler	20	100 – 119	N/A	N/A	N/A	Spaces.
26	Filler	15	120 – 134	N/A	N/A	N/A	Spaces.

Plan Communications User Guide Appendices, Version 2.3

Item	Field	Size	Position	Disenrollment 51			Description
				MA	MA-PD	PDP	
27	Secondary Drug Insurance Flag	1	135	N/A	N/A	N/A	N/A
28	Secondary Rx ID	20	136 – 155	N/A	N/A	N/A	N/A
29	Secondary Rx Group	15	156 – 170	N/A	N/A	N/A	N/A
30	Enrollment Source	1	171	FILLER	FILLER	FILLER	Not currently available for MCO use.
31	SSN	9	172 – 180	N/A	FILLER	FILLER	Future use.
32	Trustee Routing Number	9	181 – 189	N/A	FILLER	FILLER	Future use.
33	Bank Account Number	17	190 – 206	N/A	FILLER	FILLER	Future use.
34	Bank Account Type	1	207	N/A	FILLER	FILLER	Future use.
35	Filler	17	208 – 224	N/A	N/A	N/A	Spaces.
36	Part D Rx Bin	6	225-230	N/A	N/A	N/A	N/A
37	Part D Rx PCN	10	231-240	N/A	N/A	N/A	N/A
38	Part D Rx Group	15	241-255	N/A	N/A	N/A	N/A
39	Part D Rx ID	20	256-275	N/A	N/A	N/A	N/A
40	Secondary Rx BIN	6	276-281	N/A	N/A	N/A	N/A
41	Secondary Rx PCN	9	282-291	N/A	N/A	N/A	N/A
42	Filler	9	292-300	FILLER	FILLER	FILLER	Spaces.

E.7.4 PBP Change Record

Item	Field	Size	Position	Plan Election (PBP Change) 71			Description
				MA	MA-PD	PDP	
1	HIC#	12	1 – 12	R	R	R	Nine-byte SSN of primary beneficiary (Beneficiary Claim Account Number); two-byte BIC (Beneficiary Identification Code); one-byte filler (except RRB)
2	Surname	12	13 – 24	R	R	R	Beneficiary's last name
3	First Name	7	25 – 31	R	R	R	Beneficiary's first name
4	M. Initial	1	32				Beneficiary's middle initial
5	Sex	1	33	R	R	R	'1' = male, '2' = female, '0' = unknown
6	Birth Date (YYYYMMDD)	8	34 – 41	R	R	R	YYYYMMDD
7	EGHP Flag	1	42	Blank field has a meaning	Blank field has a meaning	Blank field has a meaning	'Y' if EGHP; otherwise, blank = not EGHP for transaction type 71
8	PBP #	3	43 – 45	R (Change-to value)	R (Change-to value)	R (Change-to value)	3-blanks = non-PBP organizations, COST (if non-PBP) and non-MA Demos; otherwise, 3-character numeric = PBP number, zero-padded, 001-999 valid for MA, MA-PD, PDP, and certain COST, PACE and DEMO plans.
9	Election Type	1	46	R	R	R	'A' = AEP; 'E' = IEP, 'I' = ICEP; 'S' = SEP; 'O' = OEP; 'N' = OEPNEW; 'T' = OEPI. MA and MA-PDs have I, A, O, S, N, and T. PDPs have E, A, and S.
10	Contract #	5	47 – 51	R	R	R	Hxxxx = identifies local MAs and MA-PDs. Rxxxx = identifies regional MAs and MA-PDs. Sxxxx = identifies PDPs. Fxxxx = identifies fallback plans. Exxxx = identifies regular employer PDPs.
11	Application Date	8	52 – 59	R	R	R	YYYYMMDD — Either the date the plan received the beneficiary's completed enrollment (electronic) or the date the beneficiary signed the enrollment application (paper).

Item	Field	Size	Position	Plan Election (PBP Change) 71			Description
				MA	MA-PD	PDP	
12	Transaction Code	2	60 – 61	R	R	R	'71' = PBP Change
13	Disenrollment Reason (Future Use)	2	62 – 63	N/A	N/A	N/A	Future use.
14	Effective Date (YYYYMMDD)	8	64 – 71	R	R	R	YYYYMMDD — Enrollment effective date
15	Segment ID	3	72 – 74	R, blank for non-segmented organizations; otherwise, 3 digits	R, blank for non-segmented organizations; otherwise, 3 digits	N/A	3-blanks = non-segmented organization transaction; for segmented organization transactions, 3-character numeric = segment number, zero padded, 001-999 valid plan Segment ID range. Only local plans (Hxxxx) may have segments.
16	Filler	5	75 – 79	N/A	N/A	N/A	
17	Prior Commercial Override	1	80	If applies; otherwise, zero or blank	If applies; otherwise, zero or blank	N/A	Required if beneficiary is ESRD and wants to enroll in a MA, MA-PD, Cost, HCPP plans. Not required if plan is special needs plan (SNP). Alpha-numeric, 0-9 and A-F. Zero (0) and blank = no override.
18	Premium Withhold Option/ Parts C-D	1	81	R	R	R	D = direct self-pay; S = deduct from SSA benefits; R = deduct from RRB benefits; O = deduct from OPM benefits; N = No premium applicable. The option applies to both Part C and D premiums. Note: R and O are future use values.
19	Part C Premium Amount (XXXXvXX)	6	82 – 87	R	R	N/A	6 digits with leading zeroes, or blank if premium does not apply. Decimal point assumed 2 digits from right, XXXXvXX. For example, '000000' is \$0.00 and '010073' is \$100.73.
20	Part D Premium Amount (XXXXvXX)	6	88 – 93	N/A	R	R	6 digits with leading zeroes, or blank if premium does not apply. Decimal point assumed 2 digits from right, XXXXvXX. For example, '000000' is \$0.00 and '010073' is \$100.73.

Item	Field	Size	Position	Plan Election (PBP Change) 71			Description
				MA	MA-PD	PDP	
21	Creditable Coverage Flag	1	94	N/A	R	R	'Y' if covered, 'N' if not covered.
22	Number of Uncovered Months	3	95 – 97	N/A	R, blank = zero, meaning no uncovered months	R, blank = zero, meaning no uncovered months	Count of total months without drug coverage, leading zeroes and right justified. Count must be greater than or equal to two (002) when "Creditable Coverage Flag," item (21) above, is 'N'. Count must be zero (000) when "Creditable Coverage Flag" is 'Y'.
23	Employer Subsidy Enrollment Override Flag	1	98	N/A	R, if beneficiary has Employer Subsidy status; otherwise blank	R, if beneficiary has Employer Subsidy status; otherwise blank	If the beneficiary is in a plan receiving an employer subsidy, but still wants to enroll in a Part D plan, submit the enrollment with the override = 'Y'; otherwise, blank.
24	Part D Opt-Out Flag	1	99	Y is required when opting out for Part D; otherwise, leave blank.	N/A	N/A	This field is applicable to PBP change from MA-PD to MA, provided election is made in OEPI, SEP, or AEP election type.
25	Filler	20	100 –119	N/A	N/A	N/A	Spaces.
26	Filler	15	120 – 134	N/A	N/A	N/A	Spaces.
27	Secondary Drug Insurance Flag	1	135	N/A	R	R	For MA-PD and PDP transactions, 'Y' = beneficiary has secondary drug insurance; 'N' = beneficiary does not have secondary drug insurance available; blank = do not know whether beneficiary has secondary drug insurance.
28	Secondary Rx ID	20	136 – 155	N/A	R, if secondary insurance; otherwise, N/A	R, if secondary insurance; otherwise, N/A	Secondary insurance plan's ID number for beneficiary. Alphanumeric; uppercase when alpha; left justified. Uppercase printable characters and default value of spaces.

Item	Field	Size	Position	Plan Election (PBP Change) 71			Description
				MA	MA-PD	PDP	
29	Secondary Rx Group	15	156– 170	N/A	R, if secondary insurance; otherwise, N/A	R, if secondary insurance; otherwise, N/A	Secondary insurance plan's group ID number for beneficiary. Alphanumeric; uppercase when alpha; left justified. Uppercase printable characters and default value of spaces.
30	Enrollment Source	1	171	FILLER	FILLER	FILLER	Not currently available for MCO use.
31	SSN	9	172 – 180	R (If change to MSA)	FILLER	FILLER	Future use.
32	Trustee Routing Number	9	181 – 189	R (If change to MSA)	FILLER	FILLER	Future use.
33	Bank Account Number	17	190 – 206	R (If change to MSA)	FILLER	FILLER	Future use.
34	Bank Account Type	1	207	R (If change to MSA)	FILLER	FILLER	Future use.
35	Filler	17	208 – 224	N/A	N/A	N/A	Spaces.
36	Part D Rx Bin	6	225-230	N/A	R (for all Part D plan except PACE National); otherwise blank	R (for all Part D plan except PACE National); otherwise blank	
37	Part D Rx PCN	10	231-240	N/A	Change-to value (for all Part D plans except PACE National); otherwise blank	Change-to value (for all Part D plans except PACE National); otherwise blank	

Item	Field	Size	Position	Plan Election (PBP Change) 71			Description
				MA	MA-PD	PDP	
38	Part D Rx Group	15	241-255	N/A	Change-to value (for all Part D plans except PACE National); otherwise blank	Change-to value (for all Part D plans except PACE National); otherwise blank	
39	Part D Rx ID	20	256-275	N/A	R (for all Part D plan except PACE National); otherwise blank	R (for all Part D plan except PACE National); otherwise blank	
40	Secondary Rx BIN	6	276-281	N/A	R if secondary insurance; otherwise blank	R if secondary insurance; otherwise blank	
41	Secondary Rx PCN	9	282-291	N/A	R if secondary insurance; otherwise blank	R if secondary insurance; otherwise blank	
42	Filler	9	292-300	FILLER	FILLER	FILLER	Spaces.

E.7.5 Plan Change Record

Item	Field	Size	Position	Plan Change 72			Description
				MA	MA-PD	PDP	
1	HIC#	12	1 – 12	R	R	R	Nine-byte SSN of primary beneficiary (Beneficiary Claim Account Number); two-byte BIC (Beneficiary Identification Code); one-byte filler (except RRB)
2	Surname	12	13 – 24	R	R	R	Beneficiary's last name
3	First Name	7	25 – 31	R	R	R	Beneficiary's first name
4	M. Initial	1	32				Beneficiary's middle initial
5	Sex	1	33	R	R	R	'1' = male, '2' = female, '0' = unknown
6	Birth Date (YYYYMMDD)	8	34 – 41	R	R	R	YYYYMMDD — Beneficiary's date of birth
7	EGHP Flag	1	42	blank = no change	blank = no change	blank = no change	For type 72 transactions, 'Y' if EGHP, 'N' if not EGHP, and blank indicates no change.
8	PBP #	3	43 – 45	R	R	R	3-blanks = non-PBP organizations, COST (if non-PBP) and non-MA Demos; otherwise, 3-character numeric = PBP number, zero-padded, 001-999 valid for MA, MA-PD, PDP, and certain COST, PACE and DEMO plans.
9	Election Type	1	46	R, for premium withhold option changes; otherwise, N/A	R, for premium withhold option changes; otherwise, N/A	R, for premium withhold option changes; otherwise, N/A	'S' = SEP for premium withhold option changes; otherwise, blank
10	Contract #	5	47 – 51	R	R	R	Hxxxx = identifies local MAs and MA-PDs. Rxxxx = identifies regional MAs and MA-PDs. Sxxxx = identifies PDPs. Fxxxx = identifies fallback plans. Exxxx = identifies regular employer PDPs.

Item	Field	Size	Position	Plan Change 72			Description
				MA	MA-PD	PDP	
11	Application Date	8	52 – 59	N/A	N/A	N/A	YYYYMMDD — Either the date the plan received the beneficiary's completed enrollment (electronic) or the date the beneficiary signed the enrollment application (paper).
12	Transaction Code	2	60 – 61	R	R	R	'72' = Used to change premium withhold option, credible coverage, etc.
13	Disenrollment Reason (Future Use)	2	62 – 63	N/A	N/A	N/A	Future use.
14	Effective Date (YYYYMMDD)	8	64 – 71	R	R	R	YYYYMMDD — Effective date of requested change.
15	Segment ID	3	72 – 74	Blank or change-to value for local plans; otherwise, N/A	Blank or change-to value for local plans; otherwise, N/A	N/A	Blank if no change; otherwise, for segment changes, 3-character numeric = segment number, zero padded; 001-999 valid plan Segment ID range. Only local plans (Hxxxx) may have segments.
16	Filler	5	75 – 79	N/A	N/A	N/A	Spaces.
17	Prior Commercial Override	1	80	N/A	N/A	N/A	N/A
18	Premium Withhold Option/ Parts C-D	1	81	blank or change-to value	blank or change-to value	blank or change-to value	Blank if no change; otherwise, D = direct self-pay; S = deduct from SSA benefits; R = deduct from RRB benefits; O = deduct from OPM benefits; N = No premium applicable. The option applies to both Part C and D premiums. Note: R and O are future use values.
19	Part C Premium Amount (XXXXvXX)	6	82 – 87	Blank or change-to value	Blank or change-to value	N/A	Blank if no change; otherwise, 6 digits with leading zeroes, decimal point assumed 2 digits from right, XXXXvXX. For example, '000000' is \$0.00 and '010073' is \$100.73.

Item	Field	Size	Position	Plan Change 72			Description
				MA	MA-PD	PDP	
20	Part D Premium Amount (XXXXvXX)	6	88 – 93	N/A	Blank or change-to value	Blank or change-to value	Blank if no change; otherwise, 6 digits with leading zeroes, decimal point assumed 2 digits from right, XXXXvXX. For example, '000000' is \$0.00 and '010073' is \$100.73.
21	Creditable Coverage Flag	1	94	N/A	Blank or change-to value	Blank or change-to value	Blank if no change; otherwise, 'Y' if covered, 'N' if not covered.
22	Number of Uncovered Months	3	95 – 97	N/A	Blank or change-to value	Blank or change-to value	Blank if no change; otherwise, count of total months without drug coverage, leading zeroes and right justified. Count must be greater than or equal to two (002) when "Creditable Coverage Flag," item (21) above, is 'N'. Count must be zero (000) when "Creditable Coverage Flag" is 'Y'.
23	Employer Subsidy Enrollment Override Flag	1	98	N/A	N/A	N/A	N/A
24	Part D Opt-Out Flag	1	99	N/A	N/A	N/A	N/A
25	Filler	20	100 – 119	N/A	N/A	N/A	Spaces.
26	Filler	15	120 – 134	N/A	N/A	N/A	Spaces.
27	Secondary Drug Insurance Flag	1	135	N/A	Blank or change-to value	Blank or change-to value	Blank if no change; otherwise, for MA-PD and PDP transactions, 'Y' = beneficiary has secondary drug insurance; 'N' = beneficiary does not have secondary drug insurance available.
28	Secondary Rx ID	20	136 – 155	N/A	R, if secondary insurance change-to value is Y	R, if secondary insurance change-to value is Y	Blank if no change; otherwise, secondary insurance plan's ID number for beneficiary. Alphanumeric; uppercase when alpha; left justified. Uppercase printable characters and default value of spaces.

Item	Field	Size	Position	Plan Change 72			Description
				MA	MA-PD	PDP	
29	Secondary Rx Group	15	156 – 170	N/A	R, if secondary insurance change-to value is Y	R, if secondary insurance change-to value is Y	Blank if no change; otherwise, secondary insurance plan's group ID number for beneficiary. Alphanumeric; uppercase when alpha; left justified. Uppercase printable characters and default value of spaces.
30	Enrollment Source	1	171	FILLER	FILLER	FILLER	Not currently available for MCO use.
31	SSN	9	172 – 180	FILLER	FILLER	FILLER	Future use.
32	Trustee Routing Number	9	181 – 189	Blank or change-to value	FILLER	FILLER	Future use.
33	Bank Account Number	17	190 – 206	Blank or change-to value	FILLER	FILLER	Future use.
34	Bank Account Type	1	207	Blank or change-to value	FILLER	FILLER	Future use.
35	Filler	17	208 – 224	N/A	N/A	N/A	Spaces.

Item	Field	Size	Position	Plan Change 72			Description
				MA	MA-PD	PDP	
36	Part D Rx Bin	6	225-230	If 4Rx Plan Change then required together with Part D Rx ID when changing 4Rx primary insurance information. Must either be the beneficiary's current Part D Rx ID or the change-to value. Can only be blank when not changing a beneficiary's 4Rx primary insurance. If NON-4Rx Plan Change then blank.	If 4Rx Plan Change then required together with Part D Rx ID when changing 4Rx primary insurance information. Must either be the beneficiary's current Part D Rx ID or the change-to value. Can only be blank when not changing a beneficiary's 4Rx primary insurance. If NON-4Rx Plan Change then blank.	If 4Rx Plan Change then required together with Part D Rx ID when changing 4Rx primary insurance information. Must either be the beneficiary's current Part D Rx ID or the change-to value. Can only be blank when not changing a beneficiary's 4Rx primary insurance. If NON-4Rx Plan Change then blank.	

Item	Field	Size	Position	Plan Change 72			Description
				MA	MA-PD	PDP	
37	Part D Rx PCN	10	231-240	If 4 Rx Plan change - Change-to value, either a new value or a blank. Blank will remove the beneficiary's existing Part D Rx PCN value. If NON-4Rx plan change then blank.	If 4 Rx Plan change - Change-to value, either a new value or a blank. Blank will remove the beneficiary's existing Part D Rx PCN value. If NON-4Rx plan change then blank.	If 4 Rx Plan change - Change-to value, either a new value or a blank. Blank will remove the beneficiary's existing Part D Rx PCN value. If NON-4Rx plan change then blank.	
38	Part D Rx Group	15	241-255	If 4 Rx Plan change - Change-to value, either a new value or a blank. Blank will remove the beneficiary's existing Part D Rx Group value. If NON-4Rx plan change then blank.	If 4 Rx Plan change - Change-to value, either a new value or a blank. Blank will remove the beneficiary's existing Part D Rx Group value. If NON-4Rx plan change then blank.	If 4 Rx Plan change - Change-to value, either a new value or a blank. Blank will remove the beneficiary's existing Part D Rx Group value. If NON-4Rx plan change then blank.	

Item	Field	Size	Position	Plan Change 72			Description
				MA	MA-PD	PDP	
39	Part D Rx ID	20	256-275	If 4Rx Plan change—required together with Part D Rx BIN when changing 4Rx primary insurance information. Must either be the beneficiary's current Part D Rx ID or the change-to value. Can only be blank when not changing a beneficiary's 4Rx primary insurance information. If NON-4Rx then blank.	If 4Rx Plan change—required together with Part D Rx BIN when changing 4Rx primary insurance information. Must either be the beneficiary's current Part D Rx ID or the change-to value. Can only be blank when not changing a beneficiary's 4Rx primary insurance information. If NON-4Rx then blank.	If 4Rx Plan change—required together with Part D Rx BIN when changing 4Rx primary insurance information. Must either be the beneficiary's current Part D Rx ID or the change-to value. Can only be blank when not changing a beneficiary's 4Rx primary insurance information. If NON-4Rx then blank.	
40	Secondary Rx BIN	6	276-281	If 4Rx then blank or new additional value. Blank does not remove or replace existing data. If NON-4Rx then blank.	If 4Rx then blank or new additional value. Blank does not remove or replace existing data. If NON-4Rx then blank.	If 4Rx then blank or new additional value. Blank does not remove or replace existing data. If NON-4Rx then blank.	

Item	Field	Size	Position	Plan Change 72			Description
				MA	MA-PD	PDP	
41	Secondary Rx PCN	9	282-291	If 4Rx then blank or new additional value. Blank does not remove or replace existing data. If NON-4Rx then blank.	If 4Rx then blank or new additional value. Blank does not remove or replace existing data. If NON-4Rx then blank.	If 4Rx then blank or new additional value. Blank does not remove or replace existing data. If NON-4Rx then blank.	
42	Filler	9	292-300	FILLER	FILLER	FILLER	Spaces.

E.7.6 Correction Record

Note: The effective date for '01' transactions comes from the file header.

Item	Field	Size	Position	Correction	Description
1	HIC#	12	1 – 12	R	Nine-byte SSN of primary beneficiary (Beneficiary Claim Account Number); two-byte BIC (Beneficiary Identification Code); one-byte filler (except RRB)
2	Surname	12	13 – 24	R	Beneficiary's last name
3	First Name	7	25 – 31	R	Beneficiary's first name
4	M. Initial	1	32		Beneficiary's middle initial
5	Action Code	1	33	R	D = Institutional ON E = Medicaid ON F = Medicaid OFF G = Nursing Home Certifiable (NHC) ON
6	Filler	13	34 – 46	N/A	Spaces
7	Contract #	5	47 – 51	R	Contract Number
8	Filler	8	52 – 59	N/A	Spaces
9	Transaction Code	2	60 – 61	R	'01' = Correction
10	Filler	239	62 – 300	N/A	Spaces

E.8 Failed Transaction Data File

This is a report detailing transactions that cannot be loaded into the enrollment processing system for processing due to formatting errors. These records are the result of errors with transaction format or incorrect data types for transaction data elements. This data file is sent to the user who submitted the batch. It contains a header record and failed records for 51, 60, 61, 71, 72, and 01 transaction types.

The following records are included in this file:

- Header Record
- Failed Records

E.8.1 Header Record

Item	Field Name	Len	Pos	Description
1	User ID	8	1-8	Submitter identification, left justified, tailing blanks
2	Timestamp	26	9-34	Year, month, day, hours, minutes, seconds, and fraction of second YYYY-MM-DD-HH-MM-SS.ssssss
3	Spaces	3	35-37	Spaces
4	Transaction Batch Number	9	38-46	MARx batch ID, right justified, leading zeroes
5	Header Message	12	47-58	'AAAAAAHEADER'
6	Spaces	2	59- 60	Spaces
7	Date Stamp of Receipt of Transaction File by MARx	10	61-70	Format: YYYY-MM-DD
8	Space	1	71	Space
9	Time Stamp of Receipt of Transaction File by MARx	8	72-79	Format: HH.MM.SS
10	Spaces	267	80-346	Spaces

E. 8. 2 Failed Records for 51-, 60-, 61-, 71-, and 72- Type Transactions

Item	Field	Size	Position	Description
1	User ID	8	1 – 8	Submitter identification, left justified, trailing blanks
2	Timestamp	26	9 – 34	Year, month, day, hours, minutes, seconds, and fraction of second YYYY-MM-DD-HH-MM-SS.ssssss
3	Transaction Reply Code	3	35 – 37	Transaction reply code for failure
4	Transaction Batch Number	9	38 – 46	MARx batch ID, right justified, leading zeroes
5	Beneficiary HICN#	12	47 – 58	From input transaction
6	Beneficiary Surname	12	59 – 70	From input transaction
7	Beneficiary First Name	7	71 – 77	From input transaction
8	Beneficiary Middle Initial	1	78	From input transaction
9	Sex	1	79	From input transaction; otherwise blank
10	Birth Date	8	80 – 87	From input transaction
11	EGHP Flag	1	88	From input transaction; otherwise blank
12	PBP #	3	89 – 91	From input transaction; otherwise blank
13	Election Type	1	92	From input transaction; otherwise blank
14	Contract #	5	93 – 97	From input transaction
15	Application Date	8	98 – 105	From input transaction; otherwise blank
16	Transaction Code	2	106 – 107	From input transaction: 51, 60, 61, 71, or 72
17	Disenrollment Reason	2	108 – 109	From input transaction; otherwise blank
18	Effective Date	8	110 – 117	From input transaction; otherwise blank
19	Segment ID	3	118 – 120	From input transaction; otherwise blank
20	Filler	5	121 – 125	Spaces
21	Prior Commercial Override	1	126	From input transaction; otherwise blank
22	Premium Withhold Option/Parts C-D	1	127	From input transaction; otherwise blank
23	Part C Premium Amount	6	128 – 133	From input transaction; otherwise blank

Item	Field	Size	Position	Description
24	Part D Premium Amount	6	134 – 139	From input transaction; otherwise blank
25	Creditable Coverage Flag	1	140	From input transaction; otherwise blank
26	Number of Uncovered Months	3	141 – 143	From input transaction; otherwise blank
27	Employer Subsidy Enrollment Override Flag	1	144	From input transaction; otherwise blank
28	Part D Opt-Out Flag	1	145	From input transaction; otherwise blank
29	Filler	20	146 – 165	Field removed
30	Filler	15	166 – 180	Field removed
31	Secondary Drug Insurance Flag	1	181	From input transaction; otherwise blank
32	Secondary Rx ID	20	182 – 201	From input transaction; otherwise blank
33	Secondary Rx Group	15	202 – 216	From input transaction; otherwise blank
34	Enrollment Source	1	217	From input transaction; otherwise blank
35	Filler (MSA Fields – Future Use)	36	218 – 253	Future Use
36	Filler	17	254 – 270	Spaces
37	Part D Rx Bin	6	271-276	From input transaction; otherwise blank
38	Part D Rx PCN	10	277-286	From input transaction; otherwise blank
39	Part D Rx Group	15	287-301	From input transaction; otherwise blank
40	Part D Rx ID	20	302-321	From input transaction; otherwise blank
41	Secondary Rx BIN	6	322-327	From input transaction; otherwise blank
42	Secondary Rx PCN	10	328-337	From input transaction; otherwise blank
43	Filler	9	338-346	Spare

E.8.3 Failed Records for 01- Type Transaction

Item	Field	Size	Position	Description
1	User ID	8	1 – 8	Submitter identification, left justified, trailing blanks
2	Timestamp	26	9 – 34	Year, month, day, hours, minutes, seconds, and fraction of second YYYY-MM-DD-HH-MM-SS.ssssss
3	Transaction Reply Code	3	35 – 37	Transaction reply code for failure
4	Transaction Batch Number	9	38 – 46	MARx batch ID, right justified, leading zeroes
5	Beneficiary HICN#	12	47 – 58	From input transaction
6	Beneficiary Surname	12	59 – 70	From input transaction
7	Beneficiary First Name	7	71 – 77	From input transaction
8	Beneficiary Middle Initial	1	78	From input transaction
9	Action Code	1	79	From input transaction; otherwise blank
10	Filler	13	80 – 92	Spaces
11	Contract #	5	93 – 97	From input transaction; otherwise blank
12	Filler	8	98 – 105	Spaces
13	Transaction Code	2	106 – 107	'01' = correction
14	Filler	239	108 – 346	Spaces

E.9 Monthly Membership Detail Data File

This is a data file version of the Monthly Membership Detail Report. The report lists every Part C and Part D Medicare member of the contract and provides details about the payments and adjustments made for each. This file contains the data for both Part C and Part D members. It is generated monthly.

Item	Field	Size	Position	Description
1	MCO Contract Number	5	1-5	MCO Contract Number
2	Run Date of the File	8	6-13	Date the file was created YYYYMMDD
3	Payment Date	6	14-19	Payment month YYYYMM
4	HIC Number	12	20-31	Member's HIC #
5	Surname	7	32-38	First 7 letters of the member's surname
6	First Initial	1	39-39	First initial of the member's first name
7	Sex	1	40-40	The member's gender M = Male, F = Female
8	Date of Birth	8	41-48	The member's date of birth YYYYMMDD
9	Age Group	4	49-52	BBEE BB = Beginning Age EE = Ending Age
10	State & County Code	5	53-57	
11	Out of Area Indicator	1	58-58	Y = Out of Contract-level service area Always Spaces on Adjustment
12	Part A Entitlement	1	59-59	Y = Entitled to Part A
13	Part B Entitlement	1	60-60	Y = Entitled to Part B
14	Hospice	1	61-61	Y = Hospice
15	ESRD	1	62-62	Y = ESRD
16	Aged/Disabled MSP	1	63-63	Y = Working Aged
17	Institutional	1	64-64	Y = Institutional (monthly)
18	NHC	1	65-65	Y = Nursing Home Certifiable

Item	Field	Size	Position	Description
19	Medicaid	1	66-66	Y = Medicaid Status
20	LTI Flag	1	67-67	Y = Part C Long Term Institutional
21	Medicaid Indicator	1	68-68	Y = Medicaid Add-on
22	PIP-DCG	2	69-70	PIP-DCG Category - Only on pre-2004 adjustments
23	Default Indicator	1	71-71	Y = default RA factor in use • For pre-2004 adjustments, a "Y" indicates that a new enrollee RA factor is in use • For post-2003 payments and adjustments, a "Y" indicates that a default factor was generated by the system due to lack of a RA factor.
24	Risk Adjuster Factor A	7	72-78	NN.DDDD
25	Risk Adjuster Factor B	7	79-85	NN.DDDD
26	Number of Paymt/Adjustmt Months Part A	2	86-87	99
27	Number of Paymt/Adjustmt Months Part B	2	88-89	99
28	Adjustment Reason Code	2	90-91	99 Always Spaces on Payment
29	Paymt/Adjustmt Start Date	8	92-99	YYYYMMDD
30	Paymt/Adjustmt End Date	8	100-107	YYYYMMDD
31	Demographic Paymt/Adjustmt Rate A	9	108-116	-99999.99
32	Demographic Paymt/Adjustmt Rate B	9	117-125	-99999.99
33	Risk Adjuster Paymt/Adjustmt Rate A	9	126-134	-99999.99
34	Risk Adjuster Paymt/Adjustmt Rate B	9	135-143	-99999.99
35	LIS Premium Subsidy	8	144-151	-9999.99
36	ESRD MSP Flag	1	152-152	Format X. Values = 'Y' or 'N'(default) Indicates if Medicare is the Secondary Payer for an ESRD member
37	FILLER	19	153-171	SPACES
38	Risk Adjuster Age Group (RAAG)	4	172-175	BBEE BB = Beginning Age EE = Ending Age

Item	Field	Size	Position	Description
39	Previous Disable Ratio (PRDIB)	7	176-182	NN.DDDD Percentage of Year (in months) for Previous Disable Add-On – Only on pre-2004 adjustments
40	FILLER	2	183-184	SPACES
41	Plan Benefit Package Id	3	185-187	Plan Benefit Package Id FORMAT 999
42	Race Code	1	188-188	Format X Values: 0 = Unknown 1 = White 2 = Black 3 = Other 4 = Asian 5 = Hispanic 6 = N. American Native
43	RA Factor Type Code	2	189-190	Type of factors in use (see Fields 24-25): C = Community C1 = Community Post-Graft I (ESRD) C2 = Community Post-Graft II (ESRD) D = Dialysis (ESRD) E = New Enrollee ED = New Enrollee Dialysis (ESRD) E1 = New Enrollee Post-Graft I (ESRD) E2 = New Enrollee Post-Graft II (ESRD) G1 = Graft I (ESRD) G2 = Graft II (ESRD) I = Institutional I1 = Institutional Post-Graft I (ESRD) I2 = Institutional Post-Graft II (ESRD)
44	Frailty Indicator	1	191-191	Y = MCO-level Frailty Factor Included
45	Original Reason for Entitlement (OREC)	1	192-192	0 = Beneficiary insured due to age 1 = Beneficiary insured due to disability 2 = Beneficiary insured due to ESRD

Item	Field	Size	Position	Description
				3 = Beneficiary insured due to disability and current ESRD
46	Lag Indicator	1	193-193	Y = Encounter data used to calculate RA factor lags payment year by 6 months
47	Segment ID	3	194-196	Identification number of the segment of the PBP. Blank if there are no segments.
48	Enrollment Source	1	197	The source of the enrollment. Values are A = Auto-enrolled by CMS, B = Beneficiary election, C = Facilitated enrollment by CMS, D = Systematic enrollment by CMS (rollover)
49	EGHP Flag	1	198	Employer Group flag; Y = member of employer group, N = member is not in an employer group
50	Part C Basic Premium – Part A Amount	8	199-206	The premium amount for determining the MA payment attributable to Part A. It is subtracted from the MA plan payment for plans that bid above the benchmark. -9999.99
51	Part C Basic Premium – Part B Amount	8	207-214	The premium amount for determining the MA payment attributable to Part B. It is subtracted from the MA plan payment for plans that bid above the benchmark. -9999.99
52	Rebate for Part A Cost Sharing Reduction	8	215-222	The amount of the rebate allocated to reducing the member's Part A cost-sharing. This amount is added to the MA plan payment for plans that bid below the benchmark. -9999.99
53	Rebate for Part B Cost Sharing Reduction	8	223-230	The amount of the rebate allocated to reducing the member's Part B cost-sharing. This amount is added to the MA plan payment for plans that bid below the benchmark. -9999.99
54	Rebate for Other Part A Mandatory Supplemental Benefits	8	231-238	The amount of the rebate allocated to providing Part A supplemental benefits. This amount is added

Item	Field	Size	Position	Description
				to the MA plan payment for plans that bid below the benchmark. -9999.99
55	Rebate for Other Part B Mandatory Supplemental Benefits	8	239-246	The amount of the rebate allocated to providing Part B supplemental benefits. This amount is added to the MA plan payment for plans that bid below the benchmark. -9999.99
56	Rebate for Part B Premium Reduction – Part A Amount	8	247-254	The Part A amount of the rebate allocated to reducing the member's Part B premium. This amount is retained by CMS for non- ESRD members and it is subtracted from ESRD member's payments. -9999.99
57	Rebate for Part B Premium Reduction – Part B Amount	8	255-262	The Part B amount of the rebate allocated to reducing the member's Part B premium. This amount is retained by CMS for non- ESRD members and it is subtracted from ESRD member's payments. -9999.99
58	Rebate for Part D Supplemental Benefits – Part A Amount	8	263–270	Part A Amount of the rebate allocated to providing Part D supplemental benefits. -9999.99
59	Rebate for Part D Supplemental Benefits – Part B Amount	8	271–278	Part B Amount of the rebate allocated to providing Part D supplemental benefits. -9999.99
60	Total Part A MA Payment	10	279–288	The total Part A MA payment. -999999.99
61	Total Part B MA Payment	10	289–298	The total Part B MA payment. -999999.99
62	Total MA Payment Amount	11	299-309	The total MA A/B payment including MMA adjustments. This also includes the Rebate Amount for Part D Supplemental Benefits -9999999.99

Item	Field	Size	Position	Description
63	Part D RA Factor	7	310-316	The member's Part D risk adjustment factor. NN.DDDD
64	Part D Low-Income Indicator	1	317	An indicator to identify if the Part D Low-Income multiplier is included in the Part D payment. Values are 1 (subset 1), 2 (subset 2) or blank.
65	Part D Low-Income Multiplier	7	318-324	The member's Part D low-income multiplier. NN.DDDD
66	Part D Long Term Institutional Indicator	1	325	An indicator to identify if the Part D Long-Term Institutional multiplier is included in the Part D payment. Values are A (aged), D (disabled) or blank.
67	Part D Long Term Institutional Multiplier	7	326-332	The member's Part D institutional multiplier. NN.DDDD
68	Rebate for Part D Basic Premium Reduction	8	333-340	Amount of the rebate allocated to reducing the member's basic Part D premium. -9999.99
69	Part D Basic Premium Amount	8	341-348	The plan's Part D premium amount. -9999.99
70	Part D Direct Subsidy Payment Amount	10	349-358	The total Part D Direct subsidy payment for the member. -999999.99
71	Reinsurance Subsidy Amount	10	359-368	The amount of the reinsurance subsidy included in the payment. -999999.99
72	Low-Income Subsidy Cost-Sharing Amount	10	369-378	The amount of the low-income subsidy cost-sharing amount included in the payment. -999999.99
73	Total Part D Payment	11	379-389	The total Part D payment for the member - 9999999.99.
74	Number of Paymt/Adjustmt Months Part D	2	390-391	99
75	Pace Premium Add On	10	392-401	Total Part D Pace Premium Add-on amount - 999999.99

Item	Field	Size	Position	Description
76	Pace Cost Sharing Add-on	10	402-411	Total Part D Pace Cost Sharing Add-on amount - 999999.99

This page intentionally left blank.

E.10 Monthly Membership Summary Data File

This is a data file version of the Monthly Membership Summary Report for both Part C and Part D members, summarizing payments made to a Plan for the month, in several categories; and the adjustments, by all adjustment categories.

Item	Field Name	Len	Pos	Description
1	MCO Contract Number	5	1-5	MCO Contract Number
2	Run Date of the File	8	6-13	YYYYMMDD
3	Payment Date	6	14-19	YYYYMM
4	Adjustment Reason Code	2	20-21	Adjustment reason Code
5	Record Description	10	22-31	Description of the record: TOTAL PAYM ESRD HOSPICE MCAID OTHER WA OUTOFAREA DIR SUBSDY LIS CSTSHR EST REINS PACE PRM PACE CSHR PTC PREM RBT AB CSR RBT AB MSB RBT D PRRE RBT D SUBE PTB PRM RE B PRM RE A B PRM RE D BSF MNTHLY TOTAL ADJ HOSPIC ON HOSPIC OFF

Item	Field Name	Len	Pos	Description
				ESRD ON ESRD OFF INST ON INST OF MCAID ON MCAID OFF WKAGE ON WKAGE OFF NHC ON NHC OFF DEATH RETRO ENRO RETRO DISEN CORR PARTA RETRO SCC C CORR DEATH CORR BIRTH CORR SEX PTC RATE CORR PARTB DISENROLL P DEMO FACTO PTC RSK AD RETRO CHF HOSPICE RAT RTRO PTC P RTRO PTD L RTRO CST S RTRO EST R RTRO PTC R RTRO REBAT PTD RATE C PTD RAF SEG ID CHG

Item	Field Name	Len	Pos	Description
6	Payment Adjustment Count	7	32-38	Beneficiary Count
7	Month count	7	39-45	For payment records it will be the number of beneficiary payments but for adjustment records it will be the number of months adjusted
8	Part A Member count	7	46-52	Beneficiary Count for Part A
9	Part A Month count	7	53-59	For payment records it will be the number of Part A beneficiary payments but for adjustment records it will be the number of months adjusted for Part A
10	Part B Member count	7	60-66	Beneficiary Count for Part B
11	Part B Month count	7	67-73	For payment records it will be the number of Part B beneficiary payments but for adjustment records it will be the number of months adjusted for Part B
12	Part A Payment/Adjustment Amount	13	74-86	PART A Amount
13	Part B Payment/Adjustment Amount	13	87-99	PART B Amount
14	Total Amount	13	100-112	Total Payment/Adjustment Amount
15	Part A Average	9	113-121	Average Part A Amount per Part A Member
16	Part B Average	9	122-130	Average Part B Amount per Part B Member
17	Payment/Adjustment Indicator	1	131-131	'P' for Payments and 'A' for Adjustments
18	PBP Number	3	132-134	Plan Benefit Package Number
19	Segment Number	3	135-137	Segment Number
20	Part D Member Count	7	138-144	Beneficiary count for PART D
21	Part D Month Count	7	145-151	For payment record it will always be 1 but for adjustment record it will be the number of months adjusted for Part D
22	Part D Amount	13	152-164	Part D Amount
23	Part D Average	9	165-173	Average Part D Amount per Part D Member
24	LIS Band 25% member count	7	174-180	Count of Beneficiary's in the 25% LIS band
25	LIS Band 50% member count	7	181-187	Count of Beneficiary's in the 50% LIS band

Item	Field Name	Len	Pos	Description
26	LIS Band 75% member count	7	188-194	Count of Beneficiary's in the 75% LIS band
27	LIS Band 100% member count	7	195-201	Count of Beneficiary's in the 100% LIS band

E.11 Monthly Premium Withholding Report Data File

This is a monthly reconciliation file of premiums withheld from SSA, RRB, or OPM checks. It includes Part C and Part D premiums and any Part D Late Enrollment Penalties. This file is produced by the Premium Withhold System (PWS). The enrollment processing system makes this report available to Plans as part of the month-end processing. The file includes the following records:

- Header Record
- Detail Record
- Trailer Record

E.11.1 Header Record

Item	Field	Size	Position	Description
1	Record Type	2	1 – 2	H = Header Record PIC XX
2	MCO Contract Number	5	3 – 7	MCO Contract Number PIC X(5)
3	Payment Date	8	8 – 15	YYYYMMDD First 6 digits contain payment month PIC 9(8)
4	Report Date	8	16 – 23	YYYYMMDD Date this report created PIC 9(8)
5	FILLER	142	24 – 165	Spaces

E.11.2 Detail Record

Item	Field	Size	Position	Description
1	Record Type	2	1 – 2	D = Detail Record PIC XX
2	MCO Contract Number	5	3 – 7	MCO Contract Number PIC X(5)
3	Plan Benefit Package Id	3	8 – 10	Plan Benefit Package ID PIC X(3)
4	Plan Segment Id	3	11 – 13	PIC X(3)
5	HIC Number	12	14 – 25	Member's HIC # PIC X(12)
6	Surname	7	26 – 32	PIC X(7)
7	First Initial	1	33	PIC X
8	Sex	1	34	M = Male, F = Female PIC X
9	Date of Birth	8	35 – 42	YYYYMMDD PIC 9(8)
10	Premium Payment Option	3	43 – 45	Premium Payment Option in effect for this Pay Month "SSA" = Withholding by SSA "RRB" = Withholding by RRB "OPM" = Withholding by OPM PIC X(3)
11	FILLER	1	46	Space
12	Premium Period Start Date	8	47 – 54	Starting Date of Period Premium Payment Covers YYYYMMDD PIC 9(8)
13	Premium Period End Date	8	55 – 62	Ending Date of Period Premium Payment Covers YYYYMMDD PIC 9(8)

Item	Field	Size	Position	Description
14	Number of Months in Premium Period	2	63 – 64	PIC 99
15	Part C Premiums Collected	8	65 – 72	Part C Premiums Collected for this beneficiary, plan and premium period A negative amount indicates a refund by withholding agency to beneficiary of premiums paid in a prior premium period PIC -9999.99
16	Part D Premiums Collected	8	73 – 80	Part D Premiums Collected (excluding LEP) for this beneficiary, plan and premium period A negative amount indicates a refund by withholding agency to beneficiary of premiums paid in a prior premium period PIC -9999.99
17	Part D Late Enrollment Penalties Collected	8	81 – 88	Part D Late Enrollment Penalties Collected for this beneficiary, plan and premium period A negative amount indicates a refund by withholding agency to beneficiary of penalties paid in a prior premium period PIC -9999.99
18	FILLER	77	89 – 165	Spaces

E.11.3 Trailer Record

Item	Field	Size	Position	Description
1	Record Type	2	1 – 2	T1 = Trailer Record, withheld totals at segment level T2 = Trailer Record, withheld totals at PBP level T3 = Trailer record, withheld totals at contract level PIC XX
2	MCO Contract Number	5	3 – 7	MCO contract number PIC X(5)
3	Plan Benefit Package ID	3	8 – 10	Plan Benefit Package ID, not populated on T3 records PIC X(3)
4	Plan Segment Id	3	11 – 13	Not populated on T2 or T3 records PIC X(3)
5	Total Part C Premiums Collected	14	14 – 27	Total withholding collections as specified by Trailer Record type, field (1) PIC -9(10).99
6	Total Part D Premiums Collected	14	28 – 41	Total withholding collections as specified by Trailer Record type, field (1) PIC -9(10).99
7	Total Part D Late Enrollment Penalties Collected	14	42 – 55	Total withholding collections as specified by Trailer Record type, field (1) PIC -9(10).99
8	Total Premiums Collected	14	56 – 69	Total Premiums Collected = + Total Part C Premiums Collected + Total Part D Premiums Collected + Total Part D Penalties Collected PIC -9(10).99
9	FILLER	96	70 – 165	Spaces

E.12 Part B Claims (Record Type 1 and Record Type 2) Data File

E.12.1 Record Type 1

Item	Field	Size	Position	Description
1	Contract Number	5	1 – 5	MCO contract number
2	Record Type	1	6	Record Type Number 6—Physician/Supplier Record Type Number 7—Durable Medical Equipment
3	CAN-BIC	12	7 – 18	HIC Number
4	Period From	8	19 – 26	Start Date—YYYYMMDD
5	Period To	8	27 – 34	End Date—YYYYMMDD
6	Date of Birth	8	35 – 42	Beneficiary's Date of Birth—YYYYMMDD
7	Surname	6	43 – 48	First 6 positions of Beneficiary's surname
8	First Name	1	49	First letter of Beneficiary's first name
9	Middle Name	1	50	First letter of Beneficiary's middle name
10	Reimbursement Amount	11	51 – 61	Reimbursement amount for this claim.
11	Total Allowed Charges	11	62 – 72	Total allowed charges for this claim.
12	Report Date	6	73 – 78	Claims processed through date – YYYYMM. Assigned by the system as this file is produced. This is the cut-off date for including a claim in this file.
13	Contractor identification number	5	79 – 83	Identification number of the contractor that processed the claim
14	Provider identification number	10	84 – 93	Provider's identification number.
15	Internal Control Number	15	94 – 108	Internal control number assigned by the Medicare contractor to the claim.
16	Provider Payment Amount	11	109 – 119	Total amount paid to provider for this claim
17	Beneficiary Payment Amount	11	120 – 130	Total amount paid to beneficiary for this claim
18	Filler	57	131 – 187	Spaces

E.12.2 Record Type 2

Item	Field	Size	Position	Description
1	Contract Number	5	1 – 5	MCO contract number
2	Record Type	1	6	Record Type Number 5—Home Health Agency
3	CAN-BIC	12	7 – 18	HIC Number
4	Period From	8	19 – 26	Start Date—YYYYMMDD
5	Period To	8	27 – 34	End Date—YYYYMMDD
6	Date of Birth	8	35 – 42	Beneficiary's Date of Birth—YYYYMMDD
7	Surname	6	43 – 48	First 6 positions of Beneficiary's surname
8	First Name	1	49	First letter of Beneficiary's first name
9	Middle Name	1	50	First letter of Beneficiary's middle name
10	Reimbursement Amount	11	51 – 61	Reimbursement amount for this claim.
11	Total Charges	11	62 – 72	Total charges on the claim.
12	Report Date	6	73 – 78	Claims processed through date—YYYYMM. Assigned by the system when processing claims. This is the cut-off date for including a claim in this file.
13	Contractor identification number	5	79 – 83	Identification number of the contractor that processed the claim
14	Provider identification number	6	84 – 89	Provider's identification number
15	Filler	98	90 -- 187	Spaces

E.13 Part C Risk Adjustment Model Output Data File

The following records are included in this file:

- Header Record
- Detail Record
- Trailer Record

E.13.1 Header Record

Item	Field	Size	Position	Description
1	Record Typ	1	1	Set to "1"
2	Contract Number	5	2 – 6	Managed Care Organization (MCO) identification number
3	Run Date	8	7 – 14	Date when file was created, YYYYMMDD
4	Payment Year and Month	6	15 – 20	Identifies the risk adjustment payment year and month for the model run
5	Filler	142	21 – 162	Spaces

E.13.2 Detail Record

Field	Size	Position	Description
Record Type	1	1	Set to "2"
Health Insurance Claim Number	12	2 - 13	This is the Health Insurance Claim Number (known as HICN) identifying the primary Medicare Beneficiary under the SSA or RRB programs. The HICN consist of Beneficiary Claim Number (BENE_CAN_NUM) along with the Beneficiary Identification Code (BIC_CD) uniquely identifies a Medicare Beneficiary. For the RRB program, the claim account number is a 12 bytes account number.

Field	Size	Position	Description
Beneficiary Last Name	12	14 - 25	First 12 bytes of the Beneficiary Last Name
Beneficiary First Name	7	26 – 32	First 7 bytes of the Beneficiary First Name
Beneficiary Initial	1	33	Beneficiary Initial
Date of Birth	8	34 – 41	The date of birth of the Medicare Beneficiary. Format as YYYYMMDD.
Sex	1	42	Represents the sex of the Medicare Beneficiary. Examples include Male and Female. 0=unknown, 1=male, 2=female
Social Security Number	9	43 – 51	The beneficiary's current identification number that was assigned by the Social Security Administration.
Age Group Female0_34	1	52	The sex and age group for the beneficiary base on a given as of date. Female between ages of 0 through 34. Set to "1" if existed, otherwise "0."
Age Group Female35_44	1	53	The sex and age group for the beneficiary base on a given as of date. Female between ages of 35 through 44. Set to "1" if existed, otherwise "0."
Age Group Female45_54	1	54	The sex and age group for the beneficiary base on a given as of date. Female between ages of 45 through 54. Set to "1" if existed, otherwise "0."
Age Group Female55_59	1	55	The sex and age group for the beneficiary base on a given as of date. Female between ages of 55 through 59. Set to "1" if existed, otherwise "0."
Age Group Female60_64	1	56	The sex and age group for the beneficiary base on a given as of date. Female between ages of 60 through 64. Set to "1" if existed, otherwise "0."
Age Group Female65_69	1	57	The sex and age group for the beneficiary base on a given as of date. Female between ages of 65 through 69. Set to "1" if existed, otherwise "0."

Field	Size	Position	Description
Age Group Female70_74	1	58	The sex and age group for the beneficiary base on a given as of date. Female between ages of 70 through 74. Set to "1" if existed, otherwise ""0."
Age Group Female75_79	1	59	The sex and age group for the beneficiary base on a given as of date. Female between ages of 75 through 79. Set to "1" if existed, otherwise ""0."
Age Group Female80_84	1	60	The sex and age group for the beneficiary base on a given as of date. Female between ages of 80 through 84. Set to "1" if existed, otherwise ""0."
Age Group Female85_89	1	61	The sex and age group for the beneficiary base on a given as of date. Female between ages of 85 through 89. Set to "1" if existed, otherwise ""0."
Age Group Female90_94	1	62	The sex and age group for the beneficiary base on a given as of date. Female between ages of 90 through 94. Set to "1" if existed, otherwise ""0."
Age Group Female95_GT	1	63	The sex and age group for the beneficiary base on a given as of date. Female between age of 95 and greater. Set to "1" if existed, otherwise ""0."
Age Group Male0_34	1	64	The sex and age group for the beneficiary base on a given as of date. Male between ages of 0 through 34. Set to "1" if existed, otherwise ""0."
Age Group Male35_44	1	65	The sex and age group for the beneficiary base on a given as of date. Male between ages of 35 through 44. Set to "1" if existed, otherwise ""0."
Age Group Male45_54	1	66	The sex and age group for the beneficiary base on a given as of date. Male between ages of 45 through 54. Set to "1" if existed, otherwise ""0."
Age Group Male55_59	1	67	The sex and age group for the beneficiary base on a given as of date. Male between ages of 55 through 59. Set to "1" if existed, otherwise ""0."
Age Group Male60_64	1	68	The sex and age group for the beneficiary base on a given as of date. Male between ages of 60 through 64. Set to "1" if existed, otherwise ""0."

Field	Size	Position	Description
Age Group Male65_69	1	69	The sex and age group for the beneficiary base on a given as of date. Male between ages of 65 through 69. Set to "1" if existed, otherwise ""0."
Age Group Male70_74	1	70	The sex and age group for the beneficiary base on a given as of date. Male between ages of 70 through 74. Set to "1" if existed, otherwise ""0."
Age Group Male75_79	1	71	The sex and age group for the beneficiary base on a given as of date. Male between ages of 75 through 79. Set to "1" if existed, otherwise ""0."
Age Group Male80_84	1	72	The sex and age group for the beneficiary base on a given as of date. Male between ages of 80 through 84. Set to "1" if existed, otherwise ""0."
Age Group Male85_89	1	73	The sex and age group for the beneficiary base on a given as of date. Male between ages of 85 through 89. Set to "1" if existed, otherwise ""0."
Age Group Male90_94	1	74	The sex and age group for the beneficiary base on a given as of date. Male between ages of 90 through 94. Set to "1" if existed, otherwise ""0."
Age Group Male95_GT	1	75	The sex and age group for the beneficiary base on a given as of date. Male between age of 95 and greater. Set to "1" if existed, otherwise ""0."
Medicaid Female Disabled	1	76	Beneficiary is a female disabled and also entitled to Medicaid. Set to "1" if existed, otherwise ""0."
Medicaid Female Aged	1	77	Beneficiary is a female aged (> 64) and also entitled to Medicaid. Set to "1" if existed, otherwise ""0."
Medicaid Male Disabled	1	78	Beneficiary is a male disabled and also entitled to Medicaid. Set to "1" if existed, otherwise ""0."
Medicaid Male Aged	1	79	Beneficiary is a male aged (> 64) and also entitled to Medicaid. Set to "1" if existed, otherwise ""0."

Field	Size	Position	Description
Originally Disabled Female	1	80	Beneficiary is a female and original Medicare entitlement was due to disability. Set to "1" if existed, otherwise "0."
Originally Disabled Male	1	81	Beneficiary is a male and original Medicare entitlement was due to disability. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC1	1	82	HIV/AIDS. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC2	1	83	Septicemia/Shock. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC5	1	84	Opportunistic Infections. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC7	1	85	Metastatic Cancer and Acute Leukemia. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC8	1	86	Lung, Upper Digestive Tract, and Other Severe Cancers. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC9	1	87	Lymphatic, Head and Neck, Brain, and Other Major Cancers. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC10	1	88	Breast, Prostate, Colorectal and Other Cancers and Tumors. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC15	1	89	Diabetes with Renal or Peripheral Circulatory Manifestation. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC16	1	90	Diabetes with Neurologic or Other Specified Manifestation. Set to "1" if existed, otherwise "0."

Field	Size	Position	Description
Disease Coefficients HCC17	1	91	Diabetes with Acute Complications. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC18	1	92	Diabetes with Ophthalmologic or Unspecified Manifestation. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC19	1	93	Diabetes without Complication. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC21	1	94	Protein-Calorie Malnutrition. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC25	1	95	End-Stage Liver Disease. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC26	1	96	Cirrhosis of Liver Set to "1" if existed, otherwise "0."
Disease Coefficients HCC27	1	97	Chronic Hepatitis. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC31	1	98	Intestinal Obstruction/Perforation. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC32	1	99	Pancreatic Disease. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC33	1	100	Inflammatory Bowel Disease. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC37	1	101	Bone/Joint/Muscle Infections/Necrosis. Set to "1" if existed, otherwise "0."

Field	Size	Position	Description
Disease Coefficients HCC38	1	102	Rheumatoid Arthritis and Inflammatory Connective Tissue Disease. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC44	1	103	Severe Hematological Disorders. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC45	1	104	Disorders of Immunity. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC51	1	105	Drug/Alcohol Psychosis. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC52	1	106	Drug/Alcohol Dependence. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC54	1	107	Schizophrenia. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC55	1	108	Major Depressive, Bipolar, and Paranoid Disorders. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC67	1	109	Quadriplegia, Other Extensive Paralysis. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC68	1	110	Paraplegia. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC69	1	111	Spinal Cord Disorders/Injuries. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC70	1	112	Muscular Dystrophy. Set to "1" if existed, otherwise "0."

Field	Size	Position	Description
Disease Coefficients HCC71	1	113	Polyneuropathy. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC72	1	114	Multiple Sclerosis. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC73	1	115	Parkinson's and Huntington's Diseases. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC74	1	116	Seizure Disorders and Convulsions. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC75	1	117	Coma, Brain Compression/Anoxic Damage. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC77	1	118	Respirator Dependence/Tracheostomy Status. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC78	1	119	Respiratory Arrest. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC79	1	120	Cardio-Respiratory Failure and Shock. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC80	1	121	Congestive Heart Failure. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC81	1	122	Acute Myocardial Infarction. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC82	1	123	Unstable Angina and Other Acute Ischemic Heart Disease. Set to "1" if existed, otherwise "0."

Field	Size	Position	Description
Disease Coefficients HCC83	1	124	Angina Pectoris/Old Myocardial Infarction. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC92	1	125	Specified Heart Arrhythmias. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC95	1	126	Cerebral Hemorrhage. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC96	1	127	Ischemic or Unspecified Stroke. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC100	1	128	Hemiplegia/Hemiparesis. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC101	1	129	Cerebral Palsy and Other Paralytic Syndromes. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC104	1	130	Vascular Disease with Complications. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC105	1	131	Vascular Disease. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC107	1	132	Cystic Fibrosis. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC108	1	133	Chronic Obstructive Pulmonary Disease. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC111	1	134	Aspiration and Specified Bacterial Pneumonias. Set to "1" if existed, otherwise "0."

Field	Size	Position	Description
Disease Coefficients HCC112	1	135	Pneumococcal Pneumonia, Empyema, Lung Abscess. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC119	1	136	Proliferative Diabetic Retinopathy and Vitreous Hemorrhage. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC130	1	137	Dialysis Status. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC131	1	138	Renal Failure. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC132	1	139	Nephritis. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC148	1	140	Decubitus Ulcer of Skin. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC149	1	141	Chronic Ulcer of Skin, Except Decubitus. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC150	1	142	Extensive Third-Degree Burns. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC154	1	143	Severe Head Injury. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC155	1	144	Major Head Injury Set to "1" if existed, otherwise "0."
Disease Coefficients HCC157	1	145	Vertebral Fractures without Spinal Cord Injury. Set to "1" if existed, otherwise "0."

Field	Size	Position	Description
Disease Coefficients HCC158	1	146	Hip Fracture/Dislocation. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC161	1	147	Traumatic Amputation. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC164	1	148	Major Complications of Medical Care and Trauma. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC174	1	149	Major Organ Transplant Status. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC176	1	150	Artificial Openings for Feeding or Elimination. Set to "1" if existed, otherwise "0."
Disease Coefficients HCC177	1	151	Amputation Status, Lower Limb/Amputation Complications. Set to "1" if existed, otherwise "0."
Disabled Disease HCC5	1	152	Disabled*Opportunistic Infections. Set to "1" if existed, otherwise "0."
Disabled Disease HCC44	1	153	Disabled*Severe Hematological Disorders. Set to "1" if existed, otherwise "0."
Disabled Disease HCC51	1	154	Disabled*Drug/Alcohol Psychosis. Set to "1" if existed, otherwise "0."
Disabled Disease HCC52	1	155	Disabled*Drug/Alcohol Dependence. Set to "1" if existed, otherwise "0."
Disabled Disease HCC107	1	156	Disabled*Cystic Fibrosis. Set to "1" if existed, otherwise "0."

Field	Size	Position	Description
Disease Interactions INT1	1	157	DM_CHF. Set to "1" if existed, otherwise "0."
Disease Interactions INT2	1	158	DM_CVD. Set to "1" if existed, otherwise "0."
Disease Interactions INT3	1	159	CHF_COPD. Set to "1" if existed, otherwise "0."
Disease Interactions INT4	1	160	COPD_CVD_CAD. Set to "1" if existed, otherwise "0."
Disease Interactions INT5	1	161	RF_CHF. Set to "1" if existed, otherwise "0."
Disease Interactions INT6	1	162	RF_CHF_DM. Set to "1" if existed, otherwise "0."

E.13.3 Trailer Record

Item	Field	Size	Position	Description
1	Record Type	1	1	Set to "3"
2	Contract Number	5	2 – 6	Managed Care Organization (MCO) identification number
3	Total Record Count	9	7 – 15	Record count in display format 9(9). Includes header and trailer records.
4	Filler	147	16 – 162	Spaces

E.14 Part D Risk Adjustment Model Output Data File

The following records are included in this file:

- Header Record
- Detail/Beneficiary Record Format
- Trailer Record

E.14.1 Header Record

The Contract Header Record signals the beginning of the detail/beneficiary records for a Medicare Advantage or stand-alone Prescription Drug Plan contract/plan.

Field #	Field Name	Data Type	Starting Position	Ending position	Field Length	Comment	Field Description
1	Record Type Code	Char(1)	1	1	1	Set to "1"	1 = Header, 2 = Details, 3 = Trailer
2	Contract Number	Char(5)	2	6	5		Unique identification for a Medicare Advantage or stand-alone Prescription Drug Plan contract.
2	Run Date	Char(8)	7	14	8	Format as yyymmdd	The run date when this file was created.
3	Payment Year and Month	Char(6)	15	20	6	Format as yyymm	This identifies the risk adjustment payment year and month for the model run.
4	Filler	Char(142)	21	164	144	Spaces	

E.14.2 Detail/Beneficiary Record

Each Detail/Beneficiary Record contains information for an HCC beneficiary in a Medicare Prescription Drug contract/plan, as of the last RAS model run for the current calendar/payment year.

Field #	Field Name	Data Type	Starting Position	Ending position	Field Length	Comment	Field Description
1	Record Type Code	Char(1)	1	1	1	Set to "2"	1 = Header, 2 = Details, 3 = Trailer
2	Health Insurance Claim Account Number	Char(12)	2	13	12	Also known as HICAN	This is the Health Insurance Claim Account Number (known as HICAN) identifying the primary Medicare Beneficiary under the SSA or RRB programs. The HICAN consist of Beneficiary Claim Number (BENE_CAN_NUM) along with the Beneficiary Identification Code (BIC_CD) uniquely identifies a Medicare Beneficiary. For the RRB program, the claim account number is a 12-byte account number.
3	Beneficiary Last Name	Char(12)	14	25	12	First 12 bytes of the Bene Last Name	Beneficiary Last Name
4	Beneficiary First Name	Char(7)	26	32	7	First 7 bytes of the Bene First Name	Beneficiary First Name
5	Beneficiary Initial	Char(1)	33	33	1	1 byte Initial	Beneficiary Initial
6	Date of Birth	Char(8)	34	41	8	Formatted as yyyymmdd	The date of birth of the Medicare Beneficiary

Field #	Field Name	Data Type	Starting Position	Ending position	Field Length	Comment	Field Description
7	Sex	Char(1)	42	42	1	0=unknown, 1=male, 2=female	Represents the sex of the Medicare Beneficiary. Examples include Male and Female.
8	Social Security Number	Char(9)	43	51	9	Also known as SSN_NUM	The beneficiary's current identification number that was assigned by the Social Security Administration.
9	Age Group Female 0-34	Char(1)	52	52	1	Set to "1" if applicable, otherwise "0"	The sex and age group for the beneficiary based on a given as of date. Female between ages of 0 through 34.
10	Age Group Female35_44	Char(1)	53	53	1	Set to "1" if applicable, otherwise "0"	The sex and age group for the beneficiary based on a given as of date. Female between ages of 35 through 44.
11	Age Group Female45_54	Char(1)	54	54	1	Set to "1" if applicable, otherwise "0"	The sex and age group for the beneficiary based on a given as of date. Female between ages of 45 through 54.
12	Age Group Female55_59	Char(1)	55	55	1	Set to "1" if applicable, otherwise "0"	The sex and age group for the beneficiary based on a given as of date. Female between ages of 55 through 59.
13	Age Group Female60_64	Char(1)	56	56	1	Set to "1" if applicable, otherwise "0"	The sex and age group for the beneficiary based on a given as of date. Female between ages of 60 through 64.
14	Age Group Female65_69	Char(1)	57	57	1	Set to "1" if applicable, otherwise "0"	The sex and age group for the beneficiary based on a given as of date. Female between ages of 65 through 69.
15	Age Group Female70_74	Char(1)	58	58	1	Set to "1" if applicable, otherwise "0"	The sex and age group for the beneficiary based on a given as of date. Female between ages of 70 through 74.
16	Age Group Female75_79	Char(1)	59	59	1	Set to "1" if applicable, otherwise "0"	The sex and age group for the beneficiary based on a given as of date. Female between ages of 75 through 79.

Field #	Field Name	Data Type	Starting Position	Ending position	Field Length	Comment	Field Description
17	Age Group Female80_84	Char(1)	60	60	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Female between ages of 80 through 84.
18	Age Group Female85_89	Char(1)	61	61	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Female between ages of 85 through 89.
19	Age Group Female90_94	Char(1)	62	62	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Female between ages of 90 through 94.
20	Age Group Female95_GT	Char(1)	63	63	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Female between ages of 95 and greater.
21	Age Group Male0_34	Char(1)	64	64	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Male between ages of 0 through 34.
22	Age Group Male35_44	Char(1)	65	65	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Male between ages of 35 through 44.
23	Age Group Male45_54	Char(1)	66	66	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Male between ages of 45 through 54.
24	Age Group Male55_59	Char(1)	67	67	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Male between ages of 55 through 59.
25	Age Group Male60_64	Char(1)	68	68	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Male between ages of 60 through 64.
26	Age Group Male65_69	Char(1)	69	69	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Male between ages of 65 through 69.

Field #	Field Name	Data Type	Starting Position	Ending position	Field Length	Comment	Field Description
27	Age Group Male70_74	Char(1)	70	70	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Male between ages of 70 through 74.
28	Age Group Male75_79	Char(1)	71	71	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Male between ages of 75 through 79.
29	Age Group Male80_84	Char(1)	72	72	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Male between ages of 80 through 84.
30	Age Group Male85_89	Char(1)	73	73	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Male between ages of 85 through 89.
31	Age Group Male90_94	Char(1)	74	74	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Male between ages of 90 through 94.
32	Age Group Male95_GT	Char(1)	75	75	1	Set to "1" if applicable, otherwise ""0"	The sex and age group for the beneficiary based on a given as of date. Male between ages of 95 and greater.
33	Originally Disabled Female	Char(1)	76	76	1	Set to "1" if applicable, otherwise ""0"	Beneficiary is a female aged (age>64) and original Medicare entitlement was due to disability.
34	Originally Disabled Male	Char(1)	77	77	1	Set to "1" if applicable, otherwise ""0"	Beneficiary is a male aged (age>64) and original Medicare entitlement was due to disability.
35	Disease Coefficients RXHCC1	Char(1)	78	78	1	Set to "1" if applicable, otherwise ""0"	HIV/AIDS
36	Disease Coefficients RXHCC2	Char(1)	79	79	1	Set to "1" if applicable, otherwise ""0"	Opportunistic Infections

Field #	Field Name	Data Type	Starting Position	Ending position	Field Length	Comment	Field Description
37	Disease Coefficients RXHCC3	Char(1)	80	80	1	Set to "1" if applicable, otherwise ""0"	Infectious Diseases
38	Disease Coefficients RXHCC8	Char(1)	81	81	1	Set to "1" if applicable, otherwise ""0"	Acute Myeloid Leukemia
39	Disease Coefficients RXHCC9	Char(1)	82	82	1	Set to "1" if applicable, otherwise ""0"	Metastatic Cancer, Acute Leukemia, and Severe Cancers
40	Disease Coefficients RXHCC10	Char(1)	83	83	1	Set to "1" if applicable, otherwise ""0"	Lung, Upper Digestive Tract, and Other Severe Cancers
41	Disease Coefficients RXHCC17	Char(1)	84	84	1	Set to "1" if applicable, otherwise ""0"	Diabetes with Specified Complications
42	Disease Coefficients RXHCC18	Char(1)	85	85	1	Set to "1" if applicable, otherwise ""0"	Diabetes without Complication
43	Disease Coefficients RXHCC19	Char(1)	86	86	1	Set to "1" if applicable, otherwise ""0"	Disorders of Lipoid Metabolism
44	Disease Coefficients RXHCC20	Char(1)	87	87	1	Set to "1" if applicable, otherwise ""0"	Other Significant Endocrine and Metabolic Disorders
45	Disease Coefficients RXHCC21	Char(1)	88	88	1	Set to "1" if applicable, otherwise ""0"	Other Specified Endocrine/Metabolic/Nutritional Disorders
46	Disease Coefficients RXHCC24	Char(1)	89	89	1	Set to "1" if applicable, otherwise ""0"	Chronic Viral Hepatitis

Field #	Field Name	Data Type	Starting Position	Ending position	Field Length	Comment	Field Description
47	Disease Coefficients RXHCC31	Char(1)	90	90	1	Set to "1" if applicable, otherwise ""0"	Chronic Pancreatic Disease
48	Disease Coefficients RXHCC33	Char(1)	91	91	1	Set to "1" if applicable, otherwise ""0"	Inflammatory Bowel Disease
49	Disease Coefficients RXHCC34	Char(1)	92	92	1	Set to "1" if applicable, otherwise ""0"	Peptic Ulcer and Gastrointestinal Hemorrhage
50	Disease Coefficients RXHCC37	Char(1)	93	93	1	Set to "1" if applicable, otherwise ""0"	Esophageal Disease
51	Disease Coefficients RXHCC39	Char(1)	94	94	1	Set to "1" if applicable, otherwise ""0"	Bone/Joint/Muscle Infections/Necrosis
52	Disease Coefficients RXHCC40	Char(1)	95	95	1	Set to "1" if applicable, otherwise ""0"	Behets Syndrome and Other Connective Tissue Disease
53	Disease Coefficients RXHCC41	Char(1)	96	96	1	Set to "1" if applicable, otherwise ""0"	Rheumatoid Arthritis and Other Inflammatory Polyarthropathy
54	Disease Coefficients RXHCC42	Char(1)	97	97	1	Set to "1" if applicable, otherwise ""0"	Inflammatory Spondylopathies
55	Disease Coefficients RXHCC43	Char(1)	98	98	1	Set to "1" if applicable, otherwise ""0"	Polymyalgia Rheumatica
56	Disease Coefficients RXHCC44	Char(1)	99	99	1	Set to "1" if applicable, otherwise ""0"	Psoriatic Arthropathy
57	Disease Coefficients RXHCC45	Char(1)	100	100	1	Set to "1" if applicable, otherwise ""0"	Disorders of the Vertebrae and Spinal Discs

Field #	Field Name	Data Type	Starting Position	Ending position	Field Length	Comment	Field Description
58	Disease Coefficients RXHCC47	Char(1)	101	101	1	Set to "1" if applicable, otherwise ""0"	Osteoporosis and Vertebral Fractures
59	Disease Coefficients RXHCC48	Char(1)	102	102	1	Set to "1" if applicable, otherwise ""0"	Other Musculoskeletal and Connective Tissue Disorders
60	Disease Coefficients RXHCC51	Char(1)	103	103	1	Set to "1" if applicable, otherwise ""0"	Severe Hematological Disorders
61	Disease Coefficients RXHCC52	Char(1)	104	104	1	Set to "1" if applicable, otherwise ""0"	Disorders of Immunity
62	Disease Coefficients RXHCC54	Char(1)	105	105	1	Set to "1" if applicable, otherwise ""0"	Polycythemia Vera
63	Disease Coefficients RXHCC55	Char(1)	106	106	1	Set to "1" if applicable, otherwise ""0"	Coagulation Defects and Other Specified Blood Diseases
64	Disease Coefficients RXHCC57	Char(1)	107	107	1	Set to "1" if applicable, otherwise ""0"	Delirium and Encephalopathy
65	Disease Coefficients RXHCC59	Char(1)	108	108	1	Set to "1" if applicable, otherwise ""0"	Dementia with Depression/Behavioral Disturbance
66	Disease Coefficients RXHCC60	Char(1)	109	109	1	Set to "1" if applicable, otherwise ""0"	Dementia/Cerebral Degeneration
67	Disease Coefficients RXHCC65	Char(1)	110	110	1	Set to "1" if applicable, otherwise ""0"	Schizophrenia

Field #	Field Name	Data Type	Starting Position	Ending position	Field Length	Comment	Field Description
68	Disease Coefficients RXHCC66	Char(1)	111	111	1	Set to "1" if applicable, otherwise ""0"	Other Major Psychiatric Disorders
69	Disease Coefficients RXHCC67	Char(1)	112	112	1	Set to "1" if applicable, otherwise ""0"	Other Psychiatric Symptoms/Syndromes
70	Disease Coefficients RXHCC75	Char(1)	113	113	1	Set to "1" if applicable, otherwise ""0"	Attention Deficit Disorder
71	Disease Coefficients RXHCC76	Char(1)	114	114	1	Set to "1" if applicable, otherwise ""0"	Motor Neuron Disease and Spinal Muscular Atrophy
72	Disease Coefficients RXHCC77	Char(1)	115	115	1	Set to "1" if applicable, otherwise ""0"	Quadriplegia, Other Extensive Paralysis, and Spinal Cord Injuries
73	Disease Coefficients RXHCC78	Char(1)	116	116	1	Set to "1" if applicable, otherwise ""0"	Muscular Dystrophy
74	Disease Coefficients RXHCC79	Char(1)	117	117	1	Set to "1" if applicable, otherwise ""0"	Polyneuropathy, Except Diabetic
75	Disease Coefficients RXHCC80	Char(1)	118	118	1	Set to "1" if applicable, otherwise ""0"	Multiple Sclerosis
76	Disease Coefficients RXHCC81	Char(1)	119	119	1	Set to "1" if applicable, otherwise ""0"	Parkinson's Disease
77	Disease Coefficients RXHCC82	Char(1)	120	120	1	Set to "1" if applicable, otherwise ""0"	Huntington's Disease
78	Disease Coefficients RXHCC83	Char(1)	121	121	1	Set to "1" if applicable, otherwise ""0"	Seizure Disorders and Convulsions

Field #	Field Name	Data Type	Starting Position	Ending position	Field Length	Comment	Field Description
79	Disease Coefficients RXHCC85	Char(1)	122	122	1	Set to "1" if applicable, otherwise ""0"	Migraine Headaches
80	Disease Coefficients RXHCC86	Char(1)	123	123	1	Set to "1" if applicable, otherwise ""0"	Mononeuropathy, Other Abnormal Movement Disorders
81	Disease Coefficients RXHCC87	Char(1)	124	124	1	Set to "1" if applicable, otherwise ""0"	Other Neurological Conditions/Injuries
82	Disease Coefficients RXHCC91	Char(1)	125	125	1	Set to "1" if applicable, otherwise ""0"	Congestive Heart Failure
83	Disease Coefficients RXHCC92	Char(1)	126	126	1	Set to "1" if applicable, otherwise ""0"	Acute Myocardial Infarction and Unstable Angina
84	Disease Coefficients RXHCC98	Char(1)	127	127	1	Set to "1" if applicable, otherwise ""0"	Hypertensive Heart Disease or Hypertension
85	Disease Coefficients RXHCC99	Char(1)	128	128	1	Set to "1" if applicable, otherwise ""0"	Specified Heart Arrhythmias
86	Disease Coefficients RXHCC102	Char(1)	129	129	1	Set to "1" if applicable, otherwise ""0"	Cerebral Hemorrhage and Effects of Stroke
87	Disease Coefficients RXHCC105	Char(1)	130	130	1	Set to "1" if applicable, otherwise ""0"	Pulmonary Embolism and Deep Vein Thrombosis
88	Disease Coefficients RXHCC106	Char(1)	131	131	1	Set to "1" if applicable, otherwise ""0"	Vascular Disease
89	Disease Coefficients RXHCC108	Char(1)	132	132	1	Set to "1" if applicable, otherwise ""0"	Cystic Fibrosis

Field #	Field Name	Data Type	Starting Position	Ending position	Field Length	Comment	Field Description
90	Disease Coefficients RXHCC109	Char(1)	133	133	1	Set to "1" if applicable, otherwise ""0"	Asthma and COPD
91	Disease Coefficients RXHCC110	Char(1)	134	134	1	Set to "1" if applicable, otherwise ""0"	Fibrosis of Lung and Other Chronic Lung Disorders
92	Disease Coefficients RXHCC111	Char(1)	135	135	1	Set to "1" if applicable, otherwise ""0"	Aspiration and Specified Bacterial Pneumonias
93	Disease Coefficients RXHCC112	Char(1)	136	136	1	Set to "1" if applicable, otherwise ""0"	Empyema, Lung Abscess, and Fungal and Parasitic Lung Infections
94	Disease Coefficients RXHCC113	Char(1)	137	137	1	Set to "1" if applicable, otherwise ""0"	Acute Bronchitis and Congenital Lung/Respiratory Anomaly
95	Disease Coefficients RXHCC120	Char(1)	138	138	1	Set to "1" if applicable, otherwise ""0"	Vitreous Hemorrhage and Vascular Retinopathy, Except Diabetic
96	Disease Coefficients RXHCC121	Char(1)	139	139	1	Set to "1" if applicable, otherwise ""0"	Macular Degeneration and Retinal Disorders, Except Detachment and Vascular Retinopathies
98	Disease Coefficients RXHCC122	Char(1)	140	140	1	Set to "1" if applicable, otherwise ""0"	Open-angle Glaucoma
99	Disease Coefficients RXHCC123	Char(1)	141	141	1	Set to "1" if applicable, otherwise ""0"	Glaucoma and Keratoconus
100	Disease Coefficients RXHCC126	Char(1)	142	142	1	Set to "1" if applicable, otherwise ""0"	Larynx/Vocal Cord Diseases
101	Disease Coefficients RXHCC129	Char(1)	143	143	1	Set to "1" if applicable, otherwise ""0"	Other Diseases of Upper Respiratory System

Field #	Field Name	Data Type	Starting Position	Ending position	Field Length	Comment	Field Description
102	Disease Coefficients RXHCC130	Char(1)	144	144	1	Set to "1" if applicable, otherwise ""0"	Salivary Gland Diseases
103	Disease Coefficients RXHCC132	Char(1)	145	145	1	Set to "1" if applicable, otherwise ""0"	Kidney Transplant Status
104	Disease Coefficients RXHCC134	Char(1)	146	146	1	Set to "1" if applicable, otherwise ""0"	Chronic Renal Failure
105	Disease Coefficients RXHCC135	Char(1)	147	147	1	Set to "1" if applicable, otherwise ""0"	Nephritis
106	Disease Coefficients RXHCC137	Char(1)	148	148	1	Set to "1" if applicable, otherwise ""0"	Urinary Obstruction and Retention
107	Disease Coefficients RXHCC138	Char(1)	149	149	1	Set to "1" if applicable, otherwise ""0"	Fecal Incontinence
108	Disease Coefficients RXHCC139	Char(1)	150	150	1	Set to "1" if applicable, otherwise ""0"	Incontinence
109	Disease Coefficients RXHCC140	Char(1)	151	151	1	Set to "1" if applicable, otherwise ""0"	Impaired Renal Function and Other Urinary Disorders
110	Disease Coefficients RXHCC144	Char(1)	152	152	1	Set to "1" if applicable, otherwise ""0"	Vaginal and Cervical Diseases
111	Disease Coefficients RXHCC145	Char(1)	153	153	1	Set to "1" if applicable, otherwise ""0"	Female Stress Incontinence
112	Disease Coefficients RXHCC157	Char(1)	154	154	1	Set to "1" if applicable, otherwise ""0"	Chronic Ulcer of Skin, Except Decubitus

Field #	Field Name	Data Type	Starting Position	Ending position	Field Length	Comment	Field Description
113	Disease Coefficients RXHCC158	Char(1)	155	155	1	Set to "1" if applicable, otherwise ""0"	Psoriasis
114	Disease Coefficients RXHCC159	Char(1)	156	156	1	Set to "1" if applicable, otherwise ""0"	Cellulitis and Local Skin Infection
115	Disease Coefficients RXHCC160	Char(1)	157	157	1	Set to "1" if applicable, otherwise ""0"	Bullous Dermatoses and Other Specified Erythematous Conditions
116	Disease Coefficients RXHCC165	Char(1)	158	158	1	Set to "1" if applicable, otherwise ""0"	Vertebral Fractures without Spinal Cord Injury
117	Disease Coefficients RXHCC166	Char(1)	159	159	1	Set to "1" if applicable, otherwise ""0"	Pelvic Fracture
118	Disease Coefficients RXHCC186	Char(1)	160	160	1	Set to "1" if applicable, otherwise ""0"	Major Organ Transplant Status
119	Disease Coefficients RXHCC187	Char(1)	161	161	1	Set to "1" if applicable, otherwise ""0"	Other Organ Transplant/Replacement
120	Disabled Disease RXHCC65	Char(1)	162	162	1	Set to "1" if applicable, otherwise ""0"	Disabled (Age<65) and Schizophrenia
121	Disabled Disease RXHCC66	Char(1)	163	163	1	Set to "1" if applicable, otherwise ""0"	Disable (Age<65) and Other Major Psychiatric Disorders
122	Disabled Disease RXHCC108	Char(1)	164	164	1	Set to "1" if applicable, otherwise ""0"	Disabled (Age<65) and Cystic Fibrosis
			164	164	164		

E.14.3 Trailer Record

The Contract Trailer Record signals the end of the detail/beneficiary records for a Medicare Advantage or stand-alone Prescription Drug Plan contract/plan. This record will have length 164.

Field #	Field Name	Data Type	Starting Position	Ending Position	Field Length	Comment	Field Description
1	Record Type Code	Char(1)	1	1	1	Set to "3"	1 = Header, 2 = Details, 3 = Trailer
2	Contract Number	Char(5)	2	6	5		Unique identification for a Medicare Advantage or stand-alone Prescription Drug Plan contract.
3	Total Record Count	Char(9)	7	15	9	Includes all header and trailer records	Record count in display format 9(9).
4	Filler	Char(151)	16	164	149	Spaces	
				Total	164		

E.15 Weekly/Monthly Transaction Reply Activity Data File

The Weekly/Monthly Transaction Reply Activity Data File is the data file version of the Transaction Replies Weekly/Monthly Activity Report, which lists, for the weekly version, all of the transactions that the enrollment processing system processed in a given week for a Plan, regardless of source. It provides a final disposition code for each transaction and is usually generated each Saturday. The Monthly Data File includes transactions that the enrollment processing system processed for a Plan in the given month, regardless of source, and gives a final disposition code for each transaction. It includes the data from all Weekly TRRs.

Note: Field 30 reused as application date, other MMA elements begin with Field 32.

Field	Size	Position	Description
1. Claim Number	12	1 – 12	Claim Account Number
2. Surname	12	13 – 24	Beneficiary Surname
3. First Name	7	25 – 31	Beneficiary Given Name
4. Middle Name	1	32	Beneficiary Middle Initial
5. Sex Code	1	33	Beneficiary Sex Identification Code 0 = Unknown 1 = Male 2 = Female
6. Date of Birth	8	34 – 41	YYYYMMDD Format
7. Medicaid Indicator	1	42	1 = Medicaid 0 = No Medicaid
8. Contract Number	5	43 – 47	Plan Contract Number
9. State Code	2	48 – 49	Beneficiary Residence State Code
10. County Code	3	50 – 52	Beneficiary Residence County Code
11. Disability Indicator	1	53	1 = Disabled 0 = No Disability
12. Hospice Indicator	1	54	1 = Hospice 0 = No Hospice
13. Institutional/NHC Indicator	1	55	1 = Institutional 2 = NHC 0 = No Institutional

Field	Size	Position	Description
14. ESRD Indicator	1	56	1 = End-Stage Renal Disease 0 = No End-Stage Renal Disease
15. Transaction Reply Code	3	57 – 59	Transaction Reply Code
16. Transaction Type Code	2	60 – 61	Transaction Type Code
17. Entitlement Type Code	1	62	Beneficiary Entitlement Type Code: Y = Entitled to Part A and B Blank = Entitled to Part A or B
18. Effective Date of the Transaction	8	63 – 70	YYYYMMDD Format Effective date is present for all Transaction Reply Codes. However, for select UI Transaction Reply Codes (TRC), field content is TRC dependent: 701 – New enrollment period start date, 702 – Fill-in enrollment period start date, 703 – Start date of cancelled enrollment period, 704 – Start date of enrollment period cancelled for PBP correction, 705 – Start date of enrollment period for corrected PBP, 706 – Start date of enrollment period cancelled for segment correction, 707 – Start date of enrollment period for corrected segment, 708 – Enrollment period end date assigned to existing opened ended enrollment, 709 & 710 – New start date resulting from update, 711 & 712 – New end date resulting from update, 713 – “00000000” – End date removed. Original end date can be found in field 24.X.
19. WA Indicator	1	71	1 = Working Aged 0 = No Working Aged
20. Plan Benefit Package ID	3	72 – 74	PBP number

Field	Size	Position	Description
21. Filler	1	75	Spaces
22. Transaction Date	8	76 – 83	YYYYMMDD Format; Present for all transaction reply codes
23. UI Initiated Change Flag	1	84	<u>1</u> = transaction created through User Interface <u>0</u> = transaction from source other than User Interface
24. Positions 85 – 96 are dependent upon the value of the TRANSACTION REPLY CODE. There are spaces for all codes except where indicated below.			
a. Effective Date of the Disenrollment	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is one of the following: 13, 14, 18, 84. Note: A code 51 disenrollment must be submitted with an effective date of the first of the month; for example, to obtain a March 31 st disenrollment, the effective date should be entered as April 1 st .
b. New Enrollment Effective Date	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is 17, 83
c. Claim Number (new)	12	85 – 96	Present only when Transaction Reply Code is one of the following: 22, 25, 86
d. Date of Death	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is one of the following: 90 (with transaction type 01), 92
e. Hospice Start Date	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is 71
f. Hospice End Date	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is 72
g. ESRD Start Date	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is 73
h. ESRD End Date	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is 74
i. Institutional/ NHC Start Date	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is one of the following: 48, 75, 158, 159
j. Medicaid Start Date	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is 77

Field	Size	Position	Description
k. Medicaid End Date	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is 78
l. Part A End Date	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is 79
m. WA Start Date	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is 66
n. WA End Date	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is 67
o. Part A Reinstatement Date	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is 80
p. Part B End Date	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is 81
q. Part B Reinstatement Date	8	85 – 92	YYYYMMDD Format; Present only when Transaction Reply Code is 82
r. New SCC	5	85 – 89	Beneficiary Residence State and County Code; Present only when Transaction Reply Code is 85
s. Attempted Enroll Effective Date	8	85 - 92	The effective date of an enrollment transaction that was submitted but rejected. Present only when Transaction Reply code is the following: 35, 36, 45, 56
t. New Low-Income Premium Subsidy	12	85 – 96	ZZZZZZZZ9.99 Format; Part D low-income premium subsidy amount.
u. New Low-income Cost Sharing Subsidy	1	85 – 85	The beneficiary's Part D low-income subsidy status has changed, resulting in a co-pay level change. The new co-pay level is: 1 = (High) 2 = (Low) 3 = (0) 4 = 15%
v. PBP Effective Date	8	85 – 92	YYYYMMDD Format. Effective date of a beneficiary's PBP change. Present only when Transaction Reply Code is 100.

Field	Size	Position	Description
w. Correct Part D Premium Rate	12	85 – 96	ZZZZZZZZ9.99 Format; Part D premium amount reported by HPMS for the Plan. Present only when the Transaction Reply Code is 181.
x. Date Identifying Information Changed by UI User	8	85 – 92	YYYYMMDD Format; Field content is dependent on Transaction Reply Code: 702 – Fill-in enrollment period end date 705 – End date of enrollment period for corrected PBP blank when end date not provided by user 707 – End date of enrollment period for corrected segment, blank when end date not provided by user 709 & 710 – Enrollment period start date prior to start date change 711, 712 & 713 – Enrollment period end date prior to end date change
25. District Office Code	3	97 – 99	Code of the originating district office; Present only when Transaction Type Code is 53
26. Previous Part D Contract/PBP for TrOOP Transfer	8	100 – 107	CCCCPPPP Format; Present only if previous enrollment exists within reporting year in Part D Contract. Otherwise, field will be blank. CCCCC = Contract Number PPP = Plan Benefit Package (PBP) Number
27. Filler	8	108 – 115	Part B Payments are no longer part of the TR data file, this field is now fill space.
28. Source ID	5	116 – 120	Transaction Source Identifier
29. Prior Plan Benefit Package ID	3	121 – 123	Prior PBP number; present only when transaction type code is 71
30. Application Date	8	124 – 131	The application date of the enrollment request that was reported in the enrollment transaction. Format: YYYYMMDD Note: This field was previously filler in MMCS
31. UI User Organization Designation	2	132 – 133	02 = Regional Office, 03 = Central Office, Blank if not UI transaction

Field	Size	Position	Description
MMA fields start here:			MMCS Data file ended with position 133.
32. Out of Area Flag	1	134 – 134	Out of Area Indicator
33. Segment Number	3	135 – 137	Further definition of PBP by geographic boundaries
34. Part C Beneficiary Premium	8	138 – 145	Cost to beneficiary for Part C benefits
35. Part D Beneficiary Premium	8	146 – 153	Cost to beneficiary for Part D benefits
36. Election Type	1	154 – 154	A = AEP; E = IEP; I = ICEP; S=SEP; O = OEP; N = OEPNEW; T = OEPI MA/MA-PDs have I, A, O, S, N, T PDPs have E, A, and S
37. Enrollment Source	1	155 – 155	A = Auto enrolled by CMS B = Beneficiary Election C = Facilitated enrollment by CMS D = CMS Annual Rollover
38. Part D Opt-Out Flag	1	156 – 156	Y = Opt-out of auto enrollment Blank = No change to opt-out status
39. Premium Withhold Option/Parts C-D	1	157 – 157	D = Direct self-pay S = Deduct from SSA benefits R = Deduct from RRB benefits O = Deduct from OPM benefits N = No premium applicable Option applies to both Part C and D Premiums
40. Number of Uncovered Months	3	158 – 160	Count of Total Months without drug coverage
41. Creditable Coverage Flag	1	161 – 161	Y = Covered N = Not Covered
42. Employer Subsidy Override Flag	1	162 – 162	Y = Beneficiary is in a plan receiving an employer subsidy, flag allows enrollment in a Part D plan.

Field	Size	Position	Description
43. Processing Timestamp	15	163 – 177	Transaction processing time, Format: HH.MM.SS.SSSSSS
44. Filler	20	178 – 197	Spaces
45. Secondary Drug Insurance Flag	1	198-198	Type 61 & 71 MA-PD and PDP transactions: Y = Beneficiary has secondary drug insurance N = Beneficiary does not have secondary drug insurance available Blank – Do not know whether beneficiary has secondary drug insurance Type 72 MA-PD and PDP transactions: Y = Secondary drug insurance available N = No secondary drug insurance available Blank = no change
46. Secondary Rx ID	20	199 – 218	Secondary Insurance plan's ID number for beneficiary
47. Secondary Rx Group	15	219 – 233	Secondary Insurance plan's Group ID number for beneficiary
48. EGHP	1	234 - 234	Type 60, 61, 71 transactions: Y = EGHP Blank = not EGHP Type 72 transactions: Y = EGHP N = Not EGHP Blank = no change

Field	Size	Position	Description
49. Part D Low-Income Premium Subsidy Level	3	235 – 237	Part D low-income premium subsidy category: 000 = No subsidy, 025 = 25% subsidy level, 050 = 50% subsidy level, 075 = 75% subsidy level, 100 = 100% subsidy level
50. Low-Income Co-Pay Category	1	238 – 238	Definitions of the co-payment categories: '0' = none, not low-income 1 = (High) 2 = (Low) 3 = (0) 4 = 15% 5 = Unknown
51. Low-Income Co-Pay Effective Date	8	239 - 246	Date co-pay category became effective, YYYYMMDD.
52. Part D Late Enrollment Penalty Amount	8	247 - 254	Calculated Part D late enrollment penalty, not including adjustments indicated by items (53) and (54). Format: 9999.99
53. Part D Late Enrollment Penalty Waived Amount	8	255 - 262	Amount of Part D late enrollment penalty waived. Format: -9999.99
54. Part D Late Enrollment Penalty Subsidy Amount	8	263 - 270	Amount of Part D late enrollment penalty low-income subsidy. Format: -9999.99
55. Low-Income Part D Premium Subsidy Amount	8	271- 278	Amount of Part D low-income premium subsidy. Format: -9999.99
56. Part D Rx BIN	6	279 - 284	Beneficiary's Part D Rx BIN taken from the input transaction (60/61, 71, or 72); otherwise, blank if not provided
57. Part D Rx PCN	10	285 - 294	Beneficiary's Part D Rx PCN taken from the input transaction (60/61, 71, or 72); otherwise, blank if not provided

Field	Size	Position	Description
58. Part D Rx Group	15	295 - 309	Beneficiary's Part D Rx Group taken from the input transaction (60/61, 71, or 72); otherwise, blank if not provided
59. Part D Rx ID	20	310 - 329	Beneficiary's Part D Rx ID taken from the input transaction (60/61, 71, or 72); otherwise, blank if not provided
60. Secondary Rx BIN	6	330 - 335	Beneficiary's secondary insurance BIN taken from the input transaction (60/61, 71, or 72); otherwise, blank if not provided
61. Secondary Rx PCN	10	336 - 345	Beneficiary's secondary insurance PCN taken from the input transaction (60/61, 71, or 72); otherwise, blank if not provided
62. Filler	155	346 - 500	Spaces

E.16 Special Transaction Reply Report Data File

This file is sent to Plans after a cleanup process has been completed. These clean-up processes address various system processing issues, correcting the records on the CMS database and sending the update to the Plan. CMS will announce the availability of each file with the proper data set name and file transfer date.

Field	Size	Position	Description
1. Claim Number	12	1 – 12	Claim Account Number
2. Surname	12	13 – 24	Beneficiary Surname
3. First Name	7	25 – 31	Beneficiary Given Name
4. Middle Name	1	32	Beneficiary Middle Initial
5. Sex Code	1	33	Beneficiary Sex Identification Code 0 = Unknown 1 = Male 2 = Female
6. Date of Birth	8	34 – 41	YYYYMMDD Format
7. Medicaid Indicator	1	42	Spaces
8. Contract Number	5	43 – 47	Plan Contract Number
9. State Code	2	48 – 49	Beneficiary Residence State Code
10. County Code	3	50 – 52	Beneficiary Residence County Code
11. Disability Indicator	1	53	Spaces
12. Hospice Indicator	1	54	Spaces
13. Institutional/NHC Indicator	1	55	Spaces
14. ESRD Indicator	1	56	Spaces
15. Transaction Reply Code	3	57 – 59	Transaction Reply Code Defaulted to '999' (to be supplied by Henry)
16. Transaction Type Code	2	60 – 61	Transaction Type Code Defaulted to '01' for special reports
17. Entitlement Type Code	1	62	Spaces
18. Effective Date	8	63 – 70	YYYYMMDD Format
19. WA Indicator	1	71	Spaces

Field	Size	Position	Description
20. Plan Benefit Package ID	3	72 – 74	PBP number
21. Filler	1	75	Spaces
22. Transaction Date	8	76 – 83	Set to Current Date (YYYYMMDD)
23. Filler	1	84	Spaces
24. Normally dependent on TR code	12	85 – 96	Spaces
25. District Office Code	3	97 – 99	Spaces
26. Filler	8	100 – 107	Spaces
27. Filler	8	108 – 115	Spaces
28. Source ID	5	116 – 120	Spaces
29. Prior Plan Benefit Package ID	3	121 – 123	Spaces
30. Application Date	8	124 – 131	Spaces
31. Filler	2	132 – 133	Spaces
MMA fields start here:			MMCS Data file ended with position 133.
32. Out of Area Flag	1	134 – 134	Spaces
33. Segment Number	3	135 – 137	Default to '000' if blank
34. Part C Beneficiary Premium	8	138 – 145	Spaces
35. Part D Beneficiary Premium	8	146 – 153	Spaces
36. Election Type	1	154 – 154	Spaces
37. Enrollment Source	1	155 – 155	A = Auto Enrolled by CMS B = Beneficiary Election C = Facilitated Enrollment by CMS D = CMS Annual Rollover Space = not supplied
38. Part D Opt-Out Flag	1	156 – 156	Spaces
39. Premium Withhold Option/Parts C-D	1	157 – 157	Spaces
40. Number of Uncovered Months	3	158 – 160	Spaces
41. Creditable Coverage Flag	1	161 – 161	Spaces

Field	Size	Position	Description
42. Employer Subsidy Override Flag	1	162 – 162	Spaces
43. Rx ID	20	163 – 182	Spaces
44. Rx Group	15	183 – 197	Spaces
45. Secondary Drug Insurance Flag	1	198-198	Spaces
46. Secondary Rx ID	20	199 – 218	Spaces
47. Secondary Rx Group	15	219 – 233	Spaces
48. EGHP	1	234 - 234	Spaces
49. Part D Low-Income Premium Subsidy Level	3	235 – 237	Part D low-income premium subsidy category: '000' = No subsidy (default for blank) '025' = 25% subsidy level, '050' = 50% subsidy level, '075' = 75% subsidy level, '100' = 100% subsidy level
50. Low-Income Co-Pay Category	1	238 – 238	Definitions of the co-payment categories: '0' = none, not low-income (default for blank) '1' = \$2/\$5 (High) '2' = \$1/\$3 (Low) '3' = \$0 (0) '4' = 15%
51. Low-Income Co-Pay Effective Date	8	239 - 246	YYYYMMDD Format
52. Part D Late Enrollment Penalty Amount	8	247 - 254	Spaces
53. Part D Late Enrollment Penalty Waived Amount	8	255 - 262	Spaces

Field	Size	Position	Description
54. Part D Late Enrollment Penalty Subsidy Amount	8	263 - 270	Spaces
55. Low-Income Part D Premium Subsidy Amount	8	271- 278	

E.17 Full Enrollment Data File

This file includes all active membership for a Plan on the date that the file was run. This file is considered a definitive statement of current Plan enrollment, and uses the same format as the weekly TRR. CMS will announce the availability of each month's file with the proper dataset name and file transfer date. To distinguish this file from other TRRs, the Transaction Reply Code on all records is 999.

Field	Size	Position	Description
1. Claim Number	12	1 – 12	Claim Account Number
2. Surname	12	13 – 24	Beneficiary Surname
3. First Name	7	25 – 31	Beneficiary Given Name
4. Middle Name	1	32	Beneficiary Middle Initial
5. Sex Code	1	33	Beneficiary Sex Identification Code 0 = Unknown 1 = Male 2 = Female
6. Date of Birth	8	34 – 41	YYYYMMDD Format
7. Medicaid Indicator	1	42	Spaces
8. Contract Number	5	43 – 47	Plan Contract Number
9. State Code	2	48 – 49	Beneficiary State Code
10. County Code	3	50 – 52	Beneficiary County Code
11. Disability Indicator	1	53	Spaces
12. Hospice Indicator	1	54	Spaces
13. Institutional/NHC Indicator	1	55	Spaces
14. ESRD Indicator	1	56	Spaces
15. Transaction Reply Code	3	57 – 59	Transaction Reply Code Defaulted to '999'
16. Transaction Type Code	2	60 – 61	Transaction Type Code Defaulted to '01' for special reports
17. Entitlement Type Code	1	62	Spaces
18. Effective Date	8	63 – 70	YYYYMMDD Format
19. WA Indicator	1	71	Spaces

Field	Size	Position	Description
20. Plan Benefit Package ID	3	72 – 74	PBP number
21. Filler	1	75	Spaces
22. Transaction Date	8	76 – 83	Set to Current Date (YYYYMMDD)
23. Filler	1	84	Spaces
24. Subsidy End Date	12	85 – 96	End date of Low Income Subsidy Period (Present if bene is deemed for the full year, or if the bene is losing Low Income status before the end of 2007.)
25. District Office Code	3	97 – 99	Spaces
26. Filler	8	100 – 107	Spaces
27. Filler	8	108 – 115	Spaces
28. Source ID	5	116 – 120	Spaces
29. Prior Plan Benefit Package ID	3	121 – 123	Spaces
30. Application Date	8	124 – 131	Spaces
31. Filler	2	132 – 133	Spaces
32. Out of Area Flag	1	134 – 134	Spaces
33. Segment Number	3	135 – 137	Default to '000' if blank
34. Part C Beneficiary Premium	8	138 – 145	Part C Premium Amount (This is the amount submitted on the enrollment record for Part C premium)
35. Part D Beneficiary Premium	8	146 – 153	Part D Premium Amount (This is the 'Part D Total Premium Net of Rebate' from the HPMS file.)
36. Election Type	1	154 – 154	Spaces
37. Enrollment Source	1	155 – 155	A = Auto Enrolled by CMS B = Beneficiary Election C = Facilitated Enrollment by CMS D = CMS Annual Rollover Space = not supplied
38. Part D Opt-Out Flag	1	156 – 156	Spaces

Field	Size	Position	Description
39. Premium Withhold Option/Parts C-D	1	157 – 157	D = Direct Bill S = SSA withhold N = No premium (‘N’ applies if bene is 100% LI Subsidized and the total premium calculates out to \$0.00)
40. Number of Uncovered Months	3	158 – 160	Spaces
41. Creditable Coverage Flag	1	161 – 161	Spaces
42. Employer Subsidy Override Flag	1	162 – 162	Spaces
43. Rx ID	20	163 – 182	Spaces
44. Rx Group	15	183 – 197	Spaces
45. Secondary Drug Insurance Flag	1	198-198	Spaces
46. Secondary Rx ID	20	199 – 218	Spaces
47. Secondary Rx Group	15	219 – 233	Spaces
48. EGHP	1	234 - 234	Spaces
49. Part D Low-Income Premium Subsidy Level	3	235 – 237	Part D low-income premium subsidy category: ‘000’ = No subsidy (default for blank) ‘025’ = 25% subsidy level, ‘050’ = 50% subsidy level, ‘075’ = 75% subsidy level, ‘100’ = 100% subsidy level
50. Low-Income Co-Pay Category	1	238 – 238	Definitions of the co-payment categories: ‘0’ = none, not low-income (default for blank) ‘1’ = \$2/\$5 (High) ‘2’ = \$1/\$3 (Low) ‘3’ = \$0 (0) ‘4’ = 15%

Field	Size	Position	Description
51. Low-Income Co-Pay Effective Date	8	239 - 246	YYYYMMDD Format
52. Part D Late Enrollment Penalty Amount	8	247 - 254	Spaces
53. Part D Late Enrollment Penalty Waived Amount	8	255 - 262	Spaces
54. Part D Late Enrollment Penalty Subsidy Amount	8	263 - 270	Spaces
55. Low-Income Part D Premium Subsidy Amount	8	271- 278	Part D Low Income Premium Subsidy Amount

E.18 Low-Income Subsidy/Late Enrollment Penalty Data File

E. 18.1 Header Record

Item	Field Name	Len	Pos	Description
1	Record Type	3	1-3	H = Header Record PIC XXX
2	MCO Contract Number	5	4-8	MCO Contract Number PIC X(5)
3	Payment/Payment Adjustment Date	6	9-14	YYYYMM First 6 digits contain Current Payment Month PIC 9(6)
4	Data file Date	8	15-22	YYYYMMDD Date this datafile created PIC 9(8)
5	FILLER	143	23-165	Spaces

E.18.2 Detail Record

Item	Field Name	Len	Pos	Description
1	Record Type	3	1-3	PD = Prospective Detail Record "Prospective" means Premium Period equals Payment Month reflected in Header Record AD = Adjustment Detail Record "Adjustment" means all premium periods other than Prospective PIC XXX
	*** PLAN IDENTIFICATION			
2	MCO Contract Number	5	4-8	MCO Contract Number PIC X(5)
3	Plan Benefit Package Number	3	9-11	Plan Benefit Package Number PIC X(3)
4	Plan Segment Number	3	12-14	Plan Segment Number PIC X(3)
	*** BENEFICIARY IDENTIFICATION & PREMIUM SETTINGS			
5	HIC Number	12	15-26	Member's HIC # PIC X(12)
6	Surname	7	27-33	PIC X(7)
7	First Initial	1	34	PIC X
8	Sex	1	35	M = Male, F = Female PIC X
9	Date of Birth	8	36-43	YYYYMMDD PIC 9(8)
10	FILLER	1	44	Space

Item	Field Name	Len	Pos	Description
	*** PREMIUM PERIOD			
11	Premium/Adjustment Period Start Date	6	45-50	<u>PD</u> : current processing month. <u>AD</u> : adjustment period. YYYYMM PIC 9(6)
12	Premium/Adjustment Period End Date	6	51-56	<u>PD</u> : current processing month. <u>AD</u> : adjustment period. YYYYMM PIC 9(6)
13	Number of Months in Premium/Adjustment Period	2	57-58	PIC 99
14	PD: Net Monthly Part D Basic Premium AD: Net Monthly Part D Basic Premium Amount	8	59-66	Plan's Part D Basic Rate in effect for this premium period Net is Monthly Part D Basic Premium (minus) Part D Basic Premium Reduction. NOTE: PD always equals AD for this field PIC -9999.99
15	Low Income Premium Subsidy Percentage	3	67-69	Low Income Premium Subsidy Percentage Subsidy percentage in effect for this premium period Valid values: 100, 075, 050, 025, Blank PIC 999

Item	Field Name	Len	Pos	Description
16	Premium Payment Option	1	70	Current view of Premium payment option. Valid values: D (direct bill) S (SSA withhold) R (RRB withhold) O (OPM withhold) N (no premium applicable) PIC X
	*** ACTIVITY FOR PREMIUM PERIOD			
17	Premium Low Income Subsidy Amount	8	71-78	PD: Premium Low Income Subsidy Amount – the portion of the Part D basic premium paid by the Government on behalf of a low income individual AD: For adjustments, compute the adjustment for each month in the (affected) payment period if the payment has already been made. PIC -9999.99

Item	Field Name	Len	Pos	Description
18	Net Late Enrollment Penalty Amount for Direct Billed Members	8	79-86	PD: Late Enrollment Penalty Amount for Direct Billed Members owed by beneficiary for premium period. This amount is net of any subsidized amounts for eligible LIS members. Net Late Enrollment Penalty Amount for Direct Billed Members = Late Enrollment Penalty Amount (minus) LEP Subsidy Amount (minus) Part D Penalty Waived Amount AD: For adjustments, compute the adjustment for each month in the (affected) payment period if the payment has already been made. PIC -9999.99

Item	Field Name	Len	Pos	Description
19	Net Amount Payable to Plan	8	87-94	PD: Net Amount Payable to Plan = Premium Low Income Subsidy Amount (field 16) (minus) Net Late Enrollment Penalty Amount for Direct Billed Members (field 17) AD: For adjustments, compute the adjustment for each month in the (affected) payment period if the payment has already been made. PIC -9999.99
20	FILLER	71	95-165	Spaces

E.18.3 Trailer Record

Totals by Contract, Plan and Segment for this Premium LIS/LEP Datafile

Item	Field Name	Len	Pos	Description
1	Record Type	3	1-3	PT1 = Trailer Record, Prospective Totals at Segment Level PT2 = Trailer Record, Prospective Totals at PBP Level PT3 = Trailer Record, Prospective Totals at Contract Level AT1 = Trailer Record, Adjustment Totals at Segment Level AT2 = Trailer Record, Adjustment Totals at PBP Level AT3 = Trailer Record, Adjustment Totals at Contract Level CT1 = Trailer Record, Combined Totals at Segment Level CT2 = Trailer Record, Combined Totals at PBP Level CT3 = Trailer Record, Combined Totals at Contract Level PIC XXX
	*** PLAN IDENTIFICATION			
2	MCO Contract Number	5	4-8	MCO Contract Number PIC X(5)
3	Plan Benefit Package Number	3	9-11	Plan Benefit Package Number Not populated on T3 records PIC X(3)
4	Plan Segment Number	3	12-14	Plan Segment Number Not populated on T2 or T3 records PIC X(3)

Item	Field Name	Len	Pos	Description
5	Total Premium Low Income Subsidy Amount	14	15-28	Total of All Beneficiary Premium Low Income Subsidy Amounts At Level Indicated By Record Type PIC -9(10).99
6	Total Late Enrollment Penalty Amount (net of subsidized amounts for eligible LIS members.)	14	29-42	Total of All Beneficiary Late Enrollment Penalty Amounts At Level Indicated By Record Type PIC -9(10).99
7	Total Net Amount Payable to Plan for Direct Billed Beneficiaries	14	43 - 56	Total Net Amount Payable to Contract for Direct Billed Beneficiaries = Total Premium Low Income Subsidy Amount (field 5) (minus) Total Late Enrollment Penalty Amount Net of any Subsidy (field 6) PIC -9(10).99
8	FILLER	109	57-165	Spaces

E.19 Loss of Subsidy (Deemed Status) Data File

This is a once a year notification file, sent to notify Plans about beneficiaries' loss of low-income subsidy deemed status for the following calendar year based on CMS' annual re-determination of deemed status. The file is informational only, to assist Plans in reaching out to the affected population and encouraging them to file an application to qualify for the upcoming calendar year. For 2007 this file will be sent using the format of a Special Full Enrollment File. Instead of a fixed '01' in the day of month position, the date node will reflect the actual date the file is created for transmission. The following fields will be populated: 1-6, 8-10, 15, 16, 18, 20, 22, 24 (with Subsidy End Date), 33 (not 34 or 35), 37, (not 39), 49-50 (not 51-55). The TRC used for this special file type is 996. TRC 996 indicates the loss of deeming, which means the beneficiary will not be redeemed for the upcoming period.

The next Loss of Subsidy Data File will be sent to Plans in early Fall 2007.

Field	Size	Position	Format	Description
1. Claim Number	12	1 – 12	PIC X(12)	Claim Account Number
2. Surname	12	13 – 24	PIC X(12)	Beneficiary Surname
3. First Name	7	25 – 31	PIC X(7)	Beneficiary Given Name
4. Middle Name	1	32	PIC X(1)	Beneficiary Middle Initial
5. Sex Code	1	33	PIC X(1)	Beneficiary Sex Identification Code 0 = Unknown 1 = Male 2 = Female
6. Date of Birth	8	34 – 41	PIC 9(8)	YYYYMMDD Format
7. Medicaid Indicator	1	42		Spaces
8. Contract Number	5	43 – 47	PIC X(5)	Plan Contract Number
9. State Code	2	48 – 49	PIC X(2)	Beneficiary State Code
10. County Code	3	50 – 52	PIC X(3)	Beneficiary County Code
11. Disability Indicator	1	53		Spaces
12. Hospice Indicator	1	54		Spaces
13. Institutional/NHC Indicator	1	55		Spaces
14. ESRD Indicator	1	56		Spaces

Field	Size	Position	Format	Description
15. Transaction Reply Code	3	57 – 59	PIC X(3)	Transaction Reply Code Defaulted to '996' for loss of Deemed Status report
16. Transaction Type Code	2	60 – 61	PIC X(2)	Transaction Type Code Defaulted to '01' for special reports
17. Entitlement Type Code	1	62		Spaces
18. Effective Date	8	63 – 70	PIC X(8)	YYYYMMDD Format
19. WA Indicator	1	71		Spaces
20. Plan Benefit Package ID	3	72 – 74	PIC X(3)	PBP number
21. Filler	1	75		Spaces
22. Transaction Date	8	76 – 83	PIC X(8)	Set to Current Date (YYYYMMDD)
23. Filler	1	84		Spaces
24. Normally Dependent on TR Code (With TRC-996, Low-Income Subsidy End Date)	12	85 – 96	PIC X(12)	End date of Beneficiary's Low-Income Subsidy Period (YYYYMMDD)
25. District Office Code	3	97 – 99		Spaces
26. Filler	8	100 – 107		Spaces
27. Filler	8	108 – 115		Spaces
28. Source ID	5	116 – 120		Spaces
29. Prior Plan Benefit Package ID	3	121 – 123		Spaces
30. Application Date	8	124 – 131		Spaces
31. Filler	2	132 – 133		Spaces
MMA Fields: (MMCS Data file ends with position 133)				
32. Out of Area Flag	1	134 – 134		Spaces
33. Segment Number	3	135 – 137	PIC X(3)	Default to '000' if blank
34. Part C Beneficiary Premium	8	138 – 145		Spaces
35. Part D Beneficiary Premium	8	146 – 153		Spaces
36. Election Type	1	154 – 154		Spaces

Field	Size	Position	Format	Description
37. Enrollment Source	1	155 – 155	PIC X(1)	A = Auto Enrolled by CMS B = Beneficiary Election C = Facilitated Enrollment by CMS D = CMS Annual Rollover Space = not supplied
38. Part D Opt-Out Flag	1	156 – 156		Spaces
39. Premium Withhold Option/Parts C-D	1	157 – 157		Spaces
40. Number of Uncovered Months	3	158 – 160		Spaces
41. Creditable Coverage Flag	1	161 – 161		Spaces
42. Employer Subsidy Override Flag	1	162 – 162		Spaces
43. Rx ID	20	163 – 182		Spaces
44. Rx Group	15	183 – 197		Spaces
45. Secondary Drug Insurance Flag	1	198-198		Spaces
46. Secondary Rx ID	20	199 – 218		Spaces
47. Secondary Rx Group	15	219 – 233		Spaces
48. EGHP	1	234 - 234		Spaces
49. Part D Low-Income Premium Subsidy Level	3	235 – 237	PIC X(3)	Part D low-income premium subsidy category: Default to '000' = No subsidy
50. Low-Income Co-Pay Category	1	238 – 238	PIC X(1)	Definitions of the co-payment categories Default o '0' = none, not low-income
51. Low-Income Co-Pay Effective Date	8	239 – 246		Spaces
52. Part D Late Enrollment Penalty Amount	8	247 - 254		Spaces
53. Part D Late Enrollment Penalty Waived Amount	8	255 - 262		Spaces
54. Part D Late Enrollment Penalty Subsidy Amount	8	263 - 270		Spaces

Field	Size	Position	Format	Description
55. Low-Income Part D Premium Subsidy Amount	8	271- 278		

E.20 Bi-Weekly Deemed/LIS Premium Report Data File

Field	Size	Position	Description
1. Claim Number	12	1 – 12	Beneficiary's Claim Account Number
2. Contract Number	5	13 – 17	Contract Identification Number
3. PBP Number	3	18 – 20	Beneficiary's Plan Benefit Package Identification Number, blank if none
4. Segment Number	3	21 - 23	Beneficiary's Segment Identification Number, blank if none
5. Run Date	8	24 - 31	Data File Generation Date, YYYYMMDD
6. Subsidy Start Date	8	32 - 39	Beneficiary's Subsidy Start Date, YYYYMMDD
7. Subsidy End Date	8	40 – 47	Beneficiary's Subsidy End Date, YYYYMMDD
8. Part D Premium Subsidy Percentage	3	48 – 50	Beneficiary's Low-Income Premium Subsidy Percent '100' = 100% Premium Subsidy '075' = 75% Premium Subsidy '050' = 50% Premium Subsidy '025' = 25% Premium Subsidy
9. Low-Income Co-Payment Level ID	1	51 – 51	Co-Payment Category Definitions: '1' = \$2/\$5 (High) '2' = \$1/\$3 (Low) '3' = \$0 (0) '4' = 15%
10. Beneficiary Enrollment Effective Date	8	52 – 59	Beneficiary's Enrollment Effective Date, Format: YYYYMMDD
11. Beneficiary Enrollment End Date	8	60 - 67	Beneficiary's Enrollment End Date, Format: YYYYMMDD Can be blank
12. Part C Premium Amount	8	68 – 75	Part C Premium Amount From Input Transaction, (---9.99)
13. Part D Premium Amount	8	76 – 83	Part D Premium Amount From Input Transaction, (---9.99)

Field	Size	Position	Description
14. Part D Late Enrollment Penalty Amount	8	84 - 91	Beneficiary's Part D Late Enrollment Penalty Amount, (----9.99)
15. LIS Subsidy Amount	8	92 - 99	Beneficiary's LIS Subsidy Amount, (----9.99)
16. LIS Penalty Subsidy Amount	8	100 - 107	Beneficiary's LIS Penalty Subsidy Amount, (----9.99)
17. Part D Penalty Waived Amount	8	108 - 115	Beneficiary's Part D Penalty Waived Amount, (----9.99)
18. Total Premium Amount	8	116 - 123	Total Calculated Premium for Beneficiary (----9.99)
19. FILLER	155	124 – 278	Filler

E.21 Monthly LIS History Data File

The Monthly LIS History Data File is produced as part of month-end processing. This file supplements other files providing LIS notifications, such as the Bi-Weekly LIS Premium Report Data File, the weekly TRR, and the Full Enrollment File. The LIS History Data File provides Plans with a more complete picture of a beneficiary's LIS eligibility over a period of time not to exceed 36 months.

The LIS History Data File will display only those LIS history changes during active, contiguous enrollment with a contract over a period of time not to exceed 36 months.

For example, a beneficiary enrolls in Plan H1234. The beneficiary disenrolls from Plan H1234 and enrolls with Plan H2334. The beneficiary then disenrolls from Plan H2334 and enrolls again with Plan H1234. The LIS history for the first enrollment in Plan H1234 will *not show* on the LISHIST upon re-enrollment into Plan H1234.

Monthly LIS History Datafile					
#	Field Name	Len	Pos	Format	Description
	HEADER RECORD				
1	Record Type	1	1	PIC X(1)	'H' = Header Record
2	MCO Contract Number	5	2-6	PIC X(5)	MCO Contract Number
3	Data file Date	8	7-14	PIC X(8)	Date this datafile created YYYYMMDD
4	Current processing Month	6	15-20	PIC X(6)	First 6 digits contain Current Payment Month YYYYMM
5	Filler	145	21-165		
	DETAIL RECORD				
	*** PLAN IDENTIFICATION				
1	Record Type	1	1	PIC X(1)	'D' = Detail Record
2	MCO Contract Number	5	2-6	PIC X(5)	MCO Contract Number
3	Plan Benefit Package Number	3	7-9	PIC X(3)	Plan Benefit Package Number

Monthly LIS History Datafile					
#	Field Name	Len	Pos	Format	Description
	*** BENEFICIARY IDENTIFICATION				
4	HIC Number	12	10-21	PIC X(12)	Beneficiary's HIC #
5	Surname	12	22-33	PIC X(12)	Beneficiary's Surname
6	First Name	7	34-40	PIC X (7)	Beneficiary's First Initial
7	Middle Initial	1	41	PIC X(1)	Beneficiary's Middle Initial
8	Sex	1	42	PIC X(1)	M = Male, F = Female
9	Date of Birth	8	43-50	PIC 9(8)	Date of Birth YYYYMMDD
	*** LOW INCOME PERIODS				
10	Low Income Period Start Date	8	51-58	PIC 9(8)	Start of beneficiary's Low Income Period YYYYMMDD
11	Low Income Period End Date	8	59-66	PIC 9(8)	End of beneficiary's Low Income Period YYYYMMDD
12	Low Income Premium Subsidy Percentage	3	67-69	PIC 999(3)	Beneficiary's Low Income Premium Subsidy Percentage '100' = 100% Premium subsidy '075' = 75% Premium subsidy '050' = 50% Premium subsidy '025' = 25% Premium subsidy
13	Premium Low Income Subsidy Amount	8	70-77	PIC 99999.99(8)	Premium Low Income Subsidy Amount – the portion of the Part D basic premium paid by the Government on behalf of a low income individual

Monthly LIS History Datafile					
#	Field Name	Len	Pos	Format	Description
14	Low Income Co-pay Level ID	1	78	PIC (1)	Co-Payment Category Definitions: '1' = High '2' = Low '3' = \$0 '4' = 15% Please note that co-pay level IDs 1 and 2 will change each year. In 2007, 1 = \$2.15/\$5.35 and 2 = \$1/\$3.10. In 2006 1 = \$2/\$5 and 2 = \$1/\$3.
15	Beneficiary Source of Subsidy Code	1	79	PIC X(1)	Source of beneficiary subsidy. Valid values are: A = Determined Eligible for LIS by the Social Security Administration or a State Medicaid Agency D = Deemed Eligible for LIS
16	FILLER	86	80-165		Spaces
	TRAILER RECORD				
1	Record Type	1	1	PIC X(1)	'T' = Trailer Record
2	MCO Contract Number	5	2-6	PIC X(5)	MCO Contract Number
3	Totals	8	7-14	PIC 99999999(8)	Total number of Detail Records
4	FILLER	151	15-165		Spaces

E.22 4Rx Notification File Record Formats

NOTE: This file is no longer being transmitted to Plans as of August 16, 2007 due to Summer Software Changes updating 4Rx data submission. This file is obsolete and Plans may now find this information on the Weekly/Monthly TRR.

Once Plans have successfully enrolled individuals in Prescription Drug Plans, they will submit to CMS the 4Rx data for their beneficiaries by means of 4Rx Notification Files.

The 4Rx Notification is a data exchange between the Plans and CMS in which the Plans provide CMS with additional information on Plan enrollments to support point of sale and other pharmacy related information needs. The objective is to make available 4Rx data to the TrOOP Facilitator and Coordination of Benefits (COB) contractor.

A detail record type containing the value of “NRX” in positions 1 through 3 of the file layout indicates that this record is a request for the organization to send CMS information for the beneficiary.

The following records are included in this file:

- Header Record
- Trailer Record
- Detail Record

E.22.1 4Rx Notification Header Record

Note: A “Critical Field” must contain a value. A “Not Critical Field” may contain a value or all spaces.

From: Plan		To: CMS			
Data Field	Length	Position	Format	Valid Values	Field Definition
File ID Name	8	1 ... 8	X(8)	“MMA4RXNH”	Critical Field This field should always be set to the value "MMA4RXNH." This code allows recognition of the record as the Header Record of a 4Rx Notification File. This field allows for the identification of the file as a 4Rx Notification File.

From: Plan		To: CMS			
Data Field	Length	Position	Format	Valid Values	Field Definition
Sending Entity	8	9 ... 16	X(8)	Sending Organization (left justified space filled) Acceptable Values: 5-position Contract Identifier + 3 Spaces (3 Spaces are for Future Use)	Critical Field This field provides CMS with the identification of the entity that is sending the 4Rx Notification File. The value for this field will be provided to CMS and used in connection with CMS electronic routing and mailbox functions. The value in this field should agree with the corresponding value in the Trailer Record. The Sending Entity may be a Part D Organization.
File Creation Date	8	17 ... 24	X(8)	YYYYMMDD	Critical Field The date on which the 4Rx Notification file was created by the Sending Entity. This value should be formulated as YYYYMMDD. For example, January 3 2010 would be the value 20100103. This value should agree with the corresponding value in the Trailer Record. CMS will pass this information back to the Sending Entity on all Transactions (Detail Records) of a 4Rx Response File.
File Control Number	9	25 ... 33	X(9)	Assigned by Sending Entity	Critical Field The specific Control Number assigned by the Sending Entity to the 4Rx Notification File. CMS will pass this information back to the Sending Entity on all Transactions (Detail Records) of a 4Rx Response File. This value should agree with the corresponding value in the Trailer Record.
FILLER	717	34 ... 750	X(717)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information nor used to store meaningful information, unless specifically documented otherwise
Total Length = 750					

E.22.2 4Rx Notification Detail Record

Note: A “Critical Field” must contain a value. A “Not Critical Field” may contain a value or all spaces.

Data Field	Length	Position	Format	Valid Values	Field Definition
Record Type	5	1 ... 5	X(5)	“DTL02” = 4Rx Plan Transaction Note: The value above is DTL-zero-two.	Critical Field This field should be set to the value “ DTL02 ,” which indicates that this detail record is a 4Rx Plan Transaction. This code allows recognition of the detail record to be processed specifically for 4Rx Notification and Update.
HICN/RRB Number	12	6 ... 17	X(12)	Health Insurance Claim Number or Railroad Retirement Board Number	Critical Field: This is a required field, if the SSN is not provided. This field provides either the Health Insurance Claim Number or the Railroad Retirement Board Number for identification of the individual. The Plan should provide either the HICN or the RRB Number, whichever the Plan has available and active for the individual. The value should be left-justified in the field. The value should not include dashes, decimals, or commas.
SSN	9	18 ... 26	X(9)	Social Security Number. Nine-Byte Numeric.	Critical Field: This is a required field, if the HICN/RRB is not provided. The Social Security Number for the individual. The value should include only numbers. The value should not include dashes, decimals, or commas.
Date of Birth (DOB)	8	27 ... 34	X(8)	YYYYMMDD	Critical Field The date of birth of the individual. The value should be formatted as YYYYMMDD. The value should not include dashes, decimals, or commas. The value should include only numbers.
Gender Code	1	35 ... 35	X(1)	0 (Zero) = Unknown; 1 = Male; 2 = Female	Not Critical Field The gender of the individual. The acceptable values include 0 (Zero) = Unknown, 1 = Male, 2 = Female.

Data Field	Length	Position	Format	Valid Values	Field Definition
Rx Bin	6	36 ... 41	9(6)	6-position Numeric	Critical Field The card issuer identifier or a Bank Identifying Number used for network routing.
Rx PCN	10	42 ... 51	X(10)	10-position Alphanumeric Left Justify in field, space fill.	Not Critical Field The number assigned by the processor. If the value in this field is less than 10 characters in length, then the value should be left-justified in the field with spaces in the empty positions.
Rx ID	20	52 ... 71	X(20)	20-position Alphanumeric Left Justify in field, space fill.	Critical Field The member ID assigned to the beneficiary. If the value in this field is less than 20 characters in length, then the value should be left-justified in the field with spaces in the empty positions.
Rx Group	15	72... 86	X(15)	15-position Alphanumeric Left Justify in field, space fill.	Not Critical Field The identifying number assigned to the cardholder group or employer group. If the value in this field is less than 15 characters in length, then the value should be left-justified in the field with spaces in the empty positions.
Contract Number	5	87 ... 91	X(5)	5-position H- Number	Critical Field The Contract Number of the Part D enrollment.
PBP Number	3	92 ... 94	X(3)	3-position Alphanumeric	Critical Field The Plan Benefit Package number for the Part D enrollment.
PBP Enrollment Effective Date	8	95... 102	X(8)	YYYYMMDD	Not Critical Field Date the PBP election started. For Part D PBPs, this date identifies when the Part D Enrollment became effective for the Part D Contract.

Data Field	Length	Position	Format	Valid Values	Field Definition
Detail Record Sequence Number	7	103 ... 109	9(7)	7-position number unique within the 4Rx Notification File	Not Critical Field A unique number assigned by the Sending Entity to the Transaction (Detail Record). This number should uniquely identify the Transaction (Detail Record) within the 4Rx Notification File.
FILLER	641	110 ... 750	X(641)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information nor used to store meaningful information, unless specifically documented otherwise.
Total Length = 750					

Note: If a Plan does not use the Rx PCN or the Rx Group data field on 4Rx Notification Detail Record (Transactions), they should be space filled.

E. 22.3 4Rx Notification Trailer Record

Note: A “Critical Field” must contain a value. A “Not Critical Field” may contain a value or all spaces.

From: Plan		To: CMS			
Data Field	Length	Position	Format	Valid Values	Field Definition
File ID Name	8	1 ... 8	X(8)	"MMA4RXNT"	Critical Field This field should always be set to the value "MMA4RXNT." This code allows recognition of the record as the Trailer Record of a 4Rx Notification File. This field allows for the identification of the file as a 4Rx Notification File.
Sending Entity	8	9 ... 16	X(8)	Sending Organization (left justified space filled) Acceptable Values: 5-position	Critical Field This field provides CMS with the identification of the entity that is sending the 4Rx Notification File. The value for this field will be provided to CMS and used in connection with CMS electronic routing and mailbox functions. The value in this field should agree with the corresponding value in the Header Record. The Sending Entity may be a Part D Organization.

From: Plan		To: CMS			
Data Field	Length	Position	Format	Valid Values	Field Definition
				Contract Identifier + 3 Spaces (3 Spaces are for Future Use)	
File Creation Date	8	17 ... 24	X(8)	YYYYMMDD	Critical Field The date on which the 4Rx Notification File was created by the Sending Entity. This value should be formulated as YYYYMMDD. For example, January 3, 2010 would be the value 20100103. This value should agree with the corresponding value in the Header Record. CMS will pass this information back to the Sending Entity on all Transactions (Detail Records) of a 4Rx Response File.
Data Field	Length	Position	Format	Valid Values	Field Definition
File Control Number	9	25 ... 33	X(9)	Assigned by Sending Entity	Critical Field The specific Control Number assigned by the Sending Entity to the 4Rx Notification File. CMS will pass this information back to the Sending Entity on all Transactions (Detail Records) of a 4Rx Response File. This value should agree with the corresponding value in the Header Record.
Record Count	7	34 ... 40	9(7)	Numeric value greater than Zero.	Critical Field The total number of Transactions (Detail Records) supplied on the 4Rx Notification File. This value should be right-justified in the field, with leading zeros. This value should not include non-numeric characters, such as commas, spaces, dashes, decimals.

From: Plan		To: CMS			
Data Field	Length	Position	Format	Valid Values	Field Definition
FILLER	710	41 ... 750	X(710)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information nor used to store meaningful information, unless specifically documented otherwise.
Total Length = 750					

E.23 NoRx Notification Record Format

The NoRx File contains the same format as the 4Rx Notification File and is a file that contains records identifying those enrollees who do not currently have 4Rx information stored in CMS files. The only distinction in the format between the two files is that the NoRx file detail record will show blanks, or no information, in fields such as REC TYPE, DATE OF BIRTH, RX BIN, etc.

The following records are included in this file:

- Header Record
- Trailer Record
- Detail Record

E.23.1 NoRx File Header Record

Note: A “Critical Field” must contain a value. A “Not Critical Field” may contain a value or all spaces.

From: CMS		To: Plan			
Data Field	Length	Position	Format	Valid Values	Field Definition
File ID Name	8	1 ... 8	X(8)	"CMSNRX0H"	Critical Field This field will always be set to the value "CMSNRX0H." This code allows recognition of the record as the Header Record of a NoRx File.
Sending Entity	8	9 ... 16	X(8)	"MBD " (MBD + 5 spaces)	Critical Field This field will always be set to the value "MBD ". The value specifically is "MBD" followed by five spaces.
File Creation Date	8	17 ... 24	X(8)	YYYYMMDD	Critical Field The date on which the NoRx file was created by CMS. This value should be formulated as YYYYMMDD

From: CMS		To: Plan			
Data Field	Length	Position	Format	Valid Values	Field Definition
File Control Number	9	25 ... 33	X(9)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.
FILLER	717	34 ... 750	X(717)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.
Total Length = 750					

E.23.2 NoRx Notification Detail Record

Note: A “Critical Field” must contain a value. A “Not Critical Field” may contain a value or all spaces.

Data Field	Length	Position	Format	Valid Values	Field Definition
Record Type	3	1 ... 3	X(3)	“NRX”	Critical Field This field will be set to the value “ NRX ,” which indicates that this detail record is a NoRx record. This code allows recognition of the detail record as a No Rx record from CMS.
Record Type from Original Detail	5	4 ... 8	X(5)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information
HICN or RRB Number	12	9 ... 20	X(9)	Health Insurance Claim Number or Railroad Retirement Board Number from CMS	Critical Field This field contains either the Health Insurance Claim Number or the Railroad Retirement Board Number of the beneficiary that does not have 4Rx data.
SSN	9	21 ... 29	X(9)	Social Security Number from CMS	Not a Critical Field This field may contain the Social Security Number of the beneficiary that does not have 4Rx data.
Beneficiary Date of Birth from Original Detail	8	30 ... 37	X(8)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.

Data Field	Length	Position	Format	Valid Values	Field Definition
Beneficiary Gender Code from Original Detail	1	38 ... 38	X(1)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.
Rx BIN from Original Detail	6	39 ... 44	X(6)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.
Rx PCN from Original Detail	10	45 ... 54	X(10)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.
Rx ID Number from Original Detail	20	55 ... 74	X(20)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.
Rx Group from Original Detail	15	75 ... 89	X(15)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.
Contract Number	5	90 ... 94	X(5)	Contract Number from CMS	Critical Field This field contains the Contract Number of the beneficiary that does not have 4Rx data.
PBP Number	3	95 ... 97	X(3)	Plan Benefit Package Number from CMS	Critical Field This field contains the Plan Benefit Package number of the beneficiary that does not have 4Rx data.

Data Field	Length	Position	Format	Valid Values	Field Definition
Plan Benefit Package Enrollment Effective Date from Original Detail	8	98 ... 105	X(8)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.
Record Sequence Number from Original Detail	7	106 ... 112	X(7)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.
Processed Flags	3	113 ... 115	X(3)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.
Error Return Codes	36	116 ... 151	X(36)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.
Sending Entity from Original File	8	152 ... 159	X(8)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.
File Control Number from Original File	9	160 ... 168	X(9)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.
File Creation Date	8	169... 176	X(8)	YYYYMMDD	Critical Field This field contains the date the NoRx record was created.
FILLER	574	177... 750	X(574)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.

Data Field	Length	Position	Format	Valid Values	Field Definition
Total Length = 750					

E.23.3 NoRx Notification Trailer Record

Note: A “Critical Field” must contain a value. A “Not Critical Field” may contain a value or all spaces.

From: CMS		To: Plan			
Data Field	Length	Position	Format	Valid Values	Field Definition
File ID Name	8	1 ... 8	X(8)	"CMSNRX0T"	Critical Field This field will always be set to the value "CMSNRX0T." This code allows recognition of the record as the Trailer Record of a NoRx File.
Sending Entity	8	9 ... 16	X(8)	"MBD " (MBD + 5 spaces)	Critical Field This field will always be set to the value "MBD ". The value specifically is "MBD" followed by five spaces.
File Creation Date	8	17 ... 24	X(8)	YYYYMMDD	Critical Field The date on which the NoRx file was created by CMS. This value should be formulated as YYYYMMDD
File Control Number	9	25 ... 33	X(9)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.
File Record Count	7	34 ... 40	9(7)	Numeric value greater than Zero.	Critical Field The total number of NoRx records on this file. This value will be right-justified in the field with leading zeros.
FILLER	710	41 ... 750	X(710)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information.
Total Length = 750					

E.24 4Rx Response File Record Formats

NOTE: This file is no longer being transmitted to Plans as of August 16, 2007 due to Summer Software Changes updating 4Rx data submission. This file is obsolete and Plans may now find this information on the Weekly/Monthly TRR.

CMS will send 4Rx Response Files to Sending Entities in the following format. The 4Rx Response Files will be flat files created as a result of processing the Transactions (Detail Records) of Accepted 4Rx Notification Files. The following records are included in this file:

- Header Record
- Trailer Record
- Detail Record

E.24.1 4Rx Response Header Record

From: CMS		To: Plans			
Data Field	Length	Position	Format	Valid Values	Field Definition
File ID Name	8	1 ... 8	X(8)	"CMS4RXNH"	This field will always be set to the value "CMS4RXNH." This code allows recognition of the record as the Header Record of a 4Rx Response File. This field allows for identification of the file as a 4Rx Response File.
Sending Entity (MBD)	8	9 ... 16	X(8)	"MBD " (MBD + 5 Spaces)	This field will always be set to the value "MBD ." The value specifically is MBD + 5 following Spaces. This value will agree with the corresponding value in the Trailer Record.
File Creation Date	8	17 ... 24	X(8)	YYYYMMDD	The date on which the 4Rx Response File was created by CMS. This value will be formulated as YYYYMMDD. For example, January 3 2010 would be the value 20100103. This value will agree with the corresponding value in the Trailer Record.
File Control Number	9	25 ... 33	X(9)	Assigned by Sending Entity (MBD)	The specific Control Number assigned by the MBD to the 4Rx Response File. CMS will utilize this value to track the 4Rx Response File through CMS processing and archive. This value will agree with the corresponding value in the Trailer Record.
FILLER	717	34 ... 750	X(717)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information nor used to store meaningful information, unless specifically documented otherwise.
Total Length = 750					

E.24.2 4Rx Response Detail Record (Transaction)

This record is produced for all 4Rx Notification transactions received. Note: If a Plan does not use the Rx PCN or the Rx Group data field on 4Rx Notification Detail Record (Transactions), it should be space filled.

From: CMS		To: Plans			
Data Field	Length	Position	Format	Valid Values	Field Definition
Record Type	3	1 ... 3	X(3)	"DTL"	This field will be set to the value "DTL," which indicates that this is a detail record.
Original Detail Record	109	4 ...112	X(109)	The first 112 positions of the original Detail Record (Transaction) supplied by the Sending Entity.	This field provides the meaningfully-populated area of the 4Rx Notification file Transaction (Detail Record) provided by the Sending Entity.
Processed Flag	1	113 ... 113	X(1)	"Y" = The detail record was accepted for processing. "N" = The detail record was not accepted for processing.	A flag that indicates if the Transaction (Detail Record) was accepted for processing. A Transaction will be accepted for processing if all critical fields contain valid values. For more information, see the 4Rx Notification File Error Conditions Table and the Notification Transaction (Detail Record) Error Conditions Table in Appendix H.
Beneficiary Match Flag	1	114 ... 114	X(1)	"Y" = The beneficiary was matched (located) successfully. "N" = The beneficiary was not matched (located) successfully. " " (SPACE) = Beneficiary Match was not attempted due to an Invalid	A flag that indicates whether or not the beneficiary in the Transaction (Detail Record) was successfully matched (located) to a beneficiary on the CMS Medicare Beneficiary Database (MBD). For more information, see the 4Rx Notification File Error Conditions Table and the Notification Transaction (Detail Record) Error Conditions Table in Appendix H.

From: CMS		To: Plans			
Data Field	Length	Position	Format	Valid Values	Field Definition
				condition in the Transaction (Detail Record).	
PBP Enrollment Match Flag	1	115 ... 115	X(1)	"Y" = The PBP enrollment for the beneficiary was successfully matched (located). "N" = The PBP enrollment for the beneficiary was not successfully matched (located). " " (SPACE) = PBP Enrollment Match was not attempted due to an Invalid condition in the Transaction (Detail Record).	A flag that indicates whether or not the beneficiary's PBP enrollment was successfully matched (located) on the CMS Medicare Beneficiary Database (MBD). For more information, see the 4Rx Notification File Error Conditions Table and the Notification Transaction (Detail Record) Error Conditions Table in Appendix H.
Record Type Error Return Code	3	116... 118	X(3)	See the 4Rx Notification File Error Conditions Table and the Notification Transaction (Detail Record) Error Conditions Table in Appendix H.	
HICN/RRB Number Error Return Code	3	119 ... 121	X(3)	See the 4Rx Notification File Error Conditions Table and the Notification Transaction (Detail Record) Error Conditions Table in Appendix H.	
SSN Error Return Code	3	122... 124	X(3)	See the 4Rx Notification File Error Conditions Table and the Notification Transaction (Detail Record) Error Conditions Table in Appendix H.	

From: CMS		To: Plans			
Data Field	Length	Position	Format	Valid Values	Field Definition
Date of Birth Error Return Code	3	125 ... 127	X(3)	See the 4Rx Notification File Error Conditions Table and the Notification Transaction (Detail Record) Error Conditions Table in Appendix H.	
Rx Bin Error Return Code	3	128 ... 130	X(3)	See the 4Rx Notification File Error Conditions Table and the Notification Transaction (Detail Record) Error Conditions Table in Appendix H.	
FILLER	3	131... 133	X(3)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information nor used to store meaningful information, unless specifically documented otherwise.
Rx-ID Error Return Code	3	134-136	X(3)	See the 4Rx Notification File Error Conditions Table and the Notification Transaction (Detail Record) Error Conditions Table in Appendix H.	
Part-D-Payment-Switch-Error Return Code	3	137-139	X(3)	See the 4Rx Notification File Error Conditions Table and the Notification Transaction (Detail Record) Error Conditions Table in Appendix H.	
Contract Number Error Return Code	3	140... 142	X(3)	See the 4Rx Notification File Error Conditions Table and the Notification Transaction (Detail Record) Error Conditions Table in Appendix H.	
PBP (Plan Benefit Package) Number Error Return Code	3	143 ... 145	X(3)	See the 4Rx Notification File Error Conditions Table and the Notification Transaction (Detail Record) Error Conditions Table in Appendix H.	

From: CMS		To: Plans			
Data Field	Length	Position	Format	Valid Values	Field Definition
PBP Enrollment Effective Date Error Return Code	3	146... 148	X(3)	See the 4Rx Notification File Error Conditions Table and the Notification Transaction (Detail Record) Error Conditions Table in Appendix H.	
Detail Record Sequence Number Error Return Code	3	149... 151	X(3)	See the 4Rx Notification File Error Conditions Table and the Notification Transaction (Detail Record) Error Conditions Table in Appendix H.	
Sending Entity	8	152 ... 159	X(8)	Sending Part D Organization (left justified space filled) Acceptable Values are: 5-position Contract Identifier + 3 Spaces (3 Spaces are for Future Use)	The Sending Part D Organization provided on the Header Record of the 4Rx Notification File in which the Transaction (Detail Record) was found.
File Control Number	9	160 ... 168	X(9)	Assigned by Sending Entity	The File Control Number provided by the Sending Part D Organization on the Header Record of the 4Rx Notification File in which the Transaction (Detail Record) was found.
File Creation Date	8	169 ... 176	X(8)	YYYYMMDD	The File Creation Date provided on the Header Record of the 4Rx Notification File in which the Transaction (Detail Record) was found.

From: CMS		To: Plans			
Data Field	Length	Position	Format	Valid Values	Field Definition
FILLER	574	177 ... 750	X(574)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information or used to store meaningful information, unless documented otherwise.
Total Length = 750					

E.24.3 4Rx Response Trailer Record

From: CMS		To: Plans			
Data Field	Length	Position	Format	Valid Values	Field Definition
File ID Name	8	1 ... 8	X(8)	"CMS4RXNT"	This field will always be set to the value "CMS4RXNT." This code allows recognition of the record as the Trailer Record of a 4Rx Response File. This field allows for the identification of the file as a 4Rx Response File.
Sending Entity (MBD)	8	9 ... 16	X(8)	"MBD " (MBD + 5 Spaces)	This field will always be set to the value "MBD ." The value specifically is MBD + 5 following Spaces. This value will agree with the corresponding value in the Header Record.
File Creation Date	8	17 ... 24	X(8)	YYYYMMDD	The date on which the 4Rx Response File was created by CMS. This value will be formulated as YYYYMMDD. For example, January 3 2010 would be the value 20100103. This value will agree with the corresponding value in the Header Record.
File Control Number	9	25 ... 33	X(9)	Assigned by Sending Entity (MBD)	The specific Control Number assigned by CMS to the 4Rx Response File. CMS will utilize this value to track the 4Rx Response File through CMS processing and archive. This value will agree with the corresponding value in the Header Record.
Record Count	7	34 ... 40	9(7)	Numeric value greater than Zero.	The total number of Transactions (Detail Records) on the 4Rx Response File. This value will be right-justified in the field, with leading zeros. This value will not include non-numeric characters, such as commas, spaces, dashes, decimals.
FILLER	710	41 ... 750	X(710)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information nor used to store meaningful information, unless specifically documented otherwise.
Total Length = 750					

E.25 Batch Eligibility Query (BEQ) Request File

A Plan will submit a BEQ Request File to CMS in the following format:

The following records are included in this file:

- Header Record
- Trailer Record
- Detail Record

E.25.1 BEQ Request Header Record

Data Field	Length	Position	Format	Valid Values	Field Definition
File ID Name	8	1 ... 8	X(8)	"MMABEQRH"	Critical Field This field should always be set to the value "MMABEQRH." This code identifies the file as a Batch Eligibility Query (BEQ) Request File and this record as the Header Record of the file.
Sending Entity (CMS)	8	9 ... 16	X(8)	Sending Organization (left justified space filled) Acceptable Values: 5-position Contract Identifier + 3 Spaces (3 Spaces are for Future Use)	Critical Field This field provides CMS with the identification of the entity that is sending the BEQ Request File. The value for this field will be provided to CMS and used in connection with CMS electronic routing and mailbox functions. The value in this field should agree with the corresponding value in the Trailer Record. The Sending Entity may be a Part D Organization.

Data Field	Length	Position	Format	Valid Values	Field Definition
File Creation Date	8	17 ... 24	X(8)	YYYYMMDD	Critical Field The date on which the BEQ Request File was created by the Sending Entity. This value should be formulated as YYYYMMDD. For example, January 3 2010 would be the value 20100103. This value should agree with the corresponding value in the Trailer Record. CMS will pass this information back to the Sending Entity on all Transactions (Detail Records) of a BEQ Response File.
File Control Number	9	25 ... 33	X(9)	Assigned by Sending Entity	Critical Field The specific Control Number assigned by the Sending Entity to the BEQ Request File. CMS will pass this information back to the Sending Entity on all Transactions (Detail Records) of a BEQ Response File. This value should agree with the corresponding value in the Trailer Record.
FILLER	717	34 ... 750	X(717)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information nor used to store meaningful information, unless specifically documented otherwise.
Total Length = 750					

E.25.2 BEQ Request Detail Record (Transaction)

Data Field	Length	Position	Format	Valid Values	Field Definition
Record Type	5	1 ... 5	X(5)	"DTL01" = Batch Eligibility Query Transaction Note: The value above is DTL-zero-one.	Critical Field This field should be set to the value " DTL01 ," which indicates that this detail record is a Batch Eligibility Query Transaction. This code identifies the record as a detail record to be processed specifically for Batch Eligibility Query Service.
HICN/RRB Number	12	6 ... 17	X(12)	Health Insurance Claim Number or Railroad Retirement Board Number	Critical Field: This is a required field, if the SSN is not provided. This field provides either the Health Insurance Claim Number or the Railroad Retirement Board Number for identification of the individual. The Plan should provide either the HICN or the RRB Number, whichever the Plan has available and active for the individual. The value should be left-justified in the field. The value should not include dashes, decimals, or commas.
SSN	9	18 ... 26	X(9)	Social Security Number. Nine-Byte Numeric.	Critical Field: This is a required field, if the HICN/RRB is not provided. The Social Security Number for the individual. The value should include only numbers. The value should not include dashes, decimals, or commas.
Date of Birth (DOB)	8	27 ... 34	X(8)	YYYYMMDD	Critical Field The date of birth of the individual. The value should be formatted as YYYYMMDD. The value should not include dashes, decimals, or commas. The value should include only numbers.
Gender Code	1	35 ... 35	X(1)	0 (Zero) = Unknown; 1 = Male; 2 = Female	Not Critical Field The gender of the individual. The acceptable values include 0 (Zero) = Unknown, 1 = Male, 2 = Female.

Data Field	Length	Position	Format	Valid Values	Field Definition
Detail Record Sequence Number	7	36 ... 42	9(7)	Seven-byte number unique within the Batch Eligibility Query Request File	Critical Field A unique number assigned by the Sending Entity to the Transaction (Detail Record). This number should uniquely identify the Transactions (Detail Record) within the Batch Eligibility Query Request File.
FILLER	708	43... 750	X(708)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information nor used to store meaningful information, unless specifically documented otherwise.
Total Length = 750					

E.25.3 BEQ Request Trailer Record

Data Field	Length	Position	Format	Valid Values	Field Definition
File ID Name	8	1 ... 8	X(8)	"MMABEQRT"	Critical Field This field should always be set to the value "MMABEQRT." This code identifies the record as the Trailer Record of a BEQ Request File.
Sending Entity (CMS)	8	9 ... 16	X(8)	Sending Organization (left justified space filled) Acceptable Values: 5-position Contract Identifier + 3 Spaces (3 Spaces are for Future Use)	Critical Field This field provides CMS with the identification of the entity that is sending the BEQ Request File. The value for this field will be provided to CMS and used in connection with CMS electronic routing and mailbox functions. The value in this field should agree with the corresponding value in the Header Record. The Sending Entity may be a Part D Organization.
File Creation Date	8	17 ... 24	X(8)	YYYYMMDD	Critical Field The date on which the BEQ Request File was created by the Sending Entity. This value should be formulated as YYYYMMDD. For example, January 3 2010 would be the value 20100103. This value should agree with the corresponding value in the Header Record. CMS will pass this information back to the Sending Entity on all Transactions (Detail Records) of a BEQ Response File.
File Control Number	9	25 ... 33	X(9)	Assigned by Sending Entity	Critical Field The specific Control Number assigned by the Sending Entity to the BEQ Request File. CMS will pass this information back to the Sending Entity on all Transactions (Detail Records) of a BEQ Response File. This value should agree with the corresponding value in the Header Record.

Data Field	Length	Position	Format	Valid Values	Field Definition
Record Count	7	34 ... 40	9(7)	Numeric value greater than Zero.	Critical Field The total number of Transactions (Detail Records) supplied on the BEQ Request File. This value should be right-justified in the field, with leading zeros. This value should not include non-numeric characters, such as commas, spaces, dashes, decimals.
FILLER	710	41 ... 750	X(710)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information nor used to store meaningful information, unless specifically documented otherwise.
Total Length = 750					

E.26 Batch Eligibility Query (BEQ) Response File

CMS will send BEQ (Batch Eligibility Query) Response Files to Plans in the following format. The BEQ Response Files will be flat files created as a result of processing the Transactions (Detail Records) of Accepted BEQ Request Files (See Section 5 for more information on the Batch Eligibility Query (BEQ) Request Instructions and Batch Eligibility Query (BEQ) Response Process).

Note: CMS provides up to two occurrences of LIS information in the BEQ Response File. During the open enrollment period, CMS is not aware whether Plans are submitting queries for 2006 enrollments or 2007 enrollments. Therefore, the BEQ provides the current and future LIS information so Plans have the correct information for the year in which they will be submitting the enrollment transaction.

The following records are included in this file:

- Header Record
- Trailer Record
- Detail Record

E.26.1 BEQ Response File Header Record

Data Field	Length	Position	Format	Valid Values	Field Definition
File ID Name	8	1 ... 8	X(8)	"CMSBEQRH"	This field will always be set to the value "CMSBEQRH." This code identifies the record as the Header Record of a BEQ Response File.
Sending Entity (MBD)	8	9 ... 16	X(8)	"MBD " (MBD + 5 Spaces)	This field will always be set to the value "MBD ". The value specifically is MBD + 5 following Spaces. This value will agree with the corresponding value in the Trailer Record.
File Creation Date	8	17 ... 24	X(8)	YYYYMMDD	The date on which the BEQ Response File was created by CMS. This value will be in the format of YYYYMMDD. For example, January 3, 2010 would be the value 20100103. This value will agree with the corresponding value in the Trailer Record.

Data Field	Length	Position	Format	Valid Values	Field Definition
File Control Number	9	25 ... 33	X(9)	Assigned by Sending Entity (MBD)	The specific Control Number assigned by CMS to the BEQ Response File. CMS will utilize this value to track the BEQ Response File through CMS processing and archive. This value will agree with the corresponding value in the Trailer Record.
FILLER	717	34 ... 750	X(717)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information nor used to store meaningful information, unless specifically documented otherwise.
Total Length = 750					

E.26.2 BEQ Response Detail Record (Transaction)

This record is produced for all BEQ Response Transactions Received (from CMS to Plans).

Data Field	Length	Position	Format	Valid Values	Field Definition
Record Type	3	1 ... 3	X(3)	"DTL"	This field will be set to the value "DTL," which indicates that this is a detail record.
Original Detail Record	42	4 ... 45	X(42)	The first 42 positions of the original Transaction (Detail Record) supplied by the Sending Entity.	This field provides the meaningfully-populated area of the BEQ Request File Transaction (Detail Record) provided by the Sending Entity.
Processed Flag	1	46 ... 46	X(1)	"Y" = The detail record was accepted for processing. "N" = The detail record was not accepted for processing.	A flag that indicates if the Transaction (Detail Record) was accepted for processing. A Transaction will be accepted for processing if all critical fields contain valid values.
Beneficiary Match Flag	1	47 ... 47	X(1)	"Y" = The beneficiary was matched (located) successfully. "N" = The beneficiary was not matched (located) successfully. " " (SPACE) = Beneficiary Match was not attempted due to an Invalid condition in the Transaction (Detail Record).	A flag that indicates whether or not the beneficiary in the Transaction (Detail Record) was successfully matched (located) to a beneficiary on the CMS Medicare Beneficiary Database (MBD).
Medicare Part A Entitlement Start Date	8	48 ... 55	X(8)	YYYYMMDD Spaces = Not currently enrolled or Data Not Found.	The Entitlement Start Date of the beneficiary's most recent or active Medicare Part A entitlement period.
Medicare Part A Entitlement End Date	8	56 ... 63	X(8)	YYYYMMDD Spaces = Not currently enrolled or Data Not	The Entitlement End Date of the beneficiary's most recent or active Medicare Part A entitlement period.

Data Field	Length	Position	Format	Valid Values	Field Definition
				Found.	
Medicare Part B Entitlement Start Date	8	64 ... 71	X(8)	YYYYMMDD Spaces = Not currently enrolled or Data Not Found.	The Entitlement Start Date of the beneficiary's most recent or active Medicare Part B entitlement period.
Medicare Part B Entitlement End Date	8	72 ... 79	X(8)	YYYYMMDD Spaces = Not currently enrolled or Data Not Found.	The Entitlement End Date of the beneficiary's most recent or active Medicare Part B entitlement period.
Medicaid Indicator	1	80 ...80	X(1)	"0" = The beneficiary has no current or active Medicaid coverage; "1" = The beneficiary has current or active Medicaid coverage.	An indicator of the presence of current Medicaid coverage for the beneficiary. The value for this field is based upon the presence of Medicaid reported for the beneficiary by states in the previous calendar month via the MMA State Files.
Part D Enrollment Effective Date/Employer Subsidy Start Date (Occurrence 1)	8	81... 88	X(8)	YYYYMMDD Spaces = No Drug coverage period for this occurrence or Data Not Found.	Effective start date of the Part D plan or the Start Date of the Employer Subsidy coverage for the beneficiary (most recent or presently active).
Part D Disenrollment Date/ Employer Subsidy End Date (Occurrence 1)	8	89 ... 96	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective disenrollment date of the Part D plan or the End Date of the Employer Subsidy coverage for the beneficiary (most recent or presently active).
Part D Enrollment Effective Date/ Employer Subsidy Start Date (Occurrence 2)	8	97 ... 104	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective start date of the Part D plan or the Start Date of the Employer Subsidy coverage for the beneficiary (second most recent).
Part D Disenrollment Date/ Employer	8	105 ... 112	X(8)	YYYYMMDD	Effective disenrollment date of the Part D plan or the End Date of the Employer Subsidy coverage for the beneficiary (second

Data Field	Length	Position	Format	Valid Values	Field Definition
Subsidy End Date (Occurrence 2)				Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	most recent).
Part D Enrollment Effective Date/ Employer Subsidy Start Date (Occurrence 3)	8	113 ... 120	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective start date of the Part D plan or the Start Date of the Employer Subsidy coverage for the beneficiary (third most recent).
Part D Disenrollment Date/ Employer Subsidy End Date (Occurrence 3)	8	121 ... 128	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective disenrollment date of the Part D plan or the End Date of the Employer Subsidy coverage for the beneficiary (third most recent).
Part D Enrollment Effective Date/ Employer Subsidy Start Date (Occurrence 4)	8	129 ... 136	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective start date of the Part D plan or the Start Date of the Employer Subsidy coverage for the beneficiary (fourth most recent).
Part D Disenrollment Date / Employer Subsidy End Date (Occurrence 4)	8	137 ... 144	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective disenrollment date of the Part D plan or the End Date of the Employer Subsidy coverage for the beneficiary (fourth most recent).
Part D Enrollment Effective Date/ Employer Subsidy Start Date (Occurrence 5)	8	145 ... 152	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective start date of the Part D plan or the Start Date of the Employer Subsidy coverage for the beneficiary (fifth most recent).
Part D Disenrollment Date / Employer Subsidy End Date	8	153 ... 160	X(8)	YYYYMMDD Spaces = No Drug	Effective disenrollment date of the Part D plan or the End Date of the Employer Subsidy coverage for the beneficiary (fifth most

Data Field	Length	Position	Format	Valid Values	Field Definition
(Occurrence 5)				Coverage Period for this occurrence or Data Not Found.	recent).
Part D Enrollment Effective Date / Employer Subsidy Start Date (Occurrence 6)	8	161 ... 168	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective start date of the Part D plan or the Start Date of the Employer Subsidy coverage for the beneficiary (sixth most recent).
Part D Disenrollment Date / Employer Subsidy End Date (Occurrence 6)	8	169 ... 176	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective disenrollment date of the Part D plan or the End Date of the Employer Subsidy coverage for the beneficiary (sixth most recent).
Part D Enrollment Effective Date/ Employer Subsidy Start Date (Occurrence 7)	8	177 ... 184	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective start date of the Part D plan or the Start Date of the Employer Subsidy coverage for the beneficiary (seventh most recent)
Part D Disenrollment Date / Employer Subsidy End Date (Occurrence 7)	8	185 ... 192	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective disenrollment date of the Part D plan or the End Date of the Employer Subsidy coverage for the beneficiary (seventh most recent)
Part D Enrollment Effective Date/ Employer Subsidy Start Date (Occurrence 8)	8	193 ... 200	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective start date of the Part D plan or the Start Date of the Employer Subsidy coverage for the beneficiary (eighth most recent).
Part D Disenrollment Date / Employer Subsidy End Date (Occurrence 8)	8	201 ... 208	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this	Effective disenrollment date of the Part D plan or the End Date of the Employer Subsidy coverage for the beneficiary (eighth most recent).

Data Field	Length	Position	Format	Valid Values	Field Definition
				occurrence or Data Not Found.	
Part D Enrollment Effective Date/ Employer Subsidy Start Date (Occurrence 9)	8	209 ... 216	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective start date of the Part D plan or the Start Date of the Employer Subsidy coverage for the beneficiary (ninth most recent).
Part D Disenrollment Date / Employer Subsidy End Date (Occurrence 9)	8	217 ... 224	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective disenrollment date of the Part D plan or the End Date of the Employer Subsidy coverage for the beneficiary (ninth most recent).
Part D Enrollment Effective Date / Employer Subsidy Start Date (Occurrence 10)	8	225 ... 232	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective start date of the Part D plan or the Start Date of the Employer Subsidy coverage for the beneficiary (tenth most recent).
Part D Disenrollment Date / Employer Subsidy End Date (Occurrence 10)	8	233 ... 240	X(8)	YYYYMMDD Spaces = No Drug Coverage Period for this occurrence or Data Not Found.	Effective disenrollment date of the Part D plan or the End Date of the Employer Subsidy coverage for the beneficiary (tenth most recent).
Sending Entity	8	241 ... 248	X(8)	Sending Part D Organization (left justified space filled) Acceptable Values: 5-position Contract Identifier + 3 Spaces (3 Spaces are for Future Use)	The Sending Entity provided on the Header Record of the BEQ Request File in which the Transaction (Detail Record) was found. The Sending Entity may be a Part D Organization.
File Control Number	9	249 ... 257	X(9)	Assigned by Sending	The File Control Number provided by the Sending Entity on the

Data Field	Length	Position	Format	Valid Values	Field Definition
				Entity	Header record of the BEQ Request File in which the Transaction (Detail Record) was found.
File Creation Date	8	258 ... 265	X(8)	YYYYMMDD	The File Creation Date provided on the Header Record of the BEQ Request File in which the Transaction (Detail Record) was found.
Part D Eligibility Start Date	8	266...273	X(8)	YYYYMMDD	This field identifies the date the beneficiary became eligible for Part D Benefits.
Deemed / Low Income Subsidy Effective Date (occurrence 1)	8	274...281	X(8)	YYYYMMDD	Effective start date of the deeming period or Low Income Subsidy. This will be the first day of the month in which the deeming was made or the start date of the Low Income Subsidy (most recent or presently active).
Deemed / Low Income Subsidy End Date (Occurrence 1)	8	282...289	X(8)	YYYYMMDD	The end date of the Deemed period or Low Income Subsidy (most recent or presently active).
Co-payment Level Identifier (Occurrence 1)	1	290...290	X(1)	Deemed: 2006 Values: 1 - High (\$2/\$5) 2 - Low (\$1/\$3) 3 - zero (no co-pay) 5 - unknown LIS: 2006 Values: 1 - High (\$2/\$5) 4 - 15%	This field indicates the Co-Payment level for the beneficiary.
Part D Premium Subsidy Percent (Occurrence 1)	3	291...293	X(3)	'100', '075', '050', '025' or '000'	If beneficiary is Deemed, subsidy is 100 percent. If beneficiary is LIS, this field identifies the portion of Part D Premium subsidized.
Deemed/Low Income Subsidy Effective Date (Occurrence 2)	8	294...301	X(8)	YYYYMMDD	Effective start date of the deeming period or Low Income Subsidy. This will be the first day of the month in which the deeming was made or the start date of the Low Income Subsidy (second most recent).
Deemed/ Low Income	8	302...309	X(8)	YYYYMMDD	The end date of the Deemed period or Low Income Subsidy

Data Field	Length	Position	Format	Valid Values	Field Definition
Subsidy End Date (Occurrence2)					(second most recent).
Co-payment Level Identifier (Occurrence 2)	1	310...310	X(1)	Deemed: 2006 Values: 1 - High (\$2/\$5) 2 - Low (\$1/\$3) 3 - zero (no co-pay) 5 - unknown LIS: 2006 Values: 1 - High (\$2/\$5) 4 - 15%	This field indicates the Co-Payment level for the beneficiary.
Part D Premium Subsidy Percent (Occurrence 2)	3	311...313	X(3)	'100', '075', '050', '025' or '000'	If beneficiary is Deemed, subsidy is 100 percent. If beneficiary is LIS, this field identifies the portion of Part D Premium subsidized.
FILLER	437	314 ... 750	X(437)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information nor used to store meaningful information, unless specifically documented otherwise.
Total Length = 750					

E.26.3 BEQ Response Trailer Record

Data Field	Length	Position	Format	Valid Values	Field Definition
File ID Name	8	1 ... 8	X(8)	"CMSBEQRT"	This field will always be set to the value "CMSBEQRT." This code identifies the record as the Trailer Record of a Batch Eligibility Query (BEQ) Response File.
Sending Entity (MBD)	8	9 ... 16	X(8)	"MBD " (MBD + 5 Spaces)	This field will always be set to the value "MBD ." The value specifically is MBD + 5 following Spaces. This value will agree with the corresponding value in the Header Record.

Data Field	Length	Position	Format	Valid Values	Field Definition
File Creation Date	8	17 ... 24	X(8)	YYYYMMDD	The date on which the BEQ Response File was created by CMS. This value will be formatted as YYYYMMDD. For example, January 3, 2010 would be the value 20100103. This value will agree with the corresponding value in the Header Record.
File Control Number	9	25 ... 33	X(9)	Assigned by Sending Entity (MBD)	The specific Control Number assigned by CMS to the BEQ Response File. CMS will utilize this value to track the BEQ Response File through CMS processing and archive. This value will agree with the corresponding value in the Header Record.
Record Count	7	34 ... 40	9(7)	Numeric value greater than Zero.	The total number of Transactions (Detail Records) on the BEQ Response File. This value will be right-justified in the field, with leading zeros. This value will not include non-numeric characters, such as commas, spaces, dashes, decimals.
FILLER	710	41 ... 750	X(710)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information nor used to store meaningful information, unless specifically documented otherwise.
Total Length = 750					

E.27 Auto Assignment Full Dual Notification File

This is a cumulative monthly file that identifies organizations' enrollees who are full-benefit dual eligible's, for purposes of facilitating their enrollment into the Medicare Part D benefit. CMS will announce the availability of each month's file with the proper dataset name and file transfer date.

The following records are included in this file:

- Header Record This is the first record of the file. It will only occur once.
- Notification File This record will contain beneficiary information. It may occur multiple times.
- Trailer Record This is the last record of the file. It will only occur once.

E.27.1 Auto Assignment Full Dual Notification File Header Record

Data Field	Length	Position	Format	Valid Values	Field Definition
File ID Name	8	1 ... 8	X(8)	"MMAADUAH"	This field will always be set to the value "MMAADUAH." This code identifies the record as the Header Record of an Auto Assignment Full Dual Notification File.
Sending Entity (MBD)	8	9 ... 16	X(8)	"MBD " (MBD + 5 Spaces)	This field will always be set to the value "MBD ." The value specifically is MBD + 5 following Spaces. This value will agree with the corresponding value in the Trailer Record.
File Creation Date	8	17 ... 24	X(8)	YYYYMMDD	The date on which the Full Dual File was created by CMS. This value will be in the format of YYYYMMDD. For example, January 3, 2010 would be the value 20100103. This value will agree with the corresponding value in the Trailer Record.
File Control Number	9	25 ... 33	X(9)	Assigned by Sending Entity (MBD)	The specific Control Number assigned by CMS to the Full Dual Notification File. CMS will utilize this value to track the Full Dual Notification File through CMS processing and archive. This value will agree with the corresponding value in the Trailer Record.
FILLER	717	34 ... 750	X(717)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information nor used to store meaningful information, unless specifically documented otherwise.
Total Length = 750					

E.27.2 Auto Assignment Full Dual Notification File Detail Record (Transaction)

Field Name	Format	Position	
		Start	End
Contract Number (This field provides the Contract assigned to the beneficiary; CNTRCT_NUM in MBD_SRVC_DEL_ELCT)	X(5)	1	5
Run Date (The date the file was created in CCYYMMDD format)	9(8)	6	13
Filler (This field should be all spaces)	X(6)	14	19
Beneficiary's Health Claim Number/Railroad Board Number (This field provides either the Health Insurance Claim Number or the Railroad Retirement Board Number for identification of the individual; BENE_CAN_NUM and BIC_CD or RRB_HIC_NUM in MBD_BENE)	X(12)	20	31
Beneficiary's Surname (This field provides the last name of the individual; BENE_LAST_NAME in MBD_BENE)	X(12)	32	43
Initial of Beneficiary's First Name (This field provides the initial of the first name of the individual; BENE_1ST_NAME in MBD_BENE)	X(1)	44	44
Beneficiary's Gender (This field provides the gender of the individual; BENE_SEX_CD in MBD_BENE; '0', '1', or '2')	9(1)	45	45
Beneficiary's Date of Birth (This field provides the date of birth of the individual in CCYYMMDD format; BENE_BIRTH_DT in MBD_BENE)	9(8)	46	53
Filler (This field should be all spaces)	X(47)	54	100

E.27.3 Auto Assignment Full Dual Notification Trailer Record

Data Field	Length	Position	Format	Valid Values	Field Definition
File ID Name	8	1 ... 8	X(8)	"MMAADUAT"	This field will always be set to the value "MMAADUAT." This code identifies the record as the Trailer Record of an Auto Assignment Full Dual Notification File.
Sending Entity (MBD)	8	9 ... 16	X(8)	"MBD " (MBD + 5 Spaces)	This field will always be set to the value "MBD ." The value specifically is MBD + 5 following Spaces. This value will agree with the corresponding value in the Header Record.
File Creation Date	8	17 ... 24	X(8)	YYYYMMDD	The date on which the Full Dual Notification File was created by CMS. This value will be formatted as YYYYMMDD. For example, January 3, 2010 would be the value 20100103. This value will agree with the corresponding value in the Header Record.
File Control Number	9	25 ... 33	X(9)	Assigned by Sending Entity (MBD)	The specific Control Number assigned by CMS to the Full Dual Notification File. CMS will utilize this value to track the Full Dual Notification File through CMS processing and archive. This value will agree with the corresponding value in the Header Record.
Record Count	7	34 ... 40	9(7)	Numeric value greater than Zero.	The total number of Transactions (Detail Records) on the Full Dual Notification File. This value will be right-justified in the field, with leading zeros. This value will not include non-numeric characters, such as commas, spaces, dashes, decimals.
FILLER	710	41 ... 750	X(710)	Spaces	No meaningful values are supplied in this field. This field will be set to SPACES and should not be referenced for meaningful information nor used to store meaningful information, unless specifically documented otherwise.
Total Length = 750					

This page intentionally left blank.

E.28 Auto Assignment PDP Auto-Enrollment Notification File

The auto- and facilitated-assignment PDP notification file provides an additional source of LIS information, as well as early notification to PDPs of beneficiaries receiving CMS auto-enrollment notices indicating assignment to a Plan. This auto and facilitated assignment PDP notification file will give PDPs immediate access to address data for these beneficiaries. This file will assist Plans in expediting the submission of 4Rx records once Plans receive the weekly TRR containing the auto-enrollments.

This file contains a header record, detail records, and a trailer record. CMS will announce the availability of each month's file with the proper dataset name and file transfer date.

- Header Record This is the first record of the file. It will only occur once.
- Notification File This record will contain beneficiary information. It may occur multiple times.
- Trailer Record This is the last record of the file. It will only occur once.

E.28.1 Auto Assignment PDP Auto-Enrollment Notification File Header Record

Field Name	Format	Position	
		Start	End
Header Code (This field used for file/record identification purposes, 'MMAAPDPH')	X(8)	1	8
Sending Entity (This field used to identify the sending entity, 'MBD' (MBD + 5 spaces))	X(8)	9	16
File Creation Date (The date the file was created in CCYYMMDD format)	9(8)	17	24
File Control Number (Unique file identifier created by Sending Entity)	X(9)	25	33
Filler (This field should be all spaces)	X(582)	34	615

E.28.2 Auto Assignment PDP Auto-Enrollment Notification File Detail Record

Field Name	Format	Position	
		Start	End
Beneficiary's Health Insurance Claim Number	X(12)	1	12

Field Name	Format	Position	
		Start	End
(This field provides the Health Insurance Claim Number for identification of the individual; RRB_HIC_NUM in MBD_BENE)			
Beneficiary's Last Name (This field provides the first twelve characters of the last name of the individual; BENE_LAST_NAME in MBD_BENE)	X(12)	13	24
Beneficiary's First name (This field provides the first seven characters of the first name of the individual; BENE_1ST_NAME in MBD_BENE)	X(7)	25	31
Beneficiary's Middle Initial (This field provides the middle initial of the individual; MDL_INITL_NAME in MBD_BENE)	X(1)	32	32
Beneficiary's Gender (This field provides the gender of the individual; BENE_SEX_CD in MBD_BENE; '0', '1', or '2')	9(1)	33	33
Beneficiary's Date of Birth (This field provides the date of birth of the individual in CCYYMMDD format; BENE_BIRTH_DT in MBD_BENE)	9(8)	34	41
Medicaid Indicator (This field indicates the beneficiary's Medicaid eligibility; MDCD_ELGBL_STUS_SW in MBQ_DUAL_MDCR; 'Y' or 'N')	X(1)	42	42
Contract Number (This field provides the Contract assigned to the beneficiary; ASGN_CNTRCT_NUM in MBQ_AA)	X(5)	43	47
State Code (This field provides the beneficiary's state of residency; SSA_STD_STATE_CD in MBD_BENE_ADR)	X(2)	48	49
County Code (This field provides the beneficiary's county of residency; SSA_STD_CNTY_CD in MBD_BENE_ADR)	X(3)	50	52
Filler (This field should be all spaces)	X(7)	53	59
Transaction Type Code (This field identifies the type of record; '61')	X(2)	60	61
Filler (This field should be all spaces)	X(1)	62	62
Effective Date (The effective date of the assignment in CCYYMMDD format; ASGN_EFCTV_DT in MBQ_AA)	9(8)	63	70
Filler (This field should be all spaces)	X(1)	71	71
Plan Benefit Package (This field notes the PBP of the auto-assigned contract; ASGN_PBP_NUM in MBQ_AA)	X(3)	72	74

Field Name	Format	Position	
		Start	End
Filler (This field should be all spaces)	X(49)	75	123
Application Date (The date of the application in CCYYMMDD format)	9(8)	124	131
Filler (This field should be all spaces)	X(30)	132	161
Election Type (This field indicates the type of election; 'S')	X(1)	162	162
Enrollment Source (This field indicates the source of the enrollment; 'A')	X(1)	163	163
Filler (This field should be all spaces)	X(1)	164	164
Premium Withhold Option/Parts C-D (This field indicates the payment option for payment of Part C and D premiums; PRM_WTHLD_OPT_CD in MBQ_PREMIUM; 'D')	X(1)	165	165
Filler (This field should be all spaces)	X(3)	166	168
Creditable Coverage Flag (This field indicates if the beneficiary has creditable coverage; derived from MBQ_MARX_CRED_CVRG; 'Y', 'N', or ' ')	X(1)	169	169
Filler (This field should be all spaces)	X(73)	170	242
Part D Subsidy Level (This field identifies the portion of the Part D Premium subsidized; PTD_PRM_SBSYD_PCT in MBQ_LIS; For monthly, value will always be '100'; For Facilitated, values may be '100', '075', '050', or '025')	X(3)	243	245
Co-Payment Category (This field indicates the Subsidy Co-Payment level for the beneficiary; LIS_COPMT_LVL_ID in MBQ_LIS; '1' or '4')	X(1)	246	246
Co-Payment Effective Date (The date the low income subsidy will begin; SBSYD_STRT_DATE in MBQ_LIS; For monthly, will always be MMDDYYYY; For Facilitated, value will be spaces)	9(8)	247	254
Beneficiary Address Line 1 (First line in the mailing address; BENE_LINE_1_ADR in MBD_BENE_ADR)	X(40)	255	294
Beneficiary Address Line 2 (Second line in the mailing address; BENE_LINE_2_ADR in MBD_BENE_ADR)	X(40)	295	334

Field Name	Format	Position	
		Start	End
Beneficiary Address Line 3 (Third line in the mailing address; BENE_LINE_3_ADR in MBD_BENE_ADR)	X(40)	335	374
Beneficiary Address Line 4 (Fourth line in the mailing address; BENE_LINE_4_ADR in MBD_BENE_ADR)	X(40)	375	414
Beneficiary Address Line 5 (Fifth line in the mailing address; BENE_LINE_5_ADR in MBD_BENE_ADR)	X(40)	415	454
Beneficiary Address Line 6 (Sixth line in the mailing address; BENE_LINE_6_ADR in MBD_BENE_ADR)	X(40)	455	494
Beneficiary Address City (The city in the mailing address; BENE_ADR_CITY_NAME in MBD_BENE_ADR)	X(40)	495	534
Beneficiary Address State (The state in the mailing address; ADR_PSTL_STATE_CD in MBD_BENE_ADR)	X(2)	535	536
Beneficiary Zip Code (The zip code in the mailing address; BENE_ADR_ZIP_CD in MBD_BENE_ADR)	X(9)	537	545
Full Last Name (This field provides the last name of the individual; BENE_LAST_NAME in MBD_BENE)	X(40)	546	585
Full First Name (This field provides the first name of the individual; BENE_1ST_NAME in MBD_BENE)	X(30)	586	615

E.28.3 Auto Assignment PDP Auto-Enrollment Notification File Trailer Record

Field Name	Format	Position	
		Start	End
Header Code (This field used for file/record identification purposes, 'MMAAPDPT')	X(8)	1	8
Sending Entity (This field used to identify the sending entity, 'MBD' (MBD + 5 spaces))	X(8)	9	16
File Creation Date (The date the file was created in CCYYMMDD format)	9(8)	17	24
File Control Number (Unique file identifier created by Sending Entity)	X(9)	25	33
Record Count	9(9)	34	42

Field Name	Format	Position	
		Start	End
(Number of Detail Records, right justified with leading zeros)			
Filler (This field should be all spaces)	X(573)	43	615

This page intentionally left blank.

F: Screen Hierarchy


The Common UI screens are accessed using the “drill-down” method of navigation. Functions are grouped together under a common menu item (e.g., most of the beneficiary-specific information can be found under the Beneficiary menu item). **Table F-1** lists the names of the Common UI screens that are accessible to MCOs, their screen numbers (for reference only), and on which page of this appendix (F) they can be found.

Table F-1 - Screen Lookup Table


Screen Name	Screen Number	Page Number(s) in This Appendix
Logon, Logoff, and Welcome Screens		
MARx Logout		F-3
User Security Role Selection	M002	F-3
Welcome	M101	F-4
MARx Calendar	M105	F-4
Beneficiaries Screens		
Beneficiaries: Find	M201	F-5
Beneficiaries: Search Results	M202	F-5
Beneficiary Detail: Snapshot	M203	F-5
Beneficiary Detail: Enrollment	M204	F-5
Beneficiary Detail: Status	M205	F-5
Beneficiary Detail: Payments	M206	F-5
Beneficiary Detail: Adjustments	M207	F-5
Payment/Adjustment Detail	M215	F-5, F-7
Beneficiary Detail: Factors	M220	F-5
Enrollment Detail	M222	F-5
Beneficiary Detail: Premiums	M231	F-5
Beneficiaries: Eligibility	M232	F-5
Beneficiary Detail: Utilization	M233	F-3
Transactions Screens		
Transactions: Batch Status	M307	F-6
Batch File Details	M314	F-6
Payments Screens		
Payments: MCO	M401	F-7
Payments: MCO Payments	M402	F-7
Payments: Beneficiary	M403	F-7
Payments: Beneficiary Search Results	M404	F-7
Beneficiary Payment History	M406	F-7
Adjustment Detail	M408	F-7
Payments: Premiums and Rebates	M409	F-7

Screen Name	Screen Number	Page Number(s) in This Appendix
Reports Screens		
Reports: Find	M601	F-8
Reports: Search Results	M602	F-8


F.1 Main Menu




F.2 Welcome Submenu




F.3 Beneficiaries Submenu




F.4 Transactions Submenu



F.5 Payments Submenu



F.6 Reports Submenu



G: Validation Messages

Table G-1 lists validation messages that appear directly on the screen during data entry/processing in the status line (the line just below the title line, as in **Figure G-1**).

Beneficiaries: Find (M201)
PBP number must be 3 alpha-numeric characters

Figure G-1. Validation Message Placement on Screen

These are the common validation messages — not specific to a single screen but having to do with fields that appear on many screens. Note that screen/function-specific messages appear in the section having to do with the specific function and are associated with the specific screen.

Table G-1 - Validation Messages

Error Messages	Suggested Action
A contract number must be entered	Enter the field specified by the message.
A contract number must start with an 'H', '9', 'R', 'S', 'F,' or 'E' and be followed by 4 characters	Re-enter the field and follow the format indicated in the message.
A sex must be selected	Enter the field specified by the message.
A state must be selected	Enter the field specified by the message.
Invalid Contract/PBP combination	Check the combination and re-enter.
Invalid Contract/PBP/segment combination	Check the combination and re-enter.
<kind-of-date> is invalid. Must have format (M)M/(D)D/YYYY	Re-enter the field and follow the format indicated in the message.
<kind of date> must be entered	Enter the field specified by the message.
PBP number must be 3 alphanumeric characters	Re-enter the field and follow the format indicated in the message.
Please enter at least one of the required fields	Make sure to enter all the required fields.
Please enter user ID or password	Make sure to enter one of the fields specified by the message.
Segment number must be a 3 digit number	Re-enter the field and follow the format indicated in the message.
The claim number is not a valid SSA or RRB number, or CMS Internal number	Re-enter the field in SSA, RRB, or CMS Internal format.
The last name contains invalid characters	Re-enter the field using only letters, apostrophes, hyphens, or blanks.
The user ID contains invalid characters	Re-enter the field and follow the format indicated in the message.
You do not have access rights to this contract	First, make sure that you entered the Contract # correctly. If not, re-enter it. If the user did, he/she should have rights to this contract; see the Security Administrator who can update your user profile to give you these rights.

This page intentionally left blank.

H: Codes

This appendix lists the numerical value and descriptions for codes that are highly visible to users.

H.1 Transaction Codes

Table H-1 lists the Transaction Codes and the description of each code.

Table H-1 - Transaction Codes

Code	Description
01	MA-PDP Change Transaction
51	Disenrollment from MCO in Batch
54	Disenrollment (MEDICARE CSC)
60	Enrollment (Employer Group)
61	Enrollment
71	Plan Benefit Package (PBP) Change
72	Plan Change

This page intentionally left blank.

H.2 Transaction Reply Codes

Table H-2 lists the reply codes returned for transactions in Table H.1.

Type codes: A= Accepted; M= Maintenance; P= Pending; R=Rejected/Failed (Depending on the values in a given field, a transaction may be either Rejected or Failed.) For example, TR037 may be a reject if the date in the transaction is too far in the future, but a failure if the date field contains non-numeric characters. To keep this table simple, only the 'R' label will appear in the Type column.

Legend for Type: A = Accepted; D = Duplicate; M = Maintenance; P = Pending; R = Rejected.

Table H-2 Transaction Reply Codes

Code/Type*	Title	Short Definition	Definition
001 R	Invalid Transaction Code	BAD TRANS CODE	A transaction attempted to process. The transaction was rejected, because the input transaction code was an invalid value. Valid transaction code values are 01, 51, 60, 61, 71 and 72. The transaction should be resubmitted with a valid transaction code. NOTE: Tran Codes 30 & 31 are valid for pre-2004 adjustments
002 R	Invalid Correction Action Code	BAD ACTION CODE	A correction transaction attempted to process. The transaction was rejected, because the supplied action code was an invalid value. The valid action code values are D, E, F and G. The transaction should be resubmitted with a valid action code.
003 R	Invalid Contract Number	BAD CONTRACT #	An enrollment, disenrollment, correction, or demonstration factor update transaction attempted to process. The transaction was rejected because no current record was found in the contract file for the input contract number.
004 R	Beneficiary Name Required	NEED MEMB NAME	An enrollment, disenrollment, or PBP change transaction attempted to process. The transaction was rejected, because a match could not be found for the beneficiary and the beneficiary name was not included on the transaction record. The transaction should be resubmitted with beneficiary name included.
005 R	Invalid Sex Code	BAD SEX CODE	A demonstration factor update transaction attempted to process (trans code 30 or 31). The transaction was rejected because the value in the sex field was not 0, 1 or 2.

Code/Type*	Title	Short Definition	Definition
006 R	Invalid Birth Date	BAD BIRTH DATE	A demonstration factor update, enrollment, disenrollment, or PBP change transaction attempted to process. The transaction was rejected because a match could not be found for the beneficiary and the value in the date of birth field was not a valid date in the format YYYYMMDD.
007 R	Invalid Claim Number	NO MATCH—HICN	An enrollment, disenrollment, PBP change, or correction transaction attempted to process. The transaction was rejected, because the claim number was not in a valid format. The valid format for a claim number could take one of two forms: 1. HICN is an 11-position value, with the first 9 positions numeric and the last 2 positions alphanumeric. 2. RRB is a 7 to 12 position value, with the first 1 to 3 positions alpha and the last 6 or 9 positions numeric. The transaction should be resubmitted with a valid claim number (HICN) or RRB.
008 R	Beneficiary Not Found	BENE NOT FOUND	A transaction attempted to process. The transaction was rejected, because the claim number was not found in the CMS system. The transaction should be resubmitted with a valid claim number.
009 R	No Match on Name	NO MATCH—NAME	A transaction attempted to process. The transaction was rejected because the name on the incoming record did not match a record on the database. The transaction should be resubmitted with the correct name. NOTE: This reply code indicates that the managed_care system was not able to find a unique beneficiary that matched on 3 of 4 of the following: surname, first initial, date of birth, and sex code.
010 R	Invalid Medicaid Transaction	INVALID MCAID	A correction transaction attempted to process with an action code of 'F' (turn Medicaid OFF). The transaction was rejected, because the Medicaid status was not set by the MCO and for that reason, could not be turned off by the MCO. NOTE: Edit suspended in 2004 by CMS.
011 A	Enrollment Accepted as Submitted	ENROLL ACCEPTED	The new enrollment has been successfully processed. The effective date of the new enrollment is shown in field 18 of the Transaction Reply record. On the printed report, the value is shown in the EFF DATE column.
012 A	Enrollment Accepted, with SCC Override	[Obsolete]	This transaction code is obsolete.

Code/Type*	Title	Short Definition	Definition
013 A	Disenrollment Accepted as Submitted	DISENROL ACCEPT	The disenrollment has been successfully processed. The effective date of the disenrollment is shown in field 24 of the Transaction Reply record. On the printed report, the value is shown in the EFF DATE column.
014 A	Disenrollment Due to Enrollment in Another Plan	DISNROL-NEW MCO	A new enrollment was successfully processed for the beneficiary, which placed them in another MCO. As a result, the beneficiary was disenrolled from the MCO receiving this message. The effective date of the disenrollment is shown in field 24 of the Transaction Reply record. In field 28 the Contract number of the source is shown. On the printed report, the disenrollment date is shown in the EFF DATE column, and the MCO causing the disenrollment is shown in the SOURCE ID column.
015 A	Enrollment Canceled	ENROLL CANCELED	An enrollment was canceled due to one of the following reasons: MCO disenrollment with same effective date; auto-disenrollment with same effective date; a MCO's disenrollment request dated the month prior to enrollment; a loss of Part A or B Entitlement; or the beneficiary is in the ESRD health status prior to enrollment. NOTE: Auto-disenrollment occurs when a beneficiary is enrolled in another contract prior to the effective date.
016 A	Enrollment Accepted, Out Of Area	ENROLL-OUT AREA	A new enrollment was processed, but the beneficiary's residence state and county codes place the beneficiary outside of the MCO's approved service area. The effective date of the new enrollment is shown in field 18 of the Transaction Reply record. On the printed report, the value is shown in the EFF DATE column. If the SCC shown on the printed report differs from your records prompt the beneficiary to visit the Social Security Administration Field Office (SSAFO) to change their address. This will enable a more accurate payment for this beneficiary to be made. NOTE: The 'conditional' aspect no longer applies; this TRC is now merely an alert that the beneficiary's SCC in CMS records is not within the service area.

Code/Type*	Title	Short Definition	Definition
017 A	Enrollment Accepted, Payment Default Rate	ENROLL—BAD SCC	A new Part C enrollment was processed, but valid residence state and county codes were not available and could not be derived from the zip code. The enrollment is considered valid by the system; however, since there is no valid residence state and county codes, Part C payment is made for this beneficiary at the plan bid rate with no geographic adjustment. When valid residence information is provided to the system, payment will be made using the updated residence information. The effective date of the new enrollment is shown in field 18 of the Transaction Reply record. On the printed report, the value is shown in the EFF DATE column.
018 A	Automatic Disenrollment	AUTO DISENROLL	An action occurred which caused an automatic disenrollment of this beneficiary. A disenrollment action was not submitted by CMS or the plan. This action could result from a change in the beneficiary's personal characteristics. For example, a death notice, or loss of Part A or Part B Entitlement would cause an enrolled beneficiary to be automatically disenrolled. The effective date of the disenrollment is shown in field 24 of the Transaction Reply record. On the printed report, the value is shown in the EFF DATE column, and the reason for disenrollment is shown in the REMARKS column.
019 R	Enrollment Rejected - Loss Of Part A And B Entitlement	NO ENROLL-NO AB	An enrollment attempted to process. The enrollment was rejected because the beneficiary is entitled to neither Part A nor Part B of Medicare.
020 R	Enrollment Rejected - PACE Under 55	NO ENROLL-NOT 55	An enrollment attempted to process for a PACE plan. The enrollment failed because the beneficiary is not yet 55 years of age
021 A	Enrollment Accepted, Date Modified	[Obsolete]	This transaction code is obsolete. NOTE: Description is not on CMS Website. Obsolete in GHP.
022 A	Enrollment Accepted, Claim Number Change	ENROLL-NEW HICN	A new enrollment was successfully processed for a beneficiary whose claim number has changed. The effective date of the new enrollment is shown in field 18 of the Transaction Reply record. The new claim number is shown in field 24. The old claim number will appear in field 1. On the printed report the enrollment date is shown in the EFF DATE column, and the new claim number is shown in the REMARKS column. Any further actions submitted for this beneficiary must use the new claim number.

Code/Type*	Title	Short Definition	Definition
023 A	Enrollment Accepted, Name Change	ENROLL-NEW NAME	A new enrollment was successfully processed for a beneficiary whose name has changed. The effective date of the new enrollment is shown in field 18 of the Transaction Reply record. The new name will appear in fields 2, 3 and 4. On the printed report, the enrollment date is shown in the EFF DATE column, and the new name is shown in the SURNAME, FIRST NAME and MI columns.
024 A	Disenrollment Accepted, Date Modified	[Obsolete]	This transaction reply code is obsolete. NOTE: Description is not on CMS website. Obsolete in GHP.
025 A	Disenrollment Accepted, Claim Number Change	DISROL-NEW HICN	A disenrollment was successfully processed for a beneficiary whose claim number has changed. The new claim number is shown in field 24. The old claim number will appear in field 1. On the printed report, the disenrollment date is shown in the EFF DATE column, and the new claim number is shown in the REMARKS column. Any further actions submitted for this beneficiary should use the new claim number.
026 A	Disenrollment Accepted, Name Change	DISROL-NEW NAME	A disenrollment was successfully processed for a beneficiary whose name has changed. The new name will appear in fields 2, 3, and 4. On the printed report, the disenrollment date is shown in the EFF DATE column, and the new name is shown in the SURNAME, FIRST NAME, and MI columns.
027 A	Demonstration Beneficiary Factor Set	DEMO FACTOR ON	A demonstration factor was successfully processed for a beneficiary. The effective start date of the factor is shown in field 24 of the Transaction Reply record. On the printed report, the value is shown in the EFF DATE column. NOTE: This reply code is only applicable to transactions that update beneficiary-specific risk adjustment factors for certain demonstration MCO contracts, i.e., GHP_TRAN_CD 30 and 31.
028 A	Demonstration Beneficiary Factor Terminated	DEMO FACTOR OFF	A demonstration factor with an end date was successfully processed for a beneficiary. The effective end date of the factor is show in field 24 of the Transaction Reply record. On the printed report the value is shown in the EFF DATE column. NOTE: This reply code is only applicable to transactions that update beneficiary-specific risk adjustment factors for certain demonstration MCO contracts, i.e., GHP_TRAN_CD 30 and 31.

Code/Type*	Title	Short Definition	Definition
029 A	Demo Beneficiary Factor Cancellation	DEMO FACTOR CAN	A demonstration factor was successfully processed for a beneficiary. A factor originally established has been cancelled, and is no longer valid. NOTE: This reply code is only applicable to transactions that update beneficiary-specific risk adjustment factors for certain demonstration MCO contracts, i.e., GHP_TRAN_CD 30 and 31.
030 R	Enrollment Held, Pending Medicare Entitlement Confirmation	[Obsolete]	This transaction is obsolete. NOTE: Description is not on CMS website. Obsolete in GHP.
031 R	Enrollment Rejected, Data Not In Enrollment Database	MEMB NOT MCARE	An enrollment transaction attempted to process. The enrollment was rejected because the beneficiary could not be located in the MBD. Verify the claim number and name and resubmit the transaction. NOTE: This transaction reply code will be generated after the orbit period has elapsed if the beneficiary is still not found in the MBD.
032 R	Enrollment Rejected, Beneficiary Not Entitled to Part B	MEMB HAS NO B	An enrollment transaction attempted to process. The enrollment was rejected, because the beneficiary did not have Medicare Part B Entitlement. Part B entitlement is required for enrollment in a managed care plan. NOTE: This edit is applied immediately; no orbit period.
033 R	Enrollment Rejected, Beneficiary Not Entitled to Part A	MEMB HAS NO A	An enrollment transaction attempted to process. The enrollment was rejected, because the beneficiary did not have Medicare Part A Entitlement. Part A entitlement is required for enrollment in a managed care plans. NOTE: This edit is applied immediately; no orbit period.
034 R	Enrollment Rejected, Beneficiary is Not Age 65	MEMB NOT AGE 65	An enrollment transaction attempted to process. The enrollment was rejected, because the beneficiary was not age 65 or older. The age requirement is MCO-specific.
035 R	Enrollment Rejected, Beneficiary is in Hospice Status	MEMB IN HOSPICE	An enrollment transaction attempted to process. The enrollment was rejected because the beneficiary was in Hospice status. The Hospice requirement is MCO specific (MSA/MA, MSA/Demo, OFM Demo, ESRD I Demo, ESRD II Demo and PACE National Plans). The attempted enrollment date is shown in field 24 of the Transaction Reply record.

Code/Type*	Title	Short Definition	Definition
036 R	Enrollment Rejected, Beneficiary is Deceased	MEMB DECEASED	An enrollment transaction attempted to process. The enrollment was rejected, because the beneficiary is deceased. The attempted enrollment date is shown in field 24 of the Transaction Reply record. On the printed report, the value is shown in the REMARKS column.
037 R	Enrollment Rejected, Invalid Date	BAD ENROLL DATE	An enrollment transaction (transaction type 60 or 61) or PBP change (transaction type 71) attempted to process. The enrollment was rejected because the submitted enrollment effective date was either an invalid numeric value; a date more than 3 months in the future; a date not the first of the month; or a type 60 transaction with a future date or a date more than 3 months before the prospective payment month. Retroactive PBP change requests are also rejected with this transaction reply code. The transaction should be resubmitted with a valid date.
038 D	Enrollment Rejected, Duplicate Transaction	DUPLICATE	An enrollment transaction attempted to process. The enrollment was rejected, because another enrollment transaction submitted by the same plan, with the same effective date, was already processed. The effective date appears in field 18 of the Transaction Reply record. No action is required by the plan.
039 R	Enrollment Rejected, Currently Enrolled in Same Plan	ALREADY ENROLL	An enrollment transaction attempted to process. The enrollment was rejected, because the beneficiary was already enrolled in this plan. No action is required by the plan.
040 R	Enrollment Rejected, Multiple Enrollment Transactions	MULTIPLES	An enrollment transaction attempted to process. The enrollment was rejected, because the transaction was one of several that were submitted with the same effective date and application date.
041 R	Invalid Demonstration Beneficiary Factor Date	BAD FACTOR DATE	A beneficiary factor update request attempted to process. The transaction was rejected, because the effective start and/or end date was not in a valid format; or the request specified an effective start date that was greater than the effective end date.
042 R	Enrollment Rejected, Blocked	ENROLL BLOCKED	An enrollment transaction attempted to process. The enrollment was rejected, because the MCO is currently blocked from enrolling new beneficiaries.
043 R	Invalid Demonstration Beneficiary Factor	BAD FACTOR	A beneficiary factor update request attempted to process. The transaction was rejected, because the factor was not in a valid format; or the factor was larger than allowed. NOTE: the factor must be 7 positions long, with the 3 rd position being '.' and the other 6 positions numeric.

Code/Type*	Title	Short Definition	Definition
044 R	Enrollment Rejected, Outside Contracted Period	NO CONTRACT	An enrollment transaction attempted to process. The enrollment was rejected, because the submitted enrollment date is outside the contracted period with CMS.
045 R	Enrollment Rejected, Beneficiary is in ESRD Status	MEMB HAS ESRD	An enrollment transaction attempted to process. The enrollment was rejected, because the beneficiary is in ESRD (end-stage renal disease) status. The attempted enrollment effective date is shown in field 24 of the Transaction Reply record. On the printed report, the value is shown in the REMARKS column.
046 R	Enrollment Rejected; No response from HI Master	[Obsolete]	This transaction reply code is obsolete. NOTE: Description is not on CMS website.
047 R	Enrollment Rejected, Retroactive Effective Date	RETRO ENROLL DT	An enrollment transaction attempted to process. The enrollment was rejected, because the enrollment effective date submitted was not within the acceptable retroactive period. The enrollment should be resubmitted with an effective date that is not less than one month before the prospective payment month.
048 A	Nursing Home Certifiable Status Set	NHC ON	A transaction has been processed placing the beneficiary in Nursing Home Certifiable (NHC) status. The NHC health status is MCO specific (e.g., applies only to SHMO plans). The NHC effective start date is shown in field 24 of the Transaction Reply record. On the printed report, this value is shown in the EFF DATE column.
049 A	Nursing Home Certifiable Status Terminated	[Obsolete]	This transaction code is obsolete. NOTE: NHC periods always have an end date. TRC 159 is used to acknowledge online changes to NHC periods.
050 R	Disenrollment Rejected, Not Enrolled	NOT ENROLLED	A disenrollment transaction attempted to process. The disenrollment was rejected, because the beneficiary was not currently enrolled in the plan.
051 R	Disenrollment Rejected, Invalid Date	BAD DISENR DATE	A disenrollment transaction attempted to process. The disenrollment was rejected, because the effective date was an invalid numeric value or outside the allowable time frame. The transaction should be resubmitted with a valid date.
052 R	Disenrollment Rejected, Duplicate Transaction	DUPLICATE	A second disenrollment transaction attempted to process. The disenrollment was rejected, duplicate transaction, no process necessary. The effective date of the disenrollment is displayed in field 18 of the Transaction Reply record. No action is required by the plan.

Code/Type*	Title	Short Definition	Definition
053 R	Disenrollment Rejected, Before Current Enrollment	DATE LT ENROLL	A disenrollment transaction attempted to process. The disenrollment was rejected, because the disenrollment effective date submitted was earlier than the effective enrollment date on record. The transaction should be resubmitted with a valid date.
054 R	Disenrollment Rejected, Retroactive Date	RETRO DISN DATE	A disenrollment transaction attempted to process. The disenrollment was rejected, because the effective date was outside the allowable time frame. The disenrollment should be resubmitted with a valid date.
055 M	ESRD Status Canceled	ESRD CANCELED	The ESRD status information which was previously set has been canceled. The effective date of the status period canceled is shown in field 24 of the Transaction Reply record. On the printed report, the value is shown in the EFF DATE column.
056 R	Demonstration Enrollment Rejected	FAILS DEMO REQ	An enrollment transaction attempted to process. The enrollment was rejected, because the beneficiary did not meet the Demonstration requirements. For example, the beneficiary is currently known to be Working Aged or not known to be ESRD. These requirements are MCO specific. The attempted enrollment effective date is shown in field 24 of the Transaction Reply record. On the print report, the value is shown is the EFF DATE column. NOTE: In the legacy system, this TR code was used only for ESRD Demonstrations. However, for MARX it can be used for Demos in general.
057 M	Risk Adjuster Factor Change	RA FACTOR CHG	The Risk Adjuster System (RAS) has created new factors for this beneficiary, which may result in payment adjustments. NOTE: Description is not on CMS website.
058 R	SSA Disenrollment Rejected, Cancel New Enrollment	[Obsolete]	This transaction reply code is obsolete. NOTE: Description is not on CMS website.
059 M	Working Aged Status Canceled	WA CANCEL	The working aged status information which was previously set has been canceled. The effective date of the status period canceled is shown in field 24 of the Transaction Reply record. On the printed report, the value is shown in the EFF DATE column.
060 R	Correction Rejected, Not Enrolled in Plan	NOT ENROLLED	A correction transaction attempted to process. The correction was rejected, because the beneficiary is no longer enrolled under the incoming contract number. MCOs are not permitted to process transactions against beneficiaries that are not enrolled in their plan.

Code/Type*	Title	Short Definition	Definition
061 R	Correction Rejected, Retroactive Change	[Obsolete]	This transaction reply code is obsolete. NOTE: Description is not on CMS website. Obsolete in GHP.
062 R	Correction Rejected, Overlaps Other Period	INS-NHC OVERLAP	A correction transaction attempted to process. The correction was rejected, because another correction transaction submitted by the same plan, with the same effective date, was already processed. No action is required by the MCO. NOTE: Currently, this transaction reply refers to the overlap of an institutional period and an NHC period. These two types of periods are mutually exclusive.
063 R	Correction Rejected, Extend Past Death Date	[Obsolete]	This transaction code is obsolete. NOTE: Description is not on CMS website. Obsolete in GHP.
064 R	Correction Rejected, Invalid Date	[Obsolete]	This transaction code is obsolete. NOTE: Description is not on CMS website. Obsolete in GHP.
065 A	WA Accepted, Not Yet Posted	WA OK/NOT POST	A Working Aged (HUSP) transaction has been received by CMS. The transaction was sent on for further processing. This reply is to confirm that the request has been received and forwarded to the COB contractor. This does not mean acceptance by COB or CWF. NOTE: This code became obsolete in 2004 with the new working aged adjustment process and retirement of the HUSP process.
066 M	WA Status Set	WA ON	A Working Aged status has been set for a beneficiary. The effective Working Aged start date is shown in field 24 of the Transaction Reply record. On the printed report, this value is shown in the EFF DATE column. NOTE: This code became obsolete in 2005 with the new working aged adjustment process.
067 M	WA Status Terminated	WA OFF	A Working Aged status has been terminated for a beneficiary. The effective Working Aged termination date is shown in field 24 of the Transaction Reply record. On the printed report, this value is shown in the EFF DATE column. NOTE: This code became obsolete in 2005 with the new working aged adjustment process.

Code/Type*	Title	Short Definition	Definition
068 R	Working Aged Status Rejected	WA REJECT	A Working Aged transaction attempted to process. The transaction was rejected because the supplied input did not pass all required edits. The failed edits are noted by the SP Error Code, which can be found in the Plan Communications User's Guide under the appendix marked "MSP Maintenance Transaction Error Codes." NOTE: This code became obsolete in 2004 with the new working aged adjustment process and retirement of the HUSP process.
069 P	Working Aged Status Pending	[Obsolete]	This transaction reply code is obsolete. NOTE: Description is not on CMS website.
070 A	Prior Commercial Enr Changed	COMM ENROL CHG	An online transaction changed the length of a previously reported period of commercial enrollment.
071 M	Hospice Status Set	HOSPICE ON	A notification has been received from CMS's Hospice system placing the beneficiary in Hospice status. The effective Hospice start date is shown in field 24 of the Transaction Reply record. On the printed report, this value is shown in the EFF DATE column.
072 M	Hospice Status Terminated	HOSPICE OFF	A notification has been received from CMS's Hospice system terminating the beneficiary's Hospice status. The effective Hospice end date is shown in field 24 of the Transaction Reply record. On the printed report, this value is shown in the EFF DATE column.
073 M	ESRD Status Set	ESRD ON	A notification has been received from CMS's ESRD system placing the beneficiary in ESRD status. The effective ESRD start date is shown in field 24 of the Transaction Reply record. On the printed report, this value is shown in the EFF DATE column.
074 M	ESRD Status Terminated	ESRD OFF	A notification has been received from CMS's ESRD system terminating the beneficiary's ESRD status. The effective ESRD end date is shown in field 24 of the Transaction Reply record. On the printed report, this value is shown in the EFF DATE column.
075 A	Institutional Status Set	INSTITUTION ON	A transaction has been received placing the beneficiary in Institutional status. The effective Institutional start date is shown in field 22 and 24 of the Transaction Reply record. On the printed report this value is shown in the EFF DATE column. Institutional automatically ends each month; therefore, there is no termination status transaction.

Code/Type*	Title	Short Definition	Definition
076 A	Institutional Status Terminated	INSTITUTION OFF	This transaction reply code is obsolete. NOTE: Institutional periods always have an end date. TR code 158 is used to acknowledge online changes to institutional period dates.
077 A/M	Medicaid Status Set	MEDICAID ON	A transaction has been received placing the beneficiary in Medicaid Status. The effective Medicaid start date is shown in field 24 of the Transaction Reply record. On the printed report, this value is shown in the EFF DATE column.
078 A/M	Medicaid Status Terminated	MEDICAID OFF	A transaction has been received terminating the beneficiary Medicaid status. The effective Medicaid end date is shown in field 24 of the Transaction Reply record. On the printed report, this value is shown in the EFF DATE column.
079 M	Part A Termination	MEDICARE A OFF	A notification has been received terminating the beneficiary's Part A Entitlement. The effective Part A Entitlement end date is shown in field 24 of the Transaction Reply record. On the printed report, this value is shown in the EFF DATE column.
080 M	Part A Reinstatement	MEDICARE A ON	A notification has been received reinstating the beneficiary's Part A Entitlement. The effective Part A Entitlement start date is shown in field 24 of the Transaction Reply record. On the printed report, this value is shown in the EFF DATE column. NOTE: This reply code is only prepared if the beneficiary is still enrolled in some managed care contract. If the beneficiary has been disenrolled, but not re-enrolled, the reply code is not issued.
081 M	Part B Termination	MEDICARE B OFF	A notification has been received terminating the beneficiary's Part B Entitlement. The effective Part B Entitlement end date is shown in field 24 of the Transaction Reply record. On the printed report, this value is shown in the EFF DATE column.
082 M	Part B Reinstatement	MEDICARE B ON	A notification has been received reinstating the beneficiary's Part B Entitlement. The effective Part B Entitlement start date is shown in field 24 of the Transaction Reply Record. On the printed report, this value is shown in the EFF DATE column. NOTE: This reply code is only prepared if the beneficiary is still enrolled in some managed care contract. If the beneficiary has been disenrolled, but not re-enrolled, the reply code is not issued.

Code/Type*	Title	Short Definition	Definition
083 A	Enrollment Date Change	NEW ENROLL DATE	CMS staff changed the effective date for an enrollment. The new effective date of the enrollment is shown in field 24 of the Transaction Reply record. This value is also present in field 18. On the printed report, this value is shown in the EFF DATE column.
084 A	Disenrollment Date Change	NEW DISROL DATE	CMS staff changed the effective date for a disenrollment. The new effective date of the disenrollment is shown in field 24 of the Transaction Reply record. The effective enrollment date is shown in field 18. On the printed report, the effective disenrollment date is shown in the EFF DATE column.
085 M	State and County Code Change	NEW SCC	A notification has been received indicating that the beneficiary's State and County Code (SCC) information has changed. The new SCC is shown in fields 9-10 and 24 of the Transaction Reply record. On the printed report, the new SCC is shown in the REMARKS column.
086 M	Claim Number Change	NEW HICN	A notification has been received indicating that the beneficiary's claim number has changed. The new claim number is shown in field 24 of the Transaction Reply record. On the printed report, the new claim number is shown in the REMARKS column.
087 M	Name Change	NEW NAME	A notification has been received indicating that the beneficiary's name has changed. The new name is shown in fields, 2, 3 and 4 of the Transaction Reply record. On the printed report, the new name is shown in fields 2, 3 and 4 of the Transaction Reply record. On the printed report, the new name is shown in the SURNAME, FIRST NAME and MI columns.
088 M	Sex Code Change	NEW SEX CODE	A notification has been received indicating that the beneficiary's sex code has changed. The new Sex code is shown in field 5 of the Transaction Reply record. On the printed report, the new Sex code is in the SEX column.
089 M	Date of Birth Change	NEW BIRTH DATE	A notification has been received indicating that the beneficiary's date of birth has changed. The new date of birth is shown in field 6 of the Transaction Reply record. On the printed report, the new birth date is shown in the DATE OF BIRTH and EFF DATE columns.
090 M	Date of Death Established	MEMB DECEASED	A notification has been received indicating that the beneficiary is deceased. The date of death is shown in field 24 of the Transaction Reply record. On the printed report, the date of death is shown in the EFF DATE column.

Code/Type*	Title	Short Definition	Definition
091 M	Date Of Death Removed	DEATH DATE OFF	Previously, the Medicare Beneficiary Database reported a date of death for this beneficiary. That date has been removed, as the beneficiary is still alive. NOTE: This reply code is not issued if the beneficiary is no longer enrolled in any MCO. NOTE: Description is not on CMS website.
092 M	Date of Death Corrected	NEW DEATH DATE	A notification has been received indicating that the beneficiary's date of death has been corrected. The corrected date of death is shown in field 24 of the Transaction Reply record. On the printed report, the corrected date of death is shown in the EFF DATE column.
093	SCC Exemption Code Change	[Obsolete]	This transaction reply code is obsolete. NOTE: Description is not on CMS website. Code obsolete in GHP.
094 R	No Match on Name	[Obsolete]	This transaction reply code is obsolete. NOTE: Description is not on CMS website. Code obsolete in GHP.
095 R	Invalid State, County Or Zip Code	BAD ADDRESS	The State, County or ZIP code received from the MBD is invalid. If these codes differ from your records, prompt the beneficiary to visit the Social Security Administration Field Office (SSAFO) to change their address. This will enable MARX to make a more accurate payment for this enrollment. NOTE: Description is not on CMS website.
096	SCC Already Exists	[Obsolete]	This transaction reply code is obsolete. NOTE: Description is not on CMS website
097 R	Medicaid Previously Turned On	MCAID PREV ON	A transaction attempted to process the start of a Medicaid period and was rejected because the Medicaid status for the beneficiary was already on for the month in question. No action required by the plan.
098 R	Medicaid Status Previously Turned Off	MCAID PREV OFF	A transaction attempted to process the end of a Medicaid period and was rejected because the Medicaid status was already off for the month in question. No action required by the plan.
099 M	Medicaid Period Change/Cancellation	MCAID CHANGE	A change has been made to a period of Medicaid status information for the beneficiary. No action required by the plan.
100 A	Election Change Accepted as Submitted	ELECTION OK	An MCO has submitted a transaction type 71 to move a member from one benefit package to another. All applicable edits have been passed; the transaction has successfully processed. The effective date of the PBP election is shown in field 24 of the Transaction Reply record.

Code/Type*	Title	Short Definition	Definition
101 R	Rejected; Invalid Institutional Flag	BAD INST FLAG	Code is for transaction types 71/61/60/51. Must be Y or spaces. NOTE: Made obsolete by the August 2002 Plan Communications Guide.
102 R	Rejected; Invalid or Missing Application Date	BAD APP DATE	A transaction was rejected (60/61/71) because it was submitted with an invalid or missing application date. The application date must be present, represent a valid date and precede the effective date on the transaction (effective date of the enrollment or PBP change). Note that the application date is not a required field on transaction type 51 or 72, nor is it required for any enrollment submitted online by CMS. The transaction should be resubmitted with a valid date.
103 R	ICEP/IEP Election with Missing A/B Entitlement Date	ICEP/IEP NO ENT	The transaction is rejected because the beneficiary does not have entitlement for Part A and/or Part B on record—required for enrollment transactions (Code 61). Code is for transaction type 61 and election types I and E only.
104 R	Rejected; Invalid or Missing Election Type	BAD ELECT TYPE	Election type is either missing, not valid for plan or transaction type. Election types A, N, S, O and T are valid for transaction types 51/60/61/71. Election types I and E are valid for transaction type 60/61.
105 R	Rejected; Invalid Effective Date for Election Type	BAD ELECT DATE	Effective date specified is not valid for the election type. Code is for transaction types 71/61/60/51; applies only to election types A, I, E, N, O, and T.
106 R	Rejected; Another Transaction Received with a Later Application Date	LATER APPLIC	The transaction was rejected (60/61/71) because a transaction with a more recent application date was received for the same effective date. When multiple transactions are received for the same beneficiary with the same effective date but with different contract/PBP #s, the application date will be used to determine which election to accept. Note that this code does not apply to transaction type 51, nor does it apply to an enrollment submitted online by CMS. If the application dates are different, the system will accept the election containing the most recent date. If the application dates are the same, they will all be rejected with a code of 176.
107 R	Rejected; Invalid or Missing PBP Number	BAD PBP NUMBER	The transaction was rejected (60/61/71/72) because the PBP # was missing or invalid. Note that the PBP # is not required on transaction type 51. The PBP # submitted on the 60/61/71/72 must be valid for the contract number on the transaction. The transaction should be resubmitted with a valid PBP #.
108 R	Rejected; Election Limits Exceeded	NO MORE ELECTS	Election limit exceeded for this election type. Code is for transaction types 71/61/60/51 and election types A, I, E, N, and O.

Code/Type*	Title	Short Definition	Definition
109 R	Rejected; Duplicate PBP Number	DUPLICATE	The transaction was rejected (71) because the member was already enrolled in the PBP # on the transaction. This code only applies to transaction type 71. The effective date of the requested enrollment is in field 18 of the Transaction Reply report.
110 R	Rejected; No Part A and No EGHP Enrollment Waiver	NO PART A/EGHP	The transactions was rejected (60/61/71) because the beneficiary lacks Part A and there was no EGHP Part B-only waiver in place. MCOs can offer PBP for EGHP members only, and, if the MCO chooses, it can define such PBPs for individuals who do not have Part A.
111 R	PBP Rejected; Invalid Contract Number	BAD CONTRACT #	The transaction was rejected (71) because the contract number on the transaction does not match the member's enrollment record. This code applies only to transaction type 71. The requested effective date of the enrollment appears in field 18 of the Transaction Reply report. The transaction should be resubmitted with the correct contract number.
112 R	Rejected; Conflicting Effective Dates	CNFLT EFF DATE	For a 71 or 71-X transaction (Note: 71X transactions have been discontinued starting with the February 2003 run), no current enrollment record is found for the beneficiary that has an effective start date before or on the effective date on the transaction. Also, for 71-X, the effective date on the transaction is after the PBP startup cutoff date.
113 M	Part B Premium Reduction Rate Change	PARTB REDUCT CH	Acknowledgement that the Part B premium reduction amount has been changed (Formerly related to the "BIPA 606" legislation; for 2006 and forward, part of the MMA legislation.)
114 R	Drug Coverage Change Rejected; Election Type must be AEP or OEPI	RX NOT AEP/OEPI	Existing plan members and previously enrolled individuals cannot add or drop drug coverage except during an AEP or OEPI. This TRC will appear for transaction types 60/61/71 when the election type is N or O for the described individual.
115 R	Enrollment Rejected; Plan Not Open	PLAN NOT OPEN	An OEP, OEPNEW, or OEPI enrollment was rejected because the plan is closed to such enrollments.

Code/Type*	Title	Short Definition	Definition
116 R	Enrollment or Change Rejected; Invalid or Missing Segment number	BAD SEGMENT NUM	The transaction (60/61/71) was rejected because the enrollment is for a PBP that has been segmented, and segment number on the transaction was missing or invalid. The Segment number submitted on transaction type 60/61/71 must be valid for the PBP and contract number. Or, a code 72 transaction was rejected because the (non-blank) segment number provided was invalid for that contract/PBP combination. The transaction should be resubmitted with a valid Segment number. NOTE: Segment number is not required for transaction type 51.
117 A	FBD Auto Enrollment Accepted	FBD AUTO ENROLL	CMS has performed an auto-enrollment of a full-benefit dual eligible beneficiary into a Part D Plan.
118 A	LIS Facilitated Enrollment Accepted	LIS FAC ENROLL	CMS has performed a facilitated enrollment of a low-income subsidy beneficiary into a Part D Plan.
119 A	Premium Amount Change Accepted	PREM AMT CHG	The beneficiary's Part D or Part C premium amount has been updated. This was the result of a plan-submitted change (72) transaction or a CMS UI update.
120 A	Premium Withholding Option Change Accepted	WHOLD UPDATE	The beneficiary's Premium Withholding Option has been accepted at CMS successfully and forwarded to SSA for processing. This was the result of a plan-submitted change (72) transaction or a CMS UI update.
121 M	Beneficiary Low Income Status Updated	LIS UPDATE	The beneficiary's Part D low-income subsidy status has changed.
122 R	Enrollment or Change Rejected, Invalid Premium Amount	BAD PREMIUM AMT	The transaction (60/61/71) was rejected because the Part C or Part D premium amount was not numeric. A code 72 change transaction was rejected because a non-blank Part C or Part D premium amount was not numeric. Transaction should be resubmitted with corrected premium amount.
123 R	Enrollment or Change Rejected, Invalid Premium Withholding Option Code	BAD W/HOLD OPT	The transaction (60/61/71) was rejected because the Premium Withholding Option code contained an invalid value (valid values are D, S, R, O and N). A code 72 change transaction was rejected because a non-blank Premium Withholding Option code contained an invalid value. Transactions should be resubmitted with corrected option codes.

Code/Type*	Title	Short Definition	Definition
124 R	Enrollment or Change Rejected; Invalid Uncovered Months Field	BAD UNCOV MNTHS	The transaction (60/61/71) was rejected because the 'Number of Uncovered Months' field contained a non-numeric value; OR, the 'Uncovered Months' field was zero when the Creditable Coverage Switch was set to "N"; OR, the "Uncovered Months" field was greater than zero when the Creditable Coverage Switch was set to "Y" or blank; OR, a code 72 change transaction was rejected because a non-blank 'Number of Uncovered Months' field contained a non-numeric value. Transactions should be resubmitted with corrected fields.
125 R	MSA Enrollment or Change Rejected, Invalid MSA Fields	BAD MSA DATA	The transaction (60/61/71) for Medical Savings Account (MSA) was rejected because one or more of these required fields was missing: beneficiary's social security number, bank account number, bank routing number, or bank account type code.
126 R	Enrollment or Change Rejected; Invalid Creditable Coverage Flag	BAD CRED COV FL	The transaction (60/61/71) was rejected because the 'Creditable Coverage Flag' field contained an invalid value. A code 72 change transaction was rejected because a non-blank 'Creditable Coverage Flag' field contained an invalid value. Transactions should be resubmitted with corrected fields.
127 R	Part D Enrollment Rejected; Employer Subsidy Status	EMP SUB REJ	The Enrollment was rejected because the beneficiary has employer subsidy periods overlapping with the requested enrollment period. The plan should contact the beneficiary to explain the potential consequences of this enrollment. If the beneficiary elects to join the Part D plan anyway, the enrollment should be resubmitted with the Employer Subsidy Override Flag set.
128 R	Part D Enrollment Rejected; Employer Subsidy Flag set; No Prior Transaction	EMP SUB OVR REJ	The Enrollment was rejected because the beneficiary has employer subsidy periods overlapping with the requested enrollment period and the Employer Subsidy Override Flag was set to Yes, but the override is not valid because there is no record that the enrollment was previously submitted and rejected due to the employer subsidy period. MARX enforces this two-step process to ensure that the plan discusses the potential consequences of the Part D enrollment (i.e., possible loss of employer health coverage) with the beneficiary before MARX accepts the employer subsidy override.
129 A	Part D Enrollment Accepted; Employer Subsidy Flag set; Prior Transaction Rejected	EMP SUB ACC	The Enrollment was accepted. A prior transaction was rejected because the beneficiary has employer subsidy periods overlapping with the requested enrollment period. This transaction (with employer subsidy override flag set to Yes) indicates that the plan has contacted the beneficiary to explain the potential consequences of this enrollment, and that the beneficiary elects to join the Part D plan anyway. [These three scenarios—126, 127 and 128—are outlined in the CMS/DPO letter to the plans dated March 8, 2005.]

Code/Type*	Title	Short Definition	Definition
130 R	Part D Opt-Out Rejected, Opt-Out Indicator Not Valid	BAD OPT OUT CD	The Part D Opt-Out Flag submitted by the plan has an invalid value.
131 A	Part D Opt-Out Accepted	OPT OUT OK	A valid disenrollment transaction was received with a Part D Opt-Out Flag set to Y. The beneficiary will not be subject to auto-enrollment into Part D by CMS in the future.
132 A	Part D Enrollment Accepted; Missing RxID and/or Rx Group [Obsolete]	[Obsolete]	Plans submitting Part D transactions (60/61/71) must provide their RxID and RxGroup information. Although the transaction was accepted, plan should follow up with RxID and RxGroup numbers on a change transaction (72).
133 R	Part D Enrollment Rejected; Invalid Secondary Insurance Flag	BAD 2 INS FLAG	Plans submitting Part D transactions (60/61/71) must provide a valid value for the secondary drug coverage flag.
134 A	Part D Enrollment Accepted; Invalid Secondary Insurance	NO 2 INS INFO	Plans submitting Part D transactions (60/61/71) must indicate when a beneficiary has secondary drug coverage. This transaction reply indicates that the secondary insurance flag was set, but the secondary insurance RxID and RxGroup were not supplied. Plan should follow up with secondary insurance RxID and RxGroup ID information on a change transaction (72).
135 M	Beneficiary Has Started Dialysis Treatments	DIALYSIS START	A notification has been received that a beneficiary has ESRD and has begun dialysis treatments.
136 M	Beneficiary Has Ended Dialysis Treatments	DIALYSIS END	A notification has been received that a beneficiary has ESRD and is no longer receiving dialysis treatments.
137 M	Beneficiary Has Received a Kidney Transplant	TRANSPLANT	A notification has been received that a beneficiary has ESRD and has received a transplanted kidney.
138 M	Beneficiary Address Change to Outside the U.S.	ADDR NOT U.S.	A notification has been received that the beneficiary's address is now outside of the U.S.

Code/Type*	Title	Short Definition	Definition
139 A	EGHP Flag Change Accepted	EGHP FLAG CHG	The beneficiary's EGHP flag has been successfully changed. This change was the result of a plan-submitted change (72) transaction or a CMS UI update.
140 A	Segment ID Change Accepted	SEGMENT ID CHG	A change (72) transaction has been successfully processed to change the Segment ID for the beneficiary.
141 A	Creditable Coverage Change Accepted	CRED COV CHG	The beneficiary's creditable coverage information has been changed successfully (Creditable Coverage Flag, Number of Uncovered Months). This change was the result of a plan-submitted change transaction or a CMS UI update.
142 A	Part D Rx Number Change Accepted	[Obsolete]	This transaction reply code is obsolete. NOTE: Description is not on CMS website.
143 A	Secondary Insurance Rx Number Change Accepted	2 INS Rx # CHG	The beneficiary's Secondary Drug Insurance RxID, RxBIN, RxGroup, or RxPCN numbers have been changed successfully. This change was the result of a plan-submitted change transaction or a CMS UI update.
144 M	Premium withhold option change to direct bill	PREM WH OPT CHG	An enrollment request (transaction types 60/61/71) or plan change request (transaction type 72) was processed. MARx changed the premium withhold option specified on the transaction to "Direct Bill" for one of the following reasons: 1. More than 3 months of retroactive premium withholding was requested. 2. The beneficiary's retirement system (SSA, RRB or OPM) was unable to withhold the entire premium amount from the beneficiary's monthly check. 3. The beneficiary has a BIC of M or T and chose "SSA" as the withhold option. SSA cannot withhold premiums for these beneficiaries (there is no benefit check to withhold from). 4. The beneficiary chose "RRB" or "OPM" as the withhold option. RRB and OPM are not withholding premiums at this time. 5. The beneficiary is an RRB beneficiary and chose "SSA" as the withhold option. "SSA" is not a valid option for RRB beneficiaries. The transaction has not been rejected as a result of this condition. The plan should contact the beneficiary to explain the consequences of the premium withhold option change.
145 M	Beneficiary no longer incarcerated	INCARCERATE OFF	Notice has been received from the MBD that the beneficiary is no longer incarcerated.

Code/Type*	Title	Short Definition	Definition
146 A	Rollover successful	ROLLOVER	A termination-rollover action was processed. These actions allow all members of a terminating organization (contract, plan or segment) to be 'rolled over' (automatically enrolled) in a new organization. No action is required by the plan, unless the action is in error, and results in beneficiaries being moved incorrectly. In this case, contact your CMS plan representative.
147 A	Rollover successful, RxID and RxGroup update required	[Obsolete]	A termination-rollover action involving a PDP or MA-PD was processed, and CMS needs updated RxID and RxGroup IDs for this member. Plan should submit a change transaction '72' for this member, supplying the new information.
148 A	Rollover successful, Secondary Drug Insurance 4Rxupdate required	RLLOVR NEED 2RX	A termination-rollover action involving a Part D Plan (PDP or MA-PD or demonstration with Part D or other plans with Part D) was processed and CMS needs updated secondary drug insurance 4Rx fields for this member. Plan should submit a change transaction '72' for the member, supplying the new information. NOTE: This TRC is only created when a 'rolled over' member previously had secondary Rx insurance information on file.
150 A	Enrollment accepted, Exceeds Capacity Limit	OVER CAP LIMIT	An enrollment has been accepted, but the resulting enrollment count exceeds the capacity limit for the contract or PBP. NOTE: Capacity limits do not apply to PDPs.
151 A	Disenrollment Accepted, Invalid Disenrollment Reason Code	DISROL-BAD RC [future use]	A disenrollment was successfully processed for a beneficiary but the disenrollment reason code was invalid. NOTE: This code is for FUTURE use.
152 M	Race Code Change	NEW RACE CODE	A notification has been received indicating that the beneficiary's race code has changed.
153 M	Expiration of Temporary Address	TEMP ADR EXPIRE	Beneficiary's temporary address has expired.
154 M	Out of Area Status	OUT OF AREA	Beneficiary's address has changed and is no longer in the service area; or, service area has been reduced, and the beneficiary's county is no longer in the service area.
155 M	Incarceration	INCARCERATED	A notification has been received, indicating that the beneficiary is incarcerated.

Code/Type*	Title	Short Definition	Definition
156 R	Batch Transaction Rejected, User Not Authorized for Contract	BAD USR FOR PLN	A batch transaction has been submitted by a user who is not authorized to submit transactions for the contract in question.
157 R	Contract Not Authorized for Transaction Code	UNAUT REQUEST	An enrollment, disenrollment, change, correction, or demonstration factor update transaction attempted to process. The transaction was rejected because the plan is not authorized to submit that type of transaction.
158 M	Institutional Period Change/Cancellation	INST CHANGE	CMS staff changed or cancelled an Institutional period for the beneficiary. No action required by the plan.
159 M	NHC Period Change/Cancellation	NHC CHANGE	CMS staff changed or cancelled a NHC period for the beneficiary. No action required by the plan.
160 R	Batch Transaction Rejected, User Not Authorized for Batch Submission	[Obsolete]	This transaction code is obsolete.
161 M	Beneficiary Record Alert from MBD	MBD ALERT	This unusual reply code indicates a problem with the Medicare enrollee rosters. If you receive this reply, please contact your central office support analyst for advice about how to proceed.
162 R	Invalid EGHP Flag Value	BAD EGHP FLAG	An invalid EGHP Flag value was specified on an enrollment transaction. The value must be Y or blank. The enrollment was rejected.
163 A	EGHP Flag Value Set	EGHP FLAG ON	The EGHP Flag value was set to Y by an enrollment transaction.
164 R	EGHP Flag Value not 'Y'	EGHP FLAG NOT Y	An Employer Group enrollment transaction (Code 60 transaction) was submitted with an EGHP Flag value set to a value other than 'Y'. The value must be Y for this type of transaction. The enrollment was rejected.
165 R	Processing Delayed	SYSTEM DELAY	Processing of this transaction has been delayed due to MARX system conditions. No action is required by the user. MARX will process the transaction as soon as possible.

Code/Type*	Title	Short Definition	Definition
166 R	Part D FBD Autoenrollment or Facilitated Enrollment Rejected	PARTD AUTO REJ	An automatic Part D enrollment of a full-benefit dual eligible beneficiary or a facilitated Part D enrollment was rejected because the CMS has a record of an 'opt out' option on file for the beneficiary.
167 M	Change in Beneficiary Low Income Premium Subsidy	NEW LIS PREMIUM	The beneficiary's Part D low-income subsidy status has changed, resulting in a change to the beneficiary's premium subsidy. The new Premium subsidy amount will be displayed in Field 24 of the Transaction Reply record.
168 M	Change in Beneficiary Low Income Cost Sharing Subsidy	NEW LIS COPAYS	The beneficiary's Part D low-income subsidy status has changed, resulting in a change to the beneficiary's co-payment levels. The new co-payment level will be displayed in Field 24 of the Transaction Reply Record.
169 R	Reinsurance Demonstration Enrollment Rejected	EMP SUBSIDY	An enrollment into a reinsurance demonstration has been rejected because the beneficiary has employer subsidy periods overlapping with the requested enrollment period. The plan should contact the beneficiary to explain the potential consequences of this enrollment. If the beneficiary elects to join the Part D plan anyway, the enrollment should be resubmitted with the Employer Subsidy Override Flag set to Yes.
170 A	Enrollment or Change Accepted; Premium Withhold Option Changed to Direct Billing	PREM WH OPT CHG	Premium withholding option has been changed to "Direct Billing" for enrollees who are retirees (transaction type 60, 61, 71, or 72). The plan should contact the beneficiary to explain the consequences of this change.
171 R	Plan Change Rejected, Invalid Change Effective Date	BAD CHG EFF DT	Plan change (transaction type 72) attempted to process. The transaction was rejected because the submitted transaction effective date was either more than three months in the future or a date not in the first of the month. The transaction should be submitted with a valid date.
172 R	Change Rejected; Creditable Coverage and/or Primary/Secondary Drug Information Not Applicable	CRED COV/4RX NA	A change transaction (72) was rejected because the Creditable Coverage Information (Creditable Coverage Flag and Number of Uncovered Months) and/or Primary Drug Insurance Information (Rx ID, Rx GRP, Rx PCN, and Rx BIN) and/or Secondary Drug Information (Rx ID, Rx GRP, Rx PCN, and Rx BIN) are not applicable to the selected plan type (MAs and other plans without drug coverage).

Code/Type*	Title	Short Definition	Definition
173 R	Change Rejected; Premium Not Previously Set	NO PREMIUM INFO	The attempt to change a Beneficiary's Premium data element such as Premium Withhold Option for Part C or Part D, Part C Premium Amount, Part D Premium Amount, or Number of Uncovered Months rejected because the Beneficiary's Premium Enrollment was not previously established for the specified effective date.
174 A	Transaction Accepted	TRN ACCEPTED	Transaction 72 is processed and accepted with none of the change fields populated in the incoming transaction.
175 A	Change Accepted	SSN CHG ACCEPTED	MBD notification for change of Social Security Number is processed and accepted.
176 R	Transaction Rejected: Another Transaction Accepted	TRANSACTION REJECTED	A transaction (60/61/71) attempted to process. The beneficiary request for enrollment into a different contract was rejected by membership because of the beneficiary enrollment request into another contract for the same effective and application dates was successfully processed.
177 M	Change in Late Enrollment Penalty	NEW PENALTY AMOUNT	The beneficiary's total late enrollment penalty has changed as a result of a change to the beneficiary's number of uncovered months (but there are still uncovered months), the beneficiary's LIS status, or the addition, withdrawal, or change in the CMS-granted waiver of the penalty. The new total penalty amount can be determined by subtracting fields 53 (waived amount) and 54 (subsidized amount) from field 52 (base penalty).
178 M	Late Enrollment Penalty Rescinded	PENALTY RESCINDED	The beneficiary's base late enrollment penalty has changed to \$0 as a result of the beneficiary's number of uncovered months having changed to zero. The \$0 penalty amount will be in field 52 (base penalty).
179 A	Transaction Accepted – No Change to Premium Record	NO CHNG TO PREM	Transaction (code 72) is accepted with no data change made to the beneficiary's active premium record. The premium data changes as requested by the Plan change transaction are the same as the current data on the beneficiary's active premium record for the specified period. No further action required.
180 M	Informational Only – MARx and MBD Sync Project completed	MARX/MBD SYNC	Notification was previously provided informing Plan that this transaction was rejected. A Synchronization Project between MARx and MBD was successfully completed by processing another transaction with similar data. The original rejected transaction will not be reprocessed. <u>No further action required.</u>

Code/Type*	Title	Short Definition	Definition
181 M	Part D Premium Change	PART D PRM OVERRIDE	The Part D premium submitted with the input transaction does not agree with the Plan's defined premium rate. The premium has been adjusted to reflect the defined rate.
182 M	Part C Premium Change	PART C PREM OVERRIDE	The Part C premium submitted with the input transaction does not agree with plan's defined premium rate. The premium has been adjusted to reflect the defined rate.
183 M	Dual Status Not Confirmed	DUAL STATUS NOT CONFRMD	The enrollment request of dual eligible (Medicaid and Medicare) beneficiary is processed successfully. MARX was not able to validate the beneficiary's dual eligible status.
184 R	Enrollment Rejected, Beneficiary is in Medicaid Status	MEMB IS MEDICAID	An enrollment transaction attempted to process. The enrollment was rejected, because the beneficiary is in Medicaid status. The Medicaid requirement is MCO specific (e.g., applies only to MSA/MA and MSA/Demo plans).
185 A	SSA Accepted Transaction	SSA ACCEPTED	CMS submitted a premium or enrollment transaction to SSA to update the premium withholding option. The request was accepted at SSA.
186 R	SSA Rejected Transaction	SSA REJECTED	CMS submitted a premium or enrollment transaction to SSA to update the premium withholding option. The request was rejected at SSA.
187 M	No Change in Creditable Coverage Information	DUPLICATE CC DATA	A change (transaction type 72) has been successfully processed for Creditable Coverage Information (Creditable Coverage flag and number of uncovered months). The creditable coverage information of the processed transaction was the same as that of the previously processed transaction.
188 M	No Change in Segment ID	DUPLICATE SEGMENT ID	A change (transaction type 72) has been successfully processed for Segment ID. The Segment ID of the processed transaction was the same as that of the previously processed transaction.
189 M	No Change in EGHP Flag	DUPLICATE EGHP FLAG	A change (transaction type 72) has been successfully processed for EGHP Flag. The EGHP flag of the processed transaction was the same as that of the previously processed transaction.
190 M	No Change in Secondary Drug Information	DUPLICATE SEONDARY DRUG INSURANCE DATA	A change (transaction type 72) has been successfully processed for Secondary Drug Insurance Information (Secondary Drug Insurance flag, Secondary Drug Rx ID, and Rx Group). The Secondary Drug Insurance information of the processed transaction was the same as that of the previously processed transaction.

Code/Type*	Title	Short Definition	Definition
191 M	No Change in Premium Withhold Option	DUPLICATE PREMIUM WITHHOLD OPTION	A change (transaction type 72) has been successfully processed for Premium Withhold Option. The Premium Withhold Option of the processed transaction was the same as that of the previously processed transaction.
192 M	No Change in Part C Premium Amount	DUPLICATE PART C PREMIUM AMOUNT	A change (transaction type 72) has been successfully processed for Part C Premium Amount. The Part C Premium Amount of the processed transaction was the same as that of the previously processed transaction.
193 M	No Change in Part D Premium Amount	DUPLICATE PART D PREMIUM AMOUNT	A change (transaction type 72) has been successfully processed for Part D Premium Amount. The Part D Premium Amount of the processed transaction was the same as that of the previously processed transaction.
194 M	Deemed Copay Correction	DEEMD COPAY CORR	CMS has added or updated a deemed co-pay period. This is a correction. The effective dates for the added or updated deemed co-pay period are shown in TRR fields.
195 A	SSA Unsolicited Response	SSA WHOLD UPDATE	An unsolicited response has been received from SSA. The premium withholding option for this beneficiary is set to direct bill. This action is not in response to a Plan-initiated transaction.
196 R	Enrollment Rejected, Beneficiary not eligible for Part D	MEMB HAS NO PART D	An enrollment transaction attempted to process. The enrollment was rejected because the beneficiary did not have eligibility for Medicare Part D. Part D eligibility is required for enrollment into Part D Plans.
197 M	Part D Eligibility Termination	PART D OFF	A notification has been received terminating the beneficiary's Part D eligibility. The effective Part D eligibility end date is shown in field 24 of the TRR. On the printed report, this value is shown in the EFF DATE column.
198 M	Part D Eligibility Reinstatement	PART D ON	A notification has been received reinstating the beneficiary's Part D eligibility. The effective Part D eligibility start date is shown in field 24 of the TRR. On the printed report, this value is shown in the EFF DATE column.
199 R	Transaction Rejected – Pending	RTRN FOR RESRCH	Transactions (51/54/60/61/71/72/Notification) are rejected due to pending status of the request. This transaction was placed into a pending status due to multiple transactions that were concurrently processed for the same beneficiary. Subsequent transactions may have been processed while this transaction was still pending. Therefore, the Plan must review the beneficiary's current status and resubmit transaction(s) accordingly.

Code/Type*	Title	Short Definition	Definition
200 R	Rx BIN Blank or Not Valid	BIN BLANK/INVLID	Enrollment transaction (60/61/71) or plan change (72) transaction by a Part D Plan attempted to process. The enrollment transaction request was rejected because the primary drug insurance Rx BIN field was either blank or does not have a valid value.
201 R	Rx ID Blank or Not Valid	ID BLANK/INVLID	Enrollment transaction (60/61/71) or plan change (72) transaction by a Part D Plan attempted to process. The enrollment transaction request was rejected because the primary drug insurance Rx ID field was either blank or does not have a valid value.
202 R	Rx Group Not Valid	RX GRP INVALID	Enrollment transaction (60/61/71) or plan change (72) transaction by a Part D Plan attempted to process. The transaction request was rejected because the primary drug insurance Rx GRP field does not have a valid value.
203 R	Rx PCN Not Valid	RX PCN INVLAID	Enrollment transaction (60/61/71) or plan change (72) transaction by a Part D Plan attempted to process. The transaction request was rejected because the primary drug insurance Rx PCN field does not have a valid value.
204 A	Plan Change for Primary 4Rx Data Successful	4RX CHNG ACPTED	Plan change (72) transaction attempted to process. The transaction included a request to change primary drug insurance 4Rx data. The 4Rx data was successfully changed. Note: At least one of the primary drug insurance fields must be provided in the plan change transaction.

Code/Type*	Title	Short Definition	Definition
206 A	Premium Withhold Option Invalid – Set to Direct Bill	PREM AMT CHG	An enrollment transaction (60/61/71) or Plan change (72) transaction attempted to process. One of the following conditions occurred: 1. The Premium Withhold Option has been changed to “Direct Billing” for an SSA beneficiary with a BIC of M or T who chose “SSA”. SSA cannot withhold premiums for these beneficiaries (there is no benefit check to withhold from). 2. The Premium Withhold Option has been changed to “Direct Billing” for a beneficiary who chose “RRB” or “OPM”. RRB and OPM are not withholding premiums at this time. 3. The Premium Withhold Option has been changed to “Direct Billing” for an RRB beneficiary who chose “SSA”. “SSA” is not a valid option for RRB beneficiaries. The plan should contact the beneficiary to explain the consequences of this change per CR1182.
208 A	Plan Change Rejected, Both 4Rx and non-4Rx Changes	BOTH PLN CHG ROST	A Plan change (72) transaction for 4Rx as well as non-4Rx information attempted to process. The transaction was for 4Rx (primary and secondary drug insurance) as well as for non-4Rx (other than 4Rx) plan changes. The transaction request was rejected because the effective date edits for 4Rx information are different than the effective date edits for non-4Rx information.
209 R	4Rx Chang Rejected, Invalid Change Effective Date	BAD 4RX CHG EFF DT	A Plan change (72) transaction for 4Rx information for primary drug insurance attempted to process. The transaction was rejected because the submitted transaction effective date was either before the original enrollment start date or after the original enrollment end date (whenever enrollment end date is assigned for the enrollment).
600 R	UI Transaction Override	UI OVERRIDE	A discrepancy enrollment transaction (60, 61 or 71) attempted to process. The enrollment record rejected while trying to change an existing enrollment record that was previously entered using the User Interface (UI).

Code/Type*	Title	Short Definition	Definition
604 R	Casework Beneficiary	CASEWORK BENE	A discrepancy enrollment transaction (60, 61 or 71) attempted to process. The submitted transaction rejected because the beneficiary's enrollment was updated by CMS casework.
602 R	No Discrepancy	NO DISCREPANCY	A discrepancy enrollment transaction (60, 61 or 71) attempted to process. The submitted transaction rejected because the enrollment effective date and contract/PBP on discrepancy file matches the existing enrollment on file. There is no update to the member's enrollment period.
603 R	2007 Date is Not Valid	2007 DATE NOT VALID	2007 effective dates were not considered for the 2006 enrollment reconciliation A discrepancy enrollment transaction (60, 61 or 71) attempted to process and was rejected for 1 of the following 2 reasons: 1. A 2007 enrollment or PBP was submitted and rejected because there was not a 2006 discrepancy submitted along with the 2007 enrollment. 2. A 2006 enrollment transaction AND a 2007 PBP change record attempted to process as a Rollover. The transaction rejected because the enrollment record and the PBP change record did not have the same application signature date.
604 A	Disenrollment	DISENROLLMENT	A discrepancy enrollment transaction (60, 61 or 71) was accepted and processed, as a result the beneficiary has been disenrolled due to enrollment in another plan as part of the Enrollment Reconciliation process.
605 R	Recon Transaction Denied	TRANS DENIED	A discrepancy enrollment transaction (60, 61 or 71) attempted to process and was denied following reconciliation processing.
606 A	Direct Bill	DIRECT BILL	Enrollment requests require the premium withhold option be changed to 'direct bill'.
607 A	Enrollment Accepted as Submitted	ENROLL ACCEPTED	The discrepancy transaction submitted (60, 61 or 71) was accepted as submitted by the plan.

Code/Type*	Title	Short Definition	Definition
608 A	Enrollment Accepted with CMS established effective and CMS end date	ENROLL ACCEPT W/ CMS EFFECT & CMS END DATE	An enrollment transaction (60, 61 or 71) was accepted and processed with a CMS effective date and CMS end date as submitted by the plan.
609 A	Enrollment Accepted with CMS established effective date	ENROLL ACCEPT W/ CMS EFFECT DATE	An enrollment transaction (60, 61 or 71) was accepted and processed with a CMS effective date.
610 A	Enrollment Accepted with CMS established end date	ENROLL ACCEPT W/ CMS END DATE	An enrollment transaction (60, 61 or 71) was accepted and processed with a CMS end date.
611 R	No Discrepancy in 2006	NO DISCREPANCY 2006	An enrollment or PBP change transaction (60, 61 or 71) attempted to process. The submitted transaction was rejected because there is no discrepancy in CY2006; however a discrepancy does exist in another contract.
701 A	New UI Enrollment (Open Ended)	UI ENROLLMENT	A CMS User enrolled this beneficiary in this contract under the indicated PBP (if applicable) and segment (if applicable). TRR field #18 contains the enrollment effective date. This is an open-ended enrollment which does not have a disenrollment date. Because the Part C Premium amount may have been populated automatically with the base Part C premium amount, the Plan should verify this value and submit a Plan Change transaction if necessary.
702 A	UI Fill-In Enrollment	UI FIL-IN ENROL	A CMS User enrolled this beneficiary in this contract under the indicated PBP (if applicable) and segment (if applicable). This enrollment is a Fill-In Enrollment and represents a complete enrollment period that begins on the date in TRR field #18 and ends on the date in TRR field #24. This is a distinct enrollment period and does not affect any existing enrollments. Because the Part C Premium amount may have been populated automatically with the base Part C premium amount, the Plan should verify this value and submit a Plan Change transaction if necessary.
703 A	UI Enrollment Cancel (Delete)	UI ENROLL CANCL	A CMS User cancelled the beneficiary's existing enrollment and the beneficiary is disenrolled. This entire enrollment should be removed from the beneficiary's enrollment records. TRR field #18 contains the effective date (start date) of the cancelled enrollment period.

Code/Type*	Title	Short Definition	Definition
704 A	UI Enrollment Cancel PBP Correction	UI CNCL PBP COR	A CMS User updated the PBP on an existing enrollment. This generates two transaction replies, a 51 and a 61. This reply (transaction type 51) represents the cancellation of the enrollment in the original PBP. The effective (start) and disenrollment (end) dates of the enrollment being cancelled are found in TRR fields 18 & 24, respectively. This enrollment should be removed and replaced with the enrollment in the associated 61 transaction (TRC 705).
705 A	UI Enrollment PBP Correction	UI ENR PBP COR	A CMS User updated the PBP on an existing enrollment. This generates two transaction replies, a 51 and a 61. This reply (transaction type 61) represents the enrollment in the new PBP. The effective (start) and disenrollment (end) dates of the enrollment in this new PBP are found in TRR fields 18 & 24, respectively. This enrollment should replace the enrollment cancelled by the associated 51 transaction (TRC 704). Because the Part C Premium amount may have been populated automatically with the base Part C premium amount, the Plan should verify this value and submit a Plan Change transaction if necessary.
706 A	UI Enrollment Cancel Segment Correction	UI CNCL SEG COR	A CMS User updated the Segment on an existing enrollment. This generates two transaction replies, a 51 and a 61. This reply (transaction type 51) represents the cancellation of the enrollment in the original Segment. The effective (start) and disenrollment (end) dates of the enrollment being cancelled are found in TRR fields 18 & 24, respectively. This enrollment should be removed and replaced with the enrollment in the associated 61 transaction (TRC 707).
707 A	UI Enrollment Segment Correction	UI ENR SEG COR	A CMS User updated the Segment on an existing enrollment. This generates two transaction replies, a 51 and a 61. This reply (transaction type 61) represents the enrollment in the new Segment. The effective (start) and disenrollment (end) dates of the enrollment in this new segment are found in TRR fields 18 & 24, respectively. This enrollment should replace the enrollment cancelled by the associated 51 transaction (TRC 706). Because the Part C Premium amount may have been populated automatically with the base Part C premium amount, the Plan should verify this value and submit a Plan Change transaction if necessary.
708 A	UI Assigns End Date	UI ASSGN END DT	A CMS User assigned an end date to existing open-ended enrollment. The beneficiary should be disenrolled as of the date in field 18. The effective date (start date) of the existing enrollment remains unchanged.

Code/Type*	Title	Short Definition	Definition
709 A	UI Moved Start Date Earlier	UI ERLY STRT DT	A CMS User updated the start date of an existing enrollment to an earlier date. The new start date is reported in field 18 (effective date) and the original start date is reported in field 24. The existing enrollment should be changed to begin on the date in field 18. The end date of the existing enrollment (if it exists) remains unchanged. Because the Part C Premium amount may have been populated automatically with the base Part C premium amount, the Plan should verify this value and submit a Plan Change transaction if necessary.
710 A	UI Moved Start Date Later	UI LATE STRT DT	A CMS User updated the start date of an existing enrollment to a later date. The new start date is reported in field 18 (effective date) and the original start date is reported in field 24. The existing enrollment should be reduced to begin on the date in field 18. The end date of the existing enrollment (if it exists) remains unchanged.
711 A	UI Moved End Date Earlier	UI ERLY END DT	A CMS User updated the end date of an existing enrollment to an earlier date. The new end date is reported in field 18 (effective date) and the original end date is reported in field 24. The existing enrollment should be reduced to end on the date in field 18. The start date of the existing enrollment remains unchanged.
712 A	UI Moved End Date Later	UI LATE END DT	A CMS User updated the end date of an existing enrollment to a later date. The new end date is reported in field 18 (effective date) and the original end date is reported in field 24. The existing enrollment should be extended to end on the date in field 18. The start date of the existing enrollment remains unchanged. Because the Part C Premium amount may have been populated automatically with the base Part C premium amount, the Plan should verify this value and submit a Plan Change transaction if necessary.
713 A	UI Removed Enrollment End Date	UI REMVD END DT	CMS User removed the end date from an existing enrollment. Field 18 (effective date) contains zeroes (00000000) and the original end date is reported in field 24. The existing enrollment should be extended to be an open-ended enrollment. The start date of the existing enrollment remains unchanged. Because the Part C Premium amount may have been populated automatically with the base Part C premium amount, the Plan should verify this value and submit a Plan Change transaction if necessary.
990 - 999	These codes appear only on special TRRs that are generated for a specific purpose; for example, those generated to communicate Full Enrollment or to report beneficiaries losing low-income deeming. When a special TRR will result in one of these TRCs, CMS will provide descriptions and Plan action (if applicable) via the TRR memo.		

H.3 MMR Adjustment Reason Codes

Table H-3 lists the adjustment reasons and their associated codes.

Table H-3 - Adjustment Reason Codes

Code	Description
00	Sum of All Adjustment Types for the Plan for this Period
01	Notification of Death of Beneficiary
02	Retroactive Enrollment
03	Retroactive Disenrollment
04	Correction to Enrollment Date
05	Correction to Disenrollment Date
06	Correction to Part A Entitlement
07	Retroactive Hospice Status
08	Retroactive ESRD Status
09	Retroactive Institutional Status
10	Retroactive Medicaid Status
11	Retroactive Change to State County Code
12	Date of Death Correction
13	Date of Birth Correction
14	Correction to Sex Code
15	Obsolete
16	Obsolete
17	For APPS use only
18	Part C Rate Change
19	Correction to Part B Entitlement
20	Retroactive Working Aged Status
21	Retroactive NHC Status
22	Disenroll Due to Prior ESRD
23	Demo Factor Adjustment
24	Retroactive Change to Bonus Payment
25	Part C Risk Adj Factor Change/Recon
26	Mid-year Risk Adj Factor Change
27	Retroactive Change to Congestive Heart Failure (CHF) Payment
28	Retroactive Change to BIPA Part B Premium Reduction Amount
29	Retroactive Change to Hospice Rate
30	Retroactive Change to Basic Part D Premium
31	Retroactive Change to Part D Low Income Premium Status
32	Retroactive Change to Estimated Low Income Subsidy (LIS) Cost-Sharing Amount
33	Retroactive Change to Estimated Reinsurance Amount

Code	Description
34	Retroactive Change Basic Part C Premium
35	Retroactive Change to Rebate Amount
36	Part D Rate Change, including change to Low Income Premium Subsidy Rate
37	Part D Risk Adjustment Factor Change
38	Retroactive Segment ID Change
41	Part D Risk Adjustment Factor Change (mid-year)
42	Retroactive ESRD MSP Factor Change

H.4 State Codes

Table H-4 lists the numeric and character code for all states.

Table H-4 - State Code Table

State / Territory	Numeric Code	Character Code
Alabama	01	AL
Alaska	02	AK
Arizona	03	AZ
Arkansas	04	AR
California	05	CA
Colorado	06	CO
Connecticut	07	CT
Delaware	08	DE
District of Columbia (Washington DC)	09	DC
Florida	10	FL
Georgia	11	GA
Hawaii	12	HI
Idaho	13	ID
Illinois	14	IL
Indiana	15	IN
Iowa	16	IA
Kansas	17	KS
Kentucky	18	KY
Louisiana	19	LA
Maine	20	ME
Maryland	21	MD
Massachusetts	22	MA
Michigan	23	MI
Minnesota	24	MN
Mississippi	25	MS
Missouri	26	MO
Montana	27	MT
Nebraska	28	NE
Nevada	29	NV
New Hampshire	30	NH
New Jersey	31	NJ
New Mexico	32	NM
New York	33	NY
North Carolina	34	NC
North Dakota	35	ND
Ohio	36	OH
Oklahoma	37	OK
Oregon	38	OR
Pennsylvania	39	PA
Puerto Rico	40	PR
Rhode Island	41	RI

State / Territory	Numeric Code	Character Code
South Carolina	42	SC
South Dakota	43	SD
Tennessee	44	TN
Texas	45	TX
Utah	46	UT
Vermont	47	VT
Virgin Islands	48	VI
Virginia	49	VA
Washington	50	WA
West Virginia	51	WV
Wisconsin	52	WI
Wyoming	53	WY
Africa	54	
Canada	56	
U.S. Possessions	63	
American Samoa	64	

H.5 4Rx Notification Error Condition Tables

H.5.1 Notification File Error Records

NOTE: This file is no longer being transmitted to Plans as of August 16, 2007 due to Summer Software Changes updating 4Rx data submission. This file is obsolete and Plans may now find this information on the Weekly/Monthly TRR.

The following table contains File Level Error information. File Level Errors represent conditions in which a 4Rx Notification File is rejected and not processed.

SOURCE OF ERROR	ERROR MESSAGE	ERROR CONDITION
Header Record	The Header Record is missing.	• The Header Record is not provided on the file. • The Header Record cannot be read. • More than one Header Record is provided on the file.
	The Header Record is Invalid.	• The Header Record is incorrectly formatted. • The Header Record contains invalid values. • The Header Record contains Critical Fields that are not provided.
Trailer Record	The Trailer Record is missing.	• The Trailer Record is not provided on the file. • The Trailer Record cannot be read. • More than one Trailer Record is provided on the file.

SOURCE OF ERROR	ERROR MESSAGE	ERROR CONDITION
	The Trailer Record is invalid.	• The Trailer Record is incorrectly formatted. • The Trailer Record contains invalid values. • The Trailer Record contains Critical Fields that are not populated. • The Record Count in the Trailer Record is more than two different from the actual number of Detail Records (Transactions) in the file.
File Content	The File has no Transactions.	• There are no Transactions (Detail Records) found in the file.
Record Length	The record length is invalid	• The record length does not equal 750 characters/positions.

H.5.2 Notification Transaction (Detail Record) Error Conditions

The following Flag fields are provided in the Response File Detail Record. Flag fields represent the successful or unsuccessful result of processing data within a Transaction (Detail Record) of the input file.

FLAG	FLAG CODE	FLAG CODE RESULT	FLAG RESULT CONDITION
Processed Flag	Y	The Transaction was accepted for processing.	• All critical fields on the Transaction were populated with valid values.
	N	The Transaction was not accepted for processing.	• At least one critical field on the Transaction was populated with a value other than the prescribed valid values.
Beneficiary Match Flag	Y	The beneficiary on the Transaction was successfully located in the Medicare Beneficiary Database (MBD).	• The beneficiary was successfully located by the combination of the Health Insurance Claim Number (HICN) or Railroad Retirement Board Number (RRB), the Social Security Number, the Date of Birth, and gender.

FLAG	FLAG CODE	FLAG CODE RESULT	FLAG RESULT CONDITION
Beneficiary Match Flag cont'd.	N	The beneficiary on the Transaction was not successfully located in the Medicare Beneficiary Database (MBD).	The beneficiary was not successfully located by the combination of the Health Insurance Claim Number (HICN) or Railroad Retirement Board Number (RRB), the Social Security Number, the Date of Birth, and gender.
	SPACE	No attempt made to locate the beneficiary on the Medicare Beneficiary Database (MBD).	An Invalid condition was found to exist in the Transaction (Detail Record) such as an unexpected, absent, or invalid value in a Critical field.
PBP Enrollment Match Flag	Y	The beneficiary's PBP enrollment on the Transaction was successfully located in the Medicare Beneficiary Database (MBD).	The beneficiary's PBP enrollment was successfully located by the combination of the Contract Number and PBP Number.
	N	The beneficiary's PBP enrollment on the Transaction was not successfully located in the Medicare Beneficiary Database (MBD).	The beneficiary's PBP enrollment was not successfully located (verified) by the combination of the Contract Number and PBP Number
	SPACE	No attempt made to locate the PBP Enrollment on the Medicare Beneficiary Database (MBD).	An Invalid condition was found to exist in the Transaction (Detail Record) such as an unexpected, absent, or invalid value in a Critical field

H.5.3 Transaction (Detail Record) Level Error Information

The following table contains Transaction (Detail Record) Level Error information. Transaction (Detail Record) Level Errors represent conditions in which a 4Rx Notification Transaction (Detail Record) is either Rejected or processed:

Note: "ERC" stands for Error Return Code.

ERROR FIELD	ERROR CODE	ERROR MESSAGE	ERROR CONDITION
Record-Type-ERC	Spaces	Record Type is valid.	Record-type = "DTL02"
	001	Record Type is invalid.	- Record-type not = "DTL02." - Record Type is not provided.
HICN-RRB-Num-ERC	Spaces	HICN-RRB-NUM is valid.	HICN-RRB-NUM is in a valid format.
	001	HICN-RRB-NUM is invalid.	- HICN-RRB-NUM is in an invalid format. - HICN-RRB Number is not provided.
SSN-ERC	Spaces	SSN is valid.	SSN is in a valid format.
	001	SSN is invalid.	- SSN is in an invalid format. - SSN is not provided.
DOB-ERC	Spaces	DOB is valid.	DOB is in a valid format.
	001	DOB is invalid.	DOB could have any of the following error conditions: - Format not CCYYMMDD - Date is GT system date - CCYY spaces, before 1890, greater than current CCYY - DD spaces or not 01 - 31 - MM spaces or not 01-12. - Date of Birth not provided

ERROR FIELD	ERROR CODE	ERROR MESSAGE	ERROR CONDITION
Rx-Bin-ERC	Spaces	Rx-Bin is valid.	• Rx-Bin is provided.
	001	Rx-Bin is invalid.	• Rx-Bin is non-numeric. • Rx-Bin not provided.
Rx-ID-ERC	Spaces	Rx-ID is valid.	• Rx-ID is provided.
	001	Rx-ID is invalid.	• Rx-ID is non-numeric. • Rx-ID not provided.
Contract-Number-ERC	Spaces	Contract Number is valid.	• Contract Number is provided.
	001	Contract Number is invalid.	• Contract Number is not provided.
	002	Contract Number mismatch.	• Contract Number does not match current value on the MBD database.
PBP-Number-ERC	Spaces	PBP Number is valid.	• PBP Number is provided.
	001	PBP Number is invalid	• PBP Number is not provided.
	002	PBP Mismatch.	• PBP Number does not match current value on the MBD database.
PBP-Enrollment-Effective-Date-ERC	Spaces	PBP-Enrollment-Effective-Date is valid.	• PBP-Enrollment-Effective-Date is in a valid format.
	001	PBP-Enrollment-Effective-Date is invalid.	• PBP-Enrollment-Effective-Date is in an invalid format.

ERROR FIELD	ERROR CODE	ERROR MESSAGE	ERROR CONDITION
Part-D-Payment-Switch-ERC	002	Part D Payment Switch = “N”	• Part D Payment Switch = “N” (beneficiary’s Part D enrollment was not found on the MBD database)

H.6 Batch Eligibility Query (BEQ) Response File Error Condition Table

H.6.1 Request File Error Conditions

The following table contains File Level Error information. File Level Errors represent conditions in which a Batch Eligibility Query (BEQ) Request File is rejected and not processed.

SOURCE OF ERROR	ERROR MESSAGE	ERROR CONDITION
Header Record	The Header Record is missing.	• The Header Record is not provided on the file. • The Header Record cannot be read. • More than one Header Record is provided on the file.
	The Header Record is Invalid.	• The Header Record is incorrectly formatted. • The Header Record contains invalid values. • The Header Record contains Critical Fields that are not provided.
Trailer Record	The Trailer Record is missing.	• The Trailer Record is not provided on the file. • The Trailer Record cannot be read. • More than one Trailer Record is provided on the file.
	The Trailer Record is invalid.	• The Trailer Record is incorrectly formatted. • The Trailer Record contains invalid values. • The Trailer Record contains Critical Fields that are not populated. • The Record Count in the Trailer Record is more than 2 different from the actual number of Detail Records (Transactions) in the file.
File Content	The File has no Transactions.	• There are no Transactions (Detail Records) found in the file.

H.6.2 Request Transaction (Detail Record) Error Conditions

The following Flag fields are provided in the Response File Detail Record. Flag fields represent the successful or unsuccessful result of processing data within a Transaction (Detail Record) of the input file.

FLAG	FLAG CODE	FLAG CODE RESULT	FLAG RESULT CONDITION
Processed Flag	Y	The Transaction was accepted for processing.	All critical fields on the Transaction were populated with valid values.
	N	The Transaction was not accepted for processing.	At least one critical field on the Transaction was populated with a value other than the prescribed valid values.
Beneficiary Match Flag	Y	The beneficiary on the Transaction was successfully located in the Medicare Beneficiary Database (MBD).	The beneficiary was successfully located by the combination of the Health Insurance Claim Number (HICN) or Railroad Retirement Board Number (RRB), the Social Security Number, the Date of Birth, and gender.
	N	The beneficiary on the Transaction was not successfully located in the Medicare Beneficiary Database (MBD).	The beneficiary was not successfully located by the combination of the Health Insurance Claim Number (HICN) or Railroad Retirement Board Number (RRB), the Social Security Number, the Date of Birth, and gender.
	SPACE	No attempt made to locate the beneficiary on the Medicare Beneficiary Database (MBD).	An invalid condition was found to exist in the Transaction (Detail Record) such as an unexpected, absent, or invalid value in a Critical Field.

This page intentionally left blank.

I: Report Files

This appendix provides a description and sample snapshot of each report file. **Table I-1** lists the names of all the reports that are accessible to Plans and on which page of this appendix (I) they can be found. Note that the examples provided for the reports do not identify any person living or dead; all beneficiary, contract, and user information is fictional. Appendix J identifies the naming conventions for all reports sent to Plans. Dataset names are needed by the user to request a report through the mainframe.

Table I-1 - Reports Lookup Table

Section	Name	Page
I.1	BIPA 606 Payment Reduction Report	I-3
I.2	Bonus Payment Report	I-9
I.3	Demographic Report	I-17
I.4	HMO Bill Itemization Report	I-21
I.5	Monthly Membership Detail Report – Drug Report File Part D	I-23
I.6	Monthly Membership Detail Report – Non Drug Report File Part C	I-25
I.7	Monthly Membership Summary Report	I-27
I.8	Monthly Summary of Bills Report	I-31
I.9	Part C Risk Adjustment Model Output Report	I-33
I.10	Part D Risk Adjustment Model Output Report	I-35
I.11	Payment Records Report (Part B Claims Records Posted)	I-37
I.12	Plan Payment Report (APPS Payment Letter)	I-39
I.13	Interim Plan Payment Report (APPS Interim Payment Letter)	I-45
I.14	Transaction Reply Report (TRR) (Weekly / Monthly)	I-47
I.15	Enrollment Transmission Message File (STATUS)	I-59
I.16	Batch Completion Status Summary Data File	I-65
I.17	Sample 4Rx Notification File Pass and Fail Acknowledgement	I-67
I.18	Sample BEQ Request File Pass and Fail Acknowledgement	I-69

Note

See Appendix J for complete information on Dataset Names.

This page intentionally left blank.

I.1 BIPA 606 Payment Reduction Report

Description

This report lists members for whom the MCO is paying a portion of the Part B premium. This report will only reflect data for periods prior to 2006.

Example

1 RUN DATE: 2003/12/10
 PAY MONTH: 2004/01
 PAGE: 1
 CONTRACT#: H3333
 REPORT DATE: 2003/12/10

BIPA606 PAYMENT REDUCTION REPORT

0 PBP ID: 026

0 CLAIM BLEND PT-B NUMBER PLUS BIPA	SURNAME F S BLEND TOT I E DATE PLUS BIPA X	BIRTH DATE RC	ADJ DATES	PAY/ADJ RATE	BIPA W/O BIPA	BLEND TOT AMOUNT	BIPA PT-A
123456789A 215.63	PARR H F	19121128	200401-200401	31.25	609.52	-31.25	362.64
123456789A 246.02	MONET M F	19170402	200401-200401	31.25	677.32	-31.25	400.05
123456789D 276.15	GARRISO M F	19130812	200401-200401	31.25	744.55	-31.25	437.15
123456789A 268.08	GEISEL A M	19190407	200401-200401	31.25	687.28	-31.25	387.95
123456789A 250.69	BLAZE H M	19170901	200401-200401	31.25	688.39	-31.25	406.45
123456789D 214.78	AMES E F	19061027	200401-200401	31.25	607.62	-31.25	361.59
123456789D 184.46	KLEIN P F	19270531	200401-200401	31.25	459.05	-31.25	243.34

Plan Communications User Guide Appendices, Version 2.3

123456789A 311.40	DAVIDS 756.18	J M 19200513	200401-200401	31.25	787.43	-31.25	444.78
123456789B 269.77	DAVIDS 713.05	E F 19180521	200401-200401	31.25	744.30	-31.25	443.28
123456789A 275.01	MURRAY 693.70	E F 19190614	200401-200401	31.25	724.95	-31.25	418.69
123456789A 269.70	MURDOCK 703.55	P M 19161126	200401-200401	31.25	734.80	-31.25	433.85
123456789D 355.76	TROTTER 873.86	S F 19230411	200401-200401	31.25	905.11	-31.25	518.10
123456789A 343.17	RUSS 829.31	D M 19220119	200401-200401	31.25	860.56	-31.25	486.14
123456789A 231.45	PRINCE 615.72	A F 19041104	200401-200401	31.25	646.97	-31.25	384.27
123456789A 264.52	LONG 691.83	I M 19190101	200401-200401	31.25	723.08	-31.25	427.31
123456789A 320.50	SHAPIRO 827.04	S M 19100313	200401-200401	31.25	858.29	-31.25	506.54
123456789A 340.56	WEISMAN 868.90	W M 19160511	200401-200401	31.25	900.15	-31.25	528.34
123456789A 239.74	BERGER 610.35	B F 19190910	200401-200401	31.25	641.60	-31.25	370.61
123456789A 214.10	KELLER 549.54	H F 19190906	200401-200401	31.25	580.79	-31.25	335.44
123456789A 320.02	RYAN 825.96	J M 19181027	200401-200401	31.25	857.21	-31.25	505.94
123456789A 276.13	FALK 718.38	S M 19080704	200401-200401	31.25	749.63	-31.25	442.25
123456789A 228.39	DUFFY 609.65	S F 19120426	200401-200401	31.25	640.90	-31.25	381.26
123456789D 235.29	ADAMS 626.57	E F 19101114	200401-200401	31.25	657.82	-31.25	391.28
123456789A 230.04	TATE 612.57	V F 19160825	200401-200401	31.25	643.82	-31.25	382.53
123456789A 256.01	SCOTT 678.55	P F 19140929	200401-200401	31.25	709.80	-31.25	422.54

Plan Communications User Guide Appendices, Version 2.3

123456789D 225.56	SMALL 602.58	T F 19110616	200401-200401	31.25	633.83	-31.25	377.02
123456789A 201.10	WILEY 542.21	R F 19100427	200401-200401	31.25	573.46	-31.25	341.11
123456789D 229.18	DENNIS 610.65	D F 19020517	200401-200401	31.25	641.90	-31.25	381.47
123456789A 307.76	HAMMIL 791.01	J M 19090425	200401-200401	31.25	822.26	-31.25	483.25
123456789A 238.27	VOSS 632.78	E F 19060220	200401-200401	31.25	664.03	-31.25	394.51
123456789A 357.20	TUTTLE 917.13	A M 19140320	200401-200401	31.25	948.38	-31.25	559.93
123456789A 377.56	BARTLET 908.15	A M 19190119	200401-200401	31.25	939.40	-31.25	530.59
123456789D 239.74	GREEN 610.35	H F 19220628	200401-200401	31.25	641.60	-31.25	370.61
123456789A 321.51	RUSK 828.54	M M 19171115	200401-200401	31.25	859.79	-31.25	507.03
123456789A 317.26	POWELL 819.06	W M 19061121	200401-200401	31.25	850.31	-31.25	501.80
123456789D 207.72	MCDONAL 534.34	H F 19191007	200401-200401	31.25	565.59	-31.25	326.62
123456789D 309.04	KING 807.77	L F 19130321	200401-200401	31.25	839.02	-31.25	498.73
123456789D 286.01	LEWIS 750.49	M F 19150407	200401-200401	31.25	781.74	-31.25	464.48

PBP ID: 026	TOTALS: 38	\$ 27,602.25	\$ -1,187.50
\$ 26,414.75			
AGED REDUCTION:		\$ -1,187.50	
DIB REDUCTION:		\$ 0.00	

1 RUN DATE: 2003/12/10
 PAY MONTH: 2004/01
 PAGE: 2

BIPA606 PAYMENT REDUCTION REPORT

Plan Communications User Guide Appendices, Version 2.3

CONTRACT#: H3333
REPORT DATE: 2003/12/10

0 PBP ID: 027

0 CLAIM BLEND PT-B NUMBER PLUS BIPA	SURNAME F S BLEND TOT I E DATE PLUS BIPA X	BIRTH DATE RC	ADJ RC DATES	PAY/ADJ DATES	BIPA RATE	BLEND TOT W/O BIPA	BIPA AMOUNT	BLEND PT-A
123456789B 216.42	MARKS E F 611.92	19220112		200401-200401	73.38	685.30	-73.38	395.50
123456789A 219.55	MONTGOM M F 650.02	19111113		200401-200401	73.38	723.40	-73.38	430.47
123456789D 146.25	SCHREIB A F 446.71	19190814		200401-200401	73.38	520.09	-73.38	300.46
123456789A 146.25	BECKER V F 446.71	19191224		200401-200401	73.38	520.09	-73.38	300.46
123456789A 219.85	BRIDGE H M 642.36	19171219		200401-200401	73.38	715.74	-73.38	422.51
123456789A 240.27	EDELMAN S M 692.56	19160825		200401-200401	73.38	765.94	-73.38	452.29
123456789A 186.26	ZEMLACK A F 567.52	19090715		200401-200401	73.38	640.90	-73.38	381.26
123456789A 218.25	ROSENST L M 638.87	19180629		200401-200401	73.38	712.25	-73.38	420.62
123456789B 162.49	ROSENST L F 485.34	19231014		200401-200401	73.38	558.72	-73.38	322.85
123456789D 183.43	ROLNICK I F 560.45	19090215		200401-200401	73.38	633.83	-73.38	377.02
123456789D 264.40	KAIN M F 758.42	19150907		200401-200401	73.38	831.80	-73.38	494.02
123456789A 255.90	SHANK W M 683.30	19200707		200401-200401	73.38	756.68	-73.38	427.40
123456789A 306.28	KAY T M 852.71	19121119		200401-200401	73.38	926.09	-73.38	546.43

Plan Communications User Guide Appendices, Version 2.3

123456789A 227.57	GOLDMAN S M 19160221 661.42	200401-200401	73.38	734.80	-73.38	433.85
123456789D 207.60	MILLMAN E F 19110709 618.95	200401-200401	73.38	692.33	-73.38	411.35
123456789A 223.02	JARRETT J M 19110519 649.44	200401-200401	73.38	722.82	-73.38	426.42
123456789B 187.90	JARRETT E F 19170417 570.41	200401-200401	73.38	643.79	-73.38	382.51
123456789C1 84.04	MENG A M 19500301 273.73	200401-200401	73.38	347.11	-73.38	189.69
123456789A 196.79	BLACK M F 19151205 592.06	200401-200401	73.38	665.44	-73.38	395.27
123456789A 239.23	TAUBMAN E F 19420723 615.87	200401-200401	73.38	689.25	-73.38	376.64
123456789D 134.17	DRUSKIN M F 19290303 351.13	200401-200401	73.38	424.51	-73.38	216.96
123456789A 182.26	SMITH V F 19130908 557.83	200401-200401	73.38	631.21	-73.38	375.57
123456789D 189.33	JEFFRIE C F 19000201 573.61	200401-200401	73.38	646.99	-73.38	384.28
123456789A 223.04	PRITZKE S M 19120929 649.48	200401-200401	73.38	722.86	-73.38	426.44
123456789A 219.04	SAMUELS S M 19180331 640.56	200401-200401	73.38	713.94	-73.38	421.52
123456789A 191.32	KANTER D F 19150103 580.33	200401-200401	73.38	653.71	-73.38	389.01
123456789D 162.99	NORMAN F F 19230914 486.48	200401-200401	73.38	559.86	-73.38	323.49
123456789A 191.32	MARTIN L F 19150709 580.33	200401-200401	73.38	653.71	-73.38	389.01
123456789A 258.89	COHEN R M 19171019 738.16	200401-200401	73.38	811.54	-73.38	479.27
123456789D 274.84	RUBIN J F 19121124 784.36	200401-200401	73.38	857.74	-73.38	509.52
123456789A 329.31	TROUTMA J M 19110502 906.77	200401-200401	73.38	980.15	-73.38	577.46

Plan Communications User Guide Appendices, Version 2.3

123456789A	ROUND	P F	19170127	200401-200401	73.38	569.89	-73.38	339.14
157.37	496.51							
123456789A	AZMAN	F F	19180203	200401-200401	73.38	734.82	-73.38	436.59
224.85	661.44							
123456789D	PRATT	F F	19080919	200401-200401	73.38	746.11	-73.38	443.95
228.78	672.73							
123456789A	LOMBARD	F F	19160926	200401-200401	73.38	834.62	-73.38	496.76
264.48	761.24							
123456789D	BALTIMO	M F	19080301	200401-200401	73.38	837.34	-73.38	498.26
265.70	763.96							
123456789D	HOWARD	J F	19070402	200401-200401	73.38	580.51	-73.38	345.61
161.52	507.13							
123456789A	COLUMBU	F M	19180904	200401-200401	73.38	1,004.55	-73.38	593.51
337.66	931.17							
123456789C2	CARROLL	K M	19580202	200401-200401	73.38	333.27	-73.38	182.23
77.66	259.89							
PBP ID: 027	TOTALS:	39			\$	26,783.70	\$	-2,861.82
\$ 23,921.88								
	AGED REDUCTION:					\$		-2,568.30
	DIB REDUCTION:					\$		-293.52
0 CONTRACT: H3333	TOTALS:	77			\$	54,385.95	\$	-4,049.32
\$ 50,336.63								
	AGED REDUCTION:					\$		-3,755.80
	DIB REDUCTION:					\$		-293.52

I.2 Bonus Payment Report

Description

This report lists members for whom the MCO is to be paid a bonus. (MCOs are paid a bonus for extending services to beneficiaries in some underserved areas.) This report will only reflect data for periods prior to 2004.

Example

1 RUN DATE: 2003/10/03

PAY MONTH: 2003/03

BONUS PAYMENT REPORT

PAGE: 2

CONTRACT#: H5555

REPORT DATE: 2003/10/03

0 STATE/COUNTY CODE: 27030

0 CLAIM SURNAME F S BIRTH ADJ PAY/ADJ BONUS BLENDED BONUS BONUS BONUS ---

-- BLENDED PLUS BONUS ----

NUMBER	I E DATE	RC	DATES	PCT	W/O BONUS	PART A	PART B	TOTAL
PART A	PART B	TOTAL						
		X						

123456789A	JONES	J M	19280611	200303-200303	3.00	480.44	7.66	6.75	14.41
263.03	231.82	\$	494.85						

123456789A	CHANG	A M	19140222	200303-200303	3.00	647.58	11.47	7.96	19.43
393.75	273.26	\$	667.01						

123456789B	CHANG	F F	19151105	200303-200303	3.00	569.89	10.17	6.92	17.09
349.31	237.67	\$	586.98						

123456789A	COHEN	A M	19250714	200303-200303	3.00	650.30	10.65	8.86	19.51
365.74	304.07	\$	669.81						

123456789A	PULASKI	W M	19290909	200303-200303	3.00	449.12	7.14	6.33	13.47
245.23	217.36	\$	462.59						

* STATE/COUNTY 27030 TOTALS:	5	\$	2,797.33			\$	83.91
\$ 2,881.24							

Plan Communications User Guide Appendices, Version 2.3

0 STATE/COUNTY CODE: 27040

0 CLAIM SURNAME F S BIRTH ADJ PAY/ADJ BONUS BLENDED BONUS BONUS BONUS ---
 -- BLENDED PLUS BONUS ----

NUMBER		I E DATE	RC	DATES	PCT	W/O BONUS	PART A	PART B	TOTAL
PART A	PART B	TOTAL							
		X							

123456789A	KIRBY	C M 19220222		200303-200303	3.00	599.47	10.16	7.83	17.99
348.73	268.73 \$	617.46							

* STATE/COUNTY 27040 TOTALS:		1		\$		599.47		\$	17.99
\$	617.46								

0 STATE/COUNTY CODE: 27080

0 CLAIM SURNAME F S BIRTH ADJ PAY/ADJ BONUS BLENDED BONUS BONUS BONUS ---
 -- BLENDED PLUS BONUS ----

NUMBER		I E DATE	RC	DATES	PCT	W/O BONUS	PART A	PART B	TOTAL
PART A	PART B	TOTAL							
		X							

123456789C1	TAPLEY	P F 19500322		200303-200303	3.00	398.14	5.60	6.34	11.94
192.42	217.66 \$	410.08							

123456789A	WALT	A F 19350710		200303-200303	3.00	340.68	5.16	5.06	10.22
177.24	173.66 \$	350.90							

123456789A	ZIMMER	J M 19351008		200303-200303	3.00	358.55	5.46	5.29	10.75
187.58	181.72 \$	369.30							

123456789B6	ZIMMER	R F 19350717		200303-200303	3.00	307.84	4.62	4.62	9.24
158.58	158.50 \$	317.08							

* STATE/COUNTY 27080 TOTALS:		4		\$		1,405.21		\$	42.15
\$	1,447.36								

0 STATE/COUNTY CODE: 27110

0 CLAIM SURNAME F S BIRTH ADJ PAY/ADJ BONUS BLENDED BONUS BONUS BONUS ---
 -- BLENDED PLUS BONUS ----

Plan Communications User Guide Appendices, Version 2.3

NUMBER PART A	PART B	I E DATE TOTAL X	RC	DATES	PCT	W/O BONUS	PART A	PART B	TOTAL
123456789A 215.51	DUNN 171.36 \$	W M 19460531 386.87		200303-200303	3.00	375.60	6.28	4.99	11.27
* STATE/COUNTY 27110 TOTALS:			1		\$	375.60		\$	11.27
\$	386.87								

1 RUN DATE: 2003/10/03
 PAY MONTH: 2003/03
 CONTRACT#: H5555
 REPORT DATE: 2003/10/03

BONUS PAYMENT REPORT

PAGE: 3

0 STATE/COUNTY CODE: 27130
 0 CLAIM SURNAME F S BIRTH ADJ PAY/ADJ BONUS BLENDED BONUS BONUS BONUS ---
 -- BLENDED PLUS BONUS ----

NUMBER PART A	PART B	I E DATE TOTAL X	RC	DATES	PCT	W/O BONUS	PART A	PART B	TOTAL
123456789A 303.52	UNGER 253.52 \$	W M 19280219 557.04		200303-200303	3.00	540.82	8.84	7.38	16.22
* STATE/COUNTY 27130 TOTALS:			1		\$	540.82		\$	16.22
\$	557.04								

0 STATE/COUNTY CODE: 27140
 0 CLAIM SURNAME F S BIRTH ADJ PAY/ADJ BONUS BLENDED BONUS BONUS BONUS ---
 -- BLENDED PLUS BONUS ----

NUMBER PART A	PART B	I E DATE TOTAL X	RC	DATES	PCT	W/O BONUS	PART A	PART B	TOTAL
------------------	--------	------------------------	----	-------	-----	-----------	--------	--------	-------

Plan Communications User Guide Appendices, Version 2.3

123456789A	LABER	E F	19290807	200303-200303	3.00	384.07	5.89	5.63	11.52
202.18	193.41 \$		395.59						
123456789A	SESLER	S F	19371109	200303-200303	3.00	307.79	4.62	4.62	9.24
158.55	158.48 \$		317.03						
123456789B	TAPLEY	M F	19250503	200303-200303	3.00	476.04	7.59	6.69	14.28
260.53	229.79 \$		490.32						
123456789A	EVERETT	S F	19551018	200303-200303	3.00	398.14	5.60	6.34	11.94
192.42	217.66 \$		410.08						
123456789A	ROY	R M	19240904	200303-200303	3.00	541.75	8.86	7.40	16.26
304.05	253.96 \$		558.01						
123456789A	LEGAUL	E F	19490514	200303-200303	3.00	398.14	5.60	6.34	11.94
192.42	217.66 \$		410.08						
123456789A	NOYES	J M	19350402	200303-200303	3.00	358.55	5.46	5.29	10.75
187.58	181.72 \$		369.30						
123456789A	SAVAGE	L F	19370220	200303-200303	3.00	309.36	4.64	4.64	9.28
159.44	159.20 \$		318.64						
123456789A	BRUCAT	P M	19210502	200303-200303	3.00	599.47	10.16	7.83	17.99
348.73	268.73 \$		617.46						
123456789A	CAPOZZI	I F	19220115	200303-200303	3.00	511.73	8.87	6.49	15.36
304.39	222.70 \$		527.09						
123456789A	DYER	D M	19301227	200303-200303	3.00	449.12	7.14	6.33	13.47
245.23	217.36 \$		462.59						
123456789D	NAETHEL	L F	19340427	200303-200303	3.00	307.84	4.62	4.62	9.24
158.58	158.50 \$		317.08						
123456789A	DUFFY	R M	19260410	200303-200303	3.00	541.75	8.86	7.40	16.26
304.05	253.96 \$		558.01						
123456789A	RIVARD	J M	19280509	200303-200303	3.00	481.36	7.68	6.76	14.44
263.56	232.24 \$		495.80						
123456789A	BROWN	M F	19350908	200303-200303	3.00	307.84	4.62	4.62	9.24
158.58	158.50 \$		317.08						
123456789A	TEEPLE	A F	19450506	200303-200303	3.00	465.37	7.01	6.95	13.96
240.58	238.75 \$		479.33						
123456789A	VICARY	C M	19361021	200303-200303	3.00	360.94	5.50	5.32	10.82
188.94	182.82 \$		371.76						

Plan Communications User Guide Appendices, Version 2.3

123456789A	HEATON	G M	19170306	200303-200303	3.00	647.58	11.47	7.96	19.43
393.75	273.26	\$	667.01						
123456789A	NOLLEY	J M	19460216	200303-200303	3.00	407.91	6.81	5.43	12.24
233.87	186.28	\$	420.15						
123456789A	JAMIESO	W M	19210627	200303-200303	3.00	599.47	10.16	7.83	17.99
348.73	268.73	\$	617.46						
123456789A	HORNE	J M	19171211	200303-200303	3.00	647.58	11.47	7.96	19.43
393.75	273.26	\$	667.01						
123456789A	BROWN	J M	19280428	200303-200303	3.00	457.37	7.28	6.44	13.72
249.92	221.17	\$	471.09						
123456789A	ARMSTRO	V F	19360130	200303-200303	3.00	307.84	4.62	4.62	9.24
158.58	158.50	\$	317.08						
123456789A	REESE	T M	19280415	200303-200303	3.00	457.37	7.28	6.44	13.72
249.92	221.17	\$	471.09						
123456789A	BESSLER	N F	19170530	200303-200303	3.00	569.89	10.17	6.92	17.09
349.31	237.67	\$	586.98						
123456789A	WAMBEKE	B F	19360803	200303-200303	3.00	310.39	4.66	4.65	9.31
160.03	159.67	\$	319.70						
123456789A	STEINBE	H F	19251012	200303-200303	3.00	451.39	7.18	6.36	13.54
246.52	218.41	\$	464.93						

* STATE/COUNTY 27140 TOTALS:	27	\$	12,056.05	\$	361.70
\$ 12,417.75					

1 RUN DATE: 2003/10/03

PAY MONTH: 2003/03

PAGE: 4

CONTRACT#: H5555

REPORT DATE: 2003/10/03

BONUS PAYMENT REPORT

0 STATE/COUNTY CODE: 27150

0 CLAIM	SURNAME	F S	BIRTH	ADJ	PAY/ADJ	BONUS	BLENDED	BONUS	BONUS	BONUS	---
-- BLENDED PLUS BONUS ----											
NUMBER	I E DATE		RC	DATES	PCT	W/O BONUS	PART A	PART B	TOTAL		
PART A	PART B	TOTAL									
											X

Plan Communications User Guide Appendices, Version 2.3

123456789A	COFFIN	A M	19290424	200303-200303	3.00	449.12	7.14	6.33	13.47
245.23	217.36 \$		462.59						
123456789C1	CARACCA	S M	19620723	200303-200303	3.00	296.38	5.20	3.69	8.89
178.49	126.78 \$		305.27						
123456789A	ALTMAN	R M	19251111	200303-200303	3.00	541.75	8.86	7.40	16.26
304.05	253.96 \$		558.01						
123456789A	ROBICH	R F	19241116	200303-200303	3.00	451.39	7.18	6.36	13.54
246.52	218.41 \$		464.93						
123456789A	RACHES	C M	19340308	200303-200303	3.00	358.55	5.46	5.29	10.75
187.58	181.72 \$		369.30						
123456789A	WELLS	A M	19340809	200303-200303	3.00	358.55	5.46	5.29	10.75
187.58	181.72 \$		369.30						
123456789A	WASHBU	H F	19140313	200303-200303	3.00	569.89	10.17	6.92	17.09
349.31	237.67 \$		586.98						
123456789A	ROSE	C M	19160131	200303-200303	3.00	647.58	11.47	7.96	19.43
393.75	273.26 \$		667.01						
123456789D	BEARDS	J F	19330729	200303-200303	3.00	318.53	4.80	4.76	9.56
164.66	163.43 \$		328.09						
123456789A	BENNETT	E M	19370325	200303-200303	3.00	359.85	5.49	5.31	10.80
188.33	182.32 \$		370.65						
123456789D	LOESER	S F	19320223	200303-200303	3.00	384.07	5.89	5.63	11.52
202.18	193.41 \$		395.59						
123456789A	ACKLEY	P F	19190304	200303-200303	3.00	580.72	10.01	7.41	17.42
343.60	254.54 \$		598.14						
123456789A	NEWMAN	R F	19290129	200303-200303	3.00	384.07	5.89	5.63	11.52
202.18	193.41 \$		395.59						
123456789A	LUZAR	B F	19361016	200303-200303	3.00	342.80	5.20	5.09	10.29
178.45	174.64 \$		353.09						
123456789A	CRAIG	R F	19330708	200303-200303	3.00	311.53	4.68	4.67	9.35
160.68	160.20 \$		320.88						
123456789A	ZUSSBLE	N M	19310707	200303-200303	3.00	449.12	7.14	6.33	13.47
245.23	217.36 \$		462.59						
123456789A	TEMPLE	K M	19180322	200303-200303	3.00	645.95	11.44	7.94	19.38
392.82	272.51 \$		665.33						

Plan Communications User Guide Appendices, Version 2.3

123456789A	COFFIN	J F 19321201	200303-200303	3.00	384.07	5.89	5.63	11.52
202.18	193.41 \$	395.59						

* STATE/COUNTY 27150 TOTALS:	18	\$	7,833.92	\$	235.01
\$ 8,068.93					

0 STATE/COUNTY CODE: 42380

0 CLAIM	SURNAME F S BIRTH	ADJ	PAY/ADJ	BONUS	BLENDED	BONUS	BONUS	BONUS	---
-- BLENDED PLUS BONUS	----								
NUMBER	I E DATE	RC	DATES	PCT	W/O BONUS	PART A	PART B	TOTAL	
PART A	PART B								
	TOTAL								
	X								

* STATE/COUNTY 42380 TOTALS:	0	\$	0.00	\$	0.00
\$ 0.00					

** CONTRACT H5555 TOTALS:	57	\$	25,608.40	\$	768.25
\$ 26,376.65					

This page intentionally left blank.

I.3 Demographic Report

Description

This report provides a summary, by state and county, of the membership of the MCO. Members are counted in categories that parallel the factors used in calculating the demographic payment (age and sex, Medicaid, and institutional status), as well as ESRD and hospice status.

Example

Below is a section of a Demographic Report that covers one state and county. The section is repeated for each SCC in which the MCO has members.

1 DEMOGRAPHIC REPORT FOR HMO				122003 OPERATING MONTH			
0	ST/CTY CODE 23620						
0	PART A ENTITLEMENT - MALE						
0	AGE			NON			
WORKING							
0	GROUP	INST		MEDICAID		MEDICAID	
AGED							
0	85 +	0	0.00	0	0.00	0	0.00
0	0.00						
0	80-84	0	0.00	0	0.00	2	380.07
0	0.00						
0	75-79	0	0.00	0	0.00	1	300.15
0	0.00						
0	70-74	0	0.00	0	0.00	0	0.00
0	0.00						
0	65-69	0	0.00	0	0.00	0	0.00
0	0.00						
0	60-64	0	0.00	0	0.00	1	232.87
0	0.00						
0	55-59	0	0.00	0	0.00	1	202.57
0	0.00						
0	45-54	0	0.00	0	0.00	1	149.42
0	0.00						

Plan Communications User Guide Appendices, Version 2.3

0	35-44	0	0.00	0	0.00	0	0.00
0	0.00						
0	- 34	0	0.00	0	0.00	0	0.00
0	0.00						
0	- PART A ENTITLEMENT - FEMALE						
0	AGE					NON	
0	WORKING						
0	GROUP	INST		MEDICAID		MEDICAID	
0	AGED						
0	85 +	0	0.00	0	0.00	4	734.72
0	0.00						
0	80-84	0	0.00	0	0.00	2	305.91
0	0.00						
0	75-79	0	0.00	0	0.00	1	256.16
0	0.00						
0	70-74	0	0.00	0	0.00	2	199.00
0	0.00						
0	65-69	0	0.00	0	0.00	0	0.00
0	0.00						
0	60-64	0	0.00	0	0.00	0	0.00
0	0.00						
0	55-59	0	0.00	0	0.00	0	0.00
0	0.00						
0	45-54	0	0.00	0	0.00	0	0.00
0	0.00						
0	35-44	0	0.00	0	0.00	0	0.00
0	0.00						
0	- 34	0	0.00	0	0.00	0	0.00
0	0.00						
0	1 DEMOGRAPHIC REPORT FOR HMO			122003 OPERATING MONTH			
0	ST/CTY CODE 23620						
0	PART B ENTITLEMENT - MALE						
0	AGE					NON	
0	WORKING						
0	GROUP	INST		MEDICAID		MEDICAID	
0	AGED						

Plan Communications User Guide Appendices, Version 2.3

0	85 +	0	0.00	0	0.00	0	0.00
0	0.00						
0	80-84	0	0.00	0	0.00	2	246.80
0	0.00						
0	75-79	0	0.00	0	0.00	1	210.73
0	0.00						
0	70-74	0	0.00	0	0.00	0	0.00
0	0.00						
0	65-69	0	0.00	0	0.00	0	0.00
0	0.00						
0	60-64	0	0.00	0	0.00	1	198.34
0	0.00						
0	55-59	0	0.00	0	0.00	1	111.10
0	0.00						
0	45-54	0	0.00	0	0.00	1	124.01
0	0.00						
0	35-44	0	0.00	0	0.00	0	0.00
0	0.00						
0	- 34	0	0.00	0	0.00	0	0.00
0	0.00						
0	- PART B ENTITLEMENT - FEMALE						
0	AGE					NON	
0	WORKING						
0	GROUP	INST		MEDICAID		MEDICAID	
0	AGED						
0	85 +	0	0.00	0	0.00	4	405.14
0	0.00						
0	80-84	0	0.00	0	0.00	2	251.61
0	0.00						
0	75-79	0	0.00	0	0.00	1	226.12
0	0.00						
0	70-74	0	0.00	0	0.00	2	138.10
0	0.00						
0	65-69	0	0.00	0	0.00	0	0.00
0	0.00						

Plan Communications User Guide Appendices, Version 2.3

0	60-64	0	0.00	0	0.00	0	0.00
0	0.00						
0	55-59	0	0.00	0	0.00	0	0.00
0	0.00						
0	45-54	0	0.00	0	0.00	0	0.00
0	0.00						
0	35-44	0	0.00	0	0.00	0	0.00
0	0.00						
0	- 34	0	0.00	0	0.00	0	0.00
0	0.00						
0	TOTAL ESRD-A	0	TOTAL MONEY	\$	0.00	TOTAL ESRD-B	0 TOTAL
MONEY	\$ 0.00						
0	TOTAL HOSPICE-A	0	TOTAL MONEY	\$	0.00	TOTAL HOSPICE-B	0 TOTAL
MONEY	\$ 0.00						
0	TOTAL MEMBER-A	15	TOTAL MONEY	\$	2760.87	PTA AAPCC	\$ 184.05
0	TOTAL MEMBER-B	15	TOTAL MONEY	\$	1911.95	PTB AAPCC	\$ 127.46

I.4 HMO Bill Itemization Report

Description

This report lists the Part A bills that were processed under Medicare fee-for-service for beneficiaries enrolled in the contract.

Example

```

1
PAGE 1

PART A BILLS POSTED IN OCT 2002

* * * * * HMO H4444 * * * * *

BILL TYPE: INPATIENT

THRU COV REIM NP HMO ADM TOTAL NON-COV INP NC BLD COINSURANCE TOTAL FROM
CLAIM NUM NAME PROV INTER PD DATE CHARGES CHARGES DED DEDUCT DAYS CHGS AMOUNT DEDUCT DATE
DATE DAYS AMT CD CR

123456789A BAKER 010084 00010 20020630 7821 0 812 0 0 0 0 812
20020630 20020703 0 0

123456789C2 MILLER 014007 00010 20020819 8320 8320 0 0 0 0 0 0
20020819 20020920 0 0 N

1
PAGE 2

PART A BILLS POSTED IN OCT 2002

* * * * * HMO H4444 * * * * *

BILL TYPE: HOSPICE

THRU COV REIM NP HMO ADM TOTAL NON-COV INP NC BLD COINSURANCE TOTAL FROM
CLAIM NUM NAME PROV INTER PD DATE CHARGES CHARGES DED DEDUCT DAYS CHGS AMOUNT DEDUCT DATE
DATE DAYS AMT CD CR

1234567891 CANDLE 011570 00380 20020826 3084 0 0 0 0 0 0 0
20020901 20020930 0 3084

12345678946 FLICKE 011570 00380 20020912 1953 0 0 0 0 0 0 0
20020912 20020930 0 1953

```

This page intentionally left blank.

I.5 Monthly Membership Detail Report – Drug Report File (Part D)

Description

This report lists every Medicare member of the contract and provides details about the payments and adjustments made for each beneficiary. There are two Monthly Membership Detail Reports: one for drugs and one for non-drugs.

Example

The example below is part of a Monthly Membership Detail Report containing drug information. The full report includes all members in the contract.

```

1RUN DATE:20061027                                MONTHLY MEMBERSHIP REPORT - DRUG                                PAGE:1
PAYMENT MONTH:200601                                PLAN(H9999) PBP(999) SEGMENT(000) ACME HEALTH SERVICES
0                                BASIC PREMIUM | ESTIMATED REINSURANCE
                                PART D      $10.60 |      $0.00
0                                -----
0                                S      --  FLAGS  --      ----- PAYMENTS/ADJUSTMENTS -----
CLAIM      E AGE  STATE      P P  S L L  ADJ RA FCTR      DATES      LOW-INCOME COST      LOW-INCOME COST
NUMBER      X GRP  CNTY      A A E 0 0 I  REA      START  END      SHARING PERCENTAGE  SHARING SUBSIDY
-----
SURNAME F    DMG  BIRTH      O R R G U I N -----
I    RA    DATE      A A B P C C T D      DIRECT SUBSIDY      PACE      PACE COST
                                PAYMENT AMT      PREMIUM ADD-ON      SHARING ADD-ON      TOTAL PAYMENT
-----
123456789A  F 5559 33700      1.9770 200601 200601      000      $0.00
FIRST S      5559 19491130      B      1      $129.17      $0.00      $0.00      $129.17
987654321A  F 8084 10050      1.0300 200601 200601      000      $0.00
SECOND M     8084 19240306      B      1      $62.22      $0.00      $0.00      $62.22

```

This page intentionally left blank.

I.6 Monthly Membership Detail Report – Non Drug Report File (Part C)

Description

This report lists every Medicare member of the contract and provides details about the payments and adjustments made for each beneficiary.

Example

The example below is one page of a Monthly Membership Detail Report containing non-drug information. The full report includes all members in the contract.

RUN DATE:20050115				MONTHLY MEMBERSHIP REPORT - NON DRUG														PAGE:		1						
PAYMENT MONTH:200502				PLAN(H4444) PBP(nnn) SEGMENT(mmm) IRIS INSURANCE OF INDIANA																						
----- REBATES -----																										
BASIC PREMIUM				COST	SHR	REDUC	MAND	SUPP	BENEFIT	PART D	SUPP	BENEFIT	PART B	BAS	PRM	REDUC	PART D	BAS	PRM	REDUC						
PART A	\$SSS9.99				N/A			N/A			N/A			N/A		N/A		N/A		N/A						
PART B	\$SSS9.99				N/A			N/A			N/A			N/A		N/A		N/A		N/A						

S				----- FLAGS -----										----- PAYMENTS/ADJUSTMENTS -----												
CLAIM	E	AGE	STATE	P	P		M	F	A	D	S	A	MTHS	DATES		LAG	FTYPE									
NUMBER	X	GRP	CNTY	A	A	H	E	I	C	R	O	D	E	E	O	D	A	B								
-----				O	R	R	O	S	N	N	A	A	R	D	F	G	U	M	-----							
SURNAME	F	DMG	BIRTH	O	T	T	S	R	S	H	I	I	E	O	A	H	R	S	PIP	ADJ						
I	RA	DATE		A	A	B	P	D	T	C	D	L	C	N	U	P	C	P	DCG	REA	FCTR-A	FCTR-B	PART A	PART B	TOTAL	PAYMENT

1234567890AB	F	8084	33800											200405	200405		Y	C								
LEONARD	G	8084	19200206	Y	Y	N		Y						Z9Z9	ZZ	1.0650	1.0650	\$SSSSSS9.99	\$SSSSSS9.99							\$SSSSSS9.99
0987654321AB	M	8084	33800											200405	200405		Y	C								
MARION	H	8084	19251008	Y	Y	Y		N						Z9Z9	ZZ	1.0650	1.0650	\$SSSSSS9.99	\$SSSSSS9.99							\$SSSSSS9.99

This page intentionally left blank.

Plan Communications User Guide Appendices, Version 2.3

RUN DATE:yyyymmdd
 PAYMENT MONTH:yyyymm
 ADJUSTMENT PAYMENTS
 ADJ

MONTHLY MEMBERSHIP SUMMARY REPORT (PAGE 2 OF 2)
 PLAN: H9999 PBP(mmm) SEG(nnn) Name-of-Provider-Here

REA	ADJUSTMENT	NUMBER	MONTHS	MONTHS	MONTHS		ADJUSTMENT	AMOUNT	
CDE	DESCRIPTION	OF ADJS	A	B	D	PART A	PART B	PART D	TOTAL
01	DEATH	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
02	RETRO ENROLL	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
03	RETRO DISENR	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
04	CORR ENROLL	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
05	CORRT DISENR	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
06	CORR PARTA E	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
07	HOSPC	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9		\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
08	ESRD	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9		\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
\$\$\$,\$\$\$,\$\$\$,\$99.99-									
09	INSTNHC	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9		\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
10	MCAID	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9		\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
11	RETRO SCC CH	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9		\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
12	CORR DT. OF	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
13	CORR DT. OF	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
14	CORR SEX	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9		\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
18	AAPCC RT FAC	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9		\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
19	CORR PARTB E	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
20	WKAGE	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9		\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
21	INSTNHC	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9		\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-
22	DISENROLL PR	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	ZZZZZZ9	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$, \$\$\$, \$\$\$, \$99.99-	\$\$\$, \$\$\$, \$\$\$, \$99.99-

TOTAL ADJUSTMENTS			
	Months A :	zzzzzzzz9	Part A Amount : \$\$\$,\$\$\$,\$\$\$,\$\$9.99-
	Months B :	zzzzzzzz9	Part B Amount : \$\$\$,\$\$\$,\$\$\$,\$\$9.99-
	Months D :	zzzzzzzz9	Part D Amount : \$\$\$,\$\$\$,\$\$\$,\$\$9.99-
	Number of Adjustments :	zzzzzzzz9	Total Amount : \$\$\$,\$\$\$,\$\$\$,\$\$9.99-
TOTAL PYMT AMT A	\$\$\$,\$\$\$,\$\$\$,\$\$9.99-		
TOTAL PYMT AMT B	\$\$\$,\$\$\$,\$\$\$,\$\$9.99-		
TOTAL PYMT AMT D	\$\$\$,\$\$\$,\$\$\$,\$\$9.99-		
SUM TOTAL AMOUNT	\$\$\$,\$\$\$,\$\$\$,\$\$9.99-		

This page intentionally left blank.

This page intentionally left blank.

I.9 Part C Risk Adjustment Model Output Report

Description

This report shows the Hierarchical Condition Codes (HCCs) used by RAS to calculate risk adjustment factors for each beneficiary.

Example

Below is part of a Risk Adjustment Model Output report. The full report shows all of the beneficiaries in the contract.

```

1***GROUP=H8888, CONTRACT=H8888,
1RUN DATE: 20031219                RISK ADJUSTMENT MODEL OUTPUT REPORT
PAGE:      1
  PAYMENT MONTH: 200401            PLAN: H8888 CHAMPION INSURANCE
RAPMORP1
0      LAST      FIRST      DATE OF
  HIC      NAME      NAME      BIRTH    SEX &
AGE GROUP
-----
123456789A  WOOD      CHARLES    19250225
Male75-79

123456789B  TREE      LILLIAN    19270418
Female75-79

123456789A  GRASS      ALBERT     19421213
Male60-64

HCC DISEASE GROUPS: HCC019 Diabetes without Complication
                   HCC080 Congestive Heart Failure
                   HCC092 Specified Heart Arrhythmias
INTERACTIONS:      INTI01 DM_CHF

```

This page intentionally left blank.

I.10 Part D Risk Adjustment Model Output Report

Description

This report shows the Hierarchical Condition Codes (HCCs) used by RAS to calculate risk adjustment factors for each beneficiary.

Example

Below are the first few lines of a Risk Adjustment Model Output report. The full report shows all of the beneficiaries in the contract.

```

1RUN DATE: 20060124                      RISK ADJUSTMENT MODEL OUTPUT REPORT
PAGE:      1
PAYMENT MONTH: 200602                  PLAN: H9999 ACME INSURANCE COMPANY
RAPMORP2
0          LAST          FIRST          DATE OF
HIC        NAME         NAME         I  BIRTH  SEX &
AGE GROUP
-----
123456789A  TWO          RUTH          M 19181122
Female85-89
RXHCC DISEASE GROUPS:  RXHCC019 Disorders of Lipoid Metabolism
                        RXHCC048 Other Musculoskeletal and Connective Tissue Disorders
                        RXHCC092 Acute Myocardial Infarction and Unstable Angina
                        RXHCC098 Hypertensive Heart Disease or Hypertension
                        RXHCC159 Cellulitis, Local Skin Infection

123456789A  BREEZE      WINDY          T 19620730
Female35-44
RXHCC DISEASE GROUPS:  RXHCC045 Disorders of the Vertebrae and Spinal Discs
                        RXHCC085 Migraine Headaches
                        RXHCC098 Hypertensive Heart Disease or Hypertension
                        RXHCC113 Acute Bronchitis and Congenital Lung/Respiratory Anomaly
                        RXHCC129 Other Diseases of Upper Respiratory System
                        RXHCC144 Vaginal and Cervical Diseases

```

This page intentionally left blank.

I.11 Payment Records Report (Part B Claims Records Posted)

Description

This report lists the Part B physician and supplier claims that were processed under Medicare fee-for-service for beneficiaries enrolled in the contract.

Example

```

1
PAGE 1
0
PART B CLAIMS RECORDS POSTED IN OCT 2002
* * * * *HMO H2222 * * * * *
0 CLAIM NAME EXPENSE DATES ALLOWED REIMB COINSURANCE DED PHYS PAY
CARRIER CARRIER INFORMATION
NUMBER FIRST LAST TOTAL AMT AMT APP SUPP ID IND
NUMBER PAID CONTROL NUMBER
CHARGES

123456789A JONES 20020917 20020917 9.72 7.78 1.94 .00 L99999 1 11111
20021014 620902283027160
123456789A JONES 20020920 20020920 12.00 9.60 2.40 .00 L88888 1 11111
20021014 620902283027550
123456789A JONES 20020830 20020830 12.65 10.12 2.53 .00 P77777 1 11111
20021017 620902283028810
123456789A JONES 20020831 20020831 12.00 9.60 2.40 .00 P77777 1 11111
20021014 620902283028800
123456789A JONES 20020915 20020915 12.00 9.60 2.40 .00 P77777 1 11111
20021014 620902283028820
123456789A HOWARD 20020708 20020708 5.43 5.43 .00 .00 0000000000 1 22222
20021023 02262828553000
123456789A WILLS 20020908 20020908 87.97 70.38 17.59 .00 666666666 1 22222
20021018 02254815230000
123456789A LEE 20020920 20020920 27.21 21.77 5.44 .00 555555555 1 22222
20021016 02270301676000
123456789A BRILL 20011019 20011119 26.46 21.17 5.29 .00 4444444444 1 33333
20021013 02266171165000

```

Plan Communications User Guide Appendices, Version 2.3

123456789D	SOMMER	20020916	20020916	134.47	107.58	26.89	.00	333333333	1	22222
20021023	02262834339000									
123456789A	JONES	20020917	20020919	115.79	92.63	23.16	.00	222222	1	11111
20021005	620202275864060									
123456789A	JONES	20020925	20020925	11.16	11.16	.00	.00	111111	1	11111
20021024	620202294476660									
123456789A	JONES	20021010	20021010	28.97	28.97	.00	.00	111111	1	11111
20021024	620202294476670									
123456789A	JONES	20021011	20021011	28.97	28.97	.00	.00	111111	1	11111
20021024	620202294476680									

I.12 Plan Payment Report (APPS Payment Letter)

Description

Also known as the “Payment Letter,” this report itemizes the final monthly payment to the MCO. This report is produced by the Automated Plan Payment System (APPS) when final payments are calculated. CMS makes this report available to MCOs as part of month-end processing.

Plan Payment Report (PPR) - Final

The PPR includes Part D payments and adjustments, the National Medicare Education Campaign (NMEC) and Coordination of Benefits (COB) User Fees and premium settlement information. There is one version of the PPR applicable to all plans and it will be provided monthly

2006

The revised version of this report was effective with the January payments.

The PPR contains payment data in a similar manner as the schedule provided in the July 5, 2005 systems letter related to the Monthly Premium Withholding Report. It has been repeated in this document.

Contents of the Plan Payment Report

PAYMENT #	PAYMENT DATE	PAYMENT CONTAINS....	PPR CONTAINS....
1	January 1, 2006	January Part D capitated and LIS payments from CMS	January Part D capitated and LIS payments from CMS
2	February 1, 2006	February Part D capitated and LIS payments from CMS + January Withheld premiums from SSA, RRB & OPM	February Part D capitated and LIS payments from CMS + January Withheld premiums from SSA, RRB & OPM
3	March 1, 2006	March Part D capitated and LIS payments from CMS + February Withheld premiums from SSA, RRB & OPM	March Part D capitated and LIS payments from CMS + February Withheld premiums from SSA, RRB & OPM
4	April 1, 2006	April Part D capitated and LIS payments from CMS + March Withheld premiums from SSA, RRB & OPM	April Part D capitated and LIS payments from CMS + March Withheld premiums from SSA, RRB & OPM

The PPR displays the summarized amounts that constitute the monthly amount wired to Plans by the Treasury Department. This includes the Part A/B and D payment amounts. Some of the adjustments will have Part A/B and D components and there are also five adjustment types related to Part D.

The User Fees are applied as follows during January through September of each year.

- The NMEC user fee will be applied against (1) MA-PD payments at 0.058% and (2) PDP payments at 0.051%.
- The COB user fee will be applied against members electing Part D at \$.11 for January – August and at \$.12 for September.

The PPR also includes low-income premium subsidy payments made to Plans on behalf of the Plan's eligible members as well as the withheld premium amounts.

NOTE: The PPR contains the summarized LIS amounts paid to Plans monthly. This may be problematic because the report does not provide beneficiary-level LIS information. The beneficiary –level LIS information can be obtained from the Bi-Weekly LIS Datafile (see Section E.19). The amounts also can be derived using the following information from the MMR:

- Identify all members that have a low-income cost sharing payment component.
- Obtain the difference between the Total Part D Payment (field 71) and the sum of the Direct Subsidy (field 68) + the Reinsurance amount (field 69) + Low-Income Cost Sharing amount (field 70) + the Rebate for Part D Basic Premium Reduction (field 66).

This difference is the Low-Income Premium subsidy for the member.

Example

CMS PLAN PAYMENT REPORT			PAGE 1 OF 2		
PLAN NUMBER: H9999			PAYMENT MONTH: MM/YYYY		
PLAN NAME: ABC HEALTH PLANS INC			RUN DATE: MM/DD/YYYY		
PAYMENT TYPE:	A/B PAYMENT	D PAYMENT	NET PAYMENT		
1. PROSPECTIVE PAYMENT:					
A/B PAYMENT					
D PAYMENT					
MEMBERS: ZZ,ZZZ,ZZ9	\$ Z,ZZZ,ZZZ,ZZ9.99	\$ Z,ZZZ,ZZZ,ZZ9.99			
MEMBERS: ZZ,ZZZ,ZZ9					
2. ADJUSTMENTS TO PRIOR MONTHS AFFECTING A/B & D PAYMENTS:					
(01) DEATH OF BENEFICIARY.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99	\$ -Z,ZZZ,ZZZ,ZZ9.99			
(02) RETROACTIVE ACCRETION.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99	\$ -Z,ZZZ,ZZZ,ZZ9.99			
(03) RETROACTIVE DELETION.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99	\$ -Z,ZZZ,ZZZ,ZZ9.99			
(04) CORRECTION TO ACCRETION.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99	\$ -Z,ZZZ,ZZZ,ZZ9.99			
(05) CORRECTION TO DELETION.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99	\$ -Z,ZZZ,ZZZ,ZZ9.99			
(06) PART A ENTITLEMENT LOSS.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99	\$ -Z,ZZZ,ZZZ,ZZ9.99			
(12) CORRECTION TO DEATH.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99	\$ -Z,ZZZ,ZZZ,ZZ9.99			
(19) CORRECTION TO PART B ENT.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99	\$ -Z,ZZZ,ZZZ,ZZ9.99			
(22) RETRO DELETE DUE TO ESRD.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99	\$ -Z,ZZZ,ZZZ,ZZ9.99			
(35) RETRO CHANGE TO REBATE.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99	\$ -Z,ZZZ,ZZZ,ZZ9.99			
3. ADJUSTMENTS TO PRIOR MONTHS AFFECTING A/B PAYMENTS:					
(07) HOSPICE.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(08) ESRD.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(09) INSTITUTIONAL.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(10) MEDICAID.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(11) RETRO SCC.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(13) CORRECTION TO BIRTH.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(14) CORRECTION TO SEX.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(18) A/B RATE.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(20) WORKING AGED.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(21) NHC.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(23) DEMO FACTOR ADJUSTMENT.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(25) RETRO RA RECON.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(26) RETRO RA ONGOING.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(27) RETRO CHF.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(29) HOSPICE RATE.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(34) PART C BASIC PREMIUM.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(42) RETRO ESRD MSP FACOTR CHG-----COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
4. ADJUSTMENTS TO PRIOR MONTHS AFFECTING D PAYMENTS:					
(30) PART D PREMIUM.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(32) ESTIMATED LICs.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(33) ESTIMATED REINSURANCE.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(36) PART D RATE.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
(37) PART D RA FACTOR.....COUNT: ZZ,ZZZ,ZZ9	\$ -Z,ZZZ,ZZZ,ZZ9.99				
NOTE: THE NEGATIVE SIGN SHOULD FLOAT BUT THE DOLLAR SIGN ("\$\$") CAN REMAIN IN A FIXED POSITION.					

-----1-----2-----3-----4-----5-----6-----7-----8-----9-----0-----1-----2-----3									
CMS PLAN PAYMENT REPORT PLAN NUMBER: H9999 PLAN NAME: ABC HEALTH PLANS INC									
PAYMENT TYPE:									
5. PLAN LEVEL ADJUSTMENTS:									
A. EDUCATION USER FEE									
1) AMOUNT SUBJECT TO FEE \$ Z,ZZZ,ZZZ,ZZ9.99									
2) X FEE RATE -0.9999%									
B. COB USER FEE									
1) PROSP D MEMBERS									
2) X FEE RATE ZZ,ZZZ,ZZ9									
3) X FEE RATE \$ -0.99									
C. WORKING AGED/DISABLED ADJUSTMENT									
1) ADJUSTED DEMOG PMT \$ Z,ZZZ,ZZZ,ZZ9.99									
2) X PLAN DEMOG RATE -0.9999%									
3) ADJUSTED RA PMT \$ Z,ZZZ,ZZZ,ZZ9.99									
4) X PLAN RA RATE -0.9999%									
D. BIPA 606 PAYMENT REDUCTION									
1) ADJUSTMENTS PRIOR TO 2006									
E. BBRA BONUS PAYMENTS									
1) ADJUSTMENTS PRIOR TO 2004									
6. CMS ADJUSTMENTS:									
<== DESCRIPTION TEXT FOR MANUAL ADJUSTMENTS =====>									
<== DESCRIPTION TEXT (OPTIONAL LINES) =====>									
7. SUBTOTALS BEFORE PREMIUM SETTLEMENT:									
8. PREMIUM SETTLEMENT:									
A. PREMIUM WITHHOLDING									
1) PART C PREMIUMS									
2) PART D PREMIUMS									
B. LOW INCOME SUBSIDY									
1) PROSPECTIVE LIS									
2) ADJUSTMENTS TO LIS									
C. LATE ENROLLMENT PENALTY (DIRECT BILL ONLY)									
9. NET PAYMENT:									
NOTE: THE NEGATIVE SIGN SHOULD FLOAT BUT THE DOLLAR SIGN ("\$\$") CAN REMAIN IN A FIXED POSITION.									

This page intentionally left blank.

I.13 Interim Plan Payment Report (APPS Interim Payment Letter)

NOTE: The Interim Plan Payment Report will be available to Plans beginning with the November 2007 Software Change Release.

Description

Also known as the “Interim Payment Letter,” this report itemizes interim payments to the MCO. This report is produced by the Automated Plan Payment System (APPS) when interim payments are calculated. CMS computes interim payments on an as-needed basis. When this occurs, the interim payment letter is pushed to the involved plan(s). See **Section I.12** for more information.

Interim Plan Payment Report (IPPR)

The Interim Plan Payment Report is provided when a Plan is approved for an interim payment outside of the normal monthly process. The report will contain the amount and reason for the interim payment to the Plan.

The Interim Plan Payment Report (IPPR) can also be requested via the MARx User Interface (Common UI) under the weekly reports section of the menu.

This report is similar in layout to the APPS Plan Payment Report. See page I-42 for a sample of this report.

This page intentionally left blank.

Plan Communications User Guide Appendices, Version 2.3

```

1RUN DATE: 08/21/2006                                TRANSACTION REPLIES/MONTHLY ACTIVITY                                REPORT ID: 10
REPORTING MONTH: 09/2006                            PLAN(Hnnn6) PBP(011) SGMT(000) YOUR HEALTH CARE INC                                PAGE: 2
0          *** DISTRICT OFFICE - SUBMITTED TRANSACTIONS:  ACCEPTED * * *
0----- T R A N S A C T I O N ----- R E P L Y -----
0          S
          F E DATE OF EFF      DISTRICT OFFICE  SPECIAL  RPLY
          TC CLAIM NUMBER SURNAME I X BIRTH    DATE      NUMBER    STATUS  CODE  REMARKS
-----
NO TRANSACTIONS FOUND FOR THIS SECTION
0          *** DISTRICT OFFICE - SUBMITTED TRANSACTIONS:  REJECTED * * *
0----- T R A N S A C T I O N ----- R E P L Y -----
0          S
          F E DATE OF EFF      DISTRICT OFFICE  SPECIAL  RPLY
          TC CLAIM NUMBER SURNAME I X BIRTH    DATE      NUMBER    STATUS  CODE  REMARKS
-----
NO TRANSACTIONS FOUND FOR THIS SECTION
0          *** MEDICARE CUSTOMER SERVICE SUBMITTED TRANSACTIONS:  ACCEPTED * * *
0----- T R A N S A C T I O N ----- R E P L Y -----
0          S                                O E      L CO-PAY
          F E DATE OF EFF      O L SRCE  SPECIAL I EFF      --PREMIUMS-- RPLY
          TC CLAIM NUMBER SURNAME I X BIRTH    DATE      SCC  A T ID  STATUS S  DATE      PT C    PT D  CODE REMARKS
-----
NO TRANSACTIONS FOUND FOR THIS SECTION
0          *** MEDICARE CUSTOMER SERVICE SUBMITTED TRANSACTIONS:  REJECTED * * *
0----- T R A N S A C T I O N ----- R E P L Y -----
0          S                                O E      L CO-PAY
          F E DATE OF EFF      O L SRCE  SPECIAL I EFF      --PREMIUMS-- RPLY
          TC CLAIM NUMBER SURNAME I X BIRTH    DATE      SCC  A T ID  STATUS S  DATE      PT C    PT D  CODE REMARKS
-----
NO TRANSACTIONS FOUND FOR THIS SECTION
0          *** AUTOMATIC DISENROLLMENTS * * *
0----- T R A N S A C T I O N ----- R E P L Y -----
0          S                                L CO-PAY
          F E DATE OF EFF      SPECIAL I EFF      RPLY
          TC CLAIM NUMBER SURNAME I X BIRTH    DATE      STATUS S  DATE      CODE  REMARKS
-----
NO TRANSACTIONS FOUND FOR THIS SECTION

```

Plan Communications User Guide Appendices, Version 2.3

1RUN DATE: 08/21/2006 TRANSACTION REPLIES/MONTHLY ACTIVITY REPORT ID: 10
REPORTING MONTH: 09/2006 PLAN(Hnnn6) PBP(011) SGM(000) YOUR HEALTH CARE INC PAGE: 3
0 *** BENEFICIARY FACTOR TRANSACTIONS: ACCEPTED ***
0----- T R A N S A C T I O N ----- R E P L Y -----
0 S L CO-PAY
F E DATE OF EFF SPECIAL I EFF RPLY
TC CLAIM NUMBER SURNAME I X BIRTH DATE STATUS S DATE CODE REMARKS

NO TRANSACTIONS FOUND FOR THIS SECTION
0 *** BENEFICIARY FACTOR TRANSACTIONS: REJECTED ***
0----- T R A N S A C T I O N ----- R E P L Y -----
0 S L CO-PAY
F E DATE OF EFF SPECIAL I EFF RPLY
TC CLAIM NUMBER SURNAME I X BIRTH DATE STATUS S DATE CODE REMARKS

NO TRANSACTIONS FOUND FOR THIS SECTION
0 *** MAINTENANCE ACTIONS ***
0----- T R A N S A C T I O N ----- R E P L Y -----
0 S L CO-PAY
F E DATE OF EFF SPECIAL I EFF RPLY
TC CLAIM NUMBER SURNAME I X BIRTH DATE STATUS S DATE CODE REMARKS

NO TRANSACTIONS FOUND FOR THIS SECTION

Plan Communications User Guide Appendices, Version 2.3

1RUN DATE: 08/21/2006
REPORTING MONTH: 09/2006

TRANSACTION REPLIES/MONTHLY ACTIVITY
PLAN(Hnnn6) PBP(011) SGMT(000) YOUR HEALTH CARE INC

REPORT ID: 10
PAGE: 4

	TC 72	TC 71	TC 60	TC 61	TC 51	TC 53	TC 54	TC 30	TC 31	TC 01	ALL
0											
+											
ACCEPTED ACTN	0	0	0	2	0	0	0	0	0	0	2
0REJECTED ACTN	0	0	0	0	0	0	0	0	0	0	0
0REGION ACTNS	0	0	0	0	0	0	0	0	0	0	0
0CNTRL OFFICE ACT	0	0	0	0	0	0	0	0	0	0	0
0DISTR OFFICE ACT	0	0	0	0	0	0	0	0	0	0	0
ACCEPTED:	0	0	0	0	0	0	0	0	0	0	0
REJECTED:	0	0	0	0	0	0	0	0	0	0	0
DUPLICATES:	0	0	0	0	0	0	0	0	0	0	0
0MCARE CUST SRVC	0	0	0	0	0	0	0	0	0	0	0
ACCEPTED:	0	0	0	0	0	0	0	0	0	0	0
REJECTED:	0	0	0	0	0	0	0	0	0	0	0
0BENE FACT ACTN	0	0	0	0	0	0	0	0	0	0	0
ACCEPTED:	0	0	0	0	0	0	0	0	0	0	0
REJECTED:	0	0	0	0	0	0	0	0	0	0	0
0AUTO-DISENROLL	0	0	0	0	0	0	0	0	0	0	0
0MAINTENANCE	0	0	0	0	0	0	0	0	0	0	0
0** TOTAL ACTNS*	0	0	0	2	0	0	0	0	0	0	2
ACCEPTED:	0	0	0	2	0	0	0	0	0	0	2
REJECTED:	0	0	0	0	0	0	0	0	0	0	0
0* ORBIT/PENDING *	0	0	0	0	0	0	0	0	0	0	0

Plan Communications User Guide Appendices, Version 2.3

1RUN DATE: 08/21/2006
REPORTING MONTH: 09/2006
0
0AUTOMATIC DISENROLLMENTS

TRANSACTION REPLIES/MONTHLY ACTIVITY
PLAN(Hnnn6) PBP(011) SGMT(000) YOUR HEALTH CARE INC
* * * TRANSACTION REPLY SUMMARY * * *

REPORT ID: 10
PAGE: 5

	TOTALS
+	
PART A TERMINATION	0
PART B TERMINATION	0
REPORT OF BENEFICIARY DEATH	0
TERMINATION OF CONTRACT (HCFA)	0
TERMINATION OF CONTRACT (PLAN)	0
UNRESOLVED SERVICE AREA DISCREPANCY	0
BENE DOES NOT MEET AGE CRITERION	0
ROLLOVER	0
* * * TOTAL * * *	0

Plan Communications User Guide Appendices, Version 2.3

1RUN DATE: 08/21/2006
REPORTING MONTH: 09/2006
0MAINTENANCE ACTIONS

TRANSACTION REPLIES/MONTHLY ACTIVITY
PLAN(Hnnn6) PBP(011) SGMT(000) YOUR HEALTH CARE INC

REPORT ID: 10
PAGE: 6

+
CLAIM NUMBER IS INVALID (TEST) 0
NHC STATUS TERMINATED 0
ESRD CANCELLATION 0
WA CANCELLED 0
WA STATUS SET 0
WA STATUS TERMINATED 0
PRIOR COMMERCIAL ENR CHANGED 0
HOSPICE STATUS SET 0
HOSPICE STATUS TERMINATED 0
ESRD STATUS SET 0
ESRD STATUS TERMINATED 0
INSTITUTIONAL STATUS SET 0
INSTITUTIONAL STATUS TERMINATED 0
MEDICAID STATUS SET 0
MEDICAID STATUS TERMINATED 0
PART A TERMINATION 0
PART A REINSTATEMENT 0
PART B TERMINATION 0
PART B REINSTATEMENT 0
ENROLLMENT DATE CHANGE 0
DISENR DATE CHANGE 0
STATE AND COUNTY CODE CHANGE 0
CLAIM NUMBER CHANGE 0
NAME CHANGE 0
SEX CODE CHANGE 0
DATE OF BIRTH CHANGE 0
DATE OF DEATH ESTABLISHED 0
DATE OF DEATH REMOVED 0
DATE OF DEATH CORRECTED 0
SCC EXEMPTION CODE CHANGE 0
MEDICAID PERIOD CHANGE/CANCEL 0
SEGMENT ID CHANGE 0
LOW INCOME STATUS UPDATED 0
EGHP FLAG CHANGE 0
OUT OF COUNTRY ADDRESS CHANGE 0
PART C/D PREMIUM CHANGE 0
PREMIUM WITHOLD CHANGE 0
CREDITABLE CVRG CHANGE/CANCEL 0
PART D OPT-OUT ACCEPTED 0
PART D RX ID/GROUP CHANGE 0
SECONDARY RX ID/GROUP CHANGE 0
* * * TOTAL * * * 0

Plan Communications User Guide Appendices, Version 2.3

1RUN DATE: 08/21/2006
REPORTING MONTH: 09/2006

TRANSACTION REPLIES/MONTHLY ACTIVITY
PLAN(Hnnn6) PBP(012) SGM(000) YOUR HEALTH CARE INC
* * * PLAN-SUBMITTED TRANSACTIONS: ACCEPTED * * *

REPORT ID: 10
PAGE: 1

TRANSACTION														REPLY				
TC	CLAIM	NUMBER	SURNAME	F	E	DATE OF	EFF	SCC	O	L	CO-PAY	--PREMIUMS--		RPLY				
				I	X	BIRTH	DATE		A	T	EFF	PT	C	PT	CODE	REMARKS		
											DATE							
01	xxxxxxxxxx	A	LNAME3	R	M	10/11/22	09/01/06	03110		Hnnn6	M	1	01/01/06	.00	.00	077	MEDICAID ON	
51	xxxxxxxxxx	D	LNAME4	M	F	04/08/23	06/01/06	03110	S	AUTOD		3	01/01/06	1.00-	1.00-	090	REPORT OF DEATH	
01	xxxxxxxxxx	A	LNAME5	C	M	05/12/24	09/01/06	03110		Hnnn6	M	2	01/01/06	.00	.00	077	MEDICAID ON	
01	xxxxxxxxxx	A	LNAME6	C	F	07/14/25	09/01/06	03090	Y	Hnnn6	M	2	07/01/06	.00	.00	077	MEDICAID ON	
51	xxxxxxxxxx	A	LNAME7	S	F	12/21/26	08/01/06	03110	S	Hnnn1	M	2	01/01/06	.00	.00	014	DISNROL-NEW MCO	
51	xxxxxxxxxx	B6	LNAME8	M	F	08/25/27	08/01/06	03010	S	Hnnn1	M	2	01/01/06	.00	.00	014	DISNROL-NEW MCO	
51	xxxxxxxxxx	B1	LNAME9	G	M	09/01/28	08/01/06	03110	S	Hnnn1	M	2	01/01/06	.00	.00	014	DISNROL-NEW MCO	
51	xxxxxxxxxx	A	LNAME10	J	M	12/24/29	08/01/06	03110	S	Hnnn1	M	2	01/01/06	.00	.00	014	DISNROL-NEW MCO	
51	xxxxxxxxxx	B	LNAME11	L	F	08/21/30	08/01/06	03110	S	Hnnn1	M	2	01/01/06	.00	.00	014	DISNROL-NEW MCO	
51	xxxxxxxxxx	D	LNAME12	L	F	08/16/31	08/01/06	03090	S	AUTOD	M	2	01/01/06	1.00-	1.00-	090	REPORT OF DEATH	
51	xxxxxxxxxx	A	LNAME13	E	F	11/09/32	09/01/06	03110	S	AUTOD	M	2	01/01/06	1.00-	1.00-	090	REPORT OF DEATH	
51	xxxxxxxxxx	A	LNAME14	E	M	01/19/33	08/01/06	03110	S	Hnnn1	M	2	01/01/06	.00	.00	014	DISNROL-NEW MCO	
51	xxxxxxxxxx	B	LNAME15	M	F	06/10/34	08/01/06	03110	S	Hnnn1	M	2	01/01/06	.00	.00	014	DISNROL-NEW MCO	
51	xxxxxxxxxx	A	LNAME16	M	F	06/03/35	08/01/06	03110	S	Hnnn1	M	2	01/01/06	.00	.00	014	DISNROL-NEW MCO	
01	xxxxxxxxxx	A	LNAME17	M	F	06/10/36	09/01/06	03110		Hnnn6	M	2	01/01/06	.00	.00	077	MEDICAID ON	
51	xxxxxxxxxx	A	LNAME18	E	F	01/23/37	08/01/06	03110	S	Hnnn1	M	2	01/01/06	.00	.00	014	DISNROL-NEW MCO	
01	xxxxxxxxxx	A	LNAME19	C	F	09/19/38	09/01/06	03110		Hnnn6	M	2	01/01/06	.00	.00	077	MEDICAID ON	
01	xxxxxxxxxx	A	LNAME20	H	F	06/01/39	09/01/06	03110		Hnnn6	M	2	05/01/06	.00	.00	077	MEDICAID ON	
51	xxxxxxxxxx	A	LNAME21	R	M	04/07/40	08/01/06	03110	S	Hnnn1	M	2	01/01/06	.00	.00	014	DISNROL-NEW MCO	
51	xxxxxxxxxx	A	LNAME22	F	F	11/18/39	08/01/06	03110	S	Snnn0	M	2	01/01/06	.00	.00	014	DISNROL-NEW MCO	
01	xxxxxxxxxx	B	LNAME23	J	F	10/20/38	09/01/06	03010		Hnnn6	M	2	01/01/06	.00	.00	077	MEDICAID ON	
51	xxxxxxxxxx	A	LNAME24	F	M	11/23/37	08/01/06	03110	S	Hnnn1	M	2	01/01/06	.00	.00	014	DISNROL-NEW MCO	
01	xxxxxxxxxx	A	LNAME25	L	F	11/02/36	09/01/06	03110		Hnnn6	M	2	01/01/06	.00	.00	077	MEDICAID ON	
51	xxxxxxxxxx	A	LNAME26	C	F	08/30/35	08/01/06	03010	Y	S	Hnnn4	M	2	01/01/06	.00	.00	014	DISNROL-NEW MCO
61	xxxxxxxxxx	A	LNAME27	R	M	10/11/33	08/01/06	03110	S	Hnnn6	M	1	01/01/06	.00	.00	011	ENROLL ACCEPTED	
61	xxxxxxxxxx	A	LNAME27	R	M	10/11/33	08/01/06	03110	S	Hnnn6	M	1	01/01/06	.00	.00	181	PTD PRM OVERRIDE	
61	xxxxxxxxxx	A	LNAME28	C	M	05/12/32	08/01/06	03110	S	Hnnn6	M	2	01/01/06	.00	.00	011	ENROLL ACCEPTED	
61	xxxxxxxxxx	A	LNAME28	C	M	05/12/32	08/01/06	03110	S	Hnnn6	M	2	01/01/06	.00	.00	181	PTD PRM OVERRIDE	
61	xxxxxxxxxx	A	LNAME29	C	F	07/14/30	08/01/06	03090	Y	I	Hnnn6	M	2	07/01/06	.00	.00	011	ENROLL ACCEPTED
61	xxxxxxxxxx	A	LNAME29	C	F	07/14/30	08/01/06	03090	Y	I	Hnnn6	M	2	07/01/06	.00	.00	016	ENROLL-OUT AREA
61	xxxxxxxxxx	A	LNAME29	C	F	07/14/30	08/01/06	03090	Y	I	Hnnn6	M	2	07/01/06	.00	.00	181	PTD PRM OVERRIDE
71	xxxxxxxxxx	A	LNAME30	D	M	04/05/27	08/01/06	99999	Y	S	Hnnn6	M	0	.00	14.90	016	ENROLL-OUT AREA	
71	xxxxxxxxxx	A	LNAME30	D	M	04/05/27	08/01/06	99999	Y	S	Hnnn6	M	0	.00	14.90	017	ENROLL-BAD SCC	
71	xxxxxxxxxx	A	LNAME30	D	M	04/05/27	08/01/06	99999	Y	S	Hnnn6	M	0	.00	14.90	100	ELECTION OK	
71	xxxxxxxxxx	A	LNAME30	D	M	04/05/27	08/01/06	99999	Y	S	Hnnn6	M	0	.00	14.90	181	PTD PRM OVERRIDE	
61	xxxxxxxxxx	A	LNAME31	M	F	06/10/23	08/01/06	03110	S	Hnnn6	M	2	01/01/06	.00	.00	011	ENROLL ACCEPTED	
61	xxxxxxxxxx	A	LNAME31	M	F	06/10/23	08/01/06	03110	S	Hnnn6	M	2	01/01/06	.00	.00	181	PTD PRM OVERRIDE	
61	xxxxxxxxxx	A	LNAME32	C	F	09/19/21	08/01/06	03110	S	Hnnn6	M	2	01/01/06	.00	.00	011	ENROLL ACCEPTED	
61	xxxxxxxxxx	A	LNAME32	C	F	09/19/21	08/01/06	03110	S	Hnnn6	M	2	01/01/06	.00	.00	181	PTD PRM OVERRIDE	
61	xxxxxxxxxx	A	NAME33	N	F	06/01/20	08/01/06	03110	S	Hnnn6	M	2	05/01/06	.00	.00	011	ENROLL ACCEPTED	
61	xxxxxxxxxx	A	NAME34	H	F	06/01/20	08/01/06	03110	S	Hnnn6	M	2	05/01/06	.00	.00	181	PTD PRM OVERRIDE	

Plan Communications User Guide Appendices, Version 2.3

1RUN DATE: 08/21/2006
REPORTING MONTH: 09/2006

TRANSACTION REPLIES/MONTHLY ACTIVITY
PLAN(Hnnn6) PBP(012) SGMT(000) YOUR HEALTH CARE INC

REPORT ID: 10
PAGE: 2

0 *** PLAN-SUBMITTED TRANSACTIONS: ACCEPTED ***

T R A N S A C T I O N													R E P L Y						
TC	CLAIM NUMBER	SURNAME	I	X	BIRTH	DATE	SCC	A	T	ID	STATUS	S	DATE	PT	C	PT	D	CODE	REMARKS
61	xxxxxxxxxB	LNAME35	J	F	10/20/21	08/01/06	03010	S	Hnnn6	M	2	01/01/06	.00	.00	011				ENROLL ACCEPTED
61	xxxxxxxxxB	LNAME35	J	F	10/20/21	08/01/06	03010	S	Hnnn6	M	2	01/01/06	.00	.00	181				PTD PRM OVERRIDE
61	xxxxxxxxxA	LNAME36	L	F	11/02/22	08/01/06	03110	S	Hnnn6	M	2	01/01/06	.00	.00	011				ENROLL ACCEPTED
61	xxxxxxxxxA	LNAME36	L	F	11/02/22	08/01/06	03110	S	Hnnn6	M	2	01/01/06	.00	.00	181				PTD PRM OVERRIDE

0 *** PLAN-SUBMITTED TRANSACTIONS: REJECTED ***

T R A N S A C T I O N													R E P L Y						
TC	CLAIM NUMBER	SURNAME	I	X	BIRTH	DATE	SCC	A	T	ID	STATUS	S	DATE	PT	C	PT	D	CODE	REMARKS
NO TRANSACTIONS FOUND FOR THIS SECTION																			

0 *** PLAN-SUBMITTED WA TRANSACTIONS: PENDING ***

T R A N S A C T I O N													R E P L Y						
TC	CLAIM NUMBER	SURNAME	I	X	BIRTH	DATE	SCC	A	T	ID	STATUS	S	DATE	PT	C	PT	D	CODE	REMARKS
NO TRANSACTIONS FOUND FOR THIS SECTION																			

0 *** REGIONAL OFFICE - SUBMITTED TRANSACTIONS ***

T R A N S A C T I O N													R E P L Y						
TC	CLAIM NUMBER	SURNAME	I	X	BIRTH	DATE	SCC	A	T	ID	STATUS	S	DATE	PT	C	PT	D	CODE	REMARKS
NO TRANSACTIONS FOUND FOR THIS SECTION																			

0 *** CENTRAL OFFICE - SUBMITTED TRANSACTIONS ***

T R A N S A C T I O N													R E P L Y						
TC	CLAIM NUMBER	SURNAME	I	X	BIRTH	DATE	SCC	A	T	ID	STATUS	S	DATE	PT	C	PT	D	CODE	REMARKS
NO TRANSACTIONS FOUND FOR THIS SECTION																			

NO TRANSACTIONS FOUND FOR THIS SECTION

Plan Communications User Guide Appendices, Version 2.3

```

1RUN DATE: 08/21/2006                                TRANSACTION REPLIES/MONTHLY ACTIVITY                                REPORT ID: 10
REPORTING MONTH: 09/2006                            PLAN(Hnnn6) PBP(012) SGMT(000) YOUR HEALTH CARE INC                                PAGE: 3
0          *** DISTRICT OFFICE - SUBMITTED TRANSACTIONS:  ACCEPTED * * *
0----- T R A N S A C T I O N ----- R E P L Y -----
0          S
          F E DATE OF EFF      DISTRICT OFFICE  SPECIAL  RPLY
TC CLAIM NUMBER SURNAME I X BIRTH  DATE        NUMBER    STATUS  CODE  REMARKS
-----
NO TRANSACTIONS FOUND FOR THIS SECTION
0          *** DISTRICT OFFICE - SUBMITTED TRANSACTIONS:  REJECTED * * *
0----- T R A N S A C T I O N ----- R E P L Y -----
0          S
          F E DATE OF EFF      DISTRICT OFFICE  SPECIAL  RPLY
TC CLAIM NUMBER SURNAME I X BIRTH  DATE        NUMBER    STATUS  CODE  REMARKS
-----
NO TRANSACTIONS FOUND FOR THIS SECTION
0          *** MEDICARE CUSTOMER SERVICE SUBMITTED TRANSACTIONS:  ACCEPTED * * *
0----- T R A N S A C T I O N ----- R E P L Y -----
0          S                                O E      L CO-PAY
          F E DATE OF EFF      O L SRCE  SPECIAL I EFF      --PREMIUMS-- RPLY
TC CLAIM NUMBER SURNAME I X BIRTH  DATE    SCC  A T ID  STATUS S  DATE        PT C    PT D  CODE REMARKS
-----
NO TRANSACTIONS FOUND FOR THIS SECTION
0          *** MEDICARE CUSTOMER SERVICE SUBMITTED TRANSACTIONS:  REJECTED * * *
0----- T R A N S A C T I O N ----- R E P L Y -----
0          S                                O E      L CO-PAY
          F E DATE OF EFF      O L SRCE  SPECIAL I EFF      --PREMIUMS-- RPLY
TC CLAIM NUMBER SURNAME I X BIRTH  DATE    SCC  A T ID  STATUS S  DATE        PT C    PT D  CODE REMARKS
-----
NO TRANSACTIONS FOUND FOR THIS SECTION
0          *** AUTOMATIC DISENROLLMENTS * * *
0----- T R A N S A C T I O N ----- R E P L Y -----
0          S                                L CO-PAY
          F E DATE OF EFF      SPECIAL I EFF      RPLY
TC CLAIM NUMBER SURNAME I X BIRTH  DATE    STATUS S  DATE        CODE  REMARKS
-----
51 xxxxxxxxxD  LNAME37 M F 04/08/23 06/01/06      3 01/01/06 018  AUTO DISENROLL
51 xxxxxxxxxD  LNAME38 L F 08/16/24 08/01/06      M 2 01/01/06 018  AUTO DISENROLL
51 xxxxxxxxxA  LANEM39 E F 11/09/25 09/01/06      M 2 01/01/06 018  AUTO DISENROLL

```

Plan Communications User Guide Appendices, Version 2.3

```

1RUN DATE: 08/21/2006                                TRANSACTION REPLIES/MONTHLY ACTIVITY                                REPORT ID: 10
REPORTING MONTH: 09/2006                            PLAN(Hnnn6) PBP(012) SGM(000) YOUR HEALTH CARE INC                                PAGE: 4
0          * * * BENEFICIARY FACTOR TRANSACTIONS:  ACCEPTED * * *
0----- T R A N S A C T I O N ----- R E P L Y -----
0          S          L CO-PAY
          F E DATE OF EFF          SPECIAL I EFF          RPLY
TC CLAIM NUMBER SURNAME I X BIRTH DATE STATUS S DATE CODE REMARKS
-----
NO TRANSACTIONS FOUND FOR THIS SECTION
0          * * * BENEFICIARY FACTOR TRANSACTIONS:  REJECTED * * *
0----- T R A N S A C T I O N ----- R E P L Y -----
0          S          L CO-PAY
          F E DATE OF EFF          SPECIAL I EFF          RPLY
TC CLAIM NUMBER SURNAME I X BIRTH DATE STATUS S DATE CODE REMARKS
-----
NO TRANSACTIONS FOUND FOR THIS SECTION
0          * * * MAINTENANCE ACTIONS * * *
0----- T R A N S A C T I O N ----- R E P L Y -----
0          S          L CO-PAY
          F E DATE OF EFF          SPECIAL I EFF          RPLY
TC CLAIM NUMBER SURNAME I X BIRTH DATE STATUS S DATE CODE REMARKS
-----
01 xxxxxxxxxA LNAME40 L F 03/03/26 05/31/06          1 01/01/06 078 MEDICAID STATUS TERMINATED
01 xxxxxxxxxD LNAME41 M F 04/08/27 05/26/06          3 01/01/06 072 HOSPICE STATUS TERMINATED
01 xxxxxxxxxD LNAME41 M F 04/08/27 05/26/06          3 01/01/06 090 DATE OF DEATH ESTABLISHED
01 xxxxxxxxxD LNAME41 M F 04/08/27 05/31/06          3 01/01/06 078 MEDICAID STATUS TERMINATED
01 xxxxxxxxxA LNAME42 H M 11/20/28 07/01/06          2 07/01/06 167 NEW LIS PREMIUM
01 xxxxxxxxxA LNAME43 A M 02/04/29 10/02/01          M 3 05/01/06 154 OUT OF AREA
01 xxxxxxxxxA LNAME44 G F 06/15/30 06/01/06          M 2 01/01/06 077 MEDICAID STATUS SET
01 xxxxxxxxxD LNAME45 L F 08/16/31 07/17/06          2 01/01/06 090 DATE OF DEATH ESTABLISHED
01 xxxxxxxxxD LNAME45 L F 08/16/31 07/31/06          2 01/01/06 078 MEDICAID STATUS TERMINATED
01 xxxxxxxxxA LNAME46 E F 11/09/32 07/20/06 H M 2 01/01/06 071 HOSPICE STATUS SET
01 xxxxxxxxxA LNAME46 E F 11/09/32 08/02/06          2 01/01/06 090 DATE OF DEATH ESTABLISHED
01 xxxxxxxxxA LNAME46 E F 11/09/32 08/31/06          2 01/01/06 078 MEDICAID STATUS TERMINATED
01 xxxxxxxxxA LNAME47 F M 06/13/33 07/08/02          M 2 01/01/06 154 OUT OF AREA
01 xxxxxxxxxA LNAME48 E M 09/09/35 08/10/06          2 01/01/06 152 NEW RACE CODE
01 xxxxxxxxxD LNAME49 F F 02/25/36 07/26/06          2 01/01/06 086 CLAIM NUMBER CHANGE
01 xxxxxxxxxA LNAME50 M F 08/15/37 06/18/04          M 2 01/01/06 154 OUT OF AREA
01 xxxxxxxxxA LNAME51 A F 05/29/38 05/01/06          M 2 01/01/06 077 MEDICAID STATUS SET

```

Plan Communications User Guide Appendices, Version 2.3

1RUN DATE: 08/21/2006
REPORTING MONTH: 09/2006

TRANSACTION REPLIES/MONTHLY ACTIVITY
PLAN(Hnnn6) PBP(012) SGMT(000) YOUR HEALTH CARE INC

REPORT ID: 10
PAGE: 5

	TC 72	TC 71	TC 60	TC 61	TC 51	TC 53	TC 54	TC 30	TC 31	TC 01	ALL
0											
+											
ACCEPTED ACTN	0	4	0	17	16	0	0	0	0	8	45
0REJECTED ACTN	0	0	0	0	0	0	0	0	0	0	0
0REGION ACTNS	0	0	0	0	0	0	0	0	0	0	0
0CNTRL OFFICE ACT	0	0	0	0	0	0	0	0	0	0	0
0DISTR OFFICE ACT	0	0	0	0	0	0	0	0	0	0	0
ACCEPTED:	0	0	0	0	0	0	0	0	0	0	0
REJECTED:	0	0	0	0	0	0	0	0	0	0	0
DUPLICATES:	0	0	0	0	0	0	0	0	0	0	0
0MCARE CUST SRVC	0	0	0	0	0	0	0	0	0	0	0
ACCEPTED:	0	0	0	0	0	0	0	0	0	0	0
REJECTED:	0	0	0	0	0	0	0	0	0	0	0
0BENE FACT ACTN	0	0	0	0	0	0	0	0	0	0	0
ACCEPTED:	0	0	0	0	0	0	0	0	0	0	0
REJECTED:	0	0	0	0	0	0	0	0	0	0	0
0AUTO-DISENROLL	0	0	0	0	3	0	0	0	0	0	3
0MAINTENANCE	0	0	0	0	0	0	0	0	0	17	17
0** TOTAL ACTNS*	0	4	0	17	19	0	0	0	0	25	65
ACCEPTED:	0	4	0	17	16	0	0	0	0	8	45
REJECTED:	0	0	0	0	0	0	0	0	0	0	0
0* ORBIT/PENDING *	0	0	0	0	0	0	0	0	0	0	0

1RUN DATE: 08/21/2006
REPORTING MONTH: 09/2006

TRANSACTION REPLIES/MONTHLY ACTIVITY
PLAN(Hnnn6) PBP(012) SGMT(000) YOUR HEALTH CARE INC

REPORT ID: 10
PAGE: 6

	TOTALS
0	
0AUTOMATIC DISENROLLMENTS	
+	
PART A TERMINATION	0
PART B TERMINATION	0
REPORT OF BENEFICIARY DEATH	0
TERMINATION OF CONTRACT (HCFA)	0
TERMINATION OF CONTRACT (PLAN)	0
UNRESOLVED SERVICE AREA DISCREPANCY	0
BENE DOES NOT MEET AGE CRITERION	0
ROLLOVER	0
* * * TOTAL * * *	3

Plan Communications User Guide Appendices, Version 2.3

1RUN DATE: 08/21/2006
REPORTING MONTH: 09/2006
0MAINTENANCE ACTIONS

TRANSACTION REPLIES/MONTHLY ACTIVITY
PLAN(Hnnn6) PBP(012) SGMT(000) YOUR HEALTH CARE INC

REPORT ID: 10
PAGE: 7

+
CLAIM NUMBER IS INVALID (TEST) 0
NHC STATUS TERMINATED 0
ESRD CANCELLATION 0
WA CANCELLED 0
WA STATUS SET 0
WA STATUS TERMINATED 0
PRIOR COMMERCIAL ENR CHANGED 0
HOSPICE STATUS SET 1
HOSPICE STATUS TERMINATED 1
ESRD STATUS SET 0
ESRD STATUS TERMINATED 0
INSTITUTIONAL STATUS SET 0
INSTITUTIONAL STATUS TERMINATED 0
MEDICAID STATUS SET 2
MEDICAID STATUS TERMINATED 4
PART A TERMINATION 0
PART A REINSTATEMENT 0
PART B TERMINATION 0
PART B REINSTATEMENT 0
ENROLLMENT DATE CHANGE 0
DISENR DATE CHANGE 0
STATE AND COUNTY CODE CHANGE 0
CLAIM NUMBER CHANGE 1
NAME CHANGE 0
SEX CODE CHANGE 0
DATE OF BIRTH CHANGE 0
DATE OF DEATH ESTABLISHED 3
DATE OF DEATH REMOVED 0
DATE OF DEATH CORRECTED 0
SCC EXEMPTION CODE CHANGE 0
MEDICAID PERIOD CHANGE/CANCEL 0
SEGMENT ID CHANGE 0
LOW INCOME STATUS UPDATED 0
EGHP FLAG CHANGE 0
OUT OF COUNTRY ADDRESS CHANGE 0
PART C/D PREMIUM CHANGE 0
PREMIUM WITHOLD CHANGE 0
CREDITABLE CVRG CHANGE/CANCEL 0
PART D OPT-OUT ACCEPTED 0
PART D RX ID/GROUP CHANGE 0
SECONDARY RX ID/GROUP CHANGE 0
* * * TOTAL * * * 12

I.15 Enrollment Transmission Message File (STATUS)

Description

This file is a summary of the batch transaction file providing counts of transactions by type. It will contain a unique Batch ID that can be used to associate submissions to the Batch Completion Status Summary. Plans should use this file to monitor the successful (or unsuccessful) receipt of their batch transaction files.

Example

Below is a section of an Enrollment Transmission Message File (STATUS).

Section Name
I. Enrollment Transmission Message File (STATUS).

- If the file processes normally, the following STATUS messages are generated:

(The FAIL message occurs only if transactions failed.)

```
***** Top of Data *****
TRANSACTIONS RECEIVED ON 2006-01-30 AT 17.04.11

TRANSACTIONS PROCESSED ON 2006-01-30 AT 17.04.27

HEADER CODE= AAAAAAHEADER
HEADER DATE= 032006
BATCH ID    = 015953955
USER ID     = P218
TRAN CNTS1  = 00000043 T01 00000013 T51 00000001 T60 00000004 T61 00000008
TRAN CNTS2  =          T71 00000006 T72 00000007 TXX 00000004

TOTAL TRANSACTIONS PROCESSED=          43
TOTAL REJECTED TRANSACTIONS =           5
TOTAL FAILED TRANSACTIONS   =          17

DATA FAILED
CHECK FAIL FILE FOR FAILED TRANSACTIONS
CORRECT FAILED RECORDS AND RESUBMIT
***** Bottom of Data *****
```

- The following status messages are generated when an error condition prevents the transaction file from processing.

1. Invalid User Id

```
***** Top of Data *****
TRANSACTIONS RECEIVED ON 2006-01-27 AT 16.59.49

PROCESSING STOPPED    ON 2006-01-27 AT 17.00.39
USER ID (OB13      ) NOT AUTHENTICATED: 2-USER ID NOT FOUND
HEADER CODE= AAAAAAHEADER
HEADER DATE= 012006
BATCH ID   = 015953937
USER ID    = OB13
TRAN CNTS1 = 00000043 T01 00000013 T51 00000003 T60 00000004 T61 00000009
TRAN CNTS2 =          T71 00000006 T72 00000007 TXX 00000001
***** Bottom of Data *****
```

2. Invalid header date

```
***** Top of Data*****
TRANSACTIONS RECEIVED ON 2006-01-27 AT 16.23.22

PROCESSING STOPPED    ON 2006-01-27 AT 16.23.42
HEADER RECORD IS MISSING OR INVALID
HEADER CODE= AAAAAAHEADER
HEADER DATE= XX2006
BATCH ID   = 015953933
USER ID    = P218
TRAN CNTS1 = 00000068 T01 00000000 T51 00000017 T60 00000000 T61 00000019
TRAN CNTS2 =          T71 00000017 T72 00000015 TXX 00000000
***** Bottom of Data *****
```

3. Missing Header record

```
***** Top of Data *****
TRANSACTIONS RECEIVED ON          AT

PROCESSING STOPPED    ON 2006-01-25 AT 18.11.38
HEADER RECORD IS MISSING OR INVALID
HEADER CODE= XXXHEADERZZZ
HEADER DATE= 112005
BATCH ID   =
```

USER ID =
TRAN CNTS1 =
TRAN CNTS2 =
***** Bottom of Data *****

4. Future Header Date

***** Top of Data *****
TRANSACTIONS RECEIVED ON 2006-01-30 AT 16.48.37

PROCESSING STOPPED ON 2006-01-30 AT 16.48.55
HEADER RECORD DATE IS A FUTURE PROCESSING MONTH
RESUBMIT DURING THE CORRECT PROCESSING MONTH
PROCESSING MONTH=032006
HEADER CODE= AAAAAAHEADER
HEADER DATE= 032007
BATCH ID = 015953953
USER ID = P218
TRAN CNTS1 = 00000043 T01 00000013 T51 00000001 T60 00000004 T61 00000008
TRAN CNTS2 = T71 00000006 T72 00000007 TXX 00000004
***** Bottom of Data *****

5. Header Date earlier than CPM

***** Top of Data *****
TRANSACTIONS RECEIVED ON 2006-01-30 AT 16.54.05

PROCESSING STOPPED ON 2006-01-30 AT 16.54.13
HEADER RECORD DATE IS NOT EQUAL TO THE CURRENT PAYMENT MONTH
PROCESSING MONTH=032006
HEADER CODE= AAAAAAHEADER
HEADER DATE= 092005
BATCH ID = 015953954
USER ID = P218
TRAN CNTS1 = 00000043 T01 00000013 T51 00000001 T60 00000004 T61 00000008
TRAN CNTS2 = T71 00000006 T72 00000007 TXX 00000004
***** Bottom of Data *****

6. Empty or Incorrect record length file:

***** Top of Data *****

TRANSACTIONS RECEIVED ON 2007-01-30 AT 16.54.05

PROCESSING STOPPED ON 2007-01-30 AT 16.54.13

FILE DOES NOT CONTAIN ANY RECORDS OR ELSE FILE RECORD LENGTH IS INVALID

HEADER CODE=

HEADER DATE=

BATCH ID =

USER ID =

TRAN CNTS1 =

TRAN CNTS2 =

- If the file is a RETRO file, the following STATUS messages are generated:

***** Top of Data *****

TRANSACTIONS RECEIVED ON 2006-01-27 AT 14.23.05

HEADER CODE= AAAAAAHEADER RETRO

HEADER DATE= 012006

BATCH ID = 015953928

USER ID = P218

TRAN CNTS1 = 00000068 T01 00000000 T51 00000017 T60 00000000 T61 00000019

TRAN CNTS2 = T71 00000017 T72 00000015 TXX 00000000

PROCESSING STOPPED ON 2006-01-27 AT 14:23:39

RETRO FILE DETECTED FOR USERID P218

HEADER CODE= AAAAAAHEADER RETRO

HEADER DATE= 012006

***** Bottom of Data *****

- If CAPTURE mode is in effect, the following STATUS messages are generated:

***** Top of Data *****

TRANSACTIONS RECEIVED ON 2006-01-27 AT 16.11.03

HEADER CODE= AAAAAAHEADER

HEADER DATE= 012006

BATCH ID = 015953932

USER ID = P218
TRAN CNTS1 = 00000068 T01 00000000 T51 00000017 T60 00000000 T61 00000019
TRAN CNTS2 = T71 00000017 T72 00000015 TXX 00000000

PROCESSING STOPPED ON 2006-01-27 AT 16:11:44

MARX MONTH END CAPTURE MODE IS IN EFFECT

***** Bottom of Data *****

This page intentionally left blank.

I.16 Batch Completion Status Summary Data File

Description

Every transaction file submitted to the enrollment processing system receives a unique batch processing number as the transactions are loaded into the system. Once loaded, the processing of these transactions will result in rejected, accepted, or pended transactions. The Batch Completion Status Summary Report will be generated when each batch has completed processing. This report will provide a count of all transactions within that batch, detailing the number of pended, rejected and accepted transactions, and providing an image of the rejected, accepted, and pended transactions.

Example

```
EXAMPLE LINES WRAP:
1      1      1      1      1      1      1      1      1      1      1      1
2      3      4      5      6      7      8      9      0      1
123456789012345678901234567890123456789012345678901234567890123456789
01234567890123456789012345678901234
1      1      1      1      2      2      2      2      2      2      2
6      7      8      9      0      1      2      3      4      5      6
56789012345678901234567890123456789012345678901234567890123456789012 COLUMN
COUNT
-----
#BATCHDSPSTN0000244052672006-08-2121-49-18      2      2      0      0      000000002idid      2006-08-2114.34.23
;
#ACPTEDTRANS      1xxxxxxxxxA      LASTNAME1      PETER      A119311009Y801ESnnnn2006080961      20061001000      0D000000003484Y000
N      B      0000      011170181      ;;
#ACPTEDTRANS      2xxxxxxxxxA      LASTNAME2      HANS      J119321022Y801ESnnnn2006080461      20061001000      0D000000003484Y000
N      B      0000      011170181      ;;
#BATCHDSPSTN0000244052722006-08-2121-49-18      83      73      10      0      000000083 idid      2006-08-2114.37.45
;
#RJCTEDTRANS      1xxxxxxxxxA      LASTNAME3      LUCIANO 119330524 004SSnnnn2006081661      20060901000      0D000000001490Y000
N      B      009      ;;
#RJCTEDTRANS      2xxxxxxxxxD      LASTNAME4      AMANDA  E219340616 004SSnnnn2006081661      20060901000      0S000000001490Y000
N      B      008      ;;
#RJCTEDTRANS      3xxxxxxxxxA      LASTNAME5      JANICE  M219350104 004SSnnnn2006080161      20061001000      0D000000001490Y000
N      B      127      ;;
#ACPTEDTRANS      1xxxxxxxxxA      LASTNAME6      ANDREW  119360310 004SSnnnn2006081161      20060901000      0D000000001490Y000
N      B      1003      011      ;;
```

Plan Communications User Guide Appendices, Version 2.3

#ACPTEDTRANS N	2xxxxxxxxxC1	LASTNAME7 B	KATHRYN	219370412	004SSnnnn2006081561	20060901000	0D000000001490Y000
					1003	011	;;
#ACPTEDTRANS N	3xxxxxxxxxD	LASTNAME8 B	MARION	B219381213	004SSnnnn2006081661	20060901000	0D000000001490Y000
					1003	011	;;
#ACPTEDTRANS N	4xxxxxxxxxA	LASTNAME9 B	RALPH	L119390930	004SSnnnn2006081661	20060901000	0D000000001490Y000
					1003	011	;;
#BATCHDSPSTN0000244052772006-08-2121-49-18				15	14	1	0
;C1IA 0024405277100000000						000000015	idid 2006-08-2114.40.40
#RJCTEDTRANS N	1xxxxxxxxxA	LASTNAME10 B	MARION	L219401222	134SSnnnn2006081061	20060901000	0D006371002929Y000
						107	;;
#ACPTEDTRANS N	1xxxxxxxxxA	LASTNAME11 B	BETTY	J219401101	005ISnnnn2006081761	20060901000	0D004000002929Y000
					0000	011	;;
#ACPTEDTRANS N	2xxxxxxxxxA	LASTNAME12 B	SARAH	K219391005	019SSnnnn2006081661	20060901000	0D006371002929Y000
					0000	011	;;
#ACPTEDTRANS N	3xxxxxxxxxA	LASTNAME13 B	RUBY	J219381003	019ISnnnn2006081761	20061001000	0D006371002929Y000
					0000	011	;;
#ACPTEDTRANS N	4xxxxxxxxxA	LASTNAME14 B	MARY	E219370610Y019SSnnnn2006081661	20060901000	0D006371002929Y000	
					1001	011170	;;
#ACPTEDTRANS N	5xxxxxxxxxA	LASTNAME15 B	RANDA	119360929	019ISnnnn2006081661	20060901000	0D006371002929Y000
					0000	011	;;
#ACPTEDTRANS N	6xxxxxxxxxA	LASTNAME16 B	RONNIE	G119350921	019ISnnnn2006081661	20060901000	0D006371002929Y000
					0000	011	;;
#ACPTEDTRANS Y	7xxxxxxxxxA	LASTNAME17 B	ROBY	P119340822	019NSnnnn2006081661	20060901000	0D006371002929Y000
					0000	011	;;
#ACPTEDTRANS N	8xxxxxxxxxA	LASTNAME18 B	DEBORAH	A219330722	005IH44562006081661	20060901000	0D004000002929Y000
					0000	011	;;

I.17 Sample 4Rx Notification File Pass and Fail Acknowledgements

NOTE: This file is no longer being transmitted to Plans as of August 16, 2007 due to Summer Software Changes updating 4Rx data submission. This file is obsolete and Plans may now find this information on the Weekly/Monthly TRR.

Description

An email acknowledgement of receipt and status is issued by the Enrollment Processing System to the Sending Entity. If the status is Accepted, the file will be processed. If the status is Rejected, the email shall inform the Sending Entity of the first File Error Condition that caused the 4Rx Notification File to be Rejected. A rejected file will not be returned.

Example

Sample email notifications showing a Pass Acknowledgement and a Fail Acknowledgement appear below:

Example of 4Rx Notification File “Pass” Acknowledgment

TO: Jim.Doe@xxs.net
TO: Chris.Doe@dxxx.org
TO: Falcon.Doe@xxxx.org
TO: eevs.helpdesk@ngc.com
FROM: MBD#RX08.HCFJES@cms.hhs.gov
Subject: CMS MMA DATA EXCHANGE FOR MMABTCH

MMABTCH file has been received and passed surface edits by CMS.
QUESTIONS? Contact 1-800-927-8069 or Email mmahelp@cms.hhs.gov

INPUT HEADER RECORD
MMA4RXNHE0008 200703060000000001

INPUT TRAILER RECORD
MMA4RXNTE0008 0000000010001568

Example of 4Rx Notification File Fail Acknowledgement

TO: Jim.Doe@xqs.net
TO: Chris.Doe@dxxx.org
TO: Falcon.Doe@xxxx.org
TO: eevs.helpdesk@ngc.com
FROM: MBD#RX09.HCFJES@cms.hhs.gov
Subject: CMS MMA DATA EXCHANGE FOR MMABTCH

MMABTCH file has been received and failed surface edits by CMS.
QUESTIONS? Contact 1-800-927-8069 or Email mmahelp@cms.hhs.gov

INPUT HEADER RECORD

MMA4RXNH00009 20070305000032218

INPUT TRAILER RECORD

MMA4RXNT00009 200703050000322180000000

THE FILE HAS NO TRANSACTIONS

I.18 Sample BEQ Request File Pass and Fail Acknowledgements

Description

An email acknowledgment of receipt and status is issued by the Enrollment Processing System to the Sending Entity. If the status is Accepted, the file will be processed. If the status is Rejected, the email shall inform the Sending Entity of the first File Error Condition that caused the BEQ Request File to be Rejected. A rejected file will not be returned.

Example

Sample email notifications showing a Pass Acknowledgement and a Fail Acknowledgement appear below:

Example of BEQ Request File “Pass” Acknowledgment

TO: Jim.Doe@xxs.net
TO: Chris.Doe@dxxx.org
TO: Falcon.Doe@xxxx.org
TO: eevs.helpdesk@ngc.com
FROM: MBD#BQ94.HCFJES@cms.hhs.gov
Subject: CMS MMA DATA EXCHANGE FOR MMABTCH

MMABTCH file has been received and passed surface edits by CMS.
QUESTIONS? Contact 1-800-927-8069 or Email mmahelp@cms.hhs.gov

INPUT HEADER RECORD

MMABEQRHS0094 20070306F20070306

INPUT TRAILER RECORD

MMABEQRTS0094 20070306F200703060000074

Example of BEQ Request File “Fail” Acknowledgment

TO: Jim.Doe@xss.net
TO: Chris.Doe@dxxx.org
TO: Falcon.Doe@xxxx.org
TO: eevs.helpdesk@ngc.com
FROM: MBD#BQ30.HCFJES@cms.hhs.gov
Subject: CMS MMA DATA EXCHANGE FOR MMABTCH

MMABTCH file has been received and failed surface edits by CMS.
QUESTIONS? Contact 1-800-927-8069 or Email mmahelp@cms.hhs.gov

INPUT HEADER RECORD

MMABEQRHH0030 20070228 84433346

INPUT TRAILER RECORD

MMABEQRTH0030 20070221 844333460074065

THE TRAILER RECORD IS INVALID

J: All Transmissions Overview

Table J-1 - All Transmissions Overview

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
Plan Submittals to CMS						
1	MARx Enrollment Transaction File Header Enrollment Transaction (Employer & Plan - 60/61) Disenrollment Transaction (51) Plan Elections (PBP Change) Transaction (71) Plan Change Transaction (72) Correction (01)	Enrollment Transaction file to CMS MARx system requesting new enrollment, disenrollment, changes, etc.	MARx	Data File	Batch - Daily PRN	Gentran mailbox: ** [GUID].[RACFID].MARX.D.xxxxx.FUTURE.[P/T].[ZIP] Note: FUTURE is part of the filename and does not change. Connect:Direct: P#EFT.IN.uuuuuuu.MARXTR.DYYMMDD.THHMMSST Note: DYYMMDD.THHMMSST must be coded as shown, as it is a literal
2	4Rx Notification File Header Detail Trailer NOTE: This file is no longer being transmitted to Plans as of August 16, 2007 due to Summer Software Changes updating 4Rx data submission. This file is obsolete and Plans may now find this information on the Weekly/Monthly TRR.	File used to provide CMS with additional information on Plan enrollments to support point of sale and other pharmacy related information needs. The file contains CMX Primary payor data (BIN, PCN, Group, Member). The objective is to make available 4Rx data to the TrOOP Facilitator and Coordination of Benefits (COB) contractor beginning 11/15/2005.	MBD	Data File	PRN (Plans can send multiple files in a day)	Gentran mailbox: ** [GUID].[RACFID].MBD.D.xxxx.4RX.[P/T].[ZIP] Connect:Direct: P#EFT.IN.PLxxxxx.BEQ4RX.DYYMMDD.THHMMSST Note: DYYMMDD.THHMMSST must be coded as shown, as it is a literal
3	Batch Eligibility Query (BEQ) Request File Header Detail Trailer	File of transactions submitted by plans to request eligibility information for prospective Plan enrollees. Used to do initial eligibility checks against CMS MBD system to verify member is Part A./B eligible	MBD	Data File	PRN (Plans can send multiple files in a day)	Gentran mailbox: ** [GUID].[RACFID].MBD.D.xxxx.BEQ.[P/T].[ZIP] Connect:Direct: P#EFT.IN.PLxxxxx.BEQ4RX.DYYMMDD.THHMMSST Note: DYYMMDD.THHMMSST must be coded as shown, as it is a literal

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute sssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
4	ECRS Batch Submittal File	File used by plans to submit other healthcare information (OHI) to CMS (rather than submittal through the ECRS on-line system)	ECRS	Data File	Daily	Gentran mailbox: [GUID].[RACFID].ECRS.D.ccccc.FUTURE.[P/T] Connect:Direct: TRANSMITTED TO GHI
5	Prescription Drug Event (PDE) Submittal File	File of transactions submitted by the plans with Prescription Drug Events.	PDE	Data File	Can be daily	Gentran mailbox: [GUID].[RACFID].PDE.D.ccccc.FUTURE.[P/T] Connect:Direct: TRANSMITTED TO PALMETTO
6	Front-End Risk Adjustment System (FERAS) Response Reports	File of transactions submitted by the plans with diagnoses for FFS beneficiaries	FERAS	Data File	Daily	Gentran mailbox: [GUID].[RACFID].RAPS.D.ccccc.FUTURE.[P/T] Connect:Direct: TRANSMITTED TO PALMETTO
CMS Transmittals to the Users (Submitters)						
7	Failed Transaction Data File	Report detailing transactions that cannot be loaded into MARx for processing due to formatting errors. These records are the result of errors with the file header, user authentication, transaction format or incorrect data types for transaction data elements. This report is sent to the user who submitted the batch.	MARx	Data File	Resp. to transaction batch file	Gentran Mailbox: P.uuuuuuu.FAILED.Dyymmdd.Thhmsst.pn Connect:Direct [Mainframe]: zzzzzzzz.uuuuuuu.FAILED.Dyymmdd.Thhmsst Connect:Direct [Non-mainframe]: [directory]uuuuuuu.FAILED.Dyymmdd.Thhmsst
8	Batch Completion Status Summary Data File Summary Record Rejected Records Accepted Records	Data file sent to the submitter once a batch of submitted transactions has been processed. Provides a count of all transactions within the batch and details the number of rejected and accepted transactions. It provides an image of the rejected and accepted transactions. (As of 4/17 one of these will be produced for each submitted batch)	MARx	Data File	Once batch is processed	Gentran Mailbox: P.uuuuuuu.BATCHSTD.Annnnn.Bnnnnn.pn Connect:Direct [Mainframe]: zzzzzzzz.uuuuuuu.BATCHSTD.Annnnn.Bnnnnn Connect:Direct [Non-mainframe]: [directory]uuuuuuu.BATCHSTD.Annnnn.Bnnnnn

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
9	Enrollment Transmission Message File (STATUS)	Summary of the batch enrollment transaction file providing counts of transactions by type. It will contain a unique Batch ID that can be used to associate submissions to the Batch Completion Status Summary. Plans should use this file to monitor the successful (or unsuccessful) receipt of their batch transaction files. Plans submitting RETRO batch files will receive two STATUS files. The first, at the time of submission, acknowledges receipt of the RETRO batch file. The second indicates either approval by CMS and subsequent processing or disapproval by CMS and subsequent rejection.	MARx	Report	Response to transaction batch file	Gentran Mailbox: P.uuuuuuu.STATUS.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.uuuuuuu.STATUS.Dyymmdd.Thhmsst Connect:Direct (Non-mainframe): [directory]uuuuuu.STATUS.Dyymmdd.Thhmsst
CMS Transmittals to the Plans						
10	Transaction Reply Report (TRR) - of auto enrollments - to PDPs	Report in the same format as the Transaction Reply Activity Report that lists all of the auto enrollments.	MARx	Report	Weekly	Gentran mailbox: P.Rxxxxx.TRWEEKR.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.TRWEEKR.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.TRWEEKR.Dyymmdd.Thhmsst
11	Transaction Reply Report (TRR) data file - of auto enrollments - to PDPs	Data file version of the Transaction Reply Report of auto enrollments.	MARx	Data File	Weekly	Gentran mailbox: P.Rxxxxx.TRWEEKD.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.TRWEEKD.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.TRWEEKD.Dyymmdd.Thhmsst

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute sssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
12	Coordination of Benefits (Validated Other Insurer Information) Detail Primary Supplemental	File containing members' primary and secondary coverage that has been validated through COB processing. MARx forwards this report whenever a plan's enrollees are affected. It may be as often as daily. The enrollees included on the report are those newly enrolled who have known Other Health Insurance (OHI) and those plan enrollees with changes to their OHI.	MBD (MARx)	Data File	As Needed (can be daily)	Gentran mailbox: P.Rxxxxx.MARXCOB.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.MARXCOB.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.MARXCOB.Dyymmdd.Thhmsst
13	MA Full Dual Auto Assignment Notification File	Monthly file of Full Dual Beneficiaries in an existing plan.	MBD	Data File	Monthly	Gentran mailbox: P.Rxxxxx.#ADUA4.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.#ADUA4.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.#ADUA4.Dyymmdd.Thhmsst
14	PDP Address file from Full Dual & Facilitated Assignments	Monthly file of addresses of Beneficiaries who have been either Auto Assigned or Facilitated Assigned to PDPs	MBD	Data File	Monthly	Gentran mailbox: P.Rxxxxx.#APDP4.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.#APDP4.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.#APDP4.Dyymmdd.Thhmsst

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
15	4Rx Notification File Acknowledgment (Accept/Reject) NOTE: This file is no longer being transmitted to Plans as of August 16, 2007 due to Summer Software Changes updating 4Rx data submission. This file is obsolete and Plans may now find this information on the Weekly/Monthly TRR.	MBD will determine if a 4Rx Notification File is Accepted or Rejected. MBD will issue an email acknowledgment of receipt and status to the Sending Entity. If Accepted the file will be processed. If Rejected, the email shall inform the Sending Entity of the first File Error Condition that caused the 4Rx Notification File to be Rejected. A rejected file will not be returned.	MBD	E-mail	Response to 4Rx	N/A
16	4Rx Response File Header Detail Trailer NOTE: This file is no longer being transmitted to Plans as of August 16, 2007 due to Summer Software Changes updating 4Rx data submission. This file is obsolete and Plans may now find this information on the Weekly/Monthly TRR.	File containing records produced as a result of processing the transactions of accepted 4Rx Notification files. Detail records for all submitted records that were successfully processed will contain Processed Flag = Y. Detail records for all submitted records that were not successfully processed contain Processed Flag = N.	MBD	Data File	Response to 4Rx	Gentran Mailbox: P.Rxxxxx.#RXN4.Dyymmdd.Thhmsst.pn Connect:Direct [Mainframe]: zzzzzzzz.Rxxxxx.#RXN4.Dyymmdd.Thhmsst Connect:Direct [Non-mainframe]: [directory]Rxxxxx.#RXN4.Dyymmdd.Thhmsst
17	NoRx File	File containing records identifying those enrollees that do not currently have 4Rx information stored in CMS files. A Detail Record Type containing a value of "NRX" in positions 1 – 3 of the file layout will indicate that this record is a request for your organization to send CMS 4Rx information for the beneficiary.	MBD	Data File	Monthly	Gentran mailbox: P.Rxxxxx.#NORX.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.#NORX.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.#NORX.Dyymmdd.Thhmsst

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
18	Batch Eligibility Query (BEQ) Request File Acknowledgment (Accept/Reject)	MBD will determine if a BEQ Request File is Accepted or Rejected. MBD will issue an email acknowledgment of receipt and status to the Sending Entity. If Accepted the file will be processed. If Rejected, the email shall inform the Sending Entity of the first File Error Condition that caused the BEQ Request File to be Rejected. A rejected file will not be returned.	MBD	E-mail	Response to BEQ	N/A
19	Batch Eligibility Query (BEQ) Response File Header Detail Trailer	File containing records produced as a result of processing the transactions of accepted BEQ Request files. Detail records for all submitted records that were successfully processed will contain Processed Flag = Y. Detail records for all submitted records that were not successfully processed contain Processed Flag = N.	MBD	Data File	Response to BEQ	<u>Gentran Mailbox:</u> P.Rxxxx.#BQN4.Dyymmdd.Thhmsst.pn <u>Connect:Direct [Mainframe]:</u> zzzzzzzz.Rxxxx.#BQN4.Dyymmdd.Thhmsst <u>Connect:Direct [Non-mainframe]:</u> [directory]Rxxxx.#BQN4.Dyymmdd.Thhmsst
20	ECRS	File containing errors and statuses of ECRS submissions.	ECRS	Data File	Daily	<u>Gentran mailbox:</u> PCOB.BA.ECRS.ccccc.RESPONSE.ssssss <u>Connect:Direct:</u> TRANSMITTED FROM GHI

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
21	Prescription Drug Event (PDE) PDFS Response Report	File containing responses if files are accepted or rejected.	PDE	Data File	Daily	<u>Gentran mailbox:</u> RSP.PDFS_RESP_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO
22	Prescription Drug Event (PDE) DDPS Return File	File provides feedback on every record processed in a batch. Up to 10 specific errors are reported for each PDE in the file.	PDE	Data File	Daily	<u>Gentran mailbox:</u> RPT.DDPS_TRANS_VALIDATION_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO
23	Prescription Drug Event (PDE) DDPS Transaction Error Summary Report	File provides frequency of occurrence for each error code encountered during the processing of a PDE file. The percentage to the total errors is also computed and displayed for each error code.	PDE	Data File	Daily	<u>Gentran mailbox:</u> RPT.DDPS_ERROR_SUMMARY_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO
24	Front-End Risk Adjustment System (FERAS) Response Reports	Report indicates that the file was accepted or rejected by the Front-End Risk Adjustment System.	FERAS	Report	Daily	<u>Gentran mailbox:</u> RSP.FERAS_RESP_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO
25	Front-End Risk Adjustment System (FERAS) Response Reports	File will contain all of the submitted transactions whether or not the file contains errors.	FERAS	Data File	Daily	<u>Gentran mailbox:</u> RPT.RAPS_RETURN_FLAT_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute sssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
26	Front-End Risk Adjustment System (FERAS) Response Reports Transaction Error File	Report lists the transactions that contained errors and identifies the errors that were found.	FERAS	Report	Daily	<u>Gentran mailbox:</u> RPT.RAPS_ERRORRPT_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO
27	Front-End Risk Adjustment System (FERAS) Response Reports Transaction Summary Report	Report contains all of the transactions submitted, whether accepted or rejected.	FERAS	Report	Daily	<u>Gentran mailbox:</u> RPT.RAPS_SUMMARY_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO
28	Front-End Risk Adjustment System (FERAS) Response Reports Duplicate Diagnosis Cluster File	Report identifies diagnosis clusters with 502 error message, clusters accepted, but not stored.	FERAS	Report	Daily	<u>Gentran mailbox:</u> RPT.RAPS_DUPDX_RPT_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO
Weekly Transmittals (Data & Reports)						
29	Transaction Reply Weekly Activity Report (Weekly TRR)	Report listing all of the transactions that MARx processed for a plan in the week regardless of source, and gives a final disposition code for each transaction.	MARx	Report	Weekly	<u>Gentran mailbox:</u> P.Rxxxxx.TRWEEKR.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzzz.Rxxxxx.TRWEEKR.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxxx.TRWEEKR.Dyymmdd.Thhmsst

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute sssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
30	Transaction Reply Weekly Activity Data File	Data file version of the Transaction Reply Weekly Activity Report.	MARx	Data File	Weekly	Gentran mailbox: P.Rxxxxx.TRWEEKD.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.TRWEEKD.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.TRWEEKD.Dyymmdd.Thhmsst
31	Low-Income Subsidy/Part D Premium Data File	The data in the report reflects LIS info, premium subsidy levels, Low-income co-pay levels, etc. for all beneficiaries who have a low-income designation enrolled in a plan. This data file is produced bi-weekly. It is not automatically transmitted to the plans. Through the MARx UI plans can request this data file.	MARx	Data File	Biweekly	Gentran mailbox: P.Rxxxxx.LISPRMD.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.LISPRMD.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.LISPRMD.Dyymmdd.Thhmsst
Monthly Transmittals (Data & Reports)						
32	Transaction Reply/Monthly Activity Report (Monthly TRR)	Report listing all of the transactions that MARx processed for a plan in the month, regardless of source, and gives a final disposition code for each transaction. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Report	Monthly	Gentran mailbox: P.Rxxxxx.TRNREPLY.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.TRNREPLY.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.TRNREPLY.Dyymmdd.Thhmsst

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
33	Transaction Reply/Monthly Activity Data File	Data file version of the Transaction Reply/Monthly Activity Report. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Data File	Monthly	Gentran mailbox: P.Rxxxxx.TRNDATA.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.TRNDATA.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.TRNDATA.Dyymmdd.Thhmsst
34	Part C Monthly Membership Detail Report AKA: Monthly Membership Report (MMR)	Report listing every Part C Medicare member of the contract and providing details about the payments and adjustments made for each. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Report	Monthly	Gentran mailbox: P.Rxxxxx.MONMEMR.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.MONMEMR.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.MONMEMR.Dyymmdd.Thhmsst
35	Part D Monthly Membership Detail Report AKA: Monthly Membership Report (MMR)	Report listing every Part D Medicare member of the contract and providing details about the payments and adjustments made for each. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Report	Monthly	Gentran mailbox: P.Rxxxxx.MONMEDR.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.MONMEDR.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.MONMEDR.Dyymmdd.Thhmsst
36	Monthly Membership Detail Data File	Data file version of the Monthly Membership Detail Reports. This file contains the data for both Part C and Part D members. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Data File	Monthly	Gentran mailbox: P.Rxxxxx.MONMEMD.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.MONMEMD.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.MONMEMD.Dyymmdd.Thhmsst

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute sssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
37	Monthly Membership Summary Report	Report summarizing payments to a plan for the month, in several categories, and adjustments, by all adjustment categories. This report contains data for both Part C and Part D members. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Report	Monthly	Gentran mailbox: P.Rxxxxx.MONMEMSR.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.MONMEMSR.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.MONMEMSR.Dyymmdd.Thhmsst
38	Monthly Membership Summary Data File	Data file version of the Monthly Membership Summary Report for both Part C and Part D members. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Data File	Monthly	Gentran mailbox: P.Rxxxxx.MONMEMSD.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.MONMEMSD.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.MONMEMSD.Dyymmdd.Thhmsst
39	RAS RxHCC Model Output Report AKA: Part D Risk Adjustment Model Output Report	Report showing the Part D risk adjustment factors for each beneficiary. MARx forwards this report that is produced by RAS to plans as part of the month-end processing. Note: The date in the file name will default to "01" denoting the first day of the current payment month	RAS (MARx)	Report (.pdf)	Monthly	Gentran mailbox: P.Rxxxxx.PTDMODR.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.PTDMODR.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.PTDMODR.Dyymmdd.Thhmsst
40	RAS RxHCC Model Output Data File AKA: Part D Risk Adjustment Model Output Data File	Data file version of the RAS RxHCC Model Output Report. MARx forwards this report that is produced by RAS to plans as part of the month-end processing. Note: The date in the file name will default to "01" denoting the first day of the current payment month	RAS (MARx)	Data File	Monthly	Gentran mailbox: P.Rxxxxx.PTDMODD.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.PTDMODD.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.PTDMODD.Dyymmdd.Thhmsst

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
41	Auto and Facilitated Enrollment Address Data File	Data file containing the addresses for beneficiaries who are facilitated or auto-enrolled each month. The plans receive the information on these enrollments through their Transaction Reply Reports. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Data File	Monthly	Gentran mailbox: P.Rxxxx.AUTENRLD.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxx.AUTENRLD.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxx.AUTENRLD.Dyymmdd.Thhmsst
42	Part C Risk Adjustment Model Output Report	Report showing the Hierarchical Condition Codes (HCCs) used by the Risk Adjustment System (RAS) to calculate Part C risk adjustment factors for each beneficiary. MARx forwards this report that is produced by RAS to plans as part of the month-end processing. Note: The date in the file name will default to "01" denoting the first day of the current payment month	RAS (MARx)	Report	Monthly	Gentran mailbox: P.Rxxxx.HCCMODR.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxx.HCCMODR.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxx.HCCMODR.Dyymmdd.Thhmsst
43	Part C Risk Adjustment Model Output Data File	Data file version of the Risk Adjustment Model Output Report Note: The date in the file name will default to "01" denoting the first day of the current payment month	RAS (MARx)	Data File	Monthly	Gentran mailbox: P.Rxxxx.HCCMODD.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxx.HCCMODD.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxx.HCCMODD.Dyymmdd.Thhmsst

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
44	Benefits Improvement & Protection Act of 2000 (BIPA) 606 Payment Reduction Report	Report listing members for whom the plan is paying a portion of the Part B premium. Generated only if there are pre-2006 adjustments that involve BIPA 606 premium reductions. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Report	Monthly, if applicable	<u>Gentran mailbox:</u> P.Rxxxx.BIPA606R.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzzz.Rxxxx.BIPA606R.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.BIPA606R.Dyymmdd.Thhmsst
45	BIPA 606 Payment Reduction Data File	Data file version of the BIPA 606 Reduction Report. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Data File	Monthly, if applicable	<u>Gentran mailbox:</u> P.Rxxxx.BIPA606D.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzzz.Rxxxx.BIPA606D.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.BIPA606D.Dyymmdd.Thhmsst
46	Bonus Payment Report	Report listing members for whom the plan is to be paid a bonus. (Plans are paid a bonus for extending services to beneficiaries in some underserved areas.) Generated only if there are pre-2006 adjustments that involve bonus payments. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Report	Monthly, if applicable	<u>Gentran mailbox:</u> P.Rxxxx.BONUSRPT.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzzz.Rxxxx.BONUSRPT.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.BONUSRPT.Dyymmdd.Thhmsst

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute sssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
47	Bonus Payment Data File	Data file version of the Bonus Payment Report Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Data File	Monthly, if applicable	<u>Gentran mailbox:</u> P.Rxxxxx.BONUSDAT.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzzz.Rxxxxx.BONUSDAT.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxxx.BONUSDAT.Dyymmdd.Thhmsst
48	Demographic Report	Summary, by state and county, of the membership of the plan. Members are counted in categories that parallel the factors used in calculating the demographic payment, as well as ESRD and hospice status. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Report	Monthly	<u>Gentran mailbox:</u> P.Rxxxxx.DEMOGRPH.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzzz.Rxxxxx.DEMOGRPH.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxxx.DEMOGRPH.Dyymmdd.Thhmsst
49	Monthly Summary of Bills Report	Report summarizing all Medicare fee-for-service activity, both Part A and Part B, for beneficiaries enrolled in the contract Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Report	Monthly	<u>Gentran mailbox:</u> P.Rxxxxx.SUMBILLS.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzzz.Rxxxxx.SUMBILLS.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxxx.SUMBILLS.Dyymmdd.Thhmsst

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute sssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
50	HMO Bill Itemization Report	Report listing the Part A bills that were processed under Medicare fee-for-service for beneficiaries enrolled in the contract. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Report	Monthly	Gentran mailbox: P.Rxxxxx.BILLITEM.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.BILLITEM.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.BILLITEM.Dyymmdd.Thhmsst
51	Part B Claims Data File	Data file listing the Part B physician and supplier claims and Part B home health claims that were processed under Medicare fee-for-service for beneficiaries enrolled in the contract. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Data File	Monthly	Gentran mailbox: P.Rxxxxx.CLAIMDAT.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.CLAIMDAT.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.CLAIMDAT.Dyymmdd.Thhmsst
52	Payment Records Report	Report listing the Part B physician and supplier claims that were processed under Medicare fee-for-service for beneficiaries enrolled in the contract. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Report	Monthly	Gentran mailbox: P.Rxxxxx.PAYRECDS.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.PAYRECDS.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.PAYRECDS.Dyymmdd.Thhmsst

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute sssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
53	Monthly Premium Withholding Report Data File (MPWR) Header Detail Trailer - T1 - Total at segment level Trailer - T2 - Total at PBP level Trailer - T3 - Total at contract level	Monthly reconciliation file of premiums withheld from SSA, RRB, or OPM checks. Includes Part C and Part D premiums and any Part D Late Enrollment Penalties. This file is produced by the Premium Withhold System (PWS). MARx makes this report available to plans as part of the month-end processing. Note: The date in the file name will default to "01" denoting the first day of the current payment month	PWS (MARx)	Data File	Monthly	Gentran mailbox: P.Rxxxx.MPWRD.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxx.MPWRD.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxx.MPWRD.Dyymmdd.Thhmsst
54	Plan Payment Report (APPS Payment Letter)	Report itemizing the final monthly payment to the plan. This report is produced by the Automated Plan Payment System (APPS) when final payments are calculated. MARx makes this report available to plans as part of the month-end processing. Note: The date in the file name will default to "01" denoting the first day of the current payment month	APPS (MARx)	Report	Monthly	Gentran mailbox: P.Rxxxx.PLANPAY.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxx.PLANPAY.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxx.PLANPAY.Dyymmdd.Thhmsst
55	Interim APPS Plan Payment Report to Plans Note: The Interim Plan Payment Report will be available to Plans beginning with the November 2007 Software Change Release.	When a Plan is approved for an interim payment outside of the normal monthly process, an interim Plan Payment Report will be distributed to that Plan. The report will contain the amount and reason for the interim payment. These reports can also be requested via the MARx user interface under the weekly report section of the menu.	APPS (MARx)	Report	As needed	Gentran mailbox: P.Rxxxx.PLNPAYI.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxx.PLNPAYI.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxx.PLNPAYI.Dyymmdd.Thhmsst

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute sssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
56	820 Format Payment Advice	HIPAA-Compliant version of the Plan Payment Report. This data file itemizes the final monthly payment to the plan. <i>This data file is not available through MARx.</i> Note: The date in the file name will default to "01" denoting the first day of the current payment month	APPS	Data File	Monthly	Gentran mailbox: P.Rxxxx.PLAN820D.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxx.PLAN820D.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxx.PLAN820D.Dyymmdd.Thhmsst
57	Monthly Full Enrollment Data File	File includes all active membership for a plan on the date the file was run. This file is considered a definitive statement of current plan enrollment. This file uses the same format as the weekly TRR. CMS will announce the availability of each month's file. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Data File	Monthly	Gentran mailbox: P.Rxxxx.FEFD.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxx.FEFD.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxx.FEFD.Dyymmdd.Thhmsst
58	Prescription Drug Event (PDE) DBC Cumulative Beneficiary Summary Report	File includes summary for the beneficiary of accumulated overall totals in PDE amount fields with accumulated totals for covered drugs.	PDE	Data File	Monthly	Gentran mailbox: RPT.DDPS.CUM_BENE_ACT_COV_ssssss Connect:Direct: TRANSMITTED FROM PALMETTO

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
59	Prescription Drug Event (PDE) DBC Cumulative Beneficiary Summary Report	File includes summary for the beneficiary of accumulated overall totals in PDE amount fields with accumulated totals for enhanced drugs.	PDE	Data File	Monthly	<u>Gentran mailbox:</u> RPT.DDPS_CUM_BENE_ACT_ENH_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO
60	Prescription Drug Event (PDE) DBC Cumulative Beneficiary Summary Report	File includes summary for the beneficiary of accumulated overall totals in PDE amount fields with accumulated totals for over-the-counter drugs.	PDE	Data File	Monthly	<u>Gentran mailbox:</u> RPT.DDPS_CUM_BENE_ACT_OTC_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO
61	Front-End Risk Adjustment System (FERAS) Response Reports Monthly Plan Activity Report	Report provides monthly summary of the status of submissions by submitter and plan number.	FERAS	Report	Monthly	<u>Gentran mailbox:</u> RPT.RAPS_MONTHLY_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO
62	Front-End Risk Adjustment System (FERAS) Response Reports Cumulative Plan Activity Report	Report provides cumulative summary of the status of submissions by Submitter ID and plan number.	FERAS	Report	Monthly	<u>Gentran mailbox:</u> RPT.RAPS_CUMULATIVE_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO
63	Front-End Risk Adjustment System (FERAS) Response Reports Frequency Report Monthly Report	Report provides monthly summary of all errors on all file submissions within the month.	FERAS	Report	Monthly	<u>Gentran mailbox:</u> RAPS_ERRORFREQ_MNTH_ssssss <u>Connect:Direct:</u> TRANSMITTED FROM PALMETTO

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
64	LIS/LEP Data File	This report provides information on low-income subsidized beneficiaries and on direct-billed beneficiaries with late enrollment penalties. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Data File	Monthly	Gentran mailbox: P.Rxxxxx.LISLEPD.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.LISLEPD.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.LISLEPD.Dyymmdd.Thhmsst
65	Low Income Subsidy History Data File (LISHIST)	This file supplements existing files that provide LIS notifications. It provides a complete picture of a beneficiary's LIS eligibility over a period of time not to exceed 36 months. Note: The date in the file name will default to "01" denoting the first day of the current payment month	MARx	Data File	Monthly	Gentran mailbox: P.Rxxxxx.LISHIST.Dyymmdd.Thhmsst.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.LISHIST.Dyymmdd.Thhmsst Connect:Direct (Non-Mainframe): [directory]Rxxxxx.LISHIST.Dyymmdd.Thhmsst
Quarterly Report						
66	Front-End Risk Adjustment System (FERAS) Response Reports Frequency Report Quarterly Report	Report provides quarterly summary of all errors on all file submissions within the 3-month quarter.	FERAS	Report	Quarterly	Gentran mailbox: RAPS_ERRORFREQ_QTR_ssssss Connect:Direct: TRANSMITTED FROM PALMETTO

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxxx = 5 character Contract ID yyymmdd = Calendar year, month & day yymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute sssss = Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
Yearly Reports						
67	RAS Final Yearly Model Output Report, Part D	Report showing the year end Part D risk adjustment factors for each beneficiary. MARx forwards this report that is produced by RAS to plans as part of the month-end processing.	RAS (MARx)	Report (.pdf)	Yearly	Gentran mailbox: P.Rxxxxx.PTDMOFR.Yeeee.Cvvvv.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.PTDMOFR.Yeeee.Cvvvv Connect:Direct (Non-Mainframe): [directory]Rxxxxx.PTDMOFR.Yeeee.Cvvvv
68	RAS Final Yearly Model Output Data File, Part D	Data file version of the year end Part D RAS Model Output Report. MARx forwards this report that is produced by RAS to plans as part of the month-end processing.	RAS (MARx)	Data File	Yearly	Gentran mailbox: P.Rxxxxx.PTDMOFD.Yeeee.Cvvvv.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.PTDMOFD.Yeeee.Cvvvv Connect:Direct (Non-Mainframe): [directory]Rxxxxx.PTDMOFD.Yeeee.Cvvvv
69	RAS Final Yearly Model Output Report, Part C	Report showing the year end Part C risk adjustment factors for each beneficiary. MARx forwards this report that is produced by RAS to plans as part of the month-end processing.	RAS (MARx)	Report (.pdf)	Yearly	Gentran mailbox: P.Rxxxxx.HCCMOFR.Yeeee.Cvvvv.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.HCCMOFR.Yeeee.Cvvvv Connect:Direct (Non-Mainframe): [directory]Rxxxxx.HCCMOFR.Yeeee.Cvvvv
70	RAS Final Yearly Model Output Data File, Part C	Data file version of the year end Part C RAS Model Output Report. MARx forwards this report that is produced by RAS to plans as part of the month-end processing.	RAS (MARx)	Data File	Yearly	Gentran mailbox: P.Rxxxxx.HCCMOFD.Yeeee.Cvvvv.pn Connect:Direct (Mainframe): zzzzzzzz.Rxxxxx.HCCMOFD.Yeeee.Cvvvv Connect:Direct (Non-Mainframe): [directory]Rxxxxx.HCCMOFD.Yeeee.Cvvvv

Plan Communications User Guide Appendices, Version 2.3

ID#	Transmittal	Description	Responsible System	Type	Freq.	Dataset Naming Conventions
Dataset naming conventions key: [GUID] = 7 character IACS User ID P = Production Data [.ZIP] = Appended if the file is compressed [directory] = optional directory specification from non-mainframe C:D clients (if present, may consist of up to 60 characters). If none exists, directory defaults to the constant "EFTO." for Production files and "EFTT." for Test files. pn = Processing number of varying length assigned to the file by Gentran cccc = Contract number Pcccc = Plan Contract Number for C:D Uuuu-uuuuuu = 4-7 character transmitter RACF ID xxxx = 5 character Contract ID yyyymmdd = Calendar year, month & day yyymmdd = two digit year, month, day zzzzzzzz = Plan-provided high level qualifier eeee = Year for which final yearly RAS file was produced vvvvv = Sequence counter for final yearly RAS files Annnnn & Bnnnnn = MARx batch transaction ID, nnnnnnnnn split into two nodes A...and B ...with leading zeroes as necessary to complete ten-character batch ID hhmm = hour and minute ssssss= Sequentially assigned number mmyyyy = Calendar month & year hlq = High Level Qualifier or Directory per VSAM File freq = Frequency code of file						
71	Loss of Subsidy (Deemed Status) Data File Note: For 2007 this file will be sent using the format of a Special Full Enrollment File. Instead of a fixed '01' in the day of month position, the date node will reflect the actual date the file is created for transmission.	Once a year notification file, sent to notify Plans about beneficiaries' loss of low-income subsidy deemed status for the following calendar year based on CMS' annual re-determination of deemed status. The file is informational only, to assist Plans in reaching out to the affected population and encouraging them to file an application to qualify for the upcoming calendar year. The data file is sent using the format of the special Full Enrollment File. The TRC used for this special file type is 996. TRC 996 indicates the loss of deeming, which means the beneficiary will not be redeemed for the upcoming period.	MARx	Data File	Yearly	<u>Gentran mailbox:</u> P.Rxxxx.FEFD.Dyymmdd.Thhmsst.pn <u>Connect:Direct (Mainframe):</u> zzzzzzzz.Rxxxx.FEFD.Dyymmdd.Thhmsst <u>Connect:Direct (Non-Mainframe):</u> [directory]Rxxxx.FEFD.Dyymmdd.Thhmsst

This page intentionally left blank.

K: MMA Plan Connectivity Checklist

Getting Started				
☒ or N/A	#	Task	Checkpoint	Notes
☐	1.	Obtain a Contract Number from CMS/HPMS	Once completed, Task #5 may be initiated.	Contract #:
☐	2.	Open a progress tracking ticket with the MMA Help Desk		Ticket #:
☐	3.	Complete connectivity paperwork		
	4.	Complete T1/Connect:Direct Forms:	Must be started at least 6 weeks prior to target connectivity testing date.	
☐ or N/A		1. CMS Connect:Direct form		
☐ or N/A		2. CMS SPOE ID Request form		
Security and Access				
☒ or N/A	#	Task	Checkpoint	Notes
☐	5.	Submit EPOC Designation Letter to CMS	After completion of Task #1.	
☐	6.	EPOC registered in IACS	After completion of Task #5.	
☐	7.	EPOC approval received from CMS		
☐	8.	User/Submitter(s) registered in IACS for Enrollment, 4Rx, and BEQ (ECRS)	After EPOC registration is complete.	
☐ or N/A	9.	User/Representative(s) registered in IACS for Enrollment, 4Rx, and BEQ (ECRS)	After EPOC registration is complete.	
☐ or N/A	10.	User/Submitter(s) registered in IACS for PDE/RAPS	Gentran Submitters only. May be completed the same time as Task #8 or at a later date.	
Connectivity – Setup				
Note: Plans perform either Task #11 or Task #12.				
☒ or N/A	#	Task	Checkpoint	Notes
	11.	Each item listed in this Task is required by Plans submitting data via Connect:Direct.	Must be started at least 6 weeks prior to target connectivity testing date.	
		Set up T1/Connect:Direct to CMS:		
☐ or N/A		1. Contact AT&T or an AT&T reseller to establish connectivity to CMS via AGNS.		
☐ or N/A		2. Verify access to CMS via AGNS		
☐ or N/A		3. High-level qualifier and/or security designations verified as accessible to CMS.		
☐ or N/A		4. Obtain Connect:Direct Software from Sterling Commerce.		

Plan Communications User Guide Appendices, Version 2.3

☐ or N/A		5. Complete installation and configuration of Connect:Direct Software.		
☐ or N/A		6. Submitter successfully registered in IACS (see Task #8).		
☐ or N/A		7. Obtain SPOE ID from CMS (see Task #4.2).		
☐ or N/A		6. Contact MMA Help Desk to schedule connectivity testing timeframe.		
	12.	Each item listed in this Task is required by Plans submitting data via Gentran. Set up Gentran access:		
☐ or N/A		1. Submitter successfully registered in IACS (see Task #8).		
☐ or N/A		2. Obtain and install SFTP Software (if not using HTTPS)		
☐ or N/A		3. Open required firewalls/ports: SFTP Port: 10022 HTTPS Port: 3443		
Connectivity – Testing Note: Plans perform either Task #13 or Task #14. Plans submitting PDE/RAPS data must also perform Task #15.				
☒ or N/A	#	Task	Checkpoint	Notes
	13.	Each item listed in this Task is required by Plans submitting data via Connect:Direct. Test T1/Connect:Direct to CMS:		
☐ or N/A		1. Appropriate telecommunications and technical resources participate in conference call with appropriate CMS Resources (initiated by MMA Help Desk).		
☐ or N/A		2. Successfully transfer data to CMS		
☐ or N/A		3. Successfully receive data from CMS		
	14.	Each item listed in this Task is required by Plans submitting data via Gentran. Test Gentran:	Task #'s 8 and/or 10 must be completed successfully before this task can be completed.	
☐ or N/A		1. Mailbox(s) established at CMS is accessible		
☐ or N/A		2. Screenshot of successful access to 1 Gentran mailbox e-mailed to the MMA Help Desk.		
☐ or N/A		3. Send test file to Gentran mailbox		
☐ or N/A	15.	Contact CSSC Help Desk for assistance with Connectivity Testing of PDE/RAPS data submission.		

L: Disaster Recovery Implications for Plans

This section is currently under development for a future release. More information will be provided as this section is further defined.

This page intentionally left blank.

M: Valid Election Types for Plan Submitted Transactions

Table M-1 shows the valid election types for plan submitted enrollment and disenrollment transactions.

Table M-1 – Valid Election Types for Plans

<i>Election Types</i>							
<i>PLANS</i>	<i>AEP (A)</i>	<i>OEP (O)</i>	<i>OEPI (T)</i>	<i>OEPNEW (N)</i>	<i>SEP (S)</i>	<i>IEP (E)</i>	<i>ICEP (I)</i>
MA	Y	Y	Y	Y	Y		Y
MA-PD	Y	Y	Y	Y	Y	Y	Y
PDP	Y	N (Use coordinating SEP where appropriate per CMS guidance)	N (Use coordinating SEP where appropriate per CMS guidance)	N (Use coordinating SEP where appropriate per CMS guidance)	Y	Y	
SHMO I	Y	Y	Y	Y	Y		Y
SHMO II	Y	Y	Y	Y	Y		Y
SCO					Y		
Cost with Part D	Y	N (Use coordinating SEP where appropriate per CMS guidance)	N (Use coordinating SEP where appropriate per CMS guidance)	N (Use coordinating SEP where appropriate per CMS guidance)	Y	Y	
Cost without Part D	<i>None required however if the beneficiary is currently enrolled in an MA plan, a valid MA election period is required to leave that program and enroll in the cost plan”</i>						
ESRD I					Y		
ESRD II					Y		
PACE National	<i>None Required</i>						
MDHO & MSHO Demo	<i>None Required</i>						

<i>Election Types</i>							
PLANS	AEP (A)	OEP (O)	OEPI (T)	OEPNEW (N)	SEP (S)	IEP (E)	ICEP (I)
WPP Demo	Y	Y	Y	Y	Y	Y (If choosing Drug option)	Y
CCIP / FFS Demos	None Required						
Mass Dual-Eligible Demo	Y				Y		Y
MSA	Y				Y		Y
MSA Demo	Y				Y		Y