





Weights for the case: S=20 ,r=5 true gr K=4 ,type=3 ,N=17 pN=0.031 0.3 0.2 ă 0.1 0.0 8 12 16 4 tr








Weights for the case: S=20 ,r=5 true gr K=4 ,type=3 ,N=17 pN=0.049 0.3 0.2 ă 0.1 0.0 8 12 16 4 tr
















Weights for the case: S=20, r=5 true gr K=4, type=3, N=17 pN=0.055 0.3 0.2 ă 0.1 0.0 8 12 16 4 tr














Weights for the case: S=20 ,r=5 true gr K=4 ,type=3 ,N=17 pN=0.046 0.2 ă 0.1 0.0 8 12 16 tr




Trace plot for the number of groups K for S=20 r=5 true K=4 type=3 6 trace 5 500 1000 1500 2000 iter


Weights for the case: S=20 ,r=5 true gr K=4 ,type=3 ,N=17 pN=0.056 0.2 ă 0.1 0.0 8 12 16 tr







Weights for the case: S=20 ,r=5 true gr K=4 ,type=3 ,N=17 pN=0.051 0.2 ă 0.1 0.0 8 12 16 tr






Weights for the case: S=20, r=10 true gr K=4, type=3, N=17 pN=0.017 0.3 0.2 ă 0.1 0.0 8 12 16 tr







Weights for the case: S=20, r=10 true gr K=4, type=3, N=17 pN=0.172 0.3 -0.2 ă 0.1 0.0 8 12 16 tr




Trace plot for the number of groups K for S=20 r=10 true K=4 type=3 5.00 4.75 trace 4.50 4.25 4.00 1000 2000 500 1500 0 iter

Weights for the case: S=20 ,r=10 true gr K=4 ,type=3 ,N=17 pN=0.054 0.2 ă 0.1 0.0 8 12 16 tr







Weights for the case: S=20 ,r=10 true gr K=4 ,type=3 ,N=17 pN=0.041 0.20 0.15 ă 0.10 -0.05 -0.00 8 12 16 tr




Trace plot for the number of groups K for S=20 r=10 true K=4 type=3 5.00 4.75 trace 4.50 4.25 4.00 1000 2000 500 1500 0 iter


Weights for the case: S=20 ,r=10 true gr K=4 ,type=3 ,N=17 pN=0.057 0.20 0.15 -0.10 -0.05 -0.00 8 12 16 tr







Weights for the case: S=20 ,r=10 true gr K=4 ,type=3 ,N=17 pN=0.225 0.20 0.15 ă 0.10 0.05 -0.00 8 12 16 tr







Weights for the case: S=20 ,r=10 true gr K=4 ,type=3 ,N=17 pN=0.076 0.25 0.20 0.15 ă 0.10 0.05 -0.00 8 12 16 tr





Weights for the case: S=20 ,r=10 true gr K=4 ,type=3 ,N=17 pN=0.013 0.3 0.1 0.0 8 12 16 4 tr





Weights for the case: S=20 ,r=10 true gr K=4 ,type=3 ,N=17 pN=0.168 8 12 16


tr

0.2

ă


0.1


0.0




Trace plot for the number of groups K for S=20 r=10 true K=4 type=3 5.00 4.75 trace 4.50 4.25 4.00 1000 2000 500 1500 0 iter

Weights for the case: S=20 ,r=10 true gr K=4 ,type=3 ,N=17 pN=0.083 0.15 -0.10 ŏ 0.05 -0.00 8 12 16 tr







Weights for the case: S=20 ,r=20 true gr K=4 ,type=3 ,N=17 pN=0.031 0.3 0.2 ă 0.1 0.0 8 12 16 4 tr




Trace plot for the number of groups K for S=20 r=20 true K=4 type=3 5.00 4.75 trace 4.50 4.25 4.00 1000 2000 500 1500 0 iter


Weights for the case: S=20 ,r=20 true gr K=4 ,type=3 ,N=17 pN=0.242 0.3 0.2 ă 0.1 0.0 8 12 16 tr







Weights for the case: S=20 ,r=20 true gr K=4 ,type=3 ,N=17 pN=0.087 0.15 -0.10 ă 0.05 -0.00 8 12 16 tr







Weights for the case: S=20 ,r=20 true gr K=4 ,type=3 ,N=17 pN=0.204 0.20 0.15 -0.10 0.05 0.00 8 12 16 tr







Weights for the case: S=20, r=20 true gr K=4, type=3, N=17 pN=0.015 0.3 0.2 ă 0.1 0.0 8 12 16 4 tr







Weights for the case: S=20 ,r=20 true gr K=4 ,type=3 ,N=17 pN=0.03 0.3 0.2 ă 0.1 0.0 8 12 16 tr






Weights for the case: S=20 ,r=20 true gr K=4 ,type=3 ,N=17 pN=0.02 0.3 0.2 ă 0.1 0.0 8 12 16 tr







Weights for the case: S=20 ,r=20 true gr K=4 ,type=3 ,N=17 pN=0.082 0.2 ă 0.1 0.0 8 12 16

tr







Weights for the case: S=20, r=20 true gr K=4, type=3, N=17 pN=0.085 0.2 ă 0.1 0.0 8 12 16 tr




Trace plot for the number of groups K for S=20 r=20 true K=4 type=3 5.00 4.75 trace 4.50 4.25 4.00 1000 2000 500 1500 0 iter


Weights for the case: S=20 ,r=20 true gr K=4 ,type=3 ,N=17 pN=0.088 0.20 0.15 -0.10 0.05 -0.00 8 12 16 tr






Weights for the case: S=50 ,r=5 true gr K=4 ,type=3 ,N=12 pN=0.02 0.25 -0.20 0.15 ă 0.10 0.05 -0.00 9 3 6 tr







Weights for the case: S=50 ,r=5 true gr K=4 ,type=3 ,N=12 pN=0.137 0.3 -0.2 ă 0.1 0.0 3 9 6 tr




Number of iterations: 2000 burnin: 1000number of samples: 500S=50 r=5 true K=4 type=3





Weights for the case: S=50 ,r=5 true gr K=4 ,type=3 ,N=12 pN=0.036 0.2 ă 0.1 0.0 9 3 6 tr







Weights for the case: S=50 ,r=5 true gr K=4 ,type=3 ,N=12 pN=0.315 0.3 0.2 ă 0.1 0.0 3 9 6 tr







Weights for the case: S=50 ,r=5 true gr K=4 ,type=3 ,N=12 pN=0.029 0.3 0.2 ă 0.1 0.0 3 9 6 tr







Weights for the case: S=50 ,r=5 true gr K=4 ,type=3 ,N=12 pN=0.19 0.2 ă 0.1 0.0 9 3 6 tr







Weights for the case: S=50 ,r=5 true gr K=4 ,type=3 ,N=12 pN=0.037 0.2 ă 0.1 0.0 3 9 6 tr






Weights for the case: S=50 ,r=5 true gr K=4 ,type=3 ,N=12 pN=0.037 0.3 0.2 ă 0.1 0.0 3 9 6 tr







Weights for the case: S=50 ,r=5 true gr K=4 ,type=3 ,N=12 pN=0.013 0.3 0.2 ă 0.1 0.0 9 3 6 tr




Number of iterations: 2000 burnin: 1000number of samples: 500S=50 r=5 true K=4 type=3




Weights for the case: S=50 ,r=5 true gr K=4 ,type=3 ,N=12 pN=0.043 0.2 ă 0.1 0.0 3 9 6 tr







Weights for the case: S=50, r=10 true gr K=4, type=3, N=12 pN=0.013


0.3









Weights for the case: S=50, r=10 true gr K=4, type=3, N=12 pN=0.013 0.3 -0.2 ă 0.1 0.0 9 3 6 tr







Weights for the case: S=50 ,r=10 true gr K=4 ,type=3 ,N=12 pN=0.04 0.25 0.20 0.15 ă 0.10 0.05 -0.00 9 3 6 tr




Trace plot for the number of groups K for S=50 r=10 true K=4 type=3 5.00 4.75 trace 4.50 4.25 4.00 1000 2000 500 1500 0 iter


Weights for the case: S=50 ,r=10 true gr K=4 ,type=3 ,N=12 pN=0.261 0.3 0.2 ă 0.1 0.0 3 9 6 tr






Weights for the case: S=50 ,r=10 true gr K=4 ,type=3 ,N=12 pN=0.036 0.2 ă 0.1 0.0 9 3 6 tr







Weights for the case: S=50, r=10 true gr K=4, type=3, N=12 pN=0.028 0.3 0.2 ă 0.1 0.0 3 9 6 tr




Trace plot for the number of groups K for S=50 r=10 true K=4 type=3 4.00 3.75 **-**1.50 trace 3.25 3.00 1000 2000 500 1500 0 iter


Weights for the case: S=50 ,r=10 true gr K=4 ,type=3 ,N=12 pN=0.039 0.4 0.3 ă 0.2 0.1 0.0 3 9 6 tr







Weights for the case: S=50, r=10 true gr K=4, type=3, N=12 pN=0.013 0.2 ă 0.1 0.0 9 3 6 tr







Weights for the case: S=50, r=10 true gr K=4, type=3, N=12 pN=0.195 0.3 0.2 ă 0.1 0.0 3 9 6 tr







Weights for the case: S=50, r=10 true gr K=4, type=3, N=12 pN=0.027 0.2 ă 0.1 0.0 3 9 6 tr







Weights for the case: S=50 ,r=20 true gr K=4 ,type=3 ,N=12 pN=0.041 0.3 0.2 ă 0.1 0.0 9 3 6 tr







Weights for the case: S=50, r=20 true gr K=4, type=3, N=12 pN=0.225 0.3 0.2 ă 0.1 0.0 3 9 6 tr







Weights for the case: S=50, r=20 true gr K=4, type=3, N=12 pN=0.187 0.3 0.2 ă 0.1 0.0 3 9 6 tr







Weights for the case: S=50 ,r=20 true gr K=4 ,type=3 ,N=12 pN=0.036 0.25 0.20 0.15 ă 0.10 -0.05 -0.00 9 3 6 tr







Weights for the case: S=50, r=20 true gr K=4, type=3, N=12 pN=0.005 0.3 -0.2 ă 0.1 0.0 9 3 6 tr






Weights for the case: S=50 ,r=20 true gr K=4 ,type=3 ,N=12 pN=0.021









Weights for the case: S=50 ,r=20 true gr K=4 ,type=3 ,N=12 pN=0.216 0.3 -0.2 ă 0.1 0.0 9 3 6


tr




Trace plot for the number of groups K for S=50 r=20 true K=4 type=3 5.00 4.75 trace 4.50 4.25 4.00 1000 2000 500 1500 0 iter

Weights for the case: S=50, r=20 true gr K=4, type=3, N=12 pN=0.185 0.2 ă 0.1 0.0 3 9 6 tr







Weights for the case: S=50 ,r=20 true gr K=4 ,type=3 ,N=12 pN=0.024 0.3 0.2 ă 0.1 0.0 3 9 6 tr




Trace plot for the number of groups K for S=50 r=20 true K=4 type=3 4.00 3.75 **-**1.50 trace 3.25 3.00 1000 2000 500 1500 0 iter


Weights for the case: S=50 ,r=20 true gr K=4 ,type=3 ,N=12 pN=0.02 0.3 0.2 ŏ 0.1 0.0 3 9 6 tr







Weights for the case: S=80 ,r=5 true gr K=4 ,type=3 ,N=10 pN=0.021 0.3 0.2 ă 0.1 0.0 2.5 7.5 5.0 tr







Weights for the case: S=80 ,r=5 true gr K=4 ,type=3 ,N=10 pN=0.009 0.2 ă 0.1 0.0 2.5 7.5 5.0 tr







Weights for the case: S=80 ,r=5 true gr K=4 ,type=3 ,N=10 pN=0.252 0.3 0.2 ă 0.1 0.0 2.5 7.5 5.0 tr







Weights for the case: S=80 ,r=5 true gr K=4 ,type=3 ,N=10 pN=0.224 0.2 ă 0.1 0.0 2.5 5.0 7.5 tr








Weights for the case: S=80 ,r=5 true gr K=4 ,type=3 ,N=10 pN=0.022 0.3 -0.2 ă 0.1 0.0 2.5 5.0 7.5 tr




























































Weights for the case: S=80, r=10 true gr K=4, type=3, N=10 pN=0.235 0.2 ă 0.1 0.0 2.5 5.0 7.5 tr







Weights for the case: S=80 ,r=10 true gr K=4 ,type=3 ,N=10 pN=0.014 0.3 0.2 ă 0.1 0.0 2.5 5.0 7.5 tr







Weights for the case: S=80, r=10 true gr K=4, type=3, N=10 pN=0.015 0.2 ă 0.1 0.0 2.5 7.5 5.0 tr







Weights for the case: S=80, r=10 true gr K=4, type=3, N=10 pN=0.232 0.2 ă 0.1 0.0 2.5 7.5 5.0 tr






Weights for the case: S=80 ,r=10 true gr K=4 ,type=3 ,N=10 pN=0.014 0.3 0.2 ă 0.1 0.0 2.5 7.5 5.0 tr







Weights for the case: S=80, r=10 true gr K=4, type=3, N=10 pN=0.013 0.3 0.2 ă 0.1 0.0 2.5 5.0 7.5 tr




Trace plot for the number of groups K for S=80 r=10 true K=4 type=3 4.00 3.75 **-**1.50 trace 3.25 3.00 1000 2000 1500 500 iter


Weights for the case: S=80 ,r=10 true gr K=4 ,type=3 ,N=10 pN=0.196 0.2 ă 0.1 0.0 2.5 5.0 7.5 tr







Weights for the case: S=80 ,r=10 true gr K=4 ,type=3 ,N=10 pN=0.214 0.3 0.2 ă 0.1 0.0 2.5 7.5 5.0 tr







Weights for the case: S=80 ,r=10 true gr K=4 ,type=3 ,N=10 pN=0.25 0.2 ă 0.1 0.0 2.5 5.0 7.5 tr







Weights for the case: S=80, r=20 true gr K=4, type=3, N=10 pN=0.022 0.3 0.2 ă 0.1 0.0 2.5 7.5 5.0 tr







Weights for the case: S=80, r=20 true gr K=4, type=3, N=10 pN=0.273 0.2 ă 0.1 0.0 2.5 5.0 7.5 tr







Weights for the case: S=80 ,r=20 true gr K=4 ,type=3 ,N=10 pN=0.021 0.3 0.2 ă 0.1 0.0 2.5 5.0 7.5 tr












Trace plot for the number of groups K for S=80 r=20 true K=4 type=3 5.00 4.75 trace 4.50 4.25 4.00 1000 2000 500 1500 0 iter


Weights for the case: S=80 ,r=20 true gr K=4 ,type=3 ,N=10 pN=0.021 0.2 ă 0.1 0.0 2.5 7.5 5.0 tr







Weights for the case: S=80 ,r=20 true gr K=4 ,type=3 ,N=10 pN=0.009 0.2 ă 0.1 0.0 2.5 7.5 5.0 tr







Weights for the case: S=80, r=20 true gr K=4, type=3, N=10 pN=0.022 0.3 0.2 ă 0.1 0.0 2.5 5.0 7.5 tr







Weights for the case: S=80 ,r=20 true gr K=4 ,type=3 ,N=10 pN=0.02 0.2 ă 0.1 0.0 2.5 7.5 5.0 tr





Weights for the case: S=80, r=20 true gr K=4, type=3, N=10 pN=0.022 0.3 0.2 ă 0.1 0.0 2.5 7.5 5.0 tr





Weights for the case: S=80 ,r=20 true gr K=4 ,type=3 ,N=10 pN=0.268 0.3 0.2 ă 0.1 0.0 2.5 7.5 5.0 tr

