- MASTER BUILD PROMPT: PITON Heavy Industrial Website
  - 📌 PROJECT OVERVIEW
    - Business Identity
    - Brand Story (Use as copy source material)
  - 🎯 TARGET AUDIENCE
  - 🏭 PRODUCT CATALOG (Core Product Lines)
    - 1. Cooling Tower Fans (VG Series)
    - 2. Fan Impellers (RK Series)
    - 3. Composite Diffusers (D Series)
    - 4. Air-Cooling Unit Fans (AVO Series)
    - 5. Low-Speed Electric Motors
  - 📋 CERTIFICATIONS & STANDARDS
  - 👥 CLIENT LIST (Verified — Use for Social Proof)
    - Oil & Gas / Petrochemistry
    - Metallurgy
    - Chemicals / Fertilizers
    - Other
  - 🛠️ TECHNICAL SPECIFICATION
    - Tech Stack
    - Project Initialization
  - 🎨 DESIGN SYSTEM — "INDUSTRIAL AUTHORITY"
    - Color Palette
    - Design Rules (STRICTLY ENFORCE)
    - Animation Requirements
  - 📄 SITEMAP & PAGE STRUCTURE
  - 🏠 HOMEPAGE SECTIONS (Build in this exact order)
    - Section 1: HERO
    - Section 2: STATS BAR
    - Section 3: PRODUCT OVERVIEW
    - Section 4: WHY PITON (Value Pillars)
    - Section 5: CLIENT LOGOS
    - Section 6: CTA BANNER
  - 📝 KEY PAGE CONTENT
    - Products Detail Pages (× 5)
    - About Page
    - Clients Page
    - Contact / RFQ Page

- 🔍 SEO IMPLEMENTATION
  - Every Page Must Have:
  - JSON-LD Structured Data
  - Target Keywords (Russian-language SEO)
- 📱 RESPONSIVE BREAKPOINTS
  - Responsive Rules:
- ♿ ACCESSIBILITY
- 💡 TONE OF VOICE
  - Words to USE:
  - Words to AVOID:
- 📁 FILE STRUCTURE
- 🚀 IMPLEMENTATION ORDER
- ⚠️ COMMON MISTAKES TO AVOID
- 🧪 QUALITY CHECKLIST (Before "Done")

MASTER BUILD PROMPT: PITON Heavy Industrial Website

> **Purpose:** Complete, self-contained instruction set for building the PITON LLC heavy industrial website from scratch. Follow every section precisely. Generate real, compelling English-language copy for every section.

📌 PROJECT OVERVIEW

Build a **premium, fully responsive website** for PITON LLC — a Russian heavy industrial manufacturer of axial fan systems for cooling towers and air-cooling apparatus. The company serves billion-dollar enterprises across Russia and international markets.

Business Identity

Field	Value
Business Name	**PITON LLC** (ООО "ПИТОН")

Field	Value
Full Legal Name	Production and Technological Support of Petrochemistry
Tagline	*"Engineered to Move Air. Built to Move Industry."*
Industry	Heavy Industrial — Axial Fan Systems, Cooling Tower Equipment
Location	Moscow, Russia (RF, 111395, ul. Yunosti, d.5, str.3)
Phone	+7-495-661-6793 (Multichannel)
Email	pitonltd@mail.ru, mail@pitonltd.ru
Founded	1992 (30+ years in operation)
Website	pitonltd.ru
Design Reference	Rockwell Industries International — red/grey industrial scheme

Brand Story (Use as copy source material)

PITON has been engineering and manufacturing axial fan systems since 1992 — through economic upheavals, industry transformations, and three decades of relentless Russian winters. Their composite-blade impellers and fan assemblies are installed in the cooling towers and air-cooling apparatus of Russia's most critical infrastructure: Gazpromneft refineries, Rosneft processing facilities, Lukoil petrochemical plants, Evraz steel mills, and dozens more. When a cooling tower fan fails, an entire refinery production line can shut down — costing millions per hour. PITON's equipment doesn't fail. That's why the biggest names in Russian industry keep coming back.

🎯 TARGET AUDIENCE

Persona	Description	Pain Point	What They Need to Hear
Chief Engineer	Plant/facility engineers at refineries, steel	"I need reliable fan systems that meet our exact	"30+ years proven in the harshest industrial

Persona	Description	Pain Point	What They Need to Hear
	mills, petrochemical complexes	specifications and won't fail under extreme conditions"	environments across Russia"
Procurement Manager	Purchasing departments at major industrial enterprises (Gazpromneft, Lukoil, etc.)	"I need a trusted, certified supplier with competitive pricing and reliable delivery"	"4 registered TU certifications. 40+ enterprise clients. Request a quote in 24 hours."
Plant Director	Senior management at metallurgical, oil refining, and petrochemical facilities	"I need to keep my cooling infrastructure running 24/7 without unplanned shutdowns"	"Mission-critical reliability from Russia's specialist axial fan manufacturer"
Maintenance Manager	On-site teams responsible for cooling tower upkeep and fan replacement	"I need fast replacement parts with exact compatibility and quick turnaround"	"Complete impeller, diffuser, and motor replacement — engineered for your exact model"

🏭 PRODUCT CATALOG (Core Product Lines)

1. Cooling Tower Fans (VG Series)

Headline: *"The Heartbeat of Russia's Cooling Infrastructure"*

Model	Flow Rate (m^3/s)	Pressure (Pa)	Diameter (mm)	RPM	Motor Power (kW)
VG-25LS	43.5	140	2500	375	11

Model	Flow Rate (m^3/s)	Pressure (Pa)	Diameter (mm)	RPM	Motor Power (kW)
VG-50SK/SD	136.9	180	5000	187.5	30
VG-70SK/SD	366.8	160	7000	176.5	75
VG-104	750	170	10400	111	200

Key Features:

- Composite blade construction with fiberglass-reinforced polymer
- Leading edge protected with stainless steel cladding
- Blade angle adjustment range is unlimited
- Quiet low-speed electric motors (BACO, ACBO, BACB series)
- Operating voltage: 380V (6000V for VG-104)

---

2. Fan Impellers (RK Series)

Headline: *"Precision-Engineered Impellers for Maximum Airflow Efficiency"*

Model	Diameter (mm)	Blade Count	RPM	Motor Power (kW)	Weight (kg)
RK-25A	2480	4	375	11	60
RK-50-4K	4960	4	187.5	30	300
RK-70LSM	6960	4	176.5	75	350
RK-79-6LSM	6900	6	176.5	90	800
RK-104LSM	10380	6	111	200	2700

---

3. Composite Diffusers (D Series)

Headline: *"Aerodynamically Optimized Diffusers for Peak Tower Performance"*

Model	Sector Count	Max Diameter (mm)	Height (mm)	Weight (kg)
D-25SK	4	3000	760	60
D-50SK	10	6040	1800	800
D-60SI	10	6040	3200	700
D-70SK	12	8050	2200	1200
D-70SDM	12	8050	3150	1500
D-104	14	11800	4900	4000

---

4. Air-Cooling Unit Fans (AVO Series)

Headline: *"Reliable Airflow for Process Cooling Applications"*

Models range from AVOL-16-6 (1.6m diameter) to AVOV-70-4 (7.0m diameter), covering:

- Diameter range: 1,600mm to 7,000mm
- Blade count: 4-8 per impeller
- Motor power: 13-75 kW
- Applications: Air-cooled heat exchangers in petrochemical and refining processes

---

5. Low-Speed Electric Motors

Headline: *"Purpose-Built Drives for Critical Fan Applications"*

Motor series: BACO, ACBO, BACB

- Power range: 11 kW to 200 kW
- Voltage: 380V and 6000V
- Frequency: 50 Hz
- Designed specifically for continuous-duty cooling tower fan service

---

📋 CERTIFICATIONS & STANDARDS

Standard	Description
TU4894-004-00220311-2015	Fan impellers with fiberglass blades for cooling tower fans
TU4894-003-00220311-2015	Fan impellers with fiberglass blades for air-cooling apparatus
TU4894-002-00220311-2015	Fiberglass diffusers for cooling tower fans
TU3689-001-00220311-2015	VG-type axial fans

👥 CLIENT LIST (Verified — Use for Social Proof)

Oil & Gas / Petrochemistry

Gazpromneft-Omsk NPZ • Gazpromneft-Moscow NPZ • Rosneft-Tuapse NPZ • Rosneft-Novokuibyshevsk NPZ • KINEF (Kirishi) • Lukoil (various) • Tatneft (Almetyevsk) • Slavneft-YANOS (Yaroslavl) • NAFTAN (Belarus) • Mozyr NPZ (Belarus) • Fergana NPZ (Uzbekistan) • Atyrau NPZ (Kazakhstan) • Borkhimmash (Borisoglebsk) • Penzneftemash (Penza)

Metallurgy

MMK (Magnitogorsk) • Mechel (Chelyabinsk) • EVRAZ-NTMK (Nizhny Tagil) • EVRAZ-ZSMK (Novokuznetsk) • RUSAL Sayanogorsk • PAO Severny Trubny Zavod

Chemicals / Fertilizers

Stavropolpolimer (Budennovsk) • Minudobreniya (Voskresensk) • Meleuz Mineral Fertilizers • Khimprom VODO (Volgograd) • Kaustik • Voronezh Synthetic Rubber

Other

MDK (Pirdop, Bulgaria) • NIK-Khabarovsk NPZ • Paradise Foods (international) • Gazprom (various divisions) • Kompomash (Kostroma) • Avisma (Berezniki)

🛠️ TECHNICAL SPECIFICATION

Tech Stack

Layer	Technology	Why
Build Tool	**Vite**	Fast dev/build, modern ESM, zero config
Language	**HTML + Vanilla CSS + Vanilla JS**	Maximum control, no framework overhead, simple hosting
Styling	**CSS Custom Properties (variables)**	Full design token system, responsive utilities
Animations	**CSS Keyframes + Intersection Observer**	Scroll-triggered reveals, counters, micro-interactions
Forms	**Formspree** (or custom endpoint)	RFQ form without backend server
Fonts	**Google Fonts: Inter 400/700/800**	Modern, technical, premium readability
Icons	**Lucide Icons (CDN)** or inline SVG	Lightweight, consistent
Maps	**Yandex Maps API**	Russian-market standard
Analytics	**Yandex.Metrica + GA4**	Russian market + global tracking
Hosting	**Static host** (Netlify, Vercel, or client's server)	Fast, cheap, global CDN

Project Initialization

```
npm create vite@latest ./ -- --template vanilla
```

🎨 DESIGN SYSTEM — "INDUSTRIAL AUTHORITY"

> **CRITICAL:** This is NOT a generic corporate website. This is a **premium heavy industrial site** that must project the authority of a company trusted by Gazpromneft and Rosneft. The design must feel powerful, precise, and engineered — like the equipment PITON builds. Reference: Rockwell Industries.

Color Palette

```
:root {
  /* === PRIMARY PALETTE === */
  --color-bg-white:       #FFFFFF;     /* Clean white sections */
  --color-bg-light:       #F2F2F2;     /* Light grey backgrounds */
  --color-bg-dark:        #2D2D2D;     /* Charcoal dark sections */
  --color-bg-darker:      #1A1A1A;     /* Near-black (nav, footer) */

  /* === BRAND COLORS === */
  --color-primary:        #D12027;     /* PITON Red — bold, high-visibility */
  --color-primary-dark:   #A81920;     /* Darkened red for hover states */
  --color-primary-light:  #E8434A;     /* Lightened red for accents */

  /* === NEUTRALS === */
  --color-steel:          #6B6B6B;     /* Steel grey for body text on light */
  --color-text-dark:      #1A1A1A;     /* Near-black for headings on light */
  --color-text-light:     #E8E8E8;     /* Light text on dark backgrounds */
  --color-text-muted:     #999999;     /* Muted labels, captions */

  /* === FUNCTIONAL === */
  --color-success:        #28A745;
  --color-warning:        #FFC107;
  --color-error:          #DC3545;

  /* === SPACING (8-point grid) === */
  --space-xs:   4px;
  --space-sm:   8px;
  --space-md:   16px;
  --space-lg:   24px;
  --space-xl:   32px;
  --space-2xl:  48px;
  --space-3xl:  64px;
  --space-4xl:  96px;
  --space-5xl:  128px;

  /* === TYPOGRAPHY === */
```

```
  --font-heading: 'Inter', sans-serif;
  --font-body:    'Inter', sans-serif;

  --text-xs:    0.75rem;
  --text-sm:    0.875rem;
  --text-base:  1rem;
  --text-lg:    1.125rem;
  --text-xl:    1.25rem;
  --text-2xl:   1.5rem;
  --text-3xl:   1.875rem;
  --text-4xl:   2.25rem;
  --text-5xl:   3rem;
  --text-6xl:   3.75rem;
  --text-hero:  clamp(2.5rem, 6vw, 5rem);

  /* === BORDERS & RADIUS === */
  --radius-sm:    2px;
  --radius-md:    4px;
  --radius-lg:    8px;
  --border-subtle: 1px solid #E0E0E0;
  --border-dark:   1px solid rgba(255, 255, 255, 0.1);

  /* === SHADOWS === */
  --shadow-sm:    0 1px 3px rgba(0, 0, 0, 0.1);
  --shadow-md:    0 4px 12px rgba(0, 0, 0, 0.15);
  --shadow-lg:    0 8px 32px rgba(0, 0, 0, 0.2);
  --shadow-red:   0 4px 20px rgba(209, 32, 39, 0.3);

  /* === TRANSITIONS === */
  --transition-fast:    150ms ease;
  --transition-base:    250ms ease;
  --transition-slow:    400ms ease;
}
```

Design Rules (STRICTLY ENFORCE)

1. **NO glassmorphism** — this is heavy industry, not SaaS
2. **NO bento grids** as default layout
3. **NO generic corporate stock photos** — generate industrial imagery or use abstract
4. **NO rounded corners everywhere** — keep edges sharp (2-4px max) for precision feel
5. **NO pastel colors** — bold red, hard charcoal, clean white only
6. **YES diagonal section dividers** — angled transitions between sections (Rockwell-style)
7. **YES red accent bars** — horizontal accent stripes to break sections
8. **YES bold typography** — Inter 800 Black for headings, strong visual hierarchy

9. **YES scroll-triggered animations** — staggered reveals for stats, product cards, client logos
10. **YES animated counters** — stats count up when scrolled into view (30+, 40+, 10.4m)
11. **YES full-bleed hero images** — industrial photography with dark overlays
12. **YES "Request a Quote" CTAs** — red buttons on every product section

Animation Requirements

```
@media (prefers-reduced-motion: reduce) {
  *, *::before, *::after {
    animation-duration: 0.01ms !important;
    animation-iteration-count: 1 !important;
    transition-duration: 0.01ms !important;
  }
}

/* Scroll-triggered reveal */
.reveal {
  opacity: 0;
  transform: translateY(30px);
  transition: opacity 0.6s ease, transform 0.6s cubic-bezier(0.34, 1.56, 0.64, 1);
}
.reveal.visible {
  opacity: 1;
  transform: translateY(0);
}

/* Staggered children */
.reveal-stagger > * {
  opacity: 0;
  transform: translateY(20px);
  transition: opacity 0.5s ease, transform 0.5s ease;
}
.reveal-stagger.visible > *:nth-child(1) { transition-delay: 0ms; }
.reveal-stagger.visible > *:nth-child(2) { transition-delay: 100ms; }
.reveal-stagger.visible > *:nth-child(3) { transition-delay: 200ms; }
.reveal-stagger.visible > *:nth-child(4) { transition-delay: 300ms; }
.reveal-stagger.visible > * { opacity: 1; transform: translateY(0); }

/* Counter animation (JS-driven) */
@keyframes counter-fill {
  from { width: 0%; }
  to { width: 100%; }
}

/* Red accent pulse on CTA buttons */
@keyframes cta-pulse {
  0%, 100% { box-shadow: 0 0 0 0 rgba(209, 32, 39, 0.4); }
```

```
  50%      { box-shadow: 0 0 0 12px rgba(209, 32, 39, 0); }
}
```

📄 SITEMAP & PAGE STRUCTURE

```
/                          → Homepage (Hero + Stats + Products + Why PITON +
Clients + CTA)
/about                     → Company History, Engineering Capabilities,
Certifications
/products                  → Products Overview (all 4 product lines)
/products/cooling-tower-fans  → VG Series Detail Page
/products/fan-impellers       → RK Series Detail Page
/products/diffusers           → D Series Detail Page
/products/air-cooling-fans    → AVO Series Detail Page
/products/electric-motors     → Motor Series Detail Page
/projects                  → Case Studies & Installation Gallery
/clients                   → Client Logo Grid + Interactive Geography Map
/resources                 → Technical Documentation Downloads (PDF spec sheets)
/contact                   → Contact Form + RFQ Form + Office Map
```

🏠 HOMEPAGE SECTIONS (Build in this exact order)

Section 1: HERO

- **Layout:** Full-viewport height, full-bleed background image with dark overlay
- **Background:** Industrial hero image (cooling tower fans at sunset, or refinery with cooling towers) — dark overlay at ~60% opacity
- **Content:** Massive headline, subheadline, two CTAs, red accent bar at top
- **Headline:** *"Engineered to Move Air. Built to Move Industry."*
- **Sub-headline:** *"For 30+ years, PITON has designed and manufactured high-performance axial fan systems for Russia's most critical industrial infrastructure."*
- **CTA Primary (Red button):** "Request a Quote" → /contact
- **CTA Secondary (White outline):** "View Our Products" → /products
- **Animation:** Headline fades in from bottom. CTAs fade in with slight delay. Background image has subtle Ken Burns zoom.

Section 2: STATS BAR

- **Layout:** Full-width charcoal (#2D2D2D) bar with 4 stats in a row
- **Content:**
  - **30+** Years in Operation
  - **40+** Enterprise Clients
  - **10.4m** Maximum Fan Diameter
  - **4** Product Lines
- **Animation:** Numbers count up from 0 when scrolled into view
- **Design:** White text on charcoal, red accent underline on each number

Section 3: PRODUCT OVERVIEW

- **Layout:** White background, 4 product cards in a grid (2×2 desktop, 1-col mobile)
- **Section Title:** *"Our Product Lines"*
- **Each Card Contains:**
  - Industrial product image (generated or photographed)
  - Product line name (VG Series / RK Series / D Series / AVO Series)
  - 1-2 sentence description
  - Key spec highlight (e.g., "Up to 10.4m diameter")
  - "View Specifications →" link to detail page
- **Interaction:** Cards lift with shadow on hover, red border-bottom appears
- **Animation:** Cards reveal with staggered scroll animation

Section 4: WHY PITON (Value Pillars)

- **Layout:** Light grey (#F2F2F2) background, 3 alternating content blocks
- **Section Title:** *"Why Industry Leaders Choose PITON"*
- **Pillar 1 — Heritage:** *"30+ Years of Proven Performance"* — Operating since 1992, through every economic cycle. Our equipment has logged millions of operational hours without failure.
- **Pillar 2 — Engineering:** *"Composite Blade Technology"* — Fiberglass-reinforced polymer blades with stainless steel leading-edge protection. Unlimited blade angle adjustment. Diameters up to 10.4 meters.
- **Pillar 3 — Trust:** *"Chosen by the Biggest Names in Industry"* — From Gazpromneft refineries to Evraz steel mills, PITON is the trusted choice for

mission-critical cooling infrastructure.
- **Animation:** Each pillar reveals on scroll with slide-in from alternating sides

Section 5: CLIENT LOGOS

- **Layout:** White background, 2 rows of client logos in a scrolling marquee or static grid
- **Section Title:** *"Trusted by Industry Leaders"*
- **Logos to Feature (top priority):** Gazpromneft, Rosneft, Lukoil, Tatneft, Evraz, MMK, Mechel, RUSAL, Slavneft, NAFTAN
- **Below logos:** *"...and 30+ more industrial enterprises across Russia, Kazakhstan, Belarus, Bulgaria, and Uzbekistan"*
- **Animation:** Logo rows fade in with stagger

Section 6: CTA BANNER

- **Layout:** Full-width, red (#D12027) background with diagonal top edge
- **Headline:** *"Need a Reliable Fan System for Your Facility?"*
- **Sub-headline:** *"Contact our engineering team for specifications, pricing, and delivery timelines. Response within 24 hours."*
- **CTA Button (White on Red):** "Request a Technical Consultation" → /contact
- **Secondary Info:** Phone: +7-495-661-6793 | Email: pitonltd@mail.ru

---

📝 KEY PAGE CONTENT

Products Detail Pages (× 5)

Each product category page includes:

- Hero banner with product name and hero image
- Brief description and applications
- **Interactive specification table** (sortable columns, highlighted rows on hover)
- Technical drawing or product diagram
- Related products sidebar
- "Request Quote for This Product" red CTA button

- Downloadable PDF spec sheet button

About Page

- Company history timeline (1992 → present) with milestones
- Engineering capabilities and manufacturing facilities description
- Quality management: all 4 TU certifications prominently displayed
- "Our Commitment" statement — reliability, precision, partnership

Clients Page

- Interactive Yandex Map showing installation geography (pin each client location)
- Logo grid of all major clients grouped by industry:
  - Oil & Gas | Metallurgy | Chemicals | International
- Optional: brief case study highlights

Contact / RFQ Page

RFQ Form Fields:

Field	Type	Required	Placeholder
Full Name	text	Yes	"Your full name"
Company	text	Yes	"Company name"
Position/Title	text	No	"Your role"
Email	email	Yes	"your@company.com"
Phone	tel	Yes	"+7-XXX-XXX-XXXX"
Product Interest	select	Yes	Options: VG Fans / RK Impellers / Diffusers / AVO Fans / Motors / Other
Model (if known)	text	No	"e.g., VG-50SK"
Quantity	number	No	"Number of units"
Delivery Timeline	select	No	Options: Urgent / 1-3 months / 3-6 months / Planning phase

Field	Type	Required	Placeholder
Project Description	textarea	No	"Tell us about your requirements"

🔍 SEO IMPLEMENTATION

Every Page Must Have:

1. Unique `<title>` tag (50-60 chars)
2. Unique `<meta name="description">` (150-160 chars)
3. Open Graph tags (og:title, og:description, og:image, og:url)
4. Canonical URL
5. Single H1 per page with proper heading hierarchy
6. Semantic HTML (header, main, section, nav, footer)

JSON-LD Structured Data

Homepage — Organization:

```
{
  "@context": "https://schema.org",
  "@type": "Organization",
  "name": "PITON LLC",
  "alternateName": "ООО ПИТОН",
  "description": "Manufacturer of axial fan systems for cooling towers and air-
cooling apparatus since 1992",
  "url": "https://pitonltd.ru",
  "telephone": "+7-495-661-6793",
  "email": "pitonltd@mail.ru",
  "address": {
    "@type": "PostalAddress",
    "streetAddress": "ul. Yunosti, d.5, str.3",
    "addressLocality": "Moscow",
    "postalCode": "111395",
    "addressCountry": "RU"
  },
  "foundingDate": "1992"
}
```

Product Pages — Product Schema:

```
{
  "@context": "https://schema.org",
  "@type": "Product",
  "name": "VG-50 Cooling Tower Fan",
  "manufacturer": { "@type": "Organization", "name": "PITON LLC" },
  "description": "Axial fan for cooling towers, 5000mm diameter, composite blades"
}
```

Target Keywords (Russian-language SEO)

Page	Primary Keyword	Secondary Keywords
Homepage	"осевые вентиляторы градирен"	"вентиляторы для градирен", "производитель вентиляторов"
VG Products	"вентиляторы градирен ВГ"	"вентилятор ВГ-25", "вентилятор ВГ-50", "вентилятор ВГ-104"
RK Products	"рабочие колеса вентиляторов"	"рабочее колесо градирни", "импеллер градирни"
Diffusers	"диффузоры градирен"	"стеклопластиковые диффузоры", "диффузор вентилятора"
AVO Products	"вентиляторы аппаратов воздушного охлаждения"	"вентилятор АВО"
About	"ПИТОН производитель"	"производство вентиляторов Москва"

📱 RESPONSIVE BREAKPOINTS

```
/* Mobile first — default styles: 0-639px (mobile) */
@media (min-width: 640px)  { /* sm: Tablets portrait */ }
@media (min-width: 768px)  { /* md: Tablets landscape */ }
@media (min-width: 1024px) { /* lg: Laptops */ }
@media (min-width: 1280px) { /* xl: Desktops */ }
```

Responsive Rules:

- Navigation: Hamburger menu below 768px, full nav bar at 768px+
- Hero heading: `clamp(2.5rem, 6vw, 5rem)`
- Product grid: 1 column mobile → 2 columns tablet → 2×2 desktop
- Client logos: 2-across mobile → 5-across desktop
- Spec tables: horizontal scroll on mobile
- Touch targets: 44px × 44px minimum on mobile
- Body text minimum: 16px

♿ ACCESSIBILITY

- ☐ All images have descriptive `alt` text
- ☐ Color contrast ratio ≥ 4.5:1 for text, ≥ 3:1 for large text
- ☐ All interactive elements keyboard accessible
- ☐ Focus indicators visible on all focusable elements
- ☐ Form inputs have associated `<label>` elements
- ☐ ARIA landmarks (nav, main, footer)
- ☐ Skip-to-content link
- ☐ `prefers-reduced-motion` respected
- ☐ `<html lang="en">`
- ☐ Heading hierarchy sequential

💡 TONE OF VOICE

Attribute	Do	Don't
Authoritative	"30+ years engineering mission-critical fan systems"	"We try to make good fans"
Specific	"Composite blades up to 10.4m diameter, VG-104 model"	"Large industrial fans"
Direct	"Request a quote. Response within 24 hours."	"Please don't hesitate to reach out at your convenience"
Engineered	"Fiberglass-reinforced polymer with stainless steel leading edge"	"High-quality materials"

Attribute	Do	Don't
Trustworthy	"Chosen by Gazpromneft, Rosneft, Lukoil, Evraz"	"Many happy clients"

Words to USE:

engineered, precision, composite, reliability, mission-critical, infrastructure, performance, certified, proven, industrial-grade

Words to AVOID:

synergy, leverage, paradigm, empower, elevate, seamless, best-in-class (empty), world-class (empty), innovative (overused)

📂 FILE STRUCTURE

```
project-root/
├── index.html                  # Homepage
├── about.html                  # Company history & certifications
├── products.html               # Products overview
├── products/
│   ├── cooling-tower-fans.html # VG Series detail
│   ├── fan-impellers.html      # RK Series detail
│   ├── diffusers.html          # D Series detail
│   ├── air-cooling-fans.html   # AVO Series detail
│   └── electric-motors.html    # Motors detail
├── projects.html               # Case studies & gallery
├── clients.html                # Client logos & geography map
├── resources.html              # Technical document downloads
├── contact.html                # Contact + RFQ form
├── css/
│   ├── variables.css           # Design tokens (colors, spacing, typography)
│   ├── base.css                # Reset, global styles, fonts
│   ├── layout.css              # Grid, containers, responsive utilities
│   ├── components.css          # Buttons, cards, tables, forms, nav
│   └── animations.css          # Keyframes, scroll reveals, counters
├── js/
│   ├── main.js                 # Mobile nav, scroll reveals, counters
│   ├── form.js                 # RFQ form validation & submission
│   └── map.js                  # Yandex Maps integration
├── assets/
│   ├── images/                 # Hero images, product photos, client logos
```

```
│   ├── icons/                    # SVG icons
│   └── docs/                     # PDF spec sheets for download
├── sitemap.xml
├── robots.txt
├── vite.config.js
└── package.json
```

🚀 IMPLEMENTATION ORDER

```
STEP 1:  Initialize Vite project (vanilla template)
STEP 2:  Create CSS design system (variables.css, base.css)
STEP 3:  Set up Google Fonts (Inter 400/700/800) in base.css
STEP 4:  Create animations.css with all keyframes
STEP 5:  Build layout.css (grid, containers, responsive)
STEP 6:  Build components.css (buttons, cards, tables, nav, forms)
STEP 7:  Generate hero images with AI (cooling tower, refinery, fan close-up)
STEP 8:  Build index.html — Homepage (all 6 sections)
STEP 9:  Build Header/Nav component (responsive with hamburger)
STEP 10: Build Footer component
STEP 11: Build contact.html with RFQ form
STEP 12: Build about.html (history, capabilities, certifications)
STEP 13: Build products.html (overview with 4 product cards)
STEP 14: Build individual product pages (5 pages with spec tables)
STEP 15: Build clients.html (logo grid + Yandex Map)
STEP 16: Build projects.html (case studies & gallery)
STEP 17: Build resources.html (PDF downloads)
STEP 18: Implement main.js (scroll reveals, counters, mobile nav)
STEP 19: Implement form.js (validation, Formspree submission)
STEP 20: SEO implementation (meta tags, JSON-LD, sitemap, robots)
STEP 21: Responsive testing at 375px, 768px, 1024px, 1440px
STEP 22: Lighthouse audit and fixes (target: 90+ all categories)
STEP 23: Cross-browser testing (Chrome, Firefox, Edge)
STEP 24: Final QA — links, forms, animations, accessibility
```

⚠️ COMMON MISTAKES TO AVOID

1. **Don't use placeholder text.** Write REAL, compelling copy for every section.
2. **Don't make it look like a template.** Every section should feel custom and premium.
3. **Don't forget mobile.** Design mobile-first. Test at 375px width.
4. **Don't skip animations.** The site must feel alive and modern. Static = failure.
5. **Don't use generic stock photos.** Generate custom industrial visuals.

6. **Don't hardcode the year.** Use `new Date().getFullYear()` in the footer.
7. **Don't ignore spec table mobile UX.** Tables must scroll horizontally on mobile.
8. **Don't forget accessibility.** Keyboard nav, reduced motion, contrast ratios.
9. **Don't make the RFQ form too long.** Only essential fields required, rest optional.
10. **Don't mix color temperatures.** Stick to red + charcoal + white. No blue, no green.

🧪 QUALITY CHECKLIST (Before "Done")

- ☐ All pages load under 3 seconds
- ☐ All pages score 90+ on Lighthouse (Performance, SEO, Accessibility, Best Practices)
- ☐ RFQ form submits successfully
- ☐ All links work (no 404s)
- ☐ Responsive: tested at 375px, 768px, 1024px, 1440px
- ☐ All scroll animations trigger correctly
- ☐ `prefers-reduced-motion` disables all animations
- ☐ Spec tables are usable on mobile (horizontal scroll)
- ☐ Client logos display correctly
- ☐ Yandex Map loads on Clients page
- ☐ JSON-LD validates at https://validator.schema.org
- ☐ No console errors in browser DevTools
- ☐ Footer shows current year dynamically
- ☐ Red CTA buttons are visible and functional on every product page

---

> **END OF MASTER BUILD PROMPT**