
APPENDIX A - AMMUNITION REQUIREMENTS AND SPECIFICATIONS

During the Term of the Agreement, the Vendor(s) shall supply and deliver Deliverables that conform to all dimensional specifications and performance standards as follows:

- (a) Category A - Ammunition requirements must conform to all dimensional specifications and performance standards recommended by the SAAMI or CIP; and provided specifications.
- (b) Category B – Ammunition requirements must conform to all dimensional specifications and performance standards recommended by the SAAMI, the CIP or NATO/EPVAT.

Deliverable(s) provided by the Vendor(s) shall meet the Requirements outlined in the RFB.

Below are the requirements for:

Table A1: Category A - Ammunition Requirements and Specifications; and

Table A2: Category B - Ammunition Requirements.

Category A ONLY - All Category A Ammunition consist of General and Specific Requirements and Specifications:

- Specific Requirements and Specifications can be found in the applicable Attachments 1 – 17 as identified in Table A1: Category A - Ammunition Requirements and Specifications; and
- General Specifications which are applicable to all Category A Calibers/Gauges of ammunition and can be found in Attachment 18 – General Requirements;

Table A1: Category A – Ammunition Requirements and Specifications:

Line Item No.	Caliber	Bullet Descriptor				Category Type	Sub-Caliber Type (if applicable)	Specifications (see Attachments)
		Primary	Secondary	Construction	Bullet Weight(s)			
1	.223 Rem	Jacketed Soft Point or hollow point	N/A	Barrier Blind with cannelure	multiple weights possible	PD - Duty	N/A	Attachment 1 PR-8310-OPP-2D
2	.223 Rem	Jacketed	Reduced Lead	cannelured	multiple weights possible	RL - Training	Reduced Lead (lead free primer, protected lead projectile, etc.)	Attachment 2 PR-8310-OPP-2TRL
3	.223 Rem	Frangible	N/A	N/A	multiple weights possible	F -Training	N/A	Attachment 3 PR-8310-OPP-2TF
4	.308 Win	Jacketed Soft Point, flat point or hollow point	N/A	Barrier Blind with cannelure	164-175 gr	PD - Duty	N/A	Attachment 4 PR-8310-OPP-4D
5	.308 Win	Boat Tail Hollow point	Match	N/A	multiple weights possible	SD – Duty-OA	Sniper	Attachment 5 PR-8310-OPP-4DSP
6	.308 Win	Jacketed Soft Point, flat point or hollow point	Match	Barrier Blind	multiple weights possible	SD – Duty-BB	Sniper	Attachment 5 PR-8310-OPP-4DSP
7	.308 Win	Armour Piercing	Match	N/A	multiple weights possible	SD – Duty-AP	Sniper	Attachment 5 PR-8310-OPP-4DSP

Line Item No.	Caliber	Bullet Descriptor				Category Type	Sub-Caliber Type (if applicable)	Specifications (see Attachments)
		Primary	Secondary	Construction	Bullet Weight(s)			
8	.308 Win	Any Boat Tail	Match	N/A	multiple weights possible	ST Training	Sniper	Attachment 6 PR-8310-OPP-4TGT Pending
9	.338 LM	Boat Tail Hollow point	Match	N/A	multiple weights possible	SD – Duty-OA	Sniper	Attachment 7 PR-8310-OPP-5DSP
10	.338 LM	Jacketed Soft Point, flat point or hollow point	Match	Barrier Blind	multiple weights possible	SD – Duty-BB	Sniper	Attachment 7 PR-8310-OPP-5DSP
11	.338 LM	Armour Piercing	Match	N/A	multiple weights possible	SD – Duty -AP	Sniper	Attachment 7 PR-8310-OPP-5DSP
12	.338 LM	Any Boat Tail	Match	N/A	multiple weights possible	ST - Training	Sniper	Attachment 8 PR-8310-OPP-5TGT Pending
13	12g	Slug	N/A	N/A	1oz	PD – Duty-FR	Standard Recoil	Attachment 9 PR-8310-OPP-3DSP-A
14	12g	Slug	N/A	N/A	1oz	PD – Duty-RR	Reduced Recoil	Attachment 10 PR-8310-OPP-3D-A
15	12g	Slug	Frangible	N/A	multiple weights possible	F - Training	Frangible	Attachment 11 PR-8310-OPP-3TF-A
16	12g	00 Buck	N/A	N/A	1oz	PD – Duty-FR	Standard Recoil	Attachment 12 PR-8310-OPP-3DSP-B

Line Item No.	Caliber	Bullet Descriptor				Category Type	Sub-Caliber Type (if applicable)	Specifications (see Attachments)
		Primary	Secondary	Construction	Bullet Weight(s)			
17	12g	00 Buck	N/A	N/A	1oz	PD – Duty-RR	Reduced Recoil	Attachment 13 PR-8310-OPP-3D-B
18	12g	00 Buck	Frangible	N/A	multiple weights possible	F - Training	N/A	Attachment 14 PR-8310-OPP-3TF-B
19	9mm Luger	Jacketed Hollow Point	Controlled expansion	Barrier Blind	115-147gr	PD - Duty	N/A	Attachment 15 PR-8310-OPP-1D
20	9mm Luger	Protected base lead projectile	N/A	N/A	115-147gr	RL - Training	Reduced Lead (lead free primer, protected lead projectile, etc.)	Attachment 16 PR-8310-OPP-1TRL
21	9mm Luger	Frangible	N/A	N/A	multiple weights possible	F - Training	Frangible	Attachment 17 PR-8310-OPP-1TF

Table A2: Category B - Ammunition Requirements;

Line Item No.	Caliber	Bullet Descriptor				Category Type	Sub-Category Type (if applicable)	Special Instructions/Notes
		Primary	Secondary	Construction	Bullet Weight(s)			
1	.223 Rem	Jacketed Soft Point or hollow point	Nil	cannelured	Nil	Duty	Nil	Nil

Line Item No.	Caliber	Bullet Descriptor				Category Type	Sub-Category Type (if applicable)	Special Instructions/Notes
		Primary	Secondary	Construction	Bullet Weight(s)			
2	.223 Rem	Jacketed	Nil	cannelured	Nil	Training	Lead components permitted	Cost effective variant of duty round for training [match trajectory of duty round(s) submitted]
3	.223 Rem	Jacketed frangible	Nil	cannelured	Nil	Training	Frangible	Must meet SAAMI specification for frangibility - (if product(s) being submitted are lead free indicate with "Lead Free" in product submission cell(s))
4	.223 Rem	Frangible	Nil	Nil	Nil	Training	Frangible	Nil
5	.223 Rem Marking Cartridges	Marking	Nil	Nil	Nil	Training	Nil	Lead free primer, marking cartridges for use with Simunition kits – or equivalent
6	.223 Rem SecuriBlank - Loud	N/A	Nil	Nil	Nil	Training	Blank	Lead free primer, blank cartridges (loud noise) for use with Simunition kits – or equivalent
7	.223 Rem SecuriBlank - Quiet	N/A	Nil	Nil	Nil	Training	Function only Blank	Lead free primer, blank cartridges (no noise) for use with Simunition kits – or equivalent

Line Item No.	Caliber	Bullet Descriptor				Category Type	Sub-Category Type (if applicable)	Special Instructions/Notes
		Primary	Secondary	Construction	Bullet Weight(s)			
8	.308 Win	Jacketed Soft Point, flat point or hollow point	Nil	cannelured	multiple weights possible	Duty	Nil	For use in semi-automatic and bolt action firearms
9	.308 Win	Boat Tail Hollow point	Match	Nil	multiple weights possible	Duty	Sniper	Nil
10	.308 Win	Jacketed	Reduced Lead	Nil	Nil	Training	Reduced Lead (lead free primer, protected lead projectile, etc.)	Total Metal Jacket, Encapsulated, Brass Enclosed Base for training [match trajectory of duty round(s) submitted]
11	.338 LM	Armour Piercing	Match	Nil	multiple weights possible	Duty	Sniper	Nil
12	.40 S&W	Jacketed Hollow Point	Controlled expansion	Nil	155-180gr	Duty	Nil	Nil

Line Item No.	Caliber	Bullet Descriptor				Category Type	Sub-Category Type (if applicable)	Special Instructions/Notes
		Primary	Secondary	Construction	Bullet Weight(s)			
13	.40 S&W	Jacketed	Lead free	Nil	multiple weights possible	Training	Lead free (primer and Projectile)	Ammunition is to have no lead components for training [match trajectory of duty round(s) submitted]
14	.40 S&W	Frangible	Nil	Nil	multiple weights possible	Training	Frangible	Must meet SAAMI specification for frangibility - (if product(s) being submitted are lead free indicate with "Lead Free" in product submission cell(s))
15	12g	Sock	Nil	Less lethal	Nil	Nil	Nil	Otherwise known as bean bag, less lethal impact round.
16	12g	Slug	Nil	Nil	1oz	Duty	Reduced recoil	Nil
17	12g	00 Buck	Nil	Nil	1oz	Duty	Reduced recoil	Nil

Line Item No.	Caliber	Bullet Descriptor				Category Type	Sub-Category Type (if applicable)	Special Instructions/Notes
		Primary	Secondary	Construction	Bullet Weight(s)			
18	38/357 Marking cartridges	Marking	Nil	Nil	Nil	Training	Nil	Lead free primer, marking cartridges for use with Simunition kits
19	5.56mm	Jacketed	Reduced Lead	cannelured	Nil	Training	Reduced Lead (lead free primer, protected lead projectile, etc.)	Total Metal Jacket, Encapsulated, Brass Enclosed Base for training [match trajectory of duty round(s) submitted]
20	5.56mm	Jacketed frangible	Nil	cannelured	Nil	Training	Frangible	Must meet SAAMI specification for frangibility - (if product(s) being submitted are lead free indicate with "Lead Free" in product submission cell(s))
21	5.56mm Marking cartridges	Marking	Nil	Nil	Nil	Training	Nil	Lead free primer, marking cartridges for use with Simunition kits
22	5.56mm SecuriBlank - Loud	N/A	Nil	Nil	Nil	Training	Blank	Lead free primer, blank cartridges (loud noise) for use with Simunition kits

Line Item No.	Caliber	Bullet Descriptor				Category Type	Sub-Category Type (if applicable)	Special Instructions/Notes
		Primary	Secondary	Construction	Bullet Weight(s)			
23	9mm Luger	Jacketed Hollow Point	Controlled expansion	Nil	115-147gr	Duty	Nil	Nil
24	9mm Luger	Lead free	Nil	Nil	multiple weights possible	Training	Lead free (primer and Projectile)	Ammunition is to have no lead components for training [match trajectory of duty round(s) submitted]
25	9mm Luger	Frangible	Nil	Nil	multiple weights possible	Training	Frangible	Must meet SAAMI specification for frangibility - (if product(s) being submitted are lead free indicate with "Lead Free" in product submission cell(s))
26	9mm Marking cartridges	Marking	N/A	N/A	N/A	Training	N/A	Lead free primer, marking cartridges for use with Simunition kits & Glock 17TM
27	9mm SecuriBlank - Loud	N/A	N/A	N/A	N/A	Training	Blanks	Lead free primer, blank cartridges (loud noise) for use with Simunition kits & Glock 17TM
28	9mm SecuriBlank - Quiet	N/A	N/A	N/A	N/A	Training	Function only Blank	Lead free primer, blank cartridges (no noise) for use with Simunition kits & Glock 17TM

Line Item No.	Caliber	Bullet Descriptor				Category Type	Sub-Category Type (if applicable)	Special Instructions/Notes
		Primary	Secondary	Construction	Bullet Weight(s)			
<u>29</u>	<u>9mm Luger</u>	<u>Nil</u>	<u>Nil</u>	<u>Nil</u>	<u>115-147gr</u>	<u>Training</u>	<u>Lead components permitted</u>	<u>Cost effective variant of duty round for training (match trajectory of duty round(s) submitted)</u>
<u>30</u>	<u>40 S&W</u>	<u>Jacketed</u>	<u>Nil</u>	<u>Nil</u>	<u>155-180gr</u>	<u>Training</u>	<u>Lead Components Permitted</u>	<u>Cost effective variant of duty round for training (match trajectory of duty round(s) submitted)</u>

