

# Documentación BACKEND

a





# AUTH

# Register

Vased Api - vased (Dev) – Register

Application Edit View Window Tools Help

Vased Api / vased

POST ...baseurl ...auth /register

Send 200 OK 2.2 s 245 B 2 Hours Ago

JSON Auth Query Header Docs

Preview Header Cookie Timeline

URL PREVIEW  
http://localhost:3000/api/v1/auth/register

New name New value

```
1 {  
2   "token":  
3     "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ0.eyJcI2VyIjp7ImkIjoyNCwibmFtZSI6IlBlZlJvMlIsInVtYW  
LsIjoiBGFwdWVdgFkZXBlZlJvMk8nbWFpbC5jb26lC3yb2xlijoxfSwiaWF0IjoxNjUzNTg1NzUzLCJleHAiO  
E2NTM100KzNTN9.mXQObmWxULBXATCuFI2RYCVvg4nKTJ_81hyXvvrVLQ"  
3 }
```

## REGISTER RUTA:


**HTTP://LOCALHOST:3000/API/V1/AUTH/REGISTER**  
**INGRESAR HEADER:**

**CONTENT-TYPE APPLICATION/JSON**  
**INGRESAR DATOS EN FORMAT JSON:**

```
{  
  
  "NAMES": "MIGUEL",  
  "LASTNAMES": "PUERTA",  
  "EMAIL": "MIGUEL@GMAIL.COM",  
  "PASSWORD": "123456",  
  "DNI": 10,  
  "BIRTHDATE": "1980-10-29",  
  "CITY": "ENVIGADO - ANTIOQUIA",  
  "COUNTRY": "PERU",  
  "ROLEID": 2,  
  "DNITYPEID": 2  
}
```

## RESPUESTA:

**HTTP/1.1 200 OK**



# AUTH

# Login



Vased Api - vased (Dev) – Login

Application Edit View Window Tools Help

Vased Api / vased

POST `_.baseurl` `_.auth` /login

Send **200 OK** 2.47 s 235 B 32 Minutes Ago

JSON Auth Query Header Docs

URL PREVIEW <http://localhost:3000/api/v1/auth/login>

New name New value

Preview Header Cookie Timeline

```
1: {
2:   "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpc3MiAiLCJ1bmFtZSI6IkRhbmllbGEiLCJ1bmFpbCI6ImRhbmllbGFAZ21haWwUY29tIiwicm9sZSI6MXQsImIhdCI6MTY1MzU5MjUwMywiZXhwIjoxNjU2NTk2MTAzfQ.Bp9s_P0LusPYtjoIPKeuzH75DtAutAgILmhgHPM-C4w"
3: }
```

**Ruta Autenticación: <http://localhost:3000/api/v1/auth/login>**

**Ingresar Header: Content-Type application/json**

**Ingresar credenciales de autenticación en json:**

```
{ "email": "ejos.acc@gmail.com", "password": "123456" }
```

**Respuesta : HTTP/1.1 200 OK**



# AUTH

# Forgot password

Vased Api - vased (Dev) – Forgot Password

Application Edit View Window Tools Help

Vased Api / vased

POST `...baseurl ...auth /forgot-password` Send

200 OK 1.22 s 34 B 7 Minutes Ago

Preview Header 9 Cookie Timeline

JSON Auth Query Header Docs

```
1v [
2 "email": "lorena@gmail.com"
3 ]
```

```
1v {
2   "msg": "Email sent successfully."
3 }
```

**FORGOT PASSWORD  
RUTA AUTENTICACIÓN:**

**HTTP://LOCALHOST:3000/API/V1/AUTH/FORGOT-PASSWORD  
INGRESAR HEADER:**

**CONTENT-TYPE APPLICATION/JSON  
INGRESAR CREDENCIALES DE AUTENTICACIÓN EN JSON:**

{

"EMAIL": "LORENA@GMAIL.COM"

}


**RESPUESTA :**

**HTTP/1.1 200 OK**



# AUTH

# Reset password



## RESET PASSWORD RUTA AUTENTICACIÓN:

**HTTP://LOCALHOST:3000/API/V1/AUTH/RESET-PASSWORD/4/EYJHBGCIOJIUZI1NIISINR5CCI6IKPXVCJ9.EYJ1C2VYIJP7IMLKIJ00LCJUYW1LIJOITG9YZW5HIIWIZW1HAWWIOJSB3JLBMFAZ21HAWWUY29TIIWICM9SZSI6MN0SIMLHDCI6MTY1NDE3OTQ1NIWI ZXHWIJOXNJU0MTGWMZU2FQ.3Q8ZIMWVOWNWMPPOFXKGFPB5TV4DIJ38IWAMFSTE2U**  
**INGRESAR HEADER:**

**CONTENT-TYPE APPLICATION/JSON  
INGRESAR CREDENCIALES DE AUTENTICACIÓN EN JSON:**




```
{  
  "PASSWORD": "123456"  
}
```

**RESPUESTA :**

**HTTP/1.1 200 OK**

# AUTH

# Activate account



## ACTIVATE ACCOUNT RUTA AUTENTICACIÓN:

**HTTP://LOCALHOST:3000/API/V1/AUTH/ACTIVATE-  
ACCOUNT/4/EYJHBGCIOIJIUZI1NIISINR5CCi6IKPXVCJ9.EYJ1C2VYIjP7IMLKIJ  
00LCJUYW1LIJOITG9YZW5HIIWIZW1HAWWIOJSB3JLBMFaz21HAWWUY29TII  
WICM9SzsI6MN0sIMLhDCi6MTY1NDE3OTM1MiwiZxhwIjoxNjU0Nzg0MTUy  
fQ.PwMTa4Kgr60FnVuYpThjY2OIMJu5E8TgjZ4afQkDBQA**

**INGRESAR HEADER:**

**CONTENT-TYPE APPLICATION/JSON**


**INGRESAR CREDENCIALES DE AUTENTICACIÓN EN JSON:**

{

**"PASSWORD": "123456"**


**} RESPUESTA :**

**HTTP/1.1 200 OK**



# USER

# GETUSER



Vased Api - vased (Dev) – getUser

Application Edit View Window Tools Help

Vased Api / vased

GET `...baseurl...users/25` Send 200 OK 1.75 s 439 B Just Now

Body Auth Query Header Docs

URL PREVIEW  
`http://localhost:3000/api/v1/users/25`

New name New value

```
1v {
2   "id": 25,
3   "names": "Miguel",
4   "lastnames": "Puerta",
5   "dni": 10,
6   "email": "miguel@gmail.com",
7   "password": "$2b$10$KK.nLzbv7UmWek055ig/KuTZEEFC0od5tziKdmHGDzEx0Uj7fim0",
8   "birthdate": "1988-10-29T00:00:00.000Z",
9   "city": "Envigado - Antioquia",
10  "country": "Peru",
11  "lastlogin": null,
12  "createdAt": "2022-05-26T20:24:35.526Z",
13  "updatedAt": "2022-05-26T20:24:35.526Z",
14  "roleId": 2,
15  "dnitypeid": 2,
16  "classrooms": [],
17  "task_classrooms": [],
18  "user_task_classrooms": [],
19  "answers": []
20 }
```

**Ruta ingresar ID para ver usuario:**

**<http://localhost:3000/api/v1/users/2>**

**Ingresar Header:**

**Content-Type application/json**

**Authorization ingresarToken**

**Response: HTTP/1.1 200 OK**

# USER

## GETUSERS

Vased Api - vased (Dev) – getUsers

Application Edit View Window Tools Help

Vased Api / vased ▾

GET ▾ `...baseUrl...users/` Send 200 OK 2.04 s 18.7 KB 1 Minute Ago ▾

Body ▾ Auth ▾ Query Header ▾ Docs Preview ▾ Header ▾ Cookie Timeline

URL PREVIEW  
`http://localhost:3000/api/v1/users/`

New name New value

```
1 [  
2 {  
3   "id": 3,  
4   "names": "Tracy",  
5   "lastnames": "Hickman",  
6   "dni": "29091903",  
7   "email": "rachel37@example.net",  
8   "birthdate": "2000-05-27T00:00:00.000Z",  
9   "city": "East Jennifer",  
10  "country": "Namibia",  
11  "lastlogin": null,  
12  "roleId": 2,  
13  "dentityId": 3,  
14  "classrooms": [  
15    {  
16      "id": 12,  
17      "capacity": 19,  
18      "name": "Christina Garner",  
19      "code": "Q36532",  
20      "adminDescription": "Trouble push three food listen. Piece nor finally case choice whatever. Life star memory parent.",  
21      "description": "why throughout order figure traditional expect truth. Answer responsibility trade behind oil. Feeling statement push film college them loss join.",  
22      "endsAt": "2022-07-06",  
23      "createdBy": 5,  
24      "user_classroom": {  
25        "id": 1,  
26        "createdAt": "2022-05-24T17:23:12.516Z",  
27        "updatedAt": "2022-05-24T17:23:12.516Z",  
28        "userId": 3,  
29        "classroomId": 12  
30      }  
]
```

**getUsers**  
**Ruta ingresar ID para ver usuario:**

**<http://localhost:3000/api/v1/users/>**

**Ingresar Header:**

**Content-Type application/json**

**Authorization ingresarToken**

**Response: HTTP/1.1 200 OK**



# USER CREATEUSER

The screenshot shows the Vased API interface. A POST request is made to `http://localhost:3000/api/v1/users/create-user`. The response is **200 OK** with a duration of 1.79 s and a size of 299 B. The JSON response body is displayed:

```
1 {  
2   "id": 26,  
3   "names": "ana",  
4   "lastNames": "Perez",  
5   "dni": 123456789,  
6   "email": "ana@gmail.com",  
7   "birthDate": "2008-07-12T00:00:00.000Z",  
8   "city": "tunja",  
9   "country": "Italia",  
10  "password": "123",  
11  "updatedAt": "2022-05-26T22:21:24.682Z",  
12  "createdAt": "2022-05-26T22:21:24.682Z",  
13  "lastLogin": null,  
14  "roleId": null,  
15  "dniTypeId": null  
16 }
```

**createUser**  
**Ingresar Json:**

{

```
"names": "ana",  
"lastNames": "Perez",  
"dni": 123456789,  
"email": "ana@gmail.com",  
"birthDate": "2008-07-12",  
"city": "tunja",  
"country": "Italia"  
}
```


**Ruta:**

**http://localhost:3000/api/v1/users/create-user/**  
**Ingresar Header:**

**Content-Type application/json**  
**Authorization ingresarSuToken**

**Respuesta:**

**HTTP/1.1 200 OK**



# USER

# UPDATEUSER

The screenshot shows a browser window titled "Vased Api - vased". The address bar says "http://localhost:3000/api/v1/users/update-user/26". The response status is "200 OK" with a time of "2.1 s" and a size of "301 B". The JSON response body is:

```
1 {  
2   "id": 26,  
3   "names": "ana",  
4   "lastNames": "Perez",  
5   "dni": 123456789,  
6   "email": "ana@gmail.com",  
7   "birthDate": "2008-07-12",  
8   "city": "tunja",  
9   "country": "Colombia"  
10 }  
11  
12  
13  
14  
15  
16 }
```

**updateUser**  
**Crear Json:**



```
{  
  
  "names": "ana",  
  "lastNames": "Perez",  
  "dni": 123456789,  
  "email": "ana@gmail.com",  
  "birthDate": "2008-07-12",  
  "city": "tunja",  
  "country": "Colombia"  
}
```

**Ruta:**

**<http://localhost:3000/api/v1/users/update-user/26>**

**Ingresar Header:**

**Content-Type application/json**  
**Authorization ingresarSuToken**

**Respuesta:**

**HTTP/1.1 200 OK**

# USER

## deleteUser

The screenshot shows the Vased API tool interface. At the top, it says "Vased Api - vased (C)" and "us02web.zoom.us está compartiendo tu pantalla." with buttons "Dejar de compartir" and "Ocultar". The main area shows a "DELETE" request to "http://localhost:3000/api/v1/users/delete-user/26". The status bar indicates "204 No Content", "1.87 s", and "0 B". Below the URL, there are tabs for "JSON", "Auth", "Query", "Header", and "Docs". The "Header" tab is selected, showing "Content-Type: application/json". The "Preview" tab shows the response body: "No body returned for response". There are also tabs for "Header", "Cookie", and "Timeline". At the bottom, there's a "Send" button and a "Just Now" timestamp.

**deleteUser**  
**Ruta con ID para borrar user:**

**http://localhost:3000/api/v1/users/delete-user/26**

**Ingresar Header:**  
**Content-Type application/json**


**Authorization ingresarSuToken**  
**Respuesta:**

**204 No Content**



# CLASSROOM

## getClassroom



Vased Api - vased (Dev) – Get all classrooms

Application Edit View Window Tools Help

Vased Api / vased

GET /api/v1/classrooms/ Send 200 OK 2.02 s 14.5 KB 2 Hours Ago

JSON Basic Query Header Docs

URL PREVIEW  
http://localhost:3000/api/v1/classrooms/

New name New value

Preview Header Cookie Timeline

```
[{"id": 1, "capacity": 16, "name": "html", "code": "4548", "adminDescription": "profe html", "description": "html", "endAt": "2022-06-28", "createdBy": 22, "users": { "teachers": [], "students": [] }, "tasks": []}, {"id": 14, "capacity": 5, "name": "html", "code": "4548", "adminDescription": "profe html", "description": "html", "endAt": "2022-06-28", "createdBy": 22, "users": { "teachers": [], "students": [] }, "tasks": []}]
```

**Get all classrooms**  
**Ruta con ID para borrar user:**



**http://localhost:3000/api/v1/classrooms/**

**Ingresar Header:**

**Content-Type application/json**


**Authorization ingresarSuToken**

**Respuesta:**

**Response: HTTP/1.1 200 OK**

# CLASSROOM

## createClassroom



Vased Api - vased (Dev) – create-classroom

Application Edit View Window Tools Help

Vased Api / vased

POST <http://localhost:3000/api/v1/classrooms/create-classroom>


Send 200 OK 2.15 s 221 B 2 Hours Ago

Preview Header Cookie Timeline

URL PREVIEW  
http://localhost:3000/api/v1/classrooms/create-classroom

New name New value

```
1w [
2 "id": 16,
3 "name": "html",
4 "capacity": 58,
5 "code": "4568",
6 "adminDescription": "profe html8",
7 "description": "html8",
8 "endsAt": "2022-06-28",
9 "createdBy": 22,
10 "updatedAt": "2022-05-20T17:48:37.255Z",
11 "createdAt": "2022-05-20T17:48:37.255Z"
12 ]
```



**create-classroom**  
**Ingresar Json:**

```
{  
  
  "capacity": 58,  
  "name": "html",  
  "code": "4568",  
  "adminDescription": "profe html8",  
  "description": "html8", "endsAt": "2022-06-28", "createdBy": 22}
```

}

**Ruta:**

**http://localhost:3000/api/v1/classrooms/create-classroom**

**Ingresar Header:**


**Content-Type application/json**  
**Authorization ingresarSuToken**

**Respuesta:**

**HTTP/1.1 200 OK**

# CLASSROOM

## updateClassroom



The screenshot shows a Vased API client interface. At the top, it says "Vased Api - vased (Dev) - updateClassroom". Below that, there's a toolbar with "File", "Window", "Tools", "Help", and a dropdown menu. On the right, there's a status bar with "master" and some icons. The main area has tabs for "Path", "Query", "Header", and "Docs". The "Path" tab shows the URL "localhost:3000/api/v1/classrooms/update-classroom/16". The "Header" tab shows "Content-Type: application/json". The "Docs" tab is currently selected. Below these tabs, there's a text input field with "host:3000/api/v1/classrooms/update-classroom/16" and a "Send" button. To the right of the input field, there's a "Preview" section with a green "200 OK" button, a "2.25 s" latency, and a "230 B" size. Below the preview, there's a code block showing the JSON response:

```
1+ {
2   "id": 16,
3   "capacity": 588,
4   "name": "html88",
5   "code": "456888",
6   "adminDescription": "profe html888",
7   "description": "html888",
8   "endsAt": "2022-06-29",
9   "createdAt": "2022-05-26T17:48:37.255Z",
10  "updatedAt": "2022-05-26T17:54:10.335Z",
11  "createdBy": 22
12 }
```

**updateClassroom**  
**Ingresar Json:**

```
{  
  
  "capacity": 588,  
  "name": "html88",  
  "code": "456888",  
  "adminDescription": "profe html888",  
  "description": "html888",  
  "endsAt": "2022-06-29",  
  "createdBy": 22  
}
```



**Ruta:**

**http://localhost:3000/api/v1/classrooms/update-classroom/26**

**Ingresar Header:**

**Content-Type application/json**


**Authorization ingresarSuToken**

**Respuesta:**

**HTTP/1.1 200 OK**

# CLASSROOM

## deleteClassroom



**deleteClassroom**  
**Ruta:**

**http://localhost:3000/api/v1/classrooms/delete-classroom/26**

**Ingresar Header:**

**Content-Type application/json**

**Authorization ingresarSuToken**

**Respuesta:**

**HTTP/1.1 204 No content**



# CLASSROOM

## addTaskToClassroom

Vased Api - vased (Dev) – addTaskToClassroom

Application Edit View Window Tools Help

Vased Api / vased

POST `__baseUrl__classrooms/add-task` Send 204 No Content 2.3 s 0 B 19 Minutes Ago

JSON Auth Query Header Docs

URL PREVIEW `http://localhost:3000/api/v1/classrooms/add-task?taskId=10&classroomId=15`

taskId: 10  
classroomId: 15  
New name: New value

No body returned for response

**addTaskToClassroom**  
**Ruta:**

**http://localhost:3000/api/v1/classrooms/add-task?**  
**taskId=10&classroomId=15**  
**Ingresar parametros query:**

**taskId 10**

**classroomId 15**  
**Ingresar Header:**

**Content-Type application/json**  
**Authorization ingresarSuToken**



# CLASSROOM

# addUserToClassroom

The screenshot shows the Vased API tool interface. The title bar says "Vased Api - vased (Dev) – addUserToClassroom". The menu bar includes Application, Edit, View, Window, Tools, Help. The toolbar has icons for Home, Logout, Refresh, and Help. The main area shows a POST request to "http://localhost:3000/api/v1/classrooms/add-user". The status bar indicates "403 Forbidden", "2.25 s", "55 B", and "32 Minutes Ago". Below the status bar are tabs for Preview, Header, Cookie, and Timeline. The Preview tab shows a JSON response: "1 { 2 \"message\": \"User is already enrolled in the classroom\" 3 }". The URL preview shows "http://localhost:3000/api/v1/classrooms/add-user?userId=3&classroomId=15". The request body contains three fields: "userId" with value "3", "classroomId" with value "15", and "New name" with value "New value".

**addUserToClassroom**  
Ruta:

**http://localhost:3000/api/v1/classrooms/add-user?userId=3&classroomId=15**

Ingresar parametros query:


**userId 10**

**classroomId 15**

Ingresar Header:


**Content-Type application/json**

**Authorization ingresarSuToken**



# CLASSROOM

## deleteTaskFromClassroom



**deleteTaskFromClassroom**  
**Ruta eleminación:**

**http://localhost:3000/api/v1/classrooms/delete-task?  
taskId=10&classroomId=15**

**Ingresar parametros query eleminar:**

**taskId 10**

**classroomId 15**

**Ingresar Header:**

**Authorization ingresarSuToken**



# CLASSROOM

## deleteUserFromClassroom

Vased Api - vased (Dev) – deleteUserFromClassroom

Application Edit View Window Tools Help

Vased Api / vased

DELETE `...baseurl...classrooms /delete-user` Send 204 No Content 2.58 s 0 B 15 Minutes Ago

Body Auth Query Header Docs

URL PREVIEW  
`http://localhost:3000/api/v1/classrooms/delete-user?userId=3&classroomId=15`

userId: 3  
classroomId: 15  
New name: New value

Preview Header Cookie Timeline  
No body returned for response

**deleteUserFromClassroom**  
Ruta eliminación:

**http://localhost:3000/api/v1/classrooms/delete-task?  
taskId=10&classroomId=15**

Ingresar parametros query eleminar:

**taskId 10**

**classroomId 15**

Ingresar Header:

**Authorization ingresarSuToken**

**Respuesta:**

**HTTP/1.1 204 No content**



# TASK

## getTasks



Vased Api - vased (Dev) - getTasks

GET /baseurl/\_tasks

Send 200 OK 1.62 s 2.3 KB Just Now

Preview Header Cookie Timeline

URL PREVIEW  
http://localhost:3000/api/v1/tasks

New name New value

```
1v [
2v   [
3v     {
4v       "id": 1,
5v       "name": "Chris Gonzalez",
6v       "code": 472282,
7v       "description": "May toward television spend cost happy recently. Firm admit situation loss structure. Serious account red something remain.",
8v       "baseScore": 5,
9v       "createdBy": null
10v      },
11v      {
12v        "id": 2,
13v        "name": "David Miller",
14v        "code": 238078,
15v        "description": "Ago only like end consider appear. Deal Mrs prove note often lawyer realize. Manage however over defense marriage.",
16v        "baseScore": 6,
17v        "createdBy": null
18v      },
19v      {
19v        "id": 3,
20v        "name": "Madison Brown",
21v        "code": 778079,
22v        "description": "Involve training effort small situation although south. Particularly section since spring also three.",
23v        "baseScore": 4,
24v        "createdBy": null
25v      },
26v      {
27v        "id": 4,
28v        "name": "Travis Kim",
29v        "code": 79751,
30v        "description": "You so happy politics sport. Character foot wind shake impact father appear."
31v      }
32v    ]
33v  ]
34v]
```

**getTasks**

**Ruta:**

**http://localhost:3000/api/v1/tasks**

**Ingresar Header:**


**Content-Type application/json**  
**Authorization ingresarSuToken**

**Respuesta:**

**200 OK**

# TASK

## createTask



The screenshot shows a REST API tool interface. At the top, it says "Vased API / vased". Below that, a "POST" method is selected against the endpoint "/tasks/create-task/". The response status is "200 OK" with a duration of "1.83 s" and a size of "195 B", timestamped "2 Minutes Ago". The "Header" tab is active, showing the following headers:

Header	Value
Content-Type	application/json
Authorization	eyJhbGciOiJIUzI1NiIsInRS... (redacted)
header	value
header	value
New header	New value

The "Preview" tab shows the JSON response body:

```
1v {  
2   "id": 12,  
3   "name": "node and express",  
4   "code": 4588,  
5   "description": "Aprende Node con Yo",  
6   "baseScore": 4588,  
7   "updatedAt": "2022-05-26T20:52:12.926Z",  
8   "createdAt": "2022-05-26T20:52:12.926Z",  
9   "createdBy": null  
10 }
```

**createTask**  
**Ingresar Json:**

```
{  
  
  "name": "node and express",  
  "code": 4588,  
  "description": "Aprende Node con Yo",  
  "baseScore": 4588  
}
```

**Ruta:**

**<http://localhost:3000/api/v1/tasks/create-task/>**

**Ingresar Header:**

**Content-Type application/json**  
**Authorization ingresarSuToken**

**Respuesta:**

**200 OK**



# TASK

## updateTask

Vased Api - vased (Dev) – updateTask

Application Edit View Window Tools Help

Vased API / vased

PUT `/_baseurl/_tasks/update-task/12`

Send 200 OK 2.15 s 197 B Just Now

JSON Auth Query Header Docs

Preview Header Cookie Timeline

```
1v [
2 "name": "Node and Express",
3 "code": 45889,
4 "description": "Aprende Node con Yo",
5 "baseScore": 45889
6 }
7
8 ]
```

```
1v {
2   "id": 12,
3   "name": "Node and Express",
4   "code": 45889,
5   "description": "Aprende Node con Yo",
6   "baseScore": 45889,
7   "createdAt": "2022-05-26T20:52:12.926Z",
8   "updatedAt": "2022-05-26T21:01:09.447Z",
9   "createdBy": null
10 }
```

**updateTask**  
Ingresar Json:

```
{  
  
  "name": "Node and Express",  
  "code": 45889,  
  "description": "Aprende Node con Yo",  
  "baseScore": 45889  
}
```

Ruta:

**<http://localhost:3000/api/v1/tasks/update-task/12>**

Ingresar Header:

**Content-Type application/json**

**Authorization ingresarSuToken**


**Respuesta:**

**200 OK**



# TASK

## deleteTask



**DELETETASK  
RUTA:**

**HTTP://LOCALHOST:3000/API/V1/TASKS/DELETE-TASK/11  
INGRESAR HEADER:**


**CONTENT-TYPE APPLICATION/JSON  
AUTHORIZATION INGRESARSUTOKEN  
RESPUESTA:**

**HTTP/1.1 204 NO CONTENT**



# TASK

# getTaskClassroom



The screenshot shows a browser window titled "Vased Api - vased (Dev) – getTaskClassrooms". The URL is "http://localhost:3000/api/v1/tasks/tasks-classrooms". The response status is "200 OK" with a time of "1.79 s" and a size of "12.2 KB". The response body is a JSON object with multiple nested objects and arrays, representing task and classroom data.

```
1v [
2v   {
3v     "id": 0,
4v     "taskId": 5,
5v     "classroomId": 12,
6v     "createdBy": null,
7v     "task": [
8v       {
9v         "id": 5,
10v        "name": "Susan Kelly",
11v        "code": "369240",
12v        "description": "Above moment allow heart offer admit four discuss. Attention interesting study back face exactly. Time Democrat individual sport small front letter tough.",
13v        "baseScore": 10,
14v        "createdBy": null
15v      },
16v      "classroom": {
17v        "id": 12,
18v        "capacity": 19,
19v        "name": "Christina Garner",
20v        "code": "036533",
21v        "adminDescription": "Trouble push three food listen. Piece nor finally case choice whatever. Life star memory parent.",
22v        "description": "Why throughout order figure traditional expect truth. Answer responsible trade behind oil. Feeling statement push film college them loss join.",
23v        "createdAt": "2022-07-06",
24v        "createdBy": 5,
25v        "users": [
26v          {
27v            "id": 9,
28v            "names": "Tracy",
29v            "lastNames": "Wickman",
29v            "dni": "20661903"
29v          }
29v        ]
29v      }
29v    ]
29v  }
29v]
```

**GETTASKCLASSROOMS  
RUTA:**

**HTTP://LOCALHOST:3000/API/V1/TASKS/TASKS-CLASSROOMS  
INGRESAR HEADER:**

**CONTENT-TYPE APPLICATION/JSON  
AUTHORIZATION INGRESAR TOKEN  
RESPUESTA:**

**HTTP/1.1 200 OK**





# TASK



## addTaskClassroomToUser

POST /tasks/add-user-task-classroom

URL PREVIEW  
http://localhost:3000/api/v1/tasks/add-user-task-classroom?userId=3&taskClassroomId=9

JSON

userId: 3

taskClassroomId: 9

Preview

```
1 {
2   "id": 25,
3   "userId": 3,
4   "taskClassroomId": 9,
5   "updatedAt": "2022-05-26T22:54:11.641Z",
6   "createdAt": "2022-05-26T22:54:11.641Z",
7   "createdBy": null
8 }
```

**ADDTASKCLASSROOMTOUSER  
RUTA:**

**HTTP://LOCALHOST:3000/API/V1/TASKS/ADD-USER-TASK-  
CLASSROOM?USERID=3&TASKCLASSROOMID=9  
INGRESAR QUERY:**

**USERID = 3  
TASKCLASSROOMID = 9  
INGRESAR HEADER:**

**CONTENT-TYPE APPLICATION/JSON  
AUTHORIZATION INGRESAR SUTOKEN  
RESPUESTA:**

**HTTP/1.1 200 OK**



# TASK

## deleteUserTaskClassroom

The screenshot shows the Vased API interface. The URL is `DELETE ...baseurl.../tasks/delete-user-task-classroom`. The response is **204 No Content** with a duration of **2.15 s** and **0 B** of content. The body preview shows the URL `http://localhost:3000/api/v1/tasks/delete-user-task-classroom?userId=3&taskClassroomId=9`. Parameters listed are `userId` (value 3) and `taskClassroomId` (value 9). A message box says: "You are muted. Press Alt+A to unmute your microphone, or press and hold the SPACE key to temporarily unmute."

**DELETEUSERTASKCLASSROOM  
RUTA:**


**HTTP://LOCALHOST:3000/API/V1/TASKS/DELETE-USER-TASK-  
CLASSROOM?USERID=3&TASKCLASSROOMID=9  
INGRESAR QUERY:**

**USERID = 3  
TASKCLASSROOMID = 9  
RESPUESTA:**

**HTTP/1.1 204 NO CONTENT**

# UTILS

## CREATE-ROLE



**CREATEROLE  
CREAR JSON:**

```
{  
  "NAME": "ASESOR"  
}
```

**RUTA:**

**HTTP://LOCALHOST:3000/API/V1/UTILS/CREATE-ROLE  
INGRESAR HEADER:**


**CONTENT-TYPE APPLICATION/JSON  
AUTHORIZATION INGRESAR SUTOKEN  
RESPUESTA:**

**HTTP/1.1 200 OK**



# UTILS

## CREATE-DNI-TYPE



**CREATEDNITYPE  
AGREGAR JSON:**

```
{  
  "NAME": "TI"  
}
```

**INGRESAR HEADER:**

**CONTENT-TYPE APPLICATION/JSON  
AUTHORIZATION INGRESARSUTOKEN**



**RESPUESTA:**

**HTTP/1.1 200 OK**





iQue  
equipazo!


## Grupo de trabajo



Emmanuel pereira  
**LIDER BACK-END**



Sara salas  
**LIDER FRONT-END**



Daniela puerta  
castrillón  
**SCRUM MASTER**



Christian javier  
ruiz  
**PRODUCT OWNER**



Dario Higuera  
**DESARROLLADOR  
BACK-END**



Miguel Cuello  
**DESARROLLADOR  
BACK-END**



Albert quintanilla  
**DESARROLLADOR  
FRONT-END**



Emmanuel  
estupiñan  
**DESARROLLADOR  
FRONT-END**