

# Quiz 10

---

**Due** Nov 5 at 11:59pm      **Points** 5      **Questions** 5      **Available** Nov 1 at 12am - Nov 5 at 11:59pm 5 days  
**Time Limit** 10 Minutes

---

## Instructions

You will have 10 minutes for this quiz

Do not take this quiz in the Safari Browser: you may not see all the images.

Please assume that all code is legal, unless told otherwise.

This quiz was locked Nov 5 at 11:59pm.

## Attempt History

	Attempt	Time	Score
LATEST	<a href="#">Attempt 1</a>	9 minutes	4 out of 5

---

Score for this quiz: **4** out of 5

Submitted Nov 5 at 3:22pm

This attempt took 9 minutes.

**Question 1**

**1 / 1 pts**

In Python, a function defined within a class definition is called a:


Correct!

- ☒ a method
- ☐ an operaton
- ☐ a callable
- ☐ a class function
- ☐ a factory

## Question 2

1 / 1 pts

The correct way to instantiate an instance of the Dog class defined below is:




Correct!

- ☒ Dog("Rufus", 3)
- ☐ Dog.create("Rufus", 3)

- ☐ Dog()
- ☐ Dog.\_\_init\_\_("Rufus", 3)
- ☐ No self-respecting dog should be forced to endure the name "Rufus"

**Question 3****1 / 1 pts**


What will the fragment below print?

**Correct!**

- ☒ False
- ☐ True
- ☐ false
- ☐ true
- ☐ None

**Question 4****1 / 1 pts**

What will the function largest return when called below?

☐ 4☐ 1☐ 3☒ None**Correct!****Question 5****0 / 1 pts**

What will the fragment below print?

☐ 3**Correct Answer**

You Answered☐ 1☒ 2☐ 4☐ NoneQuiz Score: **4** out of 5