

Task 1: Install Apache or Nginx on your Linux server and verify the installation by accessing the default web page via your browser.

Ans :-

Step 1: Update the system

```
sudo dnf update -y
```

Step 2: Install Apache (httpd)

```
sudo dnf install httpd -y
```

Step 3: Check Apache version

```
httpd -v
```

Example output:

Server version: Apache/2.4.xx

Step 4: Start and enable Apache

```
sudo systemctl start httpd
```

```
sudo systemctl enable httpd
```

Step 5: Verify Apache is running

```
sudo systemctl status httpd
```

You should see:

Active: active (running)

Step 6: Allow HTTP through the firewall

```
sudo firewall-cmd --permanent --add-service=http
```

```
sudo firewall-cmd --reload
```

Verify:

```
sudo firewall-cmd --list-services
```

You should see:

http

Step 7: Open the default web page

If you are using CentOS directly:

<http://localhost>

If running inside a VM:

<http://<server-ip>>

Find the IP:

ip addr

or

hostname -I

You should see the Apache test page.

Task 2: Create a folder named myflipkart in your web server's root directory and place an index.html file inside it that displays 'Welcome to MyFlipkart Deals!'.

Ans :-

Create the directory

```
sudo mkdir /var/www/myflipkart
```

Create index.html

```
sudo nano /var/www/myflipkart/index.html
```

Paste:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>MyFlipkart</title>
```

```
    <link rel="icon" href="/myflipkart/favicon.ico">
```

```
</head>
```

```
<body>
```

```
<h1>Welcome to MyFlipkart Deals!</h1>
```

```
</body>
```

```
</html>
```

Save:

Ctrl + O

Enter

Ctrl + X

Task 3: Update your web server configuration so that visiting `http://localhost/myflipkart` shows your custom `index.html` page instead of the default server page.
Hint: For Apache, use the **Alias directive**; for Nginx, use a new location block.

Ans :-

Create a configuration file

```
sudo nano /etc/httpd/conf.d/myflipkart.conf
```

Add:

```
Alias /myflipkart "/var/www/myflipkart"
```

```
<Directory "/var/www/myflipkart">
```

```
Options Indexes FollowSymLinks
```

```
AllowOverride None
```

```
Require all granted
```

```
</Directory>
```

Save the file.

Check Apache configuration

```
sudo apachectl configtest
```

Expected:

Syntax OK

Restart Apache

```
sudo systemctl restart httpd
```

Verify

Open:

`http://localhost/myflipkart`

or

`http://<server-ip>/myflipkart`

You should see:

Welcome to MyFlipkart Deals!

Task 4: Add a favicon to your static site by placing a `favicon.ico` file in the correct location and updating your HTML to reference it.
Constraint: Use any small image and rename it to `favicon.ico` for this exercise.

Ans :-

Create or copy any small image and rename it to:

`favicon.ico`

Move it to your website directory:

```
sudo cp favicon.ico /var/www/myflipkart/
```

Check:

```
ls /var/www/myflipkart
```

Example:

`favicon.ico`

`index.html`

Your HTML should already contain:

```
<link rel="icon" href="/myflipkart/favicon.ico">
```

If not, add it inside the `<head>` section.

Set Correct Permissions

```
sudo chown -R apache:apache /var/www/myflipkart
```

```
sudo chmod -R 755 /var/www/myflipkart
```

Verify Everything

Check Apache status:

```
sudo systemctl status httpd
```

Open in your browser:

<http://localhost>

(Default Apache page)

Then open:

<http://localhost/myflipkart>

You should see:

Welcome to MyFlipkart Deals!

The browser tab should also display your custom favicon.