


# ENGSCI 233 Lecture 10.2

# Data storage and transport



# Today's learning objectives:

- Understand the concepts of latency and data rate
- Solve problems involving trade-offs between latency and data rate
- Understand the major types of data storage and their benefits and limitations
- Understand the major types of data transport
- Understand input and output devices


# Memory goes from bytes to exabytes.



12 bytes, 256 GB, and 10 EB!

# How fast is it?


- Data rate: bytes per second (B/s)
- RAM: 20 GB/s
- Hard drive: 3 GB/s
- Memory card: 10 MB/s





# How long do you have to wait?

- Latency: seconds
- Delay until transfer starts
- RAM: 100 ns
- Solid-state drive: 10  $\mu$ s
- Hard drive: 10 ms
- Memory card: 500 ms



# How long do you have to wait?


- Example: 1 MB/s, 1  $\mu$ s vs. 1 GB/s, 1 ms
- How much data after 1 ms? What about 2 ms?

# How long does it last?



- RAM: 64 ms
  - Constantly refreshed
- Flash/SSD: 1-2 years
- Hard drive: 3-5 years
  - Wears out
- DVD/Blu-ray: 100 years
  - If you buy the right kind

# How long does it last?




- Paper: 1000 years



# How much does it cost?

- RAM: \$10/GB
- Solid state drive: \$0.25/GB
- Blu-ray: \$0.20/GB
- Hard drive: \$0.075/GB
- Tape drive: \$0.04/GB


# Where does the data come from?



- I/O devices interface the outside world
- Examples:
  - Keyboard
  - Mouse
  - Printer
  - Monitor
  - Camera
  - Etc.

# Not just words and numbers...

- Voltage measurement
- Indicator LED
- Pushbutton
- Accelerometer
- Motor
- Robot arm
- Etc.



# How does the data get read?

- Devices can be *memory mapped*
  - Looks like memory, as far as the program is concerned
  - Mapping handled by OS and/or hardware
  - You will do this in Lab 9
- Important to consider safety for physical outputs

# What holds all these bits together?



- Data links connect the other parts
- Local wired connection = *data bus*
- Computers can be distributed with long-distance data links




# One bit at a time...

- A wire can only have one thing on it at a time
  - Used to do several at once, but obsolete now
- Data must be broken down to bits for transport
- Speeds rated in bits per second, not bytes




# Speed and latency also matter here.

- Bigger range of values than memory/storage
- Internal buses:
  - $>100$  Gb/s, nanoseconds
- Long-distance:
  - $<10$  Gb/s,  $> 10$  ms
  - More in consolidated backbone ( $> 1$  Tb/s)
- Wireless:
  - $<1$  Gb/s,  $> 10$  ms



# Long distance? Low speed.

- Speed of light: 1 foot per nanosecond.
- Weak signals need more time to decode.




# Sometimes sneakernet wins.



- Physically moving storage media has very high bandwidth
  - But large latency!

# How does it all go together?





Example:  
Local or remote computation?



# Example:

## Local or remote computation?

- 1 MB voice data,  $10^9$  instructions to process
- Local device:  $10^8$  instructions per second
- Internet server:  $10^{11}$  instructions per second
- Internet connection: 8 Mb/s
- Which wins?

Next week: Computer Networking

# Image References

Slide 1: *Depth*, by Randall Munroe, from <https://xkcd.com/485/> (CC BY-NC 2.5)

Slide 3 (left): by Daniel Sancho, from <https://www.flickr.com/photos/teclasorg/46802073531> (CC BY 2.0)

Slide 3 (right): from <https://www.businessinsider.com.au/pictures-of-the-nsas-utah-data-center-2013-6?r=US&IR=T>

Slides 4, 5, and 15: by Milo Winter, from [https://commons.wikimedia.org/wiki/File:The\\_Tortoise\\_and\\_the\\_Hare\\_-\\_Project\\_Gutenberg\\_etext\\_19994.jpg](https://commons.wikimedia.org/wiki/File:The_Tortoise_and_the_Hare_-_Project_Gutenberg_etext_19994.jpg) (Public domain)

Slide 7: from <https://www.amazon.com/Verbatim-98913-M-Disc-100GB-Surface/dp/B011PIJPOC>

Slide 8: from [https://commons.wikimedia.org/wiki/File:St\\_Cuthbert\\_Gospel\\_-\\_f.11.jpg](https://commons.wikimedia.org/wiki/File:St_Cuthbert_Gospel_-_f.11.jpg) (Public domain)

Slide 10: by Tom Stefanac, from

[https://commons.wikimedia.org/wiki/File:Computer\\_keyboard\\_slanted\\_angle\\_dec07.jpg](https://commons.wikimedia.org/wiki/File:Computer_keyboard_slanted_angle_dec07.jpg) (GFDL)

Slide 11: from <https://nz.mouser.com/new/adafruit/adafruit-circuit-playground-express/>

Slide 13: from <https://www.extremetech.com/extreme/146967-stanford-breaks-million-core-supercomputing-barrier2>

Slide 14: from <https://www.quantil.com/content-delivery-insights/content-acceleration/data-transmission/>

Slide 16: from [http://www.groundcontrol.com/How\\_Does\\_Satellite\\_Internet\\_Work.htm](http://www.groundcontrol.com/How_Does_Satellite_Internet_Work.htm)

Slide 17: by Amazon Web Services, from <https://docs.aws.amazon.com/snowball/latest/ug/using-device.html>

Slide 18 (left): from <https://www.nesi.org.nz/services/high-performance-computing/platforms> (UoA copyright)

Slide 18 (right): from

[https://web.archive.org/web/20140414084027/http://blog.ioactive.com/2007\\_11\\_01\\_archive.html](https://web.archive.org/web/20140414084027/http://blog.ioactive.com/2007_11_01_archive.html)

Slide 19: by Gregory Varnum, from [https://commons.wikimedia.org/wiki/File:Amazon\\_Echo\\_Dot\\_-\\_June\\_2018\\_\(1952\).jpg](https://commons.wikimedia.org/wiki/File:Amazon_Echo_Dot_-_June_2018_(1952).jpg) (CC BY-SA 4.0)