

TUGAS #5 – IMPLEMENTASI BASIS DATA

KELOMPOK 13


Anggota Kelompok:

Chadafya Putra Zulfikar (103112400173)

M. Arif Rachman (2311102300)

Tio Armani (103112430225)

Bayu Wandana (103112430159)



Tabel User

Field	Tipe	Keterangan
id_user	INT PK AI	Primary Key
nama	VARCHAR(100)	Nama user
email	VARCHAR(100)	Login
password	VARCHAR(255)	Hash
Role	ENUM	admin/customer

Tabel Tempat_Makan

Field	Tipe
id_tempat	INT PK AI
nama_tempat	VARCHAR(100)
lokasi	VARCHAR(255)
deskripsi	TEXT

Tabel Menu

Field	Tipe
id_menu	INT PK AI
id_tempat	INT FK
nama_menu	VARCHAR(100)
harga	DECIMAL
stok	INT

Tabel Pesanan

Field	Tipe
id_pesanan	INT PK AI
id_user	INT FK
tanggal_pesanan	DATETIME
status	ENUM

Tabel Detail_Pesanan

Field	Tipe
id_detail	INT PK AI
id_pesanan	INT FK
id_menu	INT FK
jumlah	INT
subtotal	DECIMAL

Tabel Pembayaran

Field	Tipe
id_pembayaran	INT PK AI
id_pesanan	INT FK
metode_pembayaran	VARCHAR(50)
total_bayar	DECIMAL
status_pembayaran	ENUM
tanggal_bayar	DATETIME

SQL

```
CREATE DATABASE db_kuliner;
```

```
USE db_kuliner;
```

```
-- USER
```

```
CREATE TABLE user (  
    id_user INT AUTO_INCREMENT PRIMARY KEY,  
    nama VARCHAR(100),  
    email VARCHAR(100) UNIQUE,  
    password VARCHAR(255),  
    role ENUM('admin','customer')  
);
```

```
-- TEMPAT MAKAN
```

```
CREATE TABLE tempat_makan (  
    id_tempat INT AUTO_INCREMENT PRIMARY KEY,  
    nama_tempat VARCHAR(100),  
    lokasi VARCHAR(255),  
    deskripsi TEXT  
);
```

```
-- MENU
```

```
CREATE TABLE menu (  
    id_menu INT AUTO_INCREMENT PRIMARY KEY,
```

```
id_tempat INT,  
nama_menu VARCHAR(100),  
harga DECIMAL(10,2),  
stok INT,  
FOREIGN KEY (id_tempat) REFERENCES tempat_makan(id_tempat)  
);
```

-- PESANAN

```
CREATE TABLE pesanan (  
id_pesanan INT AUTO_INCREMENT PRIMARY KEY,  
id_user INT,  
tanggal_pesanan DATETIME,  
status ENUM('pending','dibayar','selesai'),  
FOREIGN KEY (id_user) REFERENCES user(id_user)  
);
```

-- DETAIL PESANAN

```
CREATE TABLE detail_pesanan (  
id_detail INT AUTO_INCREMENT PRIMARY KEY,  
id_pesanan INT,  
id_menu INT,  
jumlah INT,  
subtotal DECIMAL(10,2),  
FOREIGN KEY (id_pesanan) REFERENCES pesanan(id_pesanan),  
FOREIGN KEY (id_menu) REFERENCES menu(id_menu)  
);
```

-- PEMBAYARAN

```
CREATE TABLE pembayaran (  
id_pembayaran INT AUTO_INCREMENT PRIMARY KEY,  
id_pesanan INT,  
metode_pembayaran VARCHAR(50),  
total_bayar DECIMAL(10,2),  
status_pembayaran ENUM('menunggu','lunas'),  
tanggal_bayar DATETIME,
```

```
FOREIGN KEY (id_pesanan) REFERENCES pesanan(id_pesanan)  
);
```