

DIGS: Deployed Independent Greenhouse Systems

Space Apps Challenge 2013

Andrew Cole, Ian Cole, Jessica King, Michael King, Pat
Starace, Jamie Szafran


2025

Stepping Stones

Exploring a series of increasingly challenging destinations on the way to Mars...





Lagrange Points



Basics

- Modular
- DIGS is center module of rocket
- Circular solar panels expand like Orion
- Thrusters for station keeping - propulsion module
- Docking connectors/airlocks





Basics Cont'd

- DIGS launch ready-to-go
- In stasis using chemical agent
- Re-activate on deployment

DIGS Dimensions

- Total DIGS length: 16m
- Total DIGS diameter: 5m
- Storage module length: 2m
- Processing module length: 2m
- Growing module length: 8m
- Propulsion module length: 4m


Possible Launch Vehicle Dimensions


- Delta IV Heavy fairing: 19.8m x 5m
- Falcon Heavy fairing: 6.6m x 5.2m (can be requested/ordered longer)
- SLS Heavy-Lift fairing*: 10m x 7m


* Proposed


Pod Interior

- Aeroponics on conveyer system
 - multiple layers of conveyors
 - multiple stationary robots
 - enclosed sprayer with water/nutrients











Illumination and Energy



Radioisotope Thermoelectric Generator (RTG)



Normal Operations

- Optical/Infrared sensors for ripeness
- Freeze-dry edibles
- Override for storage of fresh produce orders

Example Industrial Freeze-Dryer

Heto PowerDry LL1500 Freeze Dryer Specifications


Technical Specifications	Heto PowerDry LL1500 Freeze Dryer
Cat. no. 230V/115V	88001500/88001550
Required power supply	230V/50 Hz or 115V/60 Hz
Condenser capacity/ 24 hours	1.5 kg
Total ice capacity	2.6 kg
Condenser volume	3.8 L
Condenser diameter x height	Ø 160 x 190 mm (6.3 x 7.5")
Lowest condenser temperature	< -110°C
Refrigerants	R507/R1150
Status indicator (Alarm / Wait / Okay)	Yes
RS232-C interface	Yes (when used with HSC500 PLUS controller)
Digital temperature display	Ambient to <-120°C (-184°F)
Ambient temperature	+5 to +32°C (+41 to +89.6°F)
Noise level	<51 dBA
Ice condenser material	AISI 316 Stainless Steel
External dimensions DxWxH	480 x 800 x 335 mm (18.9 x 31.5 x 13.2")
Weight	53 kg (116.8 lbs)



Non-Edible Waste

- Non-edible plant materials have nutrients extracted through enzymatic process
- Remaining material is converted to Biochar
 - Biochar is stored for filtration on module and passing vehicles
 - Biofuels created as by-product of Biochar process

Biochar



Proposed Crops

- Aloe Vera
- Basil
- Berries
- Broccoli
- Carrots
- Grapes
- Mint
- Onions
- Oregano
- Peas
- Peppers
- Radishes
- Rosemary
- Soy & Legumes
- Stevia
- Sugar Beets
- Tomatoes
- Tubers

Aeroponics



Contingency Plans

- Redundancy in multiple robots and conveyors
- Failure Level 1
 - Pause crops using chemical similar to existing tech for tissue samples, but on large scale
- Failure Level 2
 - Freeze-dry whole pod

Pre-Launch Test Sites



Future Locations

- Moon
- Mars
- International Space Station
 - DIGS are removable- can be picked up and tugged to another location
- Space Tourism

Future Pods

- Larger Crops
 - Bamboo
 - Rubber
 - Rice
 - Wheat
 - Algae
- Animals
 - Tilapia
 - Chickens
 - Ducks



Future Work

- Chemical to "pause" plants on larger scale
- Chemical to reactivate "paused" plants
- Robotic harvesters
- Satellite communication to L2
- Advances in solar panel technology
- Advances in LED technology

Bibliography

Chappell, Francis A. Cucinotta; Myung-Hee Y. Kim; Lori J.. Evaluating Shielding Approaches to Reduce Space Radiation Cancer Risks. In NASA Center for AeroSpace Information (CASI). 2012.

Santhanam, Parthiban and Gray, Dodd Joseph and Ram, Rajeev J.. Thermoelectrically Pumped Light-Emitting Diodes Operating Above Unity Efficiency. In Phys. Rev. Lett., (108) 9: 097403, American Physical Society. 2012.

Giacomelli, Phil Sadler; Randy Patterson; Giorgio Boscheri; Murat Kacira; Roberto Furfaro; Cesare Lobascio; Matteo Lamantea; Marzia Pirolli; Silvio Rossignoli; L. Grizzaffi; Stephania DePascale; Gene. Bio-regenerative Life Support Systems for Space Surface Applications. In 41st International Conference on Environmental Systems. 2011.

Kruger, Garcia-Perez M.; T. Lewis; C. E.. Methods for Producing Biochar and Advanced Biofuels in Washington State Part 1: Literature Review of Pyrolysis Reactors. In University of Washington Dept. of Ecology. 2011.

Mitchell, Gioia D. Massa; Hyeon-Hye Kim; Raymond M. Wheeler; Cary A.. Plant Productivity in Response to LED Lighting . In Plant Productivity in Response to LED Lighting, (43) 7: 2008.

Thermo Electron Corporation. http://www.thermo.com.cn/Resources/200802/productPDF_27025.pdf. 2005.

Bibliography

Stutte, G. V. Subbarao; Neil C. Yorio; Raymond M. Wheeler; Gary W.. Plant Growth and Human Life Support for Space Travel. In Handbook of Plant and Crop Physiology. 2001.

J. Clawson; A. Hoehn; L. Stodieck; P. Todd; et al. Re-examining Aeroponics for Spaceflight Plant Growth . In SAE Technical Paper 2000-01-2507. 2000.

Garland, J L and Alazraki, M P and Atkinson, C F and Finger, B W. Evaluating the feasibility of biological waste processing for long term space missions. In Acta Hortic, (469) 71-78. 1998.

McKeehen, J.D. and Mitchell, C.A. and Wheeler, R.M. and Bugbee, B. and Nielsen, S.S.. Excess nutrients in hydroponic solutions alter nutrient content of rice, wheat, and potato. In Advances in Space Research , (18) 4-5: 73-83. 1996.

Townsend, L W and Nealy, J E and Wilson, J W and Atwell, W. Large solar flare radiation shielding requirements for manned interplanetary missions. In J Spacecr Rockets, (26) 2: 126-128. 1989.

Standardized Product Definition and Product Testing Guidelines for Biochar That Is Used in Soil. Biochar Internaional. http://www.Biochar-international.org/sites/default/files/IBI_Biochar_Standards_V1.1.pdf. 2013

Bibliography - Websites

The Boeing Company. Defense, Space, and Security: Delta IV Heavy. <http://www.boeing.com/boeing/defense-space/space/delta/delta4/delta4.page>. 2013.

Chris Bergin,. "NASA interested in payload fairing options for multi-mission SLS capability." NASA Spaceflight Now. <http://www.nasaspaceflight.com/2012/11/nasa-payload-fairings-options-multi-mission-sls-capability/>. 2012.

Space Exploration Technologies Corporation. Falcon Heavy Overview. http://www.spacex.com/falcon_heavy.php 2013.

