

Exercises

Brainster Web Development Academy



Table of contents

01 Warmup

02 Classes

03 Sorting

04 Filtering

05 Routing



Exercise I

1. Check if sentence is pangram.
2. Enter the sentence from prompt.

4

(A pangram or holoalphabetic sentence is a sentence using every letter of a given alphabet at least once.)



Exercise II

1. Iterate over given array and replace the elements that are not number with the text NaN
2. Do that with “forEach”, with “for loop” and with “map”

Example array

```
let arr = [30, "text1", 10, 50, "text2", 60, 70, 33, 45, 67, "text3", 13, 34, "text"]
```



Exercise III

1. Create class Person and classes Male and Female that inherits from the class Person.
2. From 2 given arrays, that consist objects representing people with given attributes for name, profession, sex and age, create one array consist of People that are instances of Male or Female.
3. Define draw function in Male and Female Class that returns element in which the name od the Person is written.
If it is Male draw the text in blue if it is Female in red.
4. Call this function for all People and attach the result on element.
5. Count how many people are children. (age under 19)



Exercise IV

1. Sort `<li>` elements of people alphabetically.
 - 1.1. sort the array by people names;



Exercise V

1. Add input field above the list.
2. Filter the li elements by name according to the text entered in the search field



Exercise VI

1. Add dropdown that will contain all profession options.
(calculate all unique professions dynamically)
2. On change filter list by profession



Exercise VII

1. Write html page with 3 menu buttons: Home, About, Contact
2. Clicking on each button change the route and opens different content for different pages
3. The application that we created should stay on homepage and work as expected

