

# Invacare's Bariatric Solutions logo

The logo represents Invacare's commitment to providing bariatric solutions to providers and clinicians, as well as to your patients. Invacare achieves this through offering a breadth of the highest quality bariatric products and provides solutions by educating providers and clinicians on these products and the bariatric market as a whole. Invacare's products and programs improve the quality of life for patients. An uplifting and active-presence logo is what Invacare wishes to convey to all of your bariatric clients through these products and services.









Invacare is committed to serving the unique needs of bariatric patients. At the same time, Invacare is committed to serving the needs of providers as you address the special requirements of this diverse segment of the population. Invacare's research is aimed at discovering ways to make bariatric patients' lives better. These products and programs are based on these findings and designed with the utmost care. Invacare is also continually adding to and enhancing this product line, which is engineered to meet the needs of your bariatric clients.

From power chairs to beds, lifts and commodes, Invacare's
Bariatric product line is so extensive you'll find everything
your patients need, right here in these pages. Invacare
has included educational information to help you further
understand the bariatric market, a color-coded chart to
assist you in locating products by their weight capacities and
additional helpful product suggestions. Just place a single
phone call and you can fill a complete prescription simply,
efficiently and conveniently.

When your order is delivered, you can be sure you've received something more: the highest-quality engineering; outstanding durability; testing to demanding specifications such as ANSI/RESNA and Invacare's own rigorous standards; and the backing of Invacare's exceptional limited warranty.

Just call 800-333-6900 to receive a copy of the Bariatric products price list (Form No. 99-277). You may also visit <a href="www.invacare.com">www.invacare.com</a>.

# **Table of Contents**

Description	Page	Description	Page	Weight Capacit
Invacare® Leo™ Scooter	4	Invacare® Top End® Terminator® Everyday Wheelch	air 9	
Invacare® MVP® Wheelchair with HD package	5	Invacare® Top End® Excelerator™ Handcycle	10	
Invacare® ProSPIN™ X4™ Wheelchair with HD package	6	Invacare® Solace® Prevention Mattress	11	
Invacare® 9000 XDT Wheelchair	7	Invacare® Solace® Therapy & Resolution Mattress	12	
Invacare® Tracer® IV Wheelchair with HD package	8	Invacare® microAIR® Alternating Pressure Mattress	13-14	350 lb.
Invacare® Pronto® M91™ Power Wheelchair	45	Invacare® Solara® 3G Tilt-In-Space Wheelchair	20	
with HD package	15	Invacare® Heavy Duty Transport Chair	21	
Invacare® 3G Storm Series® Ranger™ X Power Wheelchair	16	Invacare® Deluxe 3-Position Recliner	22	
Invacare® 3G Storm Series® Arrow® Power Wheelchair		Invacare® Solace® Prevention Bariatric Mattress	23	
Invacare® TDX® SP Power Wheelchair	18	Invacare® I-Fit™ Shower Chair	24	
Invacare® TDX® SR Power Wheelchair	19	Invacare® I • Class™ Heavy-Duty Transfer Bench	25	400 lb.
Invacare® TDX®SI HD Power Wheelchair	26	Invacare® Heavy-Duty Commode	28	
Invacare® Reliant™450 Lift	27			450 lb.
Invacare® Pronto® M94™ Power Wheelchair	29	Invacare® Matrx® Flo-tech Cushion	33	
w/Invacare® SureStep® Technology		Invacare® Matrx® Flovair™Cushion	34	
Invacare® Matrx® PCS Back	30	Invacare® Matrx® Stabilite™Cushion	35	
Invacare® Matrx® Personal Back™10 and Invacare® Matrx® Personal Back™10 Plus Back	31	Invacare® Heavy-Duty Paddle Walker	36	
Invacare® Matrx® PB Heavy-Duty and	31	Invacare® Bariatric Rollator	36	II
PB Heavy-Duty Deep Back	32			500 lb.
Invacare® Matrx® Vi Cushion	37	Invacare® Reliant™ Digital Scale	39	
Invacare® BAR600 Bariatric Bed	38	Invacare® Reliant™ Full Body Mesh Sling	39	
Invacare® Heavy-Duty Bed Rail	39	Invacare® Reliant™ 600 Heavy-Duty Lift	40	600 lb.
Invacare® Solace® Therapy Bariatric Mattress	41	Invacare® Bariatric Commode	42	650 lb.
Invacare® Bariatric Foam Mattress	43	Invacare® Bariatric Canes - Quad and Offset	45	
Invacare® Bariatric Shower Chair	44	Invacare® Bariatric Dual-Release Walker/Kit	46	
Invacare® Bariatric Transfer Bench	44			700 lb.
Invacare® BAR750 Bariatric Bed	47			750 lb.
Invacare® 9000 Topaz™ Wheelchair with HD package	48	Invacare® Bariatric Crutches	51	
Invacare® microAIR® Alternating Pressure Mattress	49	Invacare® Bariatric Floor Stand w/ Trapeze	52	
Invacare® Bariatric Drop-Arm Commode	50			1000 lb.

#### What is bariatrics?

Bariatrics is the study and treatment of obesity and those diseases associated with obesity. Diet, exercise, behavior modification, lifestyle changes, institutional and home medical equipment, medications and, in some cases, surgery are the tools used by bariatric physicians to help patients manage obesity.<sup>1</sup>

#### What is obesity?

Obesity is defined as an excessively high amount of body fat or adipose tissue in relation to lean body mass. The amount of body fat (or adiposity) includes concern for both the distribution of fat throughout the body and the size of the adipose tissue deposits. Body fat distribution can be estimated by skinfold measures, waist-to-hip circumference ratios or techniques such as ultrasound, computed tomography or magnetic resonance imaging.<sup>2</sup>

#### What is BMI?

Body Mass Index or BMI is a tool for indicating weight status in adults, representing weight levels associated with the lowest overall risk to health. It is a measure of weight for height. For adults over 20 years old, BMI falls into one of these categories:<sup>3</sup>

#### BMI

Below 18.5 = Underweight 18.5 - 24.9 = Normal 25.0 - 29.9 = Overweight30.0 and above = Obese

## SEE CHART ON PAGE 3 TO DETERMINE BMI.

#### How does BMI relate to health?

The BMI ranges are based on the effect body weight has on disease and death. As BMI increases, the risk for some diseases also increases. Some common conditions related to overweight and obesity include:<sup>3</sup>

- Cardiovascular disease
- High blood pressure
- Osteoarthritis
- Premature death
- Some cancers
- Diabetes

# BMI is not the only indicator of health risk.

BMI is just one of many factors related to developing a chronic disease (such as heart disease, cancer or diabetes). Other factors that may be important to look at when assessing your risk for chronic disease include:<sup>4</sup>

- Diet
- Physical activity
- Waist circumference
- Blood pressure
- Blood sugar level
- Cholesterol level
- Family history of disease

#### Some statistics....

Obesity and obesity-related diseases are some of the nation's leading causes of preventable death. Smoking is the number one cause of preventable death in America.<sup>1</sup>

Currently, 64% of U.S. adults are either overweight (BMI of 25 or greater) or obese (BMI of 30 or greater). The increase in obesity over the past 30 years has been fueled by environmental, social, economic and behavioral factors, acting on a background of genetic susceptibility.<sup>5</sup>

#### References

- 1. Provided with permission by Dr. Kevin Huffman, D.O., President, American Bariatric Consultants.
- 2. CDC Nutrition and Physical Activity Available at: http://www.cdc.gov/obesity/defining.html Accessed June 23, 2011.
- 3. CDC Nutrition and Physical Activity Available at: <a href="http://www.cdc.gov/obesity/data/index.html">http://www.cdc.gov/obesity/data/index.html</a>. Accessed June 23, 2011.
- 4. CDC Nutrition and Physical Activity Available at: <a href="http://www.cdc.gov/obesity/resources/index.html">http://www.cdc.gov/obesity/resources/index.html</a>. Accessed June 23, 2011.
- 5. NIH Obesity Research. NIH Obesity Research Task Force Strategic Plan for NIH Obesity Research. Available at: <a href="http://obesityresearch.nih.gov/about/about.aspx">http://obesityresearch.nih.gov/about/about.aspx</a>. Accessed June 23, 2011.

## Invacare® Leo™ Scooter

The Invacare® Leo™ 4-Wheel Midsize Scooter offers a smooth, safe drive that is easy to maneuver. Features include a 350 lb. weight capacity, standard full lighting package, built-in splash guards to protect the electronics and transaxle, comfortable seating that swivels and slides and flat free tires. With a sophisticated design and impressive features, the Invacare Leo Scooter will get you where you're going in style!

#### **Features**

- 350 lb. weight capacity (heavy-duty package)
- Intuitive control panel
- Adjustable tiller allows user to suit their needs
- Standard LED headlights and rear lights for increased visibility
- Crutch, cane, oxygen and walker holder accessories available

#### **Specifications**

Model No:	LEO-4B, LEO-4S
Base length	48"
Base width	23.2"
Ground clearance	2.5"
Seat width	19"
Seat depth	16"
Back height	16.5" - 19.5"
Arm height	8"
Speed	5 mph
Weight limit	350 lb.
Maximum incline capability	8° grade
Battery	U1
Estimated travel range*	15 miles
Tires	10"
Turning radius	52"
Product weight	184 lb.
Accessory weight capacity	
Lockable front box	10 lb.
Rear basket	10 lb.
Limited warranty	2 year
*T 1 10 1 1 1 1	Tr. III ii I

\*Travel range will vary depending on user weight, speed, battery charge and terrain.





#### **Additional Product Suggestions**



Invacare® BAR600 Bariatric Bed, page 38



Invacare® Heavy-Duty Commode, page 27



Invacare® Heavy-Duty Transfer Bench, page 25

# Invacare® MVP® Wheelchair with HD Package

The Invacare® MVP® Wheelchair is the premium folding chair in the custom manual wheelchair line and has established a tremendous reputation for high performance. That performance is now available with a weight limit of 350 lb. The unique design of the MVP Wheelchair offers two rear frame options with the heavy-duty package, so it feels, fits and looks as great as it performs. For the best combination of folding-chair convenience and custom manual chair performance, the MVP Wheelchair is the only chair you'll need.

#### **Features**

- 350 lb. weight capacity (Heavy-Duty package)
- · Lightweight folding chair
- Two rear frame options are designed to meet the consumer's needs – square rear frame for increased stability, and the curved rear frame for increased maneuverability
- A wide range of options ensure versatility and comfort

- Parts are interchangeable among MVP chairs
- Adjustable Tension Back upholstery is available
- Choice of fixed or swing away front end
- Camber choices from 0°-9°
- Tapered front riggings are available
- Crutch and Cane Carrier option
- Available non-adjustable or adjustable rigidizing handle bar

Sp	ecifications	į

opoomoun	,,,,						
Model No:							MVPS
Frame Style							Folding
Seat width							18" - 22"
Seat depth							16" - 22"
Overall*					sea	at width	plus 10"
Heavy-Duty s	sizes						
Depth	16"	17"	18"	19"	20"	21"	22"
Width							
18"	Х	Х	Х	Х	Х	n/a	n/a
19"	Х	Х	Х	Х	Х	n/a	n/a
20"	Х	Х	Х	Х	Х	Х	Х
22"	n/a	n/a	n/a	n/a	n/a	n/a	Х
Weight capa	city				350 lk	o. w/HD	) package
Limited warr	anty		l	ifetime	, frame	and cro	ssbraces

- Measurement taken from outside of handrim to outside of handrim with 3° (standard) camber.
- \*\* Range adjusts in 7/8" increments.



# **Additional Product Suggestions**



Invacare® Matrx® Flovair™ Cushion, page 34



Invacare® Matrx® Vi Cushion, page 37



Invacare® Matrx® Stabilite™ Cushion, page 35

# Invacare® ProSPIN™ X4™ Wheelchair with HD Package

The Invacare® ProSPIN™ X4™ Wheelchair takes the look, feel and performance of a folding wheelchair into the new century. From any angle, the X4 Wheelchair appeals to the visual sense like no other wheelchair.

#### **Features**

- 350 lb. weight capacity (heavy-duty package)
- Up to 22" wide
- Up to 22" deep

- · Curved frame
- Swing-in/Swing out front riggings standard

	atio	

Model No:	PROX45
Frame style	Folding frame w/ swingaway front
Seat width	18" - 22"
Seat depth	18" - 22"
Back height	10" - 20"
Camber angles	0°, 3°, 6°
Tubing outside diameter	1"
Product weight	15 lb.**, 30 lb.***
Weight capacity	350 lb. w/HD package
Limited warranty	Lifetime, frame and cross-
braces	

<sup>\*\*</sup> Base chair weight without accessories.

<sup>\*\*\* 16&</sup>quot; x 16", AT99, BH20, BRG2, BLUM2, SPCR1, WLPLL, SPIN24, PRIMO, 70STAPER, 1651, HLOOP, IMPACTG, BACK1216, SLIPBACK, 1671LG,



## **Additional Product Suggestions**



Invacare® Matrx® Flovair™ Cushion, page 34



Invacare® Matrx® Vi Cushion, page 37



Invacare® Matrx® Personal Back™10 Back, page 31

#### Invacare® 9000 XDT Wheelchair

The Invacare® 9000 XDT Wheelchair is designed for individuals who need an extra wide, heavy-duty or tall chair with seat-to-floor heights ranging from hemi through tall. This high-performance chair accommodates individuals weighing up to 350 lbs.

#### **Features**

- 350 lb. weight capacity
- Durable, low maintenance, carbon steel frame
- Tall frames provide a more comfortable ride for taller individuals
- Multiple frame color variations for customizing
- Triple axle positions allow wide variation of seat-to-floor heights
- Urethane rear tires mounted on "no flex" wheels offer superior performance
- Urethane casters for better ride and lighter weight
- Heavy-duty inner liners help seat and back resist stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage


#### **Specifications**

Model No:	9XDT
Widths	16", 17", 18", 19", 20", 22"
Depths	16", 17", 18", 19", 20"
Seat-to-floor heights	17.5", 19.5" 21.5"
Back heights - adjustable	15" - 19", 14" - 18"
Front riggings	
Hemi swingaway footrest	17" - 21" knee-to-heel
Hemi swingaway padded elevating le	grest 17.5" - 21" knee-to-heel
Super-hemi swingaway footrest	11" - 17" knee-to-heel
Super-hemi padded elevated legrest	11" - 17" knee-to-heel
Articulating elevating legrest	17" - 25" knee-to-heel
(Footplates available in aluminum or o	composite)
Weight capacity	350 lb.
Product weight (9XDT/WD08/28)	37 lb.
Limited warranty	5 year, frame and crossbraces



# **Additional Product Suggestions**







Invacare® Matrx® Vi Cushion, page 37



Invacare® Matrx® Stabilite™ Cushion, page 35

# Invacare® Tracer® IV Wheelchair with HD Package

The Invacare® Tracer® IV Wheelchair features superior durability, rollability, streamlined looks and is designed for the active individual who needs the strength of a reinforced, heavy-duty frame. Its many options include components interchangeable within the Tracer series. The Tracer IV manual wheelchair is long-lasting and low maintenance.

#### **Features**

- 350 lb. heavy-duty weight capacity
- Dual axle position allows variation of seat-to-floor heights
- Durable, low maintenance, carbon steel frame is long lasting
- Reinforced frame includes gussetted sides, caster journals and dual crossbraces
- Low maintenance, dual-sealed precision bearings
- Heavy-duty inner liners help seat and back resist stretching
- Flame-retardant upholstery resists mildew and bacteria as well as cold-crack and UV damage
- Upholstery is dual-embossed

		ons

Model no.	T4
Width	18", 20", 22", 24"
Depth	18", 20"
Seat-to-floor height	17.5", 19.5"
Back height	16" fixed
Front riggings	
Swingaway footrest	17" - 21" knee-to-heel
Swingaway padded elevating legrest	17.5" - 21" knee-to-heel
Articulating elevating legrest	17" - 25" knee-to-heel
Footplates available in aluminum a	nd composite
Product weight	42 lb.
Weight capacity	350 lb.
Limited warranty	5 year, frame and crossbraces



#### **Additional Product Suggestions**



Invacare® Bariatric Crutches, page 51



Invacare® Heavy-Duty Commode, page 28



Invacare® Heavy-Duty Walker, page 36

# Invacare® Top End® Terminator® Everyday Wheelchair

The same craftsmanship that goes into the Invacare® Top End® award-winning sport chairs can be found in the Invacare® Top End® Terminator® Everyday Rigid Wheelchair. Custom built to your specifications, this model offers your choice of seat heights, wheels, arm styles and footrests. The chair comes standard with a 250 lb. weight capacity - a heavy-duty option will hold up to 350 or 450 lb. depending on the frame material. An ergonomic seat option builds a "sweet spot" that's especially effective for those who sit in a squeeze of 2" or more. Because it is tailored to your needs, the Terminator Everyday Wheelchair comes ready to roll, with no need for cumbersome adjustments. If you're looking for value and performance, the Terminator Everyday Wheelchair is your top choice.

#### **Features**

- 350 lb. weight capacity/450 lb. titanium chrome-moly steel
- · Custom built rigid frame
- Adjustable center-of-gravity
- Camber: 0, 3, 6, or 9°
- Folding back

- Adjustable or fixed back height
- Adjustable tension upholstery w/straps and anchor loops
- 22", 24" or 25" high performance Sun® wheels
- Hard anodized handrims
- High pressure clincher tires

- Wheel locks: push or pull to lock
- 3" micro or 4" or 5" semi-pneumatic front casters
- Tubular or adjustable angle footrest: 4" adjustable height
- · Powder coat paint



# **Additional Product Suggestions**



Invacare® I-Class™ Heavy-Duty Transfer Benches, page 25



Invacare® Hand Held Shower, call Invacare Customer Service

# Invacare® Top End® Excelerator™ Handcycle

If you want a great way to exercise, cross-train or just have fun, the Invacare® Top End® Excelerator™ Handcycle is what you need. This upright and extremely maneuverable three-wheel Handcycle is capable of speeds up to 15 mph. The custom-built, oval tube carbon steel frame construction, with adjustable sliding seat, makes transfers in and out easier. It also is a great fit for those who are tall or big with the optional V-style crank arms.

#### **Features**

- 350 lb. weight capacity
- · Carbon steel oval tube frame
- · Adjustable fore / aft sliding seat
- Adjustable height and angle dual footrests/ safety straps
- Easy-to-reach seven-speed shifter
- Shimano® seven-speed hub with reversing drum brake

- Vertical ergonomic handpedals; Delrin® or foam covered
- Adjustable crank height
- Adjustable chain tension idler
- Chain guard
- Adjustable tension seat upholstery
- Adjustable back height

- 24" performance wheels: cruiser tires
- · Parking brake
- Powder coat paint
- Many great options available including V style crank arms to allow more clearance



#### **Additional Product Suggestions**



Invacare® I-Class™ Heavy-Duty Transfer Benches, page 25



Invacare® Hand Held Shower, call Invacare Customer Service

# Invacare® Solace® Prevention Mattress

Cost effective, single and dual-layer design lowers interface pressure for the low-medium risk patient.



#### Invacare® Solace® Prevention SPS0080 Mattress

#### Model no.

SPS0080

The Invacare® Solace® SPS0080 mattress is an economical foam mattress which features a single layer of foam specially fabricated to provide three zones of pressure reduction. It is designed to reduce patient interface pressure across the surface.

#### Invacare® Solace® Prevention SPS1080 Mattress

Model no. SPS1080

Zoned top layer relieves pressure in the important susceptible body zones. The convoluted "fortress" cut design offers more surface area for patient support and relief. Two layers of high quality foam include softer head and heel sections.

#### Invacare® Solace® Prevention SPS2080 Mattress

#### Model no. SPS2080

Added to the design are built-in side supports. The head and heel-soft sections add comfort and protection, while the side supports provide stability and durability.

#### Invacare® Solace® Prevention SPS3080 Mattress

Model no. SPS3080

The soft heel section is upgraded to visco-elastic foam to cradle the sensitive area. This product provides comfort and support with built-in side supports and dual layer "fortress" cut foam.

# **Additional Product Suggestions**



Invacare® BAR600 Bariatric Bed, page 38



Invacare® I-Fit™ Shower Chairs, page 24



Invacare® Heavy-Duty Commode, page 28

# Invacare® Solace® Therapy and Resolution Mattress

Multiple layered mattresses provide pressure relief and comfort for medium to high risk patients.



#### Invacare® Solace® Therapy STS1080 Mattress

#### Model no.

STS1080

Precision three-layered mattress of die-cut foams provides pressure relief around bones, increases air flow to reduce surrounding temperature and provides uniform weight distribution for increased patient comfort. Included in the STS1080 mattress are side supports to provide stability and durability.

#### Invacare® Solace® Therapy STS2080 Mattress

Model no.

STS2080

Added to the design is a visco heel section to add comfort and protection.

#### Invacare® Solace® Therapy STS3080 Mattress

Model no.

STS3080

Building more into the therapy mattress is a specially designed viscoelastic foam top to cradle the entire body in foam. This series provides comfort and support and includes side supports and three layers of "fortress" cut style foam.

#### Invacare® Solace® Resolution SRS1080 Mattress

Model no.

SRS1080

Our most advanced foam mattress is designed for those patients who require the highest degree of pressure relief. The dual layer design incorporates two different types of foam to provide not only a therapeutic pressure-relieving surface but also one that is supportive and comfortable using high-density foam. In addition, the mattress has a heel slope to alleviate pressure along with built-in side supports. The convoluted fortress cut design offers more surface area for patient support and relief.

#### **Additional Product Suggestions**



Invacare® BAR600 Bariatric Bed, page 38



Invacare® Heavy-Duty Commode, page 28



Invacare® Heavy-Duty
Transfer Bench, page 25

# Invacare® microAIR® Alternating Pressure Therapeutic Support Mattress







# Invacare® microAIR® MA50 Alternating Pressure Mattress Overlay Model no. MA50

The Invacare® microAIR® MA50 overlay is a full-featured alternating pressure overlay powered by a 10 LPM compressor with four alternating pressure cycles of 5, 10, 15 and 20 minutes.

# Invacare® microAIR® MA51 Alternating Pressure Therapeutic Support Mattress System and 10 LPM Compressor

Model no. MA51

The Invacare® microAIR® MA51 is an alternating pressure mattress replacement which reduces interface pressure to aid in the prevention and treatment of Stage I to IV pressure ulcers.

# Invacare® microAIR® MA55 Alternating Pressure Mattress with On-Demand Low Air Loss and 10 LPM Compressor

Model no. MA55

In addition to all the features of the MA51 alternating pressure mattress, the MA55 model improves air circulation and cools the body temperature with a unique system of air released into the mattress.

# Invacare® microAIR® MA65 Alternating Pressure Mattress with On-Demand Low Air Loss and 50 LPM Compressor

Model no. MA65

The MA65 model improves air circulation and cools the body temperature with a unique system of air released into the mattress. MA65RSR (Raised Side Rails available).

# **Additional Product Suggestions**



Invacare® BAR600 Bariatric Bed, page 38



Invacare® I-Fit™ Shower Chairs, page 24



Invacare® Heavy-Duty Commode, page 28

# Invacare® microAIR® Alternating Pressure Therapeutic Support Mattress









# Invacare® microAIR® MA80 True Low Air Loss Mattress Replacement System and 1275 LPM Blower

Model no. MA80

The Invacare® microAIR® MA80 mattress model is a true low air loss mattress that helps manage skin moisture to avoid maceration and maintain a dryer environment for pressure ulcer healing in the treatment of Stage I to Stage IV pressure ulcers. The mattress and blower system automatically maintains five different pressure zones for softer head and heel sections and firmer torso pressure interfaces. Pulse settings are available on the MA80 unit. MA85RSR (Raised Side Rails available).

# Invacare® microAIR® MA85 True Low Air Loss Mattress with Alternating Pressure and 1275 LPM Blower

Model no. MA85

Building on the true low air loss model benefits of improved air circulation, body temperature cooling and skin moisture management, the Invacare® microAIR® MA85 model increases the therapy with the addition of alternating pressure to reduce surface interface and offer pressure relief. Alternating pressure settings of 5, 10, 15, and 20 minutes are available on the MA85 unit. MA85RSR (Raised Side Rails available).

# Invacare® microAIR® MA90Z Lateral Rotation Mattress with Alternating Pressure and On-Demand Low Air Loss with 50 LPM Compressor

Model no. MA90Z

The turn is offered to angles up to 30° for pulmonary therapy requirements with options for  $\frac{1}{4}$ ,  $\frac{1}{2}$  and  $\frac{3}{4}$  turns. Turn times available are 10, 20, 30 and 60 minutes with options to turn right or left only as well as both sides.

# Invacare® microAIR® MA95Z Lateral Rotation Mattress with Alternating Pressure and True Low Air Loss with 1275 LPM

Model no. MA95

This model allows for customization of patient therapy settings including up to 45° of turn, time and pressure. Alternating, static and pulse therapies are available in addition to the lateral rotation and continuous true low air loss relief.

#### **Additional Product Suggestions**



Invacare® BAR600 Bariatric Bed, page 38



Invacare® Heavy-Duty Commode, page 28



Invacare® Heavy-Duty Transfer Bench, page 25

# Invacare® Pronto® M91™ Power Wheelchair

Vibrant colors with contemporary styling are not the only features that position the Invacare® Pronto® M91™ Power Wheelchair with Invacare® SureStep® Suspension in a class of its own. Complete with center-wheel drive performance, high-speed motors and a 300 lb. weight capacity, (optional 400 lb.) the Pronto M91 Wheelchair with SureStep Suspension appeals to consumers with an active lifestyle. Also standard on the M91 Wheelchair is Stability Lock, a feature that provides added stability when transitioning down inclines or obstacles. Offering excellent maneuverability, SureStep technology and a maximum speed of 6 mph, the Pronto M91 wheelchair is sure to be preferred by consumers on the go.

#### **Features**

- SureStep technology for smooth driving over thresholds and transitions up to 3" in height
- True center-wheel drive for intuitive driving and tight overall turning radius
- · Stability Lock and six wheels on the ground provide optimum stability
- Fully programmable Invacare® MK5<sup>™</sup>-NX<sup>™</sup>-75 electronics or Invacare® MK690 controller with Invacare® SPJ™+ Joystick for maximum function and precise driver control
- Semi-recline van seats for style and comfort with flip-up adjustable height- and width-arms
- Regenerative braking and automatic motor locks for dependable stopping



Model No:	M91
Length (with footboard folded)	39"
Length (with footboard down)	40" - 42"
Width (excluding joystick)	25.9"
Heights	37" - 48"

Width (excluding joystick)		25.9"
Heights		37" - 48"
	Van seat	Rehab Seat
	Semi-recline	ASBA
Seat width	16" - 22"	16" - 24"
Seat depth	16" - 20"	16" - 22"
Back height	18"	16" - 20"
with headrest	25"	n/a
Back angle	80° - 115°	85° - 105°
Seat-to-floor height	21" - 23"	18.5" - 21"
Product Weight		
With batteries		273 lb.
Without batteries		199 lb.
Maximum speed	5 m	nph Heavy-duty
Incline capability		9°
Weight capacity	300 lb.	(400 lb. option)
Turning radius		
Front (with footboard down)		19.5"
Rear		21.5"
Ground clearance		3.25"
Limited warranty		
Base frame		5 year
Seat frame		3 year
Electronics		1 year
Motor/gearbox	·	1 year



# **Additional Product Suggestions**



Invacare® Heavy-Duty Commode, page 28



Invacare® I-Fit™ Shower Chairs, page 24



Invacare® Bariatric Transfer Bench, page 25

# Invacare® 3G Storm Series® Ranger X™ Power Wheelchair

Built on the rugged Invacare® 3G Storm Series® H-frame design, the Invacare® Ranger X™ Power Wheelchair offers a proven, durable construction and Monroe® spring shock rear suspension for a soft ride. The Ranger X Wheelchair features heavy-duty motors and Invacare® MK6i™ electronics with the optional upgrade to TrueTrack motors.

#### **Features**

- 400 lb. weight capacity
- Invacare® MK690 controller and Invacare® MPJ™+ joystick
- Heavy-Duty 4-pole motors provide true gear reduction and higher torque for many rehab needs
- Rubber element rear wheel suspension
- Adjustable ASBA rehab seat



#### **Specifications**

peomodions	
Model No.	3GRX
Overall Width (with 14" x 3" wheels) *	25"
Length (without front riggings)	
Short base	28.5"
Long base	31.5"
Height	
Medium	36.5"
Tall	44.25"
Seat-to-floor height (at 0° tilt)	
Low	17.5"
Medium	19.5"
Tall	21"
Maximum speed	5 mph
with TrueTrack motor (optional)	7 mph
Batteries**	Group 24
Product weight	266 lb.
Full turning radius	29.5"
Weight capacity	
With Invacare® Formula™CG Powered Seating	400 lb.
With Invacare® Formula™CG Powered Seating	
and ventilator tray option	350 lb.
Limited warranty	
Base frame	5 year
Seat frame	3 year
Electronics	1 year
Motor	1 year

<sup>\*14&</sup>quot; x 4" adds 2" to overall width

#### **Additional Product Suggestions**



Invacare® Matrx® Vi Cushion, page 37



Invacare® Matrx® Flo-tech Cushion, page 33



Invacare® Matrx® Personal Back™10 Plus Back, page 31

<sup>\*\*</sup>Sealed gel cell recommended

# Invacare® 3G Storm Series® Arrow® Power Wheelchair

The Invacare® 3G Storm Series® Arrow® Rear-Wheel Drive Power Wheelchair offers the benefits of Invacare® Gearless Brushless GB™ TrueTrack motors. TrueTrack allows the chair to maintain it's true forward path keeping the chair tracking straight. TrueTrack motors ultimately result in less fatigue for drivers of alternative controls.

#### **Features**

- 400 lb. weight capacity
- Independent spring-and-shock rear-wheel suspension reduces jolts and vibrations for clinical and functional comfort
- Upgraded Invacare® Gearless Brushless GB™ motors deliver approximately 15% more power and increases speed by 60% to 7 mph from previous heavyduty motors
- Full electronic communication and switch option capability with Invacare<sup>®</sup> MK6i™ electronics
- · Four independent drives
- Useful arm pockets to store personal items
- Adjustable rehab seat efficiency accommodates changing consumers' needs

# **Specifications**

Model No:	3GAR
Width (with 14" x 3" wheels)	25"
Length (without front riggings)	
Short base	28.5"
Long base	31.5"
Height	
Medium	36.5"
Tall	44.25"
Maximum Speed	7 mph
Electronics	nvacare® MK6i™ Electronics
Batteries	Group 24 (std)
Incline capability	9°
Weight Capacity	
With Invacare® GB™ TrueTrack Motor	400 lb.
With Invacare® Formula™CG Powered Se	ating 400 lb.
With Invacare® Formula™ <sub>CG</sub> Powered Se	ating and
ventilator tray option	350 lb.
Limited Warranty	
Base frame	5 year
Seat frame	3 year
Electronics	1 year
Motor	5 year





# **Additional Product Suggestions**



Invacare® Matrx® Vi Cushion, page 37



Invacare® Matrx® Personal Back™ 10 Plus Back, page 31



Invacare® Matrx® Stabilite™ Cushion, page 35

# Invacare® TDX® SP Power Wheelchair

The Invacare® TDX® SP Power Wheelchair is the first model in the next generation of TDX (Total Driving eXperience) power wheelchairs. The TDX SP Wheelchair takes all the best features of the TDX series and improves upon them with enhanced performance, superior ride quality, quieter chassis and an elegantly simple design.

#### **Features**

- Heavy-duty 4-pole motor package with a 400 lb. weight capacity and a maximum speed of 5 mph
- Invacare® MK6i™ Electronics with the MK690 controller and Invacare® SPJ™ joystick optional expandable electronics available
- Enhanced Invacare® SureStep® suspension, configured for obstacles up to 3"
- Adjustable rehab seat efficiently accommodates changing consumer needs

#### **Specifications**

∕lodel No:		TDXSP
Width		24'
Length (w/o front rig	ging)	
Adj. ASBA		35.25"
Height		
Adj. ASBA		35.5" - 39.5"
Invacare® Formula™	CG Powered Seating	36.5" - 40.5"
Seat-to-floor heigh	t (at 0° tilt)	
Adj. ASBA		16.5" - 20.5"
Invacare® Formula™	CG Powered Seating	17.5" - 19.5"
Maximum speed		5 mph
Electronics	Invacare MK6i™ Electro	nics (standard)
	With switch op	tions (optional)
Full turning radius*	**	22"
Weight Capacity		
Heavy-Duty package	Э	400 lb.
With Invacare® Form	mula™ CG Powered Seating*	400 lb
With Invacare® Form	nula™ CG Powered Seating and	
ventilator tray optio	n	350 lb.
Limited Warranty		
Base frame		5 year
Electronics		1 year
Motor		1 year

<sup>\*</sup>Elevate combinations not available with TDXSP with 400 lb. weight capacity



#### **Additional Product Suggestions**



Invacare® Matrx® Flo-tech Cushion, page 33



Invacare® Matrx® Personal Back™ 10 Plus Back, page 31



Invacare® Matrx® PCS Back, page 30

# Invacare® TDX® SR Power Wheelchair

The Invacare® TDX® SR Power Wheelchair builds off of the proven Invacare® TDX® SP platform and offers the benefits of Invacare® Gearless Brushless GB™ TrueTrack motors. TrueTrack allows the chair to maintain its true forward path, keeping the chair tracking straight. TrueTrack motors ultimately result in less fatigue for drivers of alternative driver controls.

#### **Features**

- TrueTrack motor package accommodates the most active consumers weighing up to 400 lb.
- Invacare<sup>®</sup> MK6i<sup>™</sup> electronics with the MK6 TrueTrack controller and Invacare<sup>®</sup> MPJ™+ joystick offer four independent drives
- Enhanced Invacare® SureStep® suspension, configured for obstacles up to 3"
- Adjustable rehab seat efficiently accommodates changing consumer needs



#### **Specifications**

∕lodel No:	TDXSR
Width	25.5"
Length (with front rigging*)	
18" D w/ ASBA	43"
Height	
Adj. ASBA	35.5" - 39.5"
Invacare® Formula™ CG Powered Seating*	36.5" - 40.5"
(Tilt, Recline, Tilt/Recline)	
Seat-to-floor height (at 0° tilt)	
Adj. ASBA Rehab seat	16.5" - 20.5"
Invacare® Formula™ CG Powered Seating	17.5" - 19.5"
Van seat	21"
Maximum speed	7 mph
Electronics Invacare® M	K6i <sup>™</sup> Electronics (standard)
Incline capability	9°
Full turning radius**	22"
Weight capacity	
Heavy-Duty package	400 lb.
With Invacare® Formula™ CG Powered Sea	ating 400 lb.
With Invacare® Formula™ CG Powered Sea	ating and
ventilator tray option	350 lb.
Limited warranty	
Base frame	5 year
Electronics	1 year
Motor	5 year

- \* 90° front rigging
- \*\* Base at 18" seat depth and 90° center mount.
- \*\*\* Elevate combinations not available with TDXSR-HD



## **Additional Product Suggestions**



Invacare® Matrx® Vi Cushion, page 37



Invacare® Matrx® PCS Back, page 30



Invacare® Matrx® Flo-tech Cushion, page 33

# Invacare® Solara® 3G Tilt-In-Space Wheelchair

The Invacare® Solara® Wheelchair is known for its durability of frame construction and gear tilt mechanism design. The new generation Invacare® Solara® 3G Wheelchair retains this durability, and once again revolutionizes tilt-in-space wheelchair design with incredible simplicity, portability and ease of use and adjustment.

#### **Features**

- 400 lb. weight capacity (heavy-duty package)
- Center-of-gravity remains constant throughout tilt range
- Positive lock mechanism eliminates "sponginess" common to locking hydraulic cylinders
- · Tilt angle indicator
- Standard flared front provides more space for user's feet and reduces interference when tilting in the anterior direction
- One axle plate accommodates all wheel sizes
- -5° to 50° of total tilt available
- Adjustable-depth, adjustableangle back canes

#### **Specifications**

Model No:	SOLARA 3G
Frame style	Tilt
Seat width	12" - 24"
Seat depth	12" - 22"
Back height	17"-20", 20", 24"
Overall chair width open	Seat width plus 8.5"
Adjustable angle back	0°, 5°, 10°,15°, 20°, 25°, 30°
Tilt range	-5° to 50°
Weight capacity	400 lb. w/HD package**
Weight of chair	34.5 lb.
Limited warranty	Lifetime, frames and crossbraces

<sup>\*\*</sup>Heavy duty package provides reinforced frame.

All dimensions are also available without heavy duty package.



#### **Additional Product Suggestions**



Invacare® Matrx® Vi Cushion, page 37



Invacare® Matrx® PCS Back, page 30



Custom modifications (see Invacare® Matrx® Catalog)

# Invacare® Heavy Duty Transport Chair

The Invacare® Heavy-Duty Transport Chair is designed for those individuals requiring a transport chair that can support weight up to 400 lb. The Heavy-Duty Transport chair is available in a 22" seat width and comes complete with removable desk arms and swingaway footrest. This chair incorporates 12" rear wheels with flat-free tires for increased maneuverability and 8" solid rubber casters.

#### **Features**

- 13 month limited warranty on sideframes and crossbraces
- 12" rear wheels with flat free tires
- Removable padded desk arms
- Carbon steel frame with dual crossbraces
- Swingaway footrest with aluminum footplates
- Flame retardant black nylon upholstery

#### **Specifications**

Model No:	TRHD22FR
Seat width	22"
Seat depth	18"
Back height	20"
Seat-to-floor height	19.5"
Overall width open	28"
Overall depth w/o riggings	36.5"
Weight capacity	400 lb
HCPCS Code	E1039



# **Additional Product Suggestions**



Invacare® BAR600 Bariatric Bed, page 38



Invacare® Heavy-Duty Walker, page 36



Deluxe Wrist Blood Pressure Monitor w/ Heartsense, call Invacare Supply Group at 800-225-4792

# Invacare® Deluxe 3-Position Recliner

The Invacare® Deluxe 3-Position Recliner is loaded with features and designed with ergonomics in mind. The back and seat are formed for comfort and support.

#### **Features**

- Three easy-to-attain positions: upright, elevated leg or full recline
- Special woven padding on back and seat reduces the risk of "bottoming out"
- Zinc-plated caster horns for improved rust resistance
- Fire retardant foam and glue
- Ergonomically designed seat back and articulating headrest maximize individual comfort requirements

# **Specifications**

Model No:	IH6065WD
Overall	32"W x 39"D x 47"H
Product weight	92 lb.
Seat depth	19.5"
Seat-to-back height	32"
Seat-to-floor height	21"
Seat width	22.75"
Weight capacity	400 lb.



## **Additional Product Suggestions**



Deluxe Wrist Blood Pressure Monitor w/ Heartsense, call Invacare Supply Group, 800-225-4792



Invacare® Heavy-Duty Walker, page 36



Invacare® BAR600 Bariatric Bed, page 38

# Invacare® Solace® Prevention SPS2080B Bariatric Mattress


Available in bariatric sizes, Model no. SPS2080B42 gives you 42" of width and Model no. SPS2080B48 gives you 48" of width. Both mattresses have a capacity of 400 lb. Added to the design are built-in side supports. The head and heel-soft sections add comfort and protection, while the side supports provide stability and durability.

#### Invacare® Solace® Prevention 2080B Mattress





Test shows subject in supine position demonstrating contact measurement between key pressure points using FSA pressure mapping technology. Subject: Female, 5'2", 105 lb.



# **Additional Product Suggestions**



Invacare® BAR600 Bariatric Bed, page 38



Invacare® I-Fit™ Shower Chairs, page 24



Invacare® Heavy-Duty Commode, page 28

# Invacare® I-Fit™ Shower Chair

Invacare® I-Fit™ Shower Chair offers stability, comfort, and tool-less assembly in seconds. The I-Fit all-composite legs have precise twist height adjustments. I-Fit chairs have deep contoured seats and ergonomic backrests that provide maximum showering comfort. These chairs fit into most standard tubs, while the legs feature large rubber tips for added stability.

#### **Features**

- · Tool-less assembly
- Deep and wide seating surface
- Contoured seat and ergonomic backrest
- Legs with large rubber tips for additional stability
- Plastic legs with twist height adjustments

#### **Specifications**

Model No:	9781	9780
Seat height (min max.)	15" - 21"	15" - 21"
Seat overall depth	18"	18"
Seat overall width	20"	20"
Back height from seat	14.25"	N/A
Overall width at base	16.25"	16.25"
Overall depth at base	17.25"	17.25"
Product weight	10 lb.	8.25 lb.
Weight capacity	400 lb.	400 lb.
Quantity per carton	2	2
Limited warranty	3 year	3 year





#### **Additional Product Suggestions**



Auto Inflation Blood Pressure Monitor, call Invacare Supply Group at 800-225-4792



Invacare® Hand Held Shower, call Invacare Customer Service



Invacare® Bariatric Large Base Quad Cane, Page 45

# Invacare® I•Class™ Heavy-Duty Transfer Bench

For individuals with restricted mobility, the Invacare<sup>®</sup> I ◆ Class<sup>™</sup> Heavy-Duty Transfer Bench provides safety and independence. Ergonomically designed to make transfers in and out of the bathtub easy, this transfer bench also features a textured seating surface that is safe and comfortable for the consumer.

#### **Features**

- 400 lb. weight capacity
- Sturdy, durable, one-piece blowmolded seat
- Textured seat with drain holes
- Ergonomically shaped reversible backrest snaps in and out easily without tools
- Built-in soap dish and hand-held shower holder

#### **Specifications**

Model No:	9670, 9670U, 9670C
Seat height (min max.)	18" - 22.5"
Seat depth	18"
Seat width	33.25"
Overall height min max.	31.25" - 35.75"
Clearance beneath frame	14.5" - 19"
Overall width at base	30.5" - 31"
Overall depth at base	16.25" - 17"
Height (adjustments in .5" increments)	9
Product weight	12 lb.
Weight capacity	400 lb.
Quantity per carton	
9670	2
9670U	1
9670C	2
Limited warranty	3 year





## **Additional Product Suggestions**



Invacare® Tracer® IV Wheelchair, page 8



Invacare® Heavy-Duty Paddle Walker, page 36



Invacare® Hand Held Shower, call Invacare Customer Service

#### Invacare® TDX®SI-HD Power Wheelchair

The Invacare® TDX® SI-HD Power Wheelchair is the first TDX Power Wheelchair ever introduced for the Group 2 consumer. Available in a 450 lb. weight capacity, the TDX SI Wheelchair delivers legendary TDX power and performance to meet the driving needs of almost any consumer. Center-wheel drive and a narrow footprint provide exceptional indoor maneuverability, while its brightly painted frame and integrated rear suspension combine for a simple yet elegant design.

#### **Features**

- 450 lb. weight capacity
- Advanced 4-pole motor provides high torque
- Invacare® SureStep® Suspension with Stability Assist climbs 2" with ease
- Center wheel drive and narrow base for tight turning radius
- Integrated rear suspension



#### **Specifications**

Model No:		TDXSIHD
Overall dimensions		
Base length (w/o front ri	ggings)	35"
Base length (with front r	iggings)	38.5"
Base width (w/o seat an	d joystick)	24"
Base width (incl. seat, ar	rms & joystick)	Seat width + 6"
Height (with rehab seat)		35.5" - 39.5"
Height (with van seat)		38"
with headrest		45" - 47"
Seat dimensions	Captain	Rehab
Width	18"- 24"	18"- 24"
Depth	16"- 22"	16"- 22"
Back height	18"	16"-24"
with headrest	25"- 27"	-
Seat-to-floor heights		
Captain's seat		21"
Rehab seat		16.5" - 20.5"
Maximum Speed		5 MPH
Incline Capability		6°
Per-charge range		Up to 13 mi.
Turning radius		23"
Ground clearance		3"
Motor package		4-pole
Electronics Invacare	MK690 Electronic	cs w/ SPJ™+ joystick
Batteries		22NF Gel
Weight Capacity		450 lb.
Limited warranty		
Base frame		5 year
Seat frame		3 year
Electronics		1 year
Motor/gearbox		1 year
-		•

#### **Additional Product Suggestions**



Invacare® Heavy-Duty Commode, page 28



Invacare® Heavy-Duty Walker, page 36

## Invacare® Reliant™ 450 Lift

Invacare® Reliant™ Lifts were conceived to help reduce the possibility of caregiver back injury and to ensure dignity in patient handling. These high-quality lifts are comfortable, reliable and integral tools for staff and caregivers. Using the lift for patient handling can help reduce staff injuries, save you money and reinforce safety as a priority in your health care facility.

#### **Features**

- Removable battery easily charges overnight on wall-mounted charging station
- Equipped with a quiet, long-life motor
- Wide lift range for easier transfer
- · Wide base for maximum stability
- 4.5" Under bed clearance
- Limited warranty includes three years on lift, one year on battery
- 450 lb. weight capacity



Model No:	RPL450-1	RPL450-2
Height		
Maximum at sling hook-up	74"	74"
Minimum at sling hook-up	24"	24"
Base height (clearance)	4.5"	4.5"
Base width		
Open	41"	41"
Closed	26.5"	26.5"
Base length	48"	48"
Casters		
Front	3"	3"
Rear	5"	5"
Product weight	106 lb.	109 lb.
Weight capacity	450 lb.	450 lb.
Removable battery pack		
One 24 rechargeable sealed	Χ	
Charger output 24-volt DC	Χ	Х
Audible "low battery" alarm	Χ	Х
Lifts per charge*	150 - 300	150 - 300

<sup>\*</sup>Varies with lift range and load





## **Additional Product Suggestions**



Invacare® Tracer® IV Wheelchair, page 8



Invacare® Bariatric Crutches, page 51



Invacare® Bariatric Shower Chair, page 44

# Invacare® Heavy-Duty Commode

With the strength and durability of a welded steel frame, the Invacare® Heavy-Duty Commode gives consumers the comfort and stability they need. Plus, Invacare commodes are easy to adjust and built to last.

#### **Features**

- 450 lb. weight capacity
- Designed for bedside use
- Large, clamp-on seat and lid
- Backrest

- Gray powder-coated, 1" welded steel frame
- Rectangular pan and pan holder
- Armrests for added comfort

#### **Specifications**

Model No:	6497
Base width overall	30.25"
Width between arms	19.75"
Seat surface width	15.5"
Base depth overall	19.25"
Seat surface depth	15.25"
Height overall (minmax.)	24.75" - 30.75"
Seat-to-floor height (minmax)	16.25" - 22.25"
Seat-to-arm height	9"
Product weight	16 lb.
Weight capacity	450 lb.
Quantity	2 per carton
Limited warranty	5 year



## **Additional Product Suggestions**



Invacare® Tracer® IV Wheelchair, page 8



Invacare® Bariatric Crutches, page 51



Invacare® Bariatric Shower Chair, page 44

# Invacare® Pronto® M94™ Power Wheelchair with Invacare® SureStep® Technology

The Invacare® Pronto® M94™ Power Wheelchair with Invacare® SureStep® Technology combines innovative features and exceptional quality to provide a power wheelchair that meets the mobility needs of bariatric consumers. The M94 power wheelchair features SureStep technology that makes negotiating thresholds and transitions of up to 2" high effortless. Also featured is Stability Lock technology that helps ensure the chair will remain stable on inclines and declines with the consumer in control.

#### **Features**

- 500 lb. weight capacity
- Stability Lock to help ensure stability on inclines and declines
- Invacare SureStep technology for smooth driving over thresholds and transitions up to 2" in height
- Six wheels on the ground for optimum stability
- True center-wheel drive for intuitive driving and tight overall turning radius
- Powerful 650-watt, high-torque motors for reliable performance
- Fully programmable Invacare® MK6i™ electronics standard for maximum function and precise driver control
- Compact 39" long, 25.9" wide footplate for indoor maneuverability



Model No:	M94
Length (with footboard folded)	39"
Length (with footboard down)	40" - 42"
Width (excluding joystick)	25.9"
Height	37" - 48"

Height		37" - 48"
Seat dimensions	Van Seat	Rehab Seat
	Semi-recline	ASBA
Width	18" - 24"	18" - 24"
Depth	16" - 22"	16" - 22"
Overall height	37" - 40"	35" - 43"
Back height	18"	16" - 20"
with headrest	25"	n/a
Back angle	80° - 115°	80° - 100°
Seat-to-floor height	21" - 23"	18.5" - 21"
Maximum speed		4.5 mph
Incline capability		9°
Weight capacity		500 lb.
Turning radius		
Front (with footboard down)		19.5"
Rear		21.5"
Ground clearance		3.25"
Limited warranty		
Base frame		5 year
Seat frame		3 year
Electronics		1 year
Motor/gearbox		1 year



# **Additional Product Suggestions**



Invacare® Bariatric Walker, page 36



Invacare® Bariatric Commode, page 50



Invacare® Reliant™ 600 Heavy-Duty Lift, page 40

# Invacare® Matrx® PCS Back

The Invacare® Matrx® PCS Back has applications for both manual and power chair users, for upright seating systems and for tilt and/or recline systems. The back was designed with features that synergize to provide the exceptional Positioning, Comfort and Stability required by wheelchair users every day.

#### **Features**

- Improved airflow between user and back
- Optimal management of heat and moisture
- 1" soft foam provides comfort with pressure redistribution
- Lightweight aluminum shell with 3" of contour depth
- Scapular cutouts to facilitate upper extremity function
- Sacral support facilitates stability for function

- Pre-drilled headrest holes allow mounting of standard headrest mounting hardware
- Unique hardware that securely mounts between canes without any unwanted play
- Adjustable in height and angle up to 30°, depth up to 1.5"
- Quick release latch for easy removal and remounting of back during transport

#### **Specifications**

Model No:	ITPCSR, ITPCST
Width	20" - 25"
Height	16" - 20"
Limited warranty	2 year



#### **Additional Product Suggestions**



Stealth Headrest 10", call Invacare Customer Service



Invacare® Matrx® Vi Cushion, page 37



Invacare® Matrx® Flo-tech Cushion, page 33

## Invacare® Matrx® Personal Back™10 Back and Personal Back™10 Plus Back

The Invacare® Matrx® Personal Back™10 Back and Personal Back™10 Plus Back combine simplicity of design with effectiveness of application. The highly popular Invacare Personal Back line continues to provide the comfort, postural support and spinal alignment that you have come to expect.

#### **Features**

- Stretchable and breathable cover to allow additional foam inserts
- Foam lining held in place with hook and loop fasteners provides comfort and support
- Lightweight aluminum shell that mounts quickly and easily to the wheelchair
- Pre-drilled headrest pattern
- Pre-contoured shell provides excellent contact, improved lateral stability and support
- Includes sacral support that is easily adjustable to meet individual needs
- Allows increased adjustability in height, depth (2" in front or behind the canes) and back angle (up to 24°)

#### **Specifications**

Model No:	PBT,PBP, PPT, PPR	
Width	Regular	Tall
13"-14"	14"	16"
15"-26"	16"	19"
Weight capacity		500 lb.
Limited warranty		2 year





# **Additional Product Suggestions**



Stealth Headrest 10", call Invacare Customer Service



Invacare® Matrx® Vi Cushion, page 37



Invacare® Matrx® Flo-tech Cushion, page 33

# Invacare® Matrx® PB Heavy-Duty/PB Heavy-Duty Deep Back

The Invacare® Matrx® PB Heavy-Duty/PB Heavy-Duty Deep Back is contoured to provide midline support and positioning. The extensive range of sizes provides exceptional comfort and support for a wide range of user needs.

#### **Features**

- Molded foam wraps around shell for maximum comfort and protection
- Optional privacy flap is available
- Includes removable positioning pad
- Contoured shell provides exceptional midline support and positioning
- Durable, lightweight ABS back shell includes built-in plate for headrest attachment
- "Easy Set" hardware is easily installed and adjusted in minutes, adjustments can be made while user is seated in the wheelchair
- Moisture resistant and breathable outer cover

#### **Specifications**

Model No:	МРВ
Width	20", 22" 24"-30" 25"
Height	16" - 20"
Limited Warranty	2 year





5" Contour Depth-standard



7" Contour Depth-deep

#### **Additional Product Suggestions**



Stealth Headrest 10", call Invacare Customer Service



Foam-in-Place Kit, call Invacare Customer Service



Visco Foam Upgrade (PB Back only), Invacare® Matrx® Catalog

# Invacare® Matrx® Flo-tech Cushion

The Invacare® Matrx® Flo-tech Cushion uses a combination of molded foam and dual layer fluid sacs to provide the highest level of skin protection for users with high risk of skin breakdown. The Fit Kit components are available to address individual postural requirements.

#### **Features**

- Moisture resistant and breathable outer cover
- Expandable cover facilitates use with Fit Kit components
- Plantilon liner adds an additional layer of moisture protection
- Non temperature sensitive fluid will not freeze
- High quality, comfortable, resilient foam base
- Pre-ischial contour, trochanteric support, and sacral support
- Unique dual-layer fluid in ischial/ sacral area to help prevent bottoming out

#### **Specifications**

Model No:	FT
Width	20", 21", 22", 23", 24"
Depth	18", 20", 22"
Limited Warranty	3 year





# **Additional Product Suggestions**



Invacare® Matrx® PB Heavy-Duty Back, page 32



Invacare® Matrx® PCS Back, page 30

## Invacare® Matrx® Flovair™ Cushion

The Invacare® Matrx® Flovair™ Cushion is designed to provide pelvic stability, leg positioning and pressure management for individuals with postural asymmetry and skin integrity concerns. The Invacare Matrx Flovair Cushion begins with the base for comfort, stability and function. This hybrid cushion captures the stability of foam, the pressure redistribution of air and the shear management of fluid.

#### **Features**

- Inner cover is vapor permeable to allow air circulation while preventing fluid penetration
- Works in tandem with the Invacare®
   ThinAir™ bladder to maximize
   surface area for optimal pressure
   redistribution
- Comfort layer assists in redistributing peak pressures away from bony prominences
- Soft foam base allows immersion of pelvis for comfort and stability
- Gentle or Max Contour choices based on need for gentle or high level of posture control

## **Specifications**

Model No:	ITFG, ITFM
Width:	15"-24"
Depth:	15"-22"
Limited Warranty:	2 year





#### **Additional Product Suggestions**



Invacare® Matrx® PB Heavy-Duty Back, page 32



Invacare® Matrx® PCS Back, page 30

## Invacare® Matrx® Stabilite™ Cushion

The Invacare® Matrx® Stabilite™ Cushion is developed to provide pelvic stability and leg positioning for patients with postural asymmetry. The Invacare Matrx Stabilite Cushion comes fitted with an Invacare® ThinAir™ bladder, a unique comfort layer that assists in shear management. The Invacare Matrx Stabilite Cushion begins with the base for comfort, stability and function.

#### **Features**

- Vapor permeable to allow air circulation while preventing fluid penetration
- Invacare® ThinAir™ bladder comfort layer assists in redistributing peak pressures away from bony prominences
- Soft foam allows immersion of pelvis for comfort and stability
- Medial and lateral thigh supports facilitate positioning and alignment of lower extremities
- Outer cover is moisture resistant and breathable

#### **Specifications**

Model No:	ITSG
Width	21"- 24"
Depth	14"- 22"





## **Additional Product Suggestions**



Invacare® Matrx® PB Heavy-Duty Back, page 32



Invacare® Matrx® PCS Back, page 30



Invacare® Matrx® Personal Back™10 Back, page 31

## Invacare® Heavy-Duty Paddle Walker and Bariatric Rollator

The Invacare® Heavy-Duty Dual-Release Paddle Walker is strong, stable and simple to use, helping individuals to walk with confidence and ease. This walker also is compatible with Invacare leg accessories.



#### Features

- 500 lb. weight capacity
- Long-lasting PVC handgrips
- Extended frame for extra stability

#### **Specifications**

6291-HDA
20"
24"
17.5"
4"
30.38" - 37.38"
5'0" - 6'3"
6 lb. 11 oz.
500 lb.
2 per carton
5 year

The Invacare® Bariatric Rollator features a deep, wide frame with reduced overall width designed to fit easily through standard household doorways. Offering great maneuverability and stability, the Bariatric Rollator easily adjusts to fit a wide range of user heights



#### **Features**

- Flip-up 2" foam padded seat w/ zipper compartment
- Removable padded backrest
- Folds for ease of storage and transport
- Height adjustable loop handbrakes with ergonomic handles
- Indoor/Outdoor 7.5" wheels

#### **Specifications**

Model No:	66550
Depth opened at base	29.5"
Width inside handgrips	22"
Width inside base of legs	20.25"
Width overall	27"
Height adj. (minmax)	33.75" - 38"
Seat width x depth	18" x 14"
Product weight	26 lb.
Weight capacity	500 lb.
Limited warranty	
brakes	5 year
other components	1 year

## **Additional Product Suggestions**



Invacare® Bariatric Offset Cane, page 45



Invacare® Bariatric Shower Chair w/back, page 44



Invacare® Bariatric Drop-Arm Commode, page 50

## Invacare® Matrx® Vi Cushion

The Invacare® Matrx® Vi Cushion is designed to provide skin protection and positioning for users at moderate to high risk of skin breakdown. The unique three part foam construction targets skin protection to where it is needed most, and features improved stability, support and comfort.

#### **Features**

- Moisture resistant and breathable outer cover
- Zippered cover allows access for cushion modifications
- Soft (ILD) High Resilient (HR) foam for optimal comfort and support
- Pre-ischial contour provides stability to pelvis
- Molded visco-elastic foam ischial relief insert
- Anatomically targeted to ischial/ sacral area
- Provides immersion to sensitive bony prominences

#### **Specifications**

Model No:	MVI
Width	18" - 30"
Depth	18" - 26"
Limited warranty	2 year



## **Additional Product Suggestions**



Custom Modification, See Invacare® Matrx® Catalog



Pelvic Obliquity Kit, See Invacare® Matrx® Catalog



Dartex® Cover, See Invacare® Matrx® Catalog

#### Invacare® BAR600 Bariatric Bed

The Invacare® Bariatric Bed's Heavy-Duty bed frame design is capable of supporting up to 600 lb. The client or caregiver is able to easily operate the bed using the hand pendant, which changes the positioning of the head and foot sections as well as the bed height. Despite its size, setup within the home is easy.

#### **Features**

- 600 lb. weight capacity
- Full electric functionality
- Interchangeable Universal Bed Ends
- Split-spring design with removable bed ends for ease in setup
- No special tools necessary for in-home setup
- Easy-release motor mounts allow quick motor removal
- Robotically welded, steel frame construction

- Pendant allows for dynamic client positioning
- Quiet, smooth operation
- Emergency crank manually functions to lower any raised section of bed
- Use with Invacare bariatric mattress (BARMATT42) and bed rails (BAR6640IVC)
- BARMATT42 meets fire safety regulations 16CFR1633 and 16CFR1632

## **Specifications**

Model No:		BAR600IVC
Bed height* (min max.	)	14" - 22"
Sleep surface length		80"
Sleep surface width		42"
Overall length		88"
Overall width		42"
Universal Bed End		27"- 34"
	Carton size	Shipping weight
BAR5000IVC Head spring	43.75"L x 10"W x 45	'D 114 lb.
BAR5490 IVC Foot spring	47 25"L x 10 5"W/ x 4	15"D 97 lh

	Carton size	Shipping weight
BAR5000IVC Head spring	43.75"L x 10"W x 45"	D 114 lb.
BAR5490 IVC Foot spring	47.25"L x 10.5"W x 4	5"D 97 lb.
BAR5401 IVC Bed ends	45"L x 7.5"W x 23" D	64 lb.
Weight capacity		600 lb.
Limited warranty		
All welds		5 year
Frame/structure		5 year
Mechanical/electrical		1 year
HCPCS Code		E0301





Hand pendant.

#### **Additional Product Suggestions**



Invacare® Bariatric Trapeze, page 54




Invacare® Reliant™ 600 Heavy-Duty Lift, page 42



Invacare® Bed Rail, page 41

## Invacare® Heavy-Duty Rails, Invacare® Reliant™ Scale and Full Body Sling

## Invacare® Reduced Gap Heavy-Duty Half Length Bed Rails



- Bolt-on assembly for more security
- Use with bariatric bed model no. BAR600IVC
- Heavy-duty 1" chrome-plated, welded steel construction



Model No:	BAR6640IVC
Rail length	28.75"
Rail height above deck	15" raised 3.50" lowered
Shipping weight	25 lb.
Limited warranty	1 year



#### Invacare® Reliant™ Digital Scale

#### Model No:

**Specifications** 

- Compact precision scale mounted on swivel bar accurately measures weights up to 600 lb.
- Provides wide lift range and retrofits on Invacare® Reliant™ 600 lifts

#### RLS6

- Easy to operate, 4-button display
- Automatic shut-off feature prolongs battery life
- Two-year limited warranty

## Invacare® Reliant™ Full Body Mesh Slings



Model no. R140 Mesh Sling



Model no. R141 Mesh Sling with Commode Opening

Model No.	R140	R141
		======
Width	45"	45"
Commode		
Opening width	n/a	7"
Opening length	n/a	13"
Length	55"	55"
Product weight		
Out of carton	2.2 lb.	2.1 lb.
Shipping	2.7 lb.	2.6 lb.
Weight capacity	600 lb.	600 lb.

#### NOTE

Complete instructions for lift usage and sling procedures are found in the Invacare operating manual. Only Invacare slings and accessories should be used on Invacare lifts. Lift Training Video available (Part no. 1090823) or through the online catalog (www.invacare.com).

## **Additional Product Suggestions**



Invacare® BAR600 Bariatric Bed, page 38



Invacare® Bariatric Commode, page 42



Invacare® 9000 Topaz® Wheelchair, page 48

## Invacare® Reliant™ 600 Heavy-Duty Lift

Designed to meet the special needs of patients weighing up to 600 lb., the Invacare® Reliant™ 600 Heavy-Duty Lift is secure and sturdy, providing a safer alternative to manual lifting. Both durable and functional, the Reliant 600 lift also is a reassuring and comfortable patient lift. When answering the needs of every patient is your priority, this is the wisest choice.

#### **Features**

- 600 lb. weight capacity
- High lift range allows transfer to high surfaces
- Manual lowering for instant response to power loss
- Essential device for safer patient handling in hospitals and long-term care facilities
- Unique sling fabric designed to provide the utmost in comfort and strength
- Rear locking casters are standard
- Manufactured by an ISO13485 facility
- Standard base model no. RPA600-1 available

					ns	

Model No.	RPL600-1	RPL600-2
Height		
Maximum at sling hookup	68"	68"
Minimum at sling hookup	28"	28"
Base height (clearance)	4.5"	4.5"
Base width		
Open	41"	41"
Closed	26.5"	26.5"
Base length	48"	48"
Casters		
Front	3.5"	3.5"
Rear	5"	5"
Product weight		
Out of carton	112 lb.	115 lb.
Shipping	138 lb.	141 lb.
Weight capacity	600 lb.	600 lb.
Limited warranty		
Lift	3 year	3 year
Electric components	1 year	1 year





#### **Additional Product Suggestions**



Invacare® BAR600 Bariatric Bed, page 38




Invacare® Bariatric Commode, page 42



Invacare® 9000 Topaz™ Wheelchair, page 48

## Invacare® Solace® Therapy STS2080B Bariatric Mattress

Available in bariatric sizes, Model no. STS2080B42 gives you 42" of width and Model no. STS2080B48 gives you 48" of width. Both mattresses have a capacity of 650 lb. Added to the design are built-in side supports. The head and heel-soft sections add comfort and protection, while the side supports provide stability and durability.



## **Additional Product Suggestions**



Invacare® Bariatric Walker, page 46



Invacare® BAR750 Bariatric Bed, page 47



Invacare® Bariatric Transfer Bench, page 44

## Invacare® Bariatric Commode

The Invacare® Bariatric Commode is designed to suit the needs of bariatric individuals weighing up to 650 lb. With its extra-wide seat and durable steel frame design, it offers consumers the strength and comfort they need.

#### **Features**

- 650 lb. weight capacity
- Extra-wide snap-on seat
- Hygienic seat opening
- Seat reversible for easy cleaning with rectangular pan removed
- Rectangular pan can be removed from the commode
- Adjustable seat-to-floor height
- Can be used bedside, or with backrest removed. Can act as a toilet safety frame or raised toilet seat

#### **Specifications**

Model No.	6500-BHD
Base width overall	35.5"
Width between arms	30"
Seat surface width	27.75"
Seat opening width	10"
Base depth overall	18.5"
Seating depth overall	18.5"
Height overall (minmax.)	26.5" - 30.5"
Seat-to-floor height (minmax.)	24.75" - 29.75"
Seat-to-arm height	8"
Product weight	21 lb.
Weight capacity	650 lb.
Quantity	2 per carton
Limited warranty	5 year



#### **Additional Product Suggestions**



Invacare® Bariatric Walker, page 46



Invacare® BAR750 Bariatric Bed, page 47



Invacare® Bariatric
Transfer Bench, page 44

## Invacare® Bariatric Foam Mattress

The Invacare® Bariatric Foam Mattress offers consumers the comfort, protection and durability of a superior bariatric mattress, with a weight capacity of 700 lb. The Invacare Bariatric Mattress is recommended for use with the Invacare Bariatric Bed.

#### **Features**

- 700 lb. weight capacity
- · Constructed of latex-free materials
- Durable 11-oz. vinyl cover is anti-bacterial and waterproof for easy use and care
- High quality 2.6 lb. per cubic foot density foam provides firm comfortable support

#### **Specifications**

Model no.	BARMATT39	BARMATT42
Overall length	80"	80"
Overall depth	6.5"	6.5"
Overall width	39"	42"
Gauge	n/a	n/a
Limited warranty	1 year	1 year

#### **Specifications**

Model no.	BARMATT48	BARMATTEXP
Overall length	80"	80"
Overall depth	6.5"	6.5"
Overall width	48"	39"- 48" expandable
Gauge	n/a	n/a
Limited warranty	1 year	1 year





Invacare® Bariatric Mattress pictured with Invacare® Bariatric Bed (BAR750) and Invacare® Half-Length Bed Rails (BAR6640IVC)

## **Additional Product Suggestions**



Invacare® BAR750 Bariatric Bed, page 47



Invacare® Bariatric Walker, page 46



Invacare® Bariatric
Transfer Bench, page 44

## Invacare® Bariatric Shower Chair and Transfer Bench

The Invacare® Bariatric Shower Chair provides a wide and deep seating surface for those who need extra stability in the shower. This 700 lb. weight capacity shower chair comes with a contoured seat and backrest and adjustable height legs. The durable aluminum frame with special cross brace design provides maximum stability for larger individuals.



#### **Features**

- 700 lb. weight capacity
- Wide, deep seating surface
- Durable aluminum frame with dual cross brace for added stability
- Backrest easily snaps into assembled seat frame with no tools required
- Contoured seat and backrest
- Adjustable height legs

## **Specifications**

9785-2
16.25" - 20"
16.25"
17"
13.50"
18.25" - 18.75"
21" - 22"
11 lb.
700 lb.
2 per carton
3 year

The Invacare® Bariatric Transfer Bench provides a wide and deep seating surface for those who need extra assistance when transferring in and out of a bathtub. This 700 lb. weight capacity transfer bench comes with contoured seat and backrest, arm rail support and adjustable height legs. The durable aluminum frame with special cross brace design provides maximum stability for larger individuals.



#### **Specifications**

9675-2
16.25" - 20.25"
16"
17.25"
27"
19"
28" - 32.25"
16 lb.
700 lb.
2 per carton
3 year

## **Additional Product Suggestions**



Invacare® Bariatric Walker, page 46



Invacare® Bariatric Crutches, page 51



Invacare® Bariatric Drop-Arm Commode, page 50

## Invacare® Bariatric Canes

Invacare® Bariatric Canes are built with durable steel construction that provides maximum stability for individuals weighing up to 700 lb. All of the canes are height adjustable for a proper fit for the consumer and are designed with a twist locking ring providing additional security during height adjustment.

#### **Features**

- 700 lb. weight capacity
- Right- or left-hand use
- Height adjustable
- Comfortable PVC hand grip
- Locking ring for additional stability
- Durable steel construction

	S	pe	ci	fic	ati	ons
--	---	----	----	-----	-----	-----

Model no.	7831-2	7835-2	8940-6
Base	Small	Large	Offset
Color	black	black	black
Adjustment (minmax.)	29.50" - 38.50"	29.50" - 38.50"	29" - 38"
Client height (approx.)	4'11" - 6'5"	4'11" - 6'5"	4'10" - 6'4"
Footprint	8" x 6"	12" x 8.50"	-
Weight	3 lb.	4 lb.	3 lb.
Weight capacity	700 lb.	700 lb.	700 lb.
Quantity	2 per carton	2 per carton	6 per carton
Limited warranty	3 year	3 year	3 year







Large base quad cane model no. 7835-2



Offset cane model no. 8940-6

## **Additional Product Suggestions**



Invacare® BAR750 Bariatric Bed, page 47



Invacare® Bariatric Commode, page 42



Invacare® 9000 Topaz™ Wheelchair, page 48

## Invacare® Bariatric Dual Release Walker and Walker Kit

The Invacare® Bariatric Walker provides a wide and deep frame that can support an individual up to 700 lb. The dual-release buttons provide both visual and audible "locked" cues for the consumer. The durable aluminum frame provides maximum stability for consumers and the legs have a large number of height adjustments.

#### **Features**

6441-A

- 700 lb. weight capacity
- · Wide, deep frame
- Dual-push button mechanisms provide visual and audible "locked" cues
- Large number of height adjustments
- · Comfortable aluminum frame
- Compatible with Invacare model no. 6372 Bariatric 5" fixed wheels and leg extensions



Model No.	6441-A
Width inside handgrips	20"
Width inside base legs	23.50"
Depth opened inside base	16"
Depth folded	4.25"
Height adjustment	31.25" - 41.25"
Approx. client height	5'3" - 6'10"
Product weight	7 lb.
Weight capacity	700 lb.
Quantity	2 per carton
Limited warranty	5 year

#### **Features**

- Only to be used with Invacare bariatric walker model no. 6441-A
- Dual 5" fixed wheels for added stability
- · Large number of height adjustments

**Specifications** 

Model No.	6372
Height adjustment	33.50" - 43.50"
Approx. client height	5' 6" - 6' 10"
Weight capacity	700 lb.
Quantity	1 per carton
Limited warranty	5 year







Invacare® BAR750 Bariatric Bed, page 47



Invacare® Bariatric Small Base Quad Cane, page 45



Invacare® Bariatric Drop-Arm Commode, page 50

## Invacare® BAR750 Bariatric Bed

The Invacare® BAR750 Bariatric Bed is a heavy-duty full-electric bed frame capable of supporting up to 750 lb. (650 lb. patient weight capacity). With the consumer in mind, this bed expands from 39" wide to a full 48" and from 80" in length to 88". Four ultra-quiet DC actuators easily reposition the head and foot sections, as well as the bed height. And, for the ultimate in safety, the bed comes standard with a battery backup.

#### **Features**

- 750 lb. total weight capacity
- Heavy-duty frame design ensures added strength for client support
- Split-spring design eases delivery and setup
- Two locking casters on head section and two steering lock casters on foot section
- Two high-low motors, one on head section and one on foot section

- Pendant allows for dynamic client positioning
- Quiet, smooth operation
- Integrated battery backup, bed ends and half rails standard
- Choose from three mattress width options
- BARMATT Mattress options meet fire safety regulations 16CFR1633 and 16CFR1632

#### **Specifications**

BAR750
min. 15.5" - max. 29.5"
80" - 88"
39", 42" or 48"
56" L x 44" W x 41" D
465 lb.
BAR750/BARMATT39
BAR750/BARMATT42
BAR750/BARMATTEXP
5 year
1 year

<sup>\*</sup>Measurement from floor to bed deck.



## **Additional Product Suggestions**



Invacare® 9000 Topaz™ Wheelchair, page 46



Invacare® Bariatric Floor Stand with Trapeze, page 52

## Invacare® 9000 Topaz™ Wheelchair with HD Package

The Invacare® 9000 Topaz™ Wheelchair is designed specifically to suit the unique needs of the bariatric population. The Topaz Wheelchair combines the strength and durability of a carbon steel frame with the comfort of heavy-duty front riggings and arms for proper positioning. With a variety of seat widths and depths, frame reinforcements that include gussetted sides, caster journals and dual heavy-duty crossbraces, this chair provides not only ease in maneuverability, but stability that will be trusted for years to come.

#### **Features**

- 700 lb. weight capacity. HD package option for 1,000 lb. weight capacity upgrade available
- Available in vinyl or nylon upholstery
- Reinforced frame includes gussetted sides, caster journals and dual heavy-duty crossbraces
- Heavy-duty front riggings provide proper positioning for feet with footrest and elevating legrest
- Heavy-duty arms designed to accommodate weight capacity and provide proper positioning

- Dual axle positions allow for quick and simple seat-to-floor height variations (17.5" and 19.5")
- Low-maintenance, dual-sealed precision bearings
- Heavy-duty triple inner liners help seat and back resist stretching
- Flame-retardant upholstery resists mildew and bacteria, as well as cold-crack and UV damage
- Available in black or silver vein frame finish

Specifications	
Model No.	9TPZ
Seat Width	20", 22", 24", 26", 28", 30"
Seat Depth	18", 20"
Seat-to-floor heights	17.5", 19.5" 15.5"
vary with different wheel and caster packa	ges
Back heights	16" - 18"
Droduct: abt (OTD7 (M/D2010 /20)	OE III

Product weight (91PZ/W	/D2818/28) 85 lb.
Weight capacity	700 lb., 1000 lb. with HDPG option
Limited warranty	3 year, frame and crossbraces
HCPCS Code	K0007



#### **Additional Product Suggestions**



Invacare® Bariatric Crutches, page 51



Invacare® Bariatric Drop-Arm Commode, page 50

## Invacare® microAIR® Alternating Pressure Therapeutic Support Mattress









## Invacare® microAIR® MA65B Alternating Pressure Mattress with On-Demand Low Air Loss and 50 LPM Compressor

Model no. MA65B48

In addition to all the features of the MA60 alternating pressure mattress, the Bariatric MA65B42 model and MA65B48 model improve air circulation and cool the body temperature with a unique system of air released into the mattress.

## Invacare® microAIR® MA80B True Low Air Loss Mattress Replacement System and 1275 LPM Blower

Model no. MA80B48

The Invacare® Bariatric MA80B42 and MA80B48 mattress models are true low air loss mattresses that help manage skin moisture to avoid maceration and maintain a dryer environment for pressure ulcer healing in the treatment of Stage I to Stage IV pressure ulcers. The mattress and blower system automatically maintain five different pressure zones for softer head and heel sections and firmer torso pressure interfaces. Pulse settings are available on the MA80 unit.

## Invacare® microAIR® MA85B True Low Air Loss Mattress with Alternating Pressure and 1275 LPM Blower

Model no. MA85B48

Building on the true low air loss model benefits of improved air circulation, body temperature cooling and skin moisture management, the Invacare® microAIR® MA85B model increases the therapy with the addition of alternating pressure to reduce surface interface and offer pressure relief. Alternating pressure settings of 5, 10, 15, and 20 minutes are available on the MA85B unit.

# Invacare® microAIR® MA90ZB Lateral Rotation with Alternating Pressure Mattress and On-Demand Low Air Loss with 50 LPM Compressor

Model no. MA90ZB48

The turn is offered to angles up to  $30^{\circ}$  for pulmonary therapy requirements with options for  $\frac{1}{4}$ ,  $\frac{1}{2}$  and  $\frac{3}{4}$  turns. Turn times available are 10, 20, 30 and 60 minutes with options to turn right or left only as well as both sides.

## **Additional Product Suggestions**



Invacare® 9000 Topaz™ Wheelchair, page 48



Invacare® Bariatric Floor Stand with Trapeze, page 52

## Invacare® Bariatric Drop-Arm Commode

The Invacare® Bariatric Drop-Arm Commode is built with durable steel construction and is designed with a wide and deep seating surface for individuals weighing up to 1000 lb. The commode comes with easy to operate drop arms that accommodate transfers in and out of the commode. The drop-arm commode also has an extra-wide snap-on seat and backrest and height adjustable legs.

#### **Features**

- 1000 lb. weight capacity
- Easy-to-operate drop-arm mechanism
- Extra-wide snap-on seat
- Removable padded backrest
- Adjustable height legs
- Durable steel frame design
- · Comes complete with pail and lid

<b>Cn</b>	ecifica	atione
υþ	CUIIIC	นแบบเอ

Model No.	6599
Base width overall	28"
Width between arms	25"
Base depth overall	20.5"
Seat surface depth	18"
Seat surface width	23.5"
Seat opening width	8.25"
Seat opening depth	10.25"
Height overall	27" - 31"
Seat-to-floor height	19.25" - 23.25"
Seat to arm height	7.75"
Product weight	21 lb.
Weight capacity	1000 lb.
Limited warranty	5 year



#### **Additional Product Suggestions**



Invacare® 9000 Topaz™ Wheelchair, page 48



Invacare® Bariatric Floor Stand with Trapeze, page 52

## Invacare® Bariatric Crutches

Strong and comfortable, Invacare® Bariatric Crutches range in size from adult to tall adult. Large, double push-buttons allow for height adjustments in 1" increments. Crutch frame offers durable steel construction.

#### **Features**

- 1000 lb. weight capacity
- Push-button height adjustment
- Patient height guide on crutch for easy adjustment
- Contoured underarm design
- Arm pads (model no. 7131), handgrips (model no. 7126) and 2" crutch tips (model no. 6135) also available as accessories

## **Specifications**

Model No.	8130-A (adult)	8130-T (tall adult)
Weight per crutch	4lb. 6oz.	5lb.
Approx. patient height	5'2" - 5'10"	5'10" - 6'6"
Adjustment range	44" - 52"	52" - 60"
Weight capacity	1000 lb.	1000 lb.
Quantity	1 pair per cartor	1 pair per carton
Limited warranty	3 year	3 year



## **Additional Product Suggestions**



Invacare® 9000 Topaz™ Wheelchair, page 48



Invacare® Bariatric Floor Stand with Trapeze, page 52



Invacare® Bariatric Drop-Arm Commode, page 50

## Invacare® Bariatric Floor Stand with Trapeze

The Invacare® Bariatric Floor Stand with Trapeze sets up quickly and easily without the use of tools. It can also be used with a wide variety of beds; Bariatric, Home Care and Non-Medical.

#### **Features**

- 1000 lb. client weight capacity
- Three locking overhead boom angle positions for comfortable, secure use
- Tool-free design simplifies assembly
- Four piece sub-assembly significantly reduces setup time
- Lightweight design for easy delivery
- Free-standing structure permits use with Bariatric, Home Care or Nonmedical bed

	tions

Model No.	BARTRAP
Overall height	73"
Reach	35.5"
Base width	40"
Base length	50.5"
Product weight	72 lb.
Shipping weight	80 lb.
Weight capacity	1000 lb.
Limited warranty	3 year
HCPCS Code	E0912



## **Additional Product Suggestions**



Invacare® 9000 Topaz™ Wheelchair, page 48



Invacare® Bariatric Drop-Arm Commode, page 50

## **Invacare Corporation**

www.invacare.com

#### USA

One Invacare Way Elyria, Ohio 44035-4190 (800) 333-6900

#### Canada

570 Matheson Blvd. E. Unit 8 Mississauga, Ontario L4Z 4G4 Canada (800) 668-5324

#### ©2011

Invacare Corporation. All rights reserved. Trademarks are identified by the symbols ™ and ®. All trademarks are owned by or licensed to Invacare Corporation unless otherwise noted. Prestige IQ and True Track are registered trademarks of Home Diagnostics, Inc. Delrin is a registered trademark of E.I du Pont de Nemours and Company. Monroe is a registered trademark of Tenneco, Inc. Shimano is a registered trademark of Shimano, Inc. B. V. Schwalbe is a registered trademark of RALF BOHLE GmbH Reichshof Germany. Sun is a registered trademark of Sun Components Inc. Dartex is a registered trademark of Darlington Fabrics Corporation. Specifications are subject to change without notification.

Form No. 00-274 Rev. 09/11 100849

