

# At eye level with life



## LEVO C<sup>3</sup>

## Active, traction, innovative – quality

The powered LEVO C³ is compact, agile, easy to handle and extremely powerful – perfect for active people on the move. Curbs part of your daily commute? No problem with the LEVO C³ drive system that turns a maneuverable mid-wheel base into a powerful, climbing 4 wheel drive action base. For classroom, work or home, you also have the tight turning radius and agile maneuverability of a mid-wheel base. The LEVO C³ incorporates a new generation advancement in the famous Levo low shearing standing systems. Incredibly smooth transition to standing including the automatic wheel base adjustment. Now you have a front wheel drive base for unparalled driving stability and response in the standing position. The latest innovation from LEVO, the experts in standing!











#### Power base

- 4WD: four powered wheels for superior traction and agility
- Crawls over curbs up to 4 in
- Climbs ramps easily up to 15°/33%
- Off road/rough surface traction capability
- Multiple programming options for maximum choice
- Solid, secure and safe brake action

### Seating/Standing

- Automatic lengthening/matching the extension of the back and legs during transition to standing and seating.
  «Low shearing system»
- Engineered chairs and biomechanics in all seating and standing positions
- Low seat height for transfer and driving under tables
- Easy adjustment to individual body measurements
- Numerous health benefits due to more frequent standing




Power over curbs with the innovative LEVO C<sup>3</sup>





# LEVO Stands for a better quality of life

## **Highlights**

- User-friendly, simple handling
- Maximum safety in all positions
- Compact maneuverability for tight spaces (turning circle 43 in)
- Small dimension, compact transport volume
- High battery capacity: range up to 15.5 mi, optional up to 21.7 mi
- Individually and manually adjustable for upper and lower leg, foot position and back angle
- Seat width 12.6 up to 20.5 in
- User weight up to 310 lbs
- Easy accessibility for maintenance and service updates







## **Technical Data**

Model	S – XL
Seat width (SW)	12.6/14.2/15.7/17.3/18.9/20.5
Total width (W)	24.8
Total length (L)	41.3
Total height (incl. V-Trak 16.1 in) (H)	39.4
Seat height (w/o seat cushion)	18.1
Seat plate depth	13.8-24.8
Arm rest height	5.9-14.1
Turning circle	43
Speed	3.7/5 / 6.2 mph
Range (with 55Ah Batteries)	15.5 miles
Manageable gradient	15° (33 %)
Max. curb height	4
Max. chair weight	407 lbs
Max. user weight	310 lbs
Transport volume max.	37.8 x 24.8 x 27.1

All measurements in inch and pound.

Discrepancies in the measurements may arise due to wheelchair modifications

## **Standard configuration**

E/E Wheelchair with 4 active wheels and «Low shearing system», seat support plate, quick release for seat depth, lower leg length and back angle, seat height 18.1 in, V-Trak Axxis back, flip-up armrests (adjustable for height, angle and width), VR2 control system of PG-Drives Technology with 55 Ah batteries, flip-up footrest to the side and backwards with non slip surface, knee support removable (adjustable in height, depth, angle and width), vehicle tiedown locations

### Options/Accessories

Knee support integrated, Tilt in Space 0-35°, Swing away joystick, Foam cushion with cover, swing away table tray, upper leg support, chest role, Lights and indicators, ...many more on request

#### **Colors**

4 standard colors (blue, red, yellow, black) and 190 other color options





Tel: 1888 LEVOUSA Fax: 1 763 544 4234



