





LONG-TERM CARE BEDS Improve Safety for Residents and Staff

Ung-term Why replace existing beds?

Improve safety for fall-risk residents

- Medline Solution
 - Low height on Alterra 1232 bed is 7.25"
 - Optional staff control to lockout one or more functions of the remote control

Reduce the risk of caregiver back injury

- Medline Solution
 - Maximum height on Alterra 1232 bed is 26"
 - Alterra 1232 bed can be moved at any height

Comply with FDA entrapment guidelines

- Medline Solution
 - All Medline long term care beds meet FDA entrapment guidelines when used with Medline recommended mattresses

Be better prepared for power failures and emergency situations

- Medline Solution
 - Battery back-up is a standard feature on the Alterra 1232 bed


Medline offers a comprehensive line of beds with optional accessories, including soft-touch rails and staff controls.

Excellent after-sales service

- Medline Solution
 - Your dedicated Medline sales representative can help with staff in-service and also address any after sales issues

Improve quality and appearance

- Medline Solution
 - Eliminate wall damage Wall guard is a standard feature on Alterra 1232 bed
 - Medline offers longest warranty in the market 4 years on electronics, 15 years or frame and LIFETIME on welds
 - Modular design makes it easy for bed maintenance/repair
 - Custom head and footboards available to enhance coordinated appearance





Alterra 1232

Minimize the risk of caregiver injury

The Alterra 1232's maximum height of 26" makes it easy to care for residents without straining, helping to reduce the risk of back injuries.

Minimize caregiver injury while moving the bed

The Alterra 1232 bed can be moved at any height. All eight casters rotate a full 360 degrees, increasing maneuverability even in tight spaces. For extra safety, four of the eight casters lock into place.

Eliminate wall damage

The bed moves from its lowest (7.25") to highest (26") height without any horizontal movement, eliminating wall damage.

Be better prepared for power failures

Battery backup keeps bed functioning during power outages or emergency situations.

Improve Safety for fall-risk residents Ideal for fall-risk or Alzheimer's patients with a low height of 7.25".

Stability knobs ensure that the head and footboards are properly secured.





The Alterra 1232 eliminates potential wall damage by moving straight up and down.

The Alterra 1232's battery back-up is mounted on the bed frame and keeps bed functional during a power outage or emergency situations.



The Alterra 1232's wall guard is placed near the head section to prevent wall damage.

Mattress retainers keep the mattress in place for safer transfer in and out of bed.



Shown with optional Soft-Touch Rails and Staff Control
Custom Head and Footboard.

Safety and comfort for the resident

The Alterra 1232 is built with the resident in mind, with the following features designed for safety and comfort:

- A **smooth, quiet performance** is delivered by four ultra-quiet, dependable DC motors.
- Multiple positioning options are made possible by the bed's motors, which control the bed's height, knee hinge and reclining head deck. Residents are able to choose the perfect position for watching TV, reading, socializing or just resting.
- Repositioning and rolling over are made easier by the bed's soft-touch rails. When lowered, the rails are lower than the height of a standard mattress, making transfer on and off a stretcher hassle-free.
- Strength and comfort are afforded by the bed's unique grid/rib deck that prevents the structure from sagging.
- The easy-to-operate hand pendant makes experiencing all of the Alterra 1232's features quick and hassle-free.
- Convenient T-cable allows the hand pendant to be operated from either side of the bed.
- Head and footboards are secured by stability knobs.

PRODUCT SPECIFICATIONS

Bed deck dimensions: 80" (203 cm) long,

34.5" (88 cm) wide

Overall length: 87.5" (222 cm)

Weight capacity: 450 lb. (204 kg)

Movement styles: Head, knee hinge, hi-low

Deck style: Combination grid/rib

Rolling position: Move at any height

Motors: 4 DC

Casters: 8 total, 4 locking

Horizontal movement: No

Warranty information:

Electrical components: 4 years
Bed frame: 15 years

Welds: Lifetime warranty

Item number Description

FCE1232QO Alterra 1232 Bed Package


(includes Alterra 1232 hi-low bed, head section assist rails, head/footboards in quartered oak finish, mounting hardware,

4 mattress retainers) HCPCS Code: E0266

FCE1232B Alterra 1232 hi-low bed only

HCPCS Code: E0293

For different styles and finishes of head/footboards and accessories, please refer to page 11.



Alterra 1233

Our Alterra 1233 offers all of the same great features of the Alterra 1232 but adds increased comfort for residents via an extra-wide sleeping surface.

This bed is sure to please people – such as private-pay residents – who are looking for comfortable, roomy beds similar to the beds they enjoyed in their own homes.



The Alterra 1233 offers all of the same comfort and features as the 1232, plus additional width.

PRODUCT SPECIFICATIONS

Height range:	7.25" to 26" (18-66 cm)	
Bed deck dimensions:	80" <i>(203 cm)</i> long, 39" <i>(99 cm)</i> wide	
Overall length:	87.5" <i>(222 cm)</i>	
Weight capacity:	450 lb. <i>(204 kg)</i>	
Movement styles:	Head, knee hinge, hi-low	
Deck style:	Combination grid/rib	
Rolling position:	Move at any height	

Motors: 4 DC

Casters: 8 total, 4 locking

Horizontal movement: No

Warranty information:

Electrical components: 4 years **Bed frame:** 15 years

Welds: Lifetime warranty

Item number	Description
FCE1233B	Alterra 1233 extra-wide hi-low bed only

For different styles and finishes of head/footboards and accessories, please refer to page 11.



Alterra 1100

Full electric bed

Medline's Alterra 1100 full-electric bed provides maximum positioning comfort through independent and simultaneous operation of the head, knee and hi-low functions. The DC motors provide smooth, whisper-quiet operation. The Alterra 1100 is a strong, well-built, low-maintenance electric bed suitable for the majority of residents in a long-term care facility.

Benefits and Features

- Ideal positioning and comfort are offered by separate head deck, foot deck and bed height functions.
- Ease of movement and secure locking with three-inch braking casters.
- Easy central locking system enables bed to rest on secure legs in all elevated positions.
- Smooth, quiet DC electric motors control the head deck, foot deck and height.
- Head and footboards are secured with stability knobs.

PRODUCT SPECIFICATIONS

Height range: 12" to 23.5" (30-60 cm)

Bed deck dimensions: 80" (203 cm) long,

34.5" (88 cm) wide

Weight capacity: 500 lb. (227 kg)

Motors: 3 DC

Casters: 4 total, 3" (8 cm) locking

Horizontal movement: Yes

Warranty information:

Electrical components: 3 years **Bed frame:** 15 years

Welds: Lifetime warranty

Item number	Description
FCE1100QO	Alterra 1100 Bed Package (includes Alterra 1100 full- electric bed, head section assist rails, head/footboards in quartered oak finish, mounting hardware) HCPCS Code: E0266
FCE1100B	Alterra 1100 full-electric bed only HCPCS Code: E0293

For different styles and finishes of head/footboards and accessories, please refer to page 11.



Medline Manual 1000

Manual bed

Medline's Manual 1000 manual bed offers an appealing alternative with its durability, strength and low maintenance. This bed is well-built and economical enough to be used throughout your facility.

Benefits and Features

- "Shin-friendly" cranks drop out of the way under the footboard when not in use.
- Ease of movement and secure locking with three-inch braking casters.
- Easy central locking system enables bed to rest on secure legs in all elevated positions.
- Floor scratches are prevented by specially designed cranks.

PRODUCT SPECIFICATIONS

Height range:	12" to 23.5" <i>(30-60 cm)</i>
Bod dock dimonsions:	90" (203 cm) long

Sed deck dimensions: 80" *(203 cm)* long, 34.5" *(88 cm)* wide

Weight capacity: 500 lb. (227 kg)

Deck style: Combination grid/rib

Casters: 4 total, 3" (8 cm) locking

Horizontal movement: Yes

Warranty information:

Bed frame: 15 years

Welds: Lifetime warranty

Item number	Description
FCE1000QO	Medline Manual 1000 Bed Package (includes Medline Manual 1000 bed, head section assist rails, head/footboards in quartered oak finish, mounting hardware) HCPCS Code: E0256
FCE1000B	Medline Manual 1000 manual bed only HCPCS Code: E0293

For different styles and finishes of head/footboards and accessories, please refer to page 11.

R E D L I N E



Medline Bariatric

Bariatric bed

Our Bariatric bed is a great alternative to renting bariatric beds for your facilities. With a 600 lb. weight capacity and 42" extra-wide sleeping surface, this bed is designed to comfortably accommodate larger patients.

Benefits and Features

- Patient safety is ensured by a heavy-duty all-steel frame
- Ideal positioning and comfort are offered by a hand control that can maneuver the bed into multiple positions
- Easy assembly with minimal tools required for set-up

PRODUCT SPECIFICATIONS

Height range: 18" to 26.5" (46-67 cm)

Bed deck dimensions: 80" (203 cm) long,

42" *(107 cm)* wide

Overall length: 88" (224 cm) long

Weight capacity: 600 lb. (272 kg)

Deck style: Pan deck

Casters: 2 locking, 2 non-locking

Warranty information:

Electrical/mechanical: 2 years

Bed frame/welds: Lifetime warranty

Item number	Description

MDR107004 **Medline Bariatric Bed**MDS89697BAR Head/foot section rails

VID COCCOT ESTATE THOUGHTOUT COCATOTT TAILE

MDR211892 Foam mattress, 600 lb. capacity

The heavy-duty pan deck supports up to 600 lbs.



MDS1000TPZ

The stand-alone bariatric trapeze bar's frame is constructed of heavy-gauge, steel tubing for maximum strength.

Bed Accessories

Our extensive range of bed accessories complement our long-term care beds. Your Medline representative can help you determine the best options to meet your specific needs. These accessories are compatible with all beds except the Medline Bariatric bed.



Staff control

This convenient control is mounted into the footboard of any bed and allows staff members to lock any or all bed functions to make the bed safer for select residents.

Please refer to page 11 for the appropriate item number.

Soft-touch assist rails (FCE1232RSRN)

These steel rails have a coating that is soft to the touch and offer a less institutional look. They are comfortable to grip when rolling over or getting in and out of bed.



Bed extender (FCE1232EXT)

These extenders lengthen the bed from 80" to 84" (203-213 cm) to accommodate taller residents.

Note: Available for FCE1232B, FCE1100B, FCE1000B



Assist bar (FCE1232ABN)

This positioning aid has a cane shape that is easy to grip for elderly patients, when rolling over or getting in and out of bed. Also, swings away for easier patient transfer.



Standard assist rails (FCE1232RSR)

These 29" (74 cm) assist rails are long enough to cover the entire head section of the bed and offer additional protection for patients at a high risk for falls.





Trapeze mounting kit (FCE1232TPZ)

Our trapeze adapter kit is mounted on the bed's frame so that it can move up and down with the bed, allowing the trapeze to be used at any height.

Note: Trapeze (MDS80615T)

ORDERING INSTRUCTIONS

Item number

Description

Pick the Right Bed

FCE1232B FCE1233B FCE1100B

FCE1000B

Alterra 1232 hi-low bed only (Refer to page 4)

Alterra 1233 extra-wide hi-low bed only (Refer to page 6) Alterra 1100 full-electric bed only (Refer to page 7)

Medline Manual 1000 manual bed only (Refer to page 8)

2 Choose Your Head/Footboard & Mounting Hardware

FCE1232RHFQO

Head/footboards in quartered oak finish with mounting hardware and mattress retainers for FCE1232B, FCE1100B

and FCE1000B beds.

FCE1232RHFQOS Head/footboards in quartered oak finish with staff control mounted on the footboard, staff control connecting cables, mounting hardware and mattress retainers for FCE1232B bed.

EXTRA-WIDE BED

Custom Head/Footboards Please see "Custom Head/Footboards Options" (to the right) to order custom head and footboards with or without a staff control.

Examples of How to Build Your Custom-Finish Head/Footboard Item Numbers:

STAFF CONTROL FCE01RHFS

ITEM NUMBER FCE01RHFW

EXTRA-WIDE BED STAFF CONTROL FCE01RHFWS

Add suffix "S" to the item numbers to order the staff control (example: FCE01RHFS).

Add suffix "W" to the item numbers to order the extra-wide bed panels (example: FCE01RHFW).

Add suffix "WS" to the item numbers to order the extra-wide bed with staff control (example: FCE01RHFWS).

Mounting hardware for head/footboards for FCE1232B, FCE1232HDW

FCE1233B, FCE1100B and FCE1000B beds.

Select Assist Rails & Accessories

Soft-touch assist rails for FCE1232B, FCE1233B, FCE1232RSRN

FCE1100B and FCE1000B beds. These assist rails can be mounted either on the head section or on the foot section

of the bed deck. HCPCS Code: E0305

FCE1232RSR Head section assist rails for FCE1232B, FCE1233B.

FCE1100B and FCE1000B beds. HCPCS Code: E0305

FCE1232RSRXT Extra-tall rails for FCE1232B, FCE1233B, FCE1100B and

FCE1000B beds. These assist rails can be mounted either on the head section or on the foot section of the bed deck.

FCE1232ABN Assist bar for FCE1232B, FCE1233B, FCE1100B and

FCE1000B beds.

FCE1232TPZ Trapeze adapter kit for FCE1232B, FCE1233B, FCE1100B

and FCE1000B beds. Note: Trapeze (MDS80615T) not included

FCE1232EXT Bed extenders to make bed 84" long for FCE1232B,

FCE1100B and FCE1000B

FCE123276FS Foot section to make bed deck 76" long for FCE1232B,

FCE1100B and FCE1000B

Items listed above are compatible with all beds except for the Medline Bariatric bed.

Custom Head/Footboards













Custom Head/Footboards FINISH OPTIONS

Natural Maple

Quartered Oak

Wild Cherry

Provincial Cherry

Gunstock Walnut

*Custom finish head/footboards for: FCE1232B, FCE1233B, FCE1100B and FCE1000B beds. FCE1232HDW must be ordered with this item.

Low-Profile Overbed Table

Our low-profile overbed table is specially designed to have an exceptionally low profile base and fit under hi-low beds without damaging the table or the underside of the bed. The base of the table is only ½" (1 cm) thick, which easily fits under hi-low beds even when they are in their lowest position.

These tables are ideal for residents who are at a high risk of falling and for whom hi-low beds are typically kept at a low height.

Attached floor glides help prevent the table from scratching the floors.

PRODUCT SPECIFICATIONS

Height range: Adjustable from 24.5" to 39"

(62-99 cm)

Top: 15" (38 cm) W x 30" (76 cm) L,

0.75" (2 cm) thick

Base: Low-profile

Weight capacity: 50 lbs. (23 kg)

Frame: Chrome-plated column & base

Casters: 1.5" (4 cm) twin wheel casters

Item number

Description

MDS104670LOW Low-profile overbed table

Overbed table top finish options

Natural Maple





Medline Industries, Inc.

One Medline Place Mundelein, IL 60060

Medline United States 1-800-MEDLINE (633-5463)

www.medline.com | info@medline.com

Medline Canada

1-800-396-6996

www.medline.ca | canada@medline.com

Medline México 01-800-831-0898

www.medlinemexico.com | mexico@medline.com



Some products may not be available for sale in Mexico or Canada. Please contact your Account Representative for additional information. Colors are reproduced as faithfully as the printing process allows. We reserve the right to correct any errors that may occur within this brochure.

HCPCS DISCLAIMER: HCPCS codes provided by Medline are intended as general guidelines only. Medline does not guarantee coverage or reimbursement of any products. You must address all coverage and reimbursement issues (including the correctness and accuracy of codes) with your individual payers. It is your responsibility to ensure the accuracy and appropriateness of each claim you submit, in accordance with all applicable payer requirements.

©2009 Medline Industries, Inc.
Medline is a registered trademark
and Bringing You Closer To Home
is a trademark of Medline Industries, Inc.

MKT210260 / LIT131R / 13CLC / 10M

Use this assessment to evaluate existing beds.

Question	Example	Finding at Facility
1. Are the Beds Real "Hi-Lo" Beds? A = Distance from top of metal bed deck to floor, when bed is in its highest position. B = Distance from top of bed deck to floor when bed in lowest position.	A	Measurements: A = (want at 26" or higher) B = (want at 9" or lower)
2. Do the beds meet FDA entrapment guidelines?*** C = Distance from rails to headboard "Zone 6" D = Gap between the side of mattress and the rail. "Zone 3"	C D	Measurements: C = (want less than 2.4" or greater than 9.25"). D = (want less than 4.75").
3. Do the beds either have backup batteries on them or do the rooms have an outlet (which means the outlets are connected to backup generator)?		Does each room have a red outlet connected to the backup generator? Yes (want this) No
4. Are the beds requiring excessive repairs?		According to the maintenance dept: The beds rarely need repairs. The beds frequently need repairs. Details:
5. Are the beds showing signs of wear?		The condition/appearance of beds is: Excellent Showing signs of wear. Details:

^{***} Refer to Hospital Bed System Dimensional adn Assessment Guidance to Reduce Entrapment. (Document issued on: March 19, 2006)

Which bed fits your needs?

Use this list of questions to help you determine which Medline long-term care beds best fit your needs.

1. Do you need an adjustable-height bed?

Our Alterra 1232 and 1233 hi-low bed has a low height of 7.25" (18 cm) and a maximum height of 26" (66 cm) for resident and caregiver safety and ease of use. Our Alterra 1100 and Medline Manual 1000 beds have a height range of 12" (30 cm) to 23.5" (60 cm).

2. What style of bed is best for your residents?

Medline offers beds with the following features:

- Hi-low full-electric (Alterra 1232)
- Extra-wide hi-low full-electric (Alterra 1233)
- Great value full-electric (Alterra 1100)
- Manual style (Medline Manual 1000)
- Bariatric full-electric (Medline Bariatric)
- **3.** Are you looking for an extra-long bed to accommodate taller residents? The standard Medline bed is 80" (203 cm) long. If you desire extra length on a standard bed, our bed extenders can increase the length of the bed to 84" (213 cm).
- **4.** Are you preparing for more bariatric residents at your facility? The Medline Bariatric bed is a great, cost-effective alternative to renting a bariatric bed.
- **5.** Are you on a tight budget but still want to offer full-electric beds? Medline offers a range of full-electric beds to fit every budget. Our most economical choice is the Alterra 1100 bed.
- **6.** Are you replacing beds to make the environment safer for residents? The Alterra 1232's low height of 7.25" (18 cm) makes it a great choice for residents at risk of falling. Its top height of 26" (66 cm) also reduces the chance of caregivers experiencing back injuries while caring for residents.
- **7.** Are you looking to attract private-pay customers by offering an extra-wide bed? Our Alterra 1233 bed has an extra wide sleeping surface, making its dimensions 39" (99 cm) wide by 80" (203 cm) long. This roomy, comfortable bed offers a feeling closer to that of the beds your residents enjoyed in their own homes.
- **8.** Would you like to be able to selectively lock out functions on the hand pendant for patient safety? Alterra 1232 and 1233 full-electric beds can be equipped with an optional staff control. This control is mounted on the footboard of the bed and allows staff to lock down any or all of the functions on the hand pendant. An LED light indicates to caregivers when functions have been locked down.