

Rigid

Steel Electric Products

Three Piece Couplings



| Catalog Number | Size |
|----------------|--------|
| 1022 | 1/2" |
| 1023 | 3/4" |
| 1024 | 1" |
| 1025 | 1-1/4" |
| 1026 | 1-1/2" |
| 1027 | 2" |
| 1028 | 2-1/2" |
| 1029 | 3" |
| 1030 | 3-1/2" |
| 1031 | 4" |
| 1005 | 5" |
| 1006 | 6" |

- Malleable Iron/Zinc Plated
- Heavy Duty Casting

Bushed Conduit Nipples (Chase)



| Catalog Number | | Size |
|----------------|---------------|--------|
| Malleable Iron | Zinc Die Cast | |
| 90 | 90Z | 1/2" |
| 91 | 91Z | 3/4" |
| 92 | 92Z | 1" |
| 93 | 93Z | 1-1/4" |
| 94 | 94Z | 1-1/2" |
| 95 | 95Z | 2" |
| 96 | 96Z | 2-1/2" |
| 97 | 97Z | 3" |
| 98 | 98Z | 3-1/2" |
| 99 | 99Z | 4" |
| 995 | - | 5" |
| 996 | - | 6" |

Conduit Hangers with Bolt



| Catalog Number | Size |
|----------------|--------|
| 10CS | 1/2" |
| 11CS | 3/4" |
| 12CS | 1" |
| 13CS | 1-1/4" |
| 14CS | 1-1/2" |
| 15CS | 2" |
| 16CS | 2-1/2" |
| 17CS | 3" |
| 18CS | 3-1/2" |
| 19CS | 4" |

- Steel/Zinc Plated
- Supplied with Bolts and Nuts

Rigid

Steel Electric Products

Locknuts - Steel

| Catalog Number | Size |
|----------------|--------|
| LN50 | 1/2" |
| LN75 | 3/4" |
| LN100 | 1" |
| LN125 | 1-1/4" |
| LN150 | 1-1/2" |
| LN200 | 2" |
| LN250 | 2-1/2" |
| LN300 | 3" |
| LN350 | 3-1/2" |
| LN400 | 4" |
| LN500 | 5" |
| LN600 | 6" |



- Steel/Zinc Plated

Locknuts - Aluminum

| Catalog Number | Size |
|----------------|--------|
| LN50AL | 1/2" |
| LN75AL | 3/4" |
| LN100AL | 1" |
| LN125AL | 1-1/4" |
| LN150AL | 1-1/2" |
| LN200AL | 2" |
| LN250AL | 2-1/2" |
| LN300AL | 3" |
| LN350AL | 3-1/2" |
| LN400AL | 4" |
| LN500AL | 5" |
| LN600AL | 6" |



- Aluminum

Metal Insulated Bushings

| Catalog Number | Size |
|----------------|--------|
| 1206 | 1/2" |
| 1207 | 3/4" |
| 1208 | 1" |
| 1209 | 1-1/4" |
| 1210 | 1-1/2" |
| 1211 | 2" |
| 1212 | 2-1/2" |
| 1213 | 3" |
| 1214 | 3-1/2" |
| 1215 | 4" |
| 1216 | 5" |
| 1217 | 6" |



- Malleable Iron Body/Zinc Plated
- Thermoplastic Insulator

Plastic Bushings

| Catalog Number | Size |
|----------------|--------|
| PB50 | 1/2" |
| PB75 | 3/4" |
| PB100 | 1" |
| PB125 | 1-1/4" |
| PB150 | 1-1/2" |
| PB200 | 2" |
| PB250 | 2-1/2" |
| PB300 | 3" |
| PB350 | 3-1/2" |
| PB400 | 4" |
| PB500 | 5" |
| PB600 | 6" |



- Thermoplastic
- Rating 105 ° C

Sealing Locknuts

| Catalog Number | Size |
|----------------|--------|
| 706P | 1/2" |
| 707P | 3/4" |
| 708P | 1" |
| 709P | 1-1/4" |
| 710P | 1-1/2" |
| 711P | 2" |
| 712P | 2-1/2" |
| 713P | 3" |
| 714P | 3-1/2" |
| 715P | 4" |
| 716P | 5" |
| 717P | 6" |



- Stamped Steel/Zinc Plated
- Neoprene Gasket

Sealing O-Rings

| Catalog Number | Size |
|----------------|--------|
| SR50 | 1/2" |
| SR75 | 3/4" |
| SR100 | 1" |
| SR125 | 1-1/4" |
| SR150 | 1-1/2" |
| SR200 | 2" |
| SR250 | 2-1/2" |
| SR300 | 3" |
| SR350 | 3-1/2" |
| SR400 | 4" |



- Stamped Steel/Zinc Plated
- Neoprene Gasket

Rigid

Steel Electric Products

Conduit Straps - Malleable Iron



| Catalog Number | Size |
|----------------|--------|
| 132 | 1/2" |
| 133 | 3/4" |
| 134 | 1" |
| 135 | 1-1/4" |
| 136 | 1-1/2" |
| 137 | 2" |
| 138 | 2-1/2" |
| 139 | 3" |
| 141 | 3-1/2" |
| 148 | 4" |
| 150 | 5" |
| 152 | 6" |

- Heavy Duty Casting
- Malleable Iron/Zinc Plated



Clamp Backs - Malleable Iron



| Catalog Number | Size |
|----------------|--------|
| 900 | 1/2" |
| 901 | 3/4" |
| 902 | 1" |
| 903 | 1-1/4" |
| 904 | 1-1/2" |
| 905 | 2" |
| 906 | 2-1/2" |
| 907 | 3" |
| 908 | 3-1/2" |
| 909 | 4" |

- Heavy Duty Casting
- Malleable Iron/Hot Dipped Galvanized



Conduit Straps - Steel



| Catalog Number | | Size |
|----------------|----------|--------|
| One Hole | Two Hole | |
| 132S | 2132S | 1/2" |
| 133S | 2133S | 3/4" |
| 134S | 2134S | 1" |
| 135S | 2135S | 1-1/4" |
| 136S | 2136S | 1-1/2" |
| 137S | 2137S | 2" |
| 138S | 2138S | 2-1/2" |
| 139S | 2139S | 3" |
| 141S | 2141S | 3-1/2" |
| 148S | 2148S | 4" |
| - | 2150S | 5" |
| - | 2152S | 6" |

- Steel/Zinc Plated



Rigid

Steel Electric Products

Insulated Ground Bushings c/w Aluminum Lazy-Lug

| Catalog Number | | Ground Lug Capacity | Size |
|----------------|----------------|---------------------|--------|
| Zinc Die Cast | Malleable Iron | | |
| 20BIZ4L | - | 14-4 | 1/2" |
| 21BIZ4L | - | 14-4 | 3/4" |
| 22BIZ4L | - | 14-4 | 1" |
| 23BIZ4L | - | 14-4 | 1-1/4" |
| 24BIZ4L | - | 14-4 | 1-1/2" |
| 25BIZ4L | - | 14-4 | 2" |
| 26BIZ0L | 26BI0L | 14-2/0 | 2-1/2" |
| 27BIZ0L | 27BI0L | 14-2/0 | 3" |
| 28BIZ0L | 28BI0L | 14-2/0 | 3-1/2" |
| 29BIZ0L | 29BI0L | 14-2/0 | 4" |
| - | 30BI40L | 6-250 | 5" |
| - | 31BI40L | 6-250 | 6" |

- Body Zinc Die Cast or Malleable Iron
- Lug - Aluminum/Tin Plated



Hole Seals

| Catalog Number | Size |
|----------------|--------|
| SS50 | 1/2" |
| SS52 | 3/4" |
| SS54 | 1" |
| SS56 | 1-1/4" |
| SS58 | 1-1/2" |
| SS60 | 2" |
| SS62* | 2-1/2" |
| SS64* | 3" |
| SS66* | 3-1/2" |
| SS68* | 4" |

- Steel/Zinc Plated
- * 2 piece design



Oil-Tight Hole Seals

| Catalog Number | | Description | Hole Diameter | |
|----------------|-----------------|-----------------------|---------------|-------------|
| Steel | Stainless Steel | | Inches | Millimeters |
| S050 | S050SS | 1/2" Conduit Holes | 0.88 | 22 |
| S075 | S075SS | 3/4" Conduit Holes | 1.13 | 29 |
| S100 | S100SS | 1" Conduit Holes | 1.38 | 35 |
| S125 | S125SS | 1-1/4" Conduit Holes | 1.63 | 41 |
| S150 | S150SS | 1-1/2" Conduit Holes | 2.00 | 51 |
| S200 | S200SS | 2" Conduit Holes | 2.50 | 64 |
| S250 | - | 2-1/2" Conduit Holes | 3.00 | 76 |
| S300 | - | 3" Conduit Holes | 3.63 | 92 |
| S350 | - | 3-1/2" Conduit Holes | 4.13 | 105 |
| S400 | - | 4" Conduit Holes | 4.63 | 118 |
| ASPB | ASPBSS | 30mm Pushbutton Holes | 1.20 | 30 |

Steel:

ANSI 61 Gray Polyester Finish

Stainless Steel:

Grained finish

- Oil resistant Gasket
- Quick Wing Nut



Rigid

Steel Electric Products

Rigid Conduit Bodies - Malleable Iron

| Catalog Number | | | Size |
|----------------|-----------|-----------|--------|
| LB | LL | LR | |
| LB1CG | LL1CG | LR1CG | 1/2" |
| LB2CG | LL2CG | LR2CG | 3/4" |
| LB3CG | LL3CG | LR3CG | 1" |
| LB4CG | LL4CG | LR4CG | 1-1/4" |
| LB5CG | LL5CG | LR5CG | 1-1/2" |
| LB6CG | LL6CG | LR6CG | 2" |
| LB7CG | LL7CG | LR7CG | 2-1/2" |
| LB8CG | LL8CG | LR8CG | 3" |
| LB9CG | LL9CG | LR9CG | 3-1/2" |
| LB10CG | LL10CG | LR10CG | 4" |
| C | T | TB | |
| C1CG | T1CG | TB1CG | 1/2" |
| C2CG | T2CG | TB2CG | 3/4" |
| C3CG | T3CG | TB3CG | 1" |
| C4CG | T4CG | TB4CG | 1-1/4" |
| C5CG | T5CG | TB5CG | 1-1/2" |
| C6CG | T6CG | TB6CG | 2" |
| C7CG | T7CG | | 2-1/2" |
| C8CG | T8CG | | 3" |
| C9CG | T9CG | | 3-1/2" |
| C10CG | T10CG | | 4" |



LB



C



T

Supplied with steel cover and neoprene gasket

- Malleable Iron
- Zinc Plated/Aluminum Enamel



APandG

Neoprene Gaskets

| Catalog Number | Size | Catalog Number | Size |
|----------------|-----------------|----------------|-------------|
| 9GK50N | 1/2" | 9GASK851N | 1/2" |
| 9GK75N | 3/4" | 9GASK852N | 3/4" |
| 9GK100N | 1" | 9GASK853N | 1" |
| 9GK125/150N | 1-1/4" – 1-1/2" | 9GASK854N | 1-1/4" |
| 9GK200N | 2" | 9GASK805N | 1-1/2" |
| 9GK250/300N | 2-1/2" – 3" | 9GASK806N | 2" |
| 9GK350/400N | 3-1/2" – 4" | 9GASK808N | 2-1/2" – 3" |
| 9GASK571 | 1/2" | 9GASK809N | 3-1/2" – 4" |
| 9GASK572 | 3/4" | 9GASK1941 | 1/2" |
| 9GASK573 | 1" | 9GASK1942 | 3/4" |
| 9GASK574 | 1-1/4" | 9GASK1943 | 1" |
| 9GASK575 | 1-1/2" | 9GASK1944 | 1-1/4" |
| 9GASK576 | 2" | 9GASK1945 | 1-1/2" |
| 9GASK578 | 2-1/2" – 3" | 9GASK1946 | 2" |
| 9GASK579 | 3-1/2" – 4" | | |



- Neoprene Rubber

Rigid

Steel Electric Products

Combination EMT/Rigid Conduit Bodies


| Catalog Number | | | | | Size |
|----------------|-------|-------|------|------|--------|
| LB | LL | LR | C | T | |
| LB1CA | LL1CA | LR1CA | C1CA | T1CA | 1/2" |
| LB2CA | LL2CA | LR2CA | C2CA | T2CA | 3/4" |
| LB3CA | LL3CA | LR3CA | C3CA | T3CA | 1" |
| LB4CA | LL4CA | LR4CA | C4CA | T4CA | 1-1/4" |
| LB5CA | LL5CA | LR5CA | C5CA | T5CA | 1-1/2" |
| LB6CA | LL6CA | LR6CA | C6CA | T6CA | 2" |

Supplied with cover and Gasket
Die-Cast Copper Free Aluminum/Aluminum Enamel



Device Boxes - Malleable Iron

| Catalog No. | Type | Size | Catalog No. | Type | Size |
|----------------|-----------|------|-------------|-----------|------|
| Shallow | | | Deep | | |
| FS50 | Dead End | 1/2" | FD50 | Dead End | 1/2" |
| FS75 | | 3/4" | FD75 | | 3/4" |
| FS100 | | 1" | FD100 | | 1" |
| FSC50 | Pull Thru | 1/2" | FDC50 | Pull Thru | 1/2" |
| FSC75 | | 3/4" | FDC75 | | 3/4" |
| FSC100 | | 1" | FDC100 | | 1" |



- Malleable Iron/Zinc Plated



Device Box Covers

| Catalog Number | | Type |
|----------------|----------------|--------------------------------|
| Steel | Malleable Iron | |
| FSFDCS1 | FSFDCM1 | Blank |
| FSFDCS2 | FSFDCM2 | Toggle Switch |
| FSFDCS3 | FSFDCM3 | Duplex Receptacle |
| FSFDCS4 | - | Ground Fault Interrupter (GFI) |

FSFDCG

Gasket

Covers

- Steel or Malleable Iron/Zinc Plated

Gasket

- Neoprene Rubber



Rigid

Steel Electric Products

Service Entrance Caps - Threaded



| Catalog Number | Size |
|----------------|--------|
| 400 | 1/2" |
| 401 | 3/4" |
| 402 | 1" |
| 403 | 1-1/4" |
| 404 | 1-1/2" |
| 405 | 2" |
| 406 | 2-1/2" |
| 407 | 3" |
| 408 | 3-1/2" |
| 409 | 4" |
| 410 | 5" |
| 411 | 6" |

- Aluminum
- Phenolic Insulator
- Weather Resistant

Pull Elbows - Female to Female



| Catalog Number | | Size |
|----------------|---------------|--------|
| Malleable Iron | Zinc Die Cast | |
| PEF50 | 1313 | 1/2" |
| PEF75 | 1314 | 3/4" |
| PEF100 | 1315 | 1" |
| PEF125 | 1316 | 1-1/4" |
| PEF150 | - | 1-1/2" |
| PEF200 | - | 2" |

- Furnished with Neoprene Gasket and Cover
- Raintight

Enlargers - Male to Female



| Catalog Number | Size |
|----------------|-----------------------------|
| E35 | 1/2" Male - 3/4" Female |
| E36 | 3/4" Male - 1" Female |
| E37 | 1" Male - 1-1/4" Female |
| E38 | 1-1/4" Male - 1-1/2" Female |

- Malleable Iron

Floor Flanges



| Catalog Number | Size | Base Dia. (inches) |
|----------------|--------|--------------------|
| 1F | 1/2" | 3.000 |
| 2F | 3/4" | 3.380 |
| 3F | 1" | 3.380 |
| 4F | 1-1/4" | 4.000 |
| 5F | 1-1/2" | 4.380 |
| 6F | 2" | 4.880 |

- Malleable Iron/Zinc Plated
- Heavy Duty Casting

Swivel Fixture Hangers



| Catalog Number | Size |
|----------------|---------------|
| SWV-4R | 4-1/8" Round |
| SWV-4S | 4-1/8" Square |

- Furnished with 3/4" x 1/2" Steel Reducing Bushing
- Steel
- Malleable Iron/Zinc Plated



Watertight Hubs

| Catalog Number | | Size |
|----------------|----------|--------|
| Zinc Die Cast | Aluminum | |
| TWH10 | TWHA10 | 1/2" |
| TWH20 | TWHA20 | 3/4" |
| TWH30 | TWHA30 | 1" |
| TWH40 | TWHA40 | 1-1/4" |
| TWH50 | TWHA50 | 1-1/2" |
| TWH60 | TWHA60 | 2" |
| TWH70 | TWHA70 | 2-1/2" |
| TWH80 | TWHA80 | 3" |
| TWH90 | TWHA90 | 3-1/2" |
| TWH100 | TWHA100 | 4" |



- Recessed O-Ring Assures Watertight and Dust Tight Connection



Rigid Compression Connectors

| Catalog Number | | Size |
|----------------|-----------|--------|
| Standard | Insulated | |
| NTC50 | NTC50T | 1/2" |
| NTC75 | NTC75T | 3/4" |
| NTC100 | NTC100T | 1" |
| NTC125 | NTC125T | 1-1/4" |
| NTC150 | NTC150T | 1-1/2" |
| NTC200 | NTC200T | 2" |
| NTC250 | NTC250T | 2-1/2" |
| NTC300 | NTC300T | 3" |
| NTC350 | NTC350T | 3-1/2" |
| NTC400 | NTC400T | 4" |



- Concrete tight
- Malleable Iron/Zinc Plated
- Steel Locknut



Rigid Compression Couplings

| Catalog Number | Size |
|----------------|--------|
| NTCC50 | 1/2" |
| NTCC75 | 3/4" |
| NTCC100 | 1" |
| NTCC125 | 1-1/4" |
| NTCC150 | 1-1/2" |
| NTCC200 | 2" |
| NTCC250 | 2-1/2" |
| NTCC300 | 3" |
| NTCC350 | 3-1/2" |
| NTCC400 | 4" |



- Concrete tight
- Malleable Iron/Zinc Plated

