

SUMMIT ELECTRIC PRODUCTS LTD.

February 2017

**marathon**<sup>™</sup>  
Special Products



**picoma**<sup>®</sup>  
A DIVISION OF JOHN BRADLEY COMPANY



**SteelElectric**  
PRODUCTS

**GIBSON STAINLESS**  
& SPECIALTY INC

**Plymouth**



**SPARKSAFE**  
Electrical Products

**INTERNATIONAL**  
METAL HOSE COMPANY

**LINEMASTER**<sup>®</sup>  
AMERICA'S FOOT SWITCH LEADER

**PLYON**<sup>™</sup>

**COZY**  
PRODUCTS<sup>®</sup>



**Summit Electric Products Ltd.**

3333 Devon Drive, Windsor ON N8X 4L5

**Toll Free: 1-800-265-4822**

Tel: 1-519-250-8820 Fax: 1-519-250-8389

[sales@summit-electric.com](mailto:sales@summit-electric.com)

[www.summit-electric.com](http://www.summit-electric.com)



**Summit Electric Products has three separate divisions all rolled into one**

### **Standard Products Division**

At Summit Electric we serve as a Canadian distribution centre for many U.S. Manufacturers. In doing so, provide the customer service, warehousing and logistics for all of our U.S. partners.

We pride ourselves in our commitment to maintaining extensive inventory levels and exceptional product knowledge. Many of the products can be found in this booklet.

### **Specialty Imports Division**

Summit Electric specializes in finding hard to get and obsolete electrical items. Often you may find yourself in a situation where you have a requirement from a manufacturer that you have never heard of or are not authorized to purchase from. This is where we can help.

We import electrical items from the USA daily. We handle all the incoming freight, duty, brokerage and duty exchange and quote you in NET Canadian dollars. This both frees up your time and lets you know your true landed cost.

### **New Surplus Inventory Division**

Summit Electric has a vast inventory of surplus electrical material from several manufacturers such as Appleton, Burndy, Crouse Hinds, Hubbell, Power-Strut, OZ/Gedney and Thomas & Betts.

Our exclusive inventory of surplus material consists of new and left over material from a variety of our trusted partners, with many of these items in their original factory packaging.

Also as a Summit Electric Products client, your access to surplus inventory is not limited only to what is in our warehouse. We can also provide access to an abundance of surplus material from the United States as well.

**Summit Electric Products Ltd. sells exclusively to wholesale electrical distributors.**

**\$10.00 minimum billing**

**We break packaging**

**Same day shipments**

## Index

<b>Beam Clamps and Hangers</b>	<b>44</b>
<b>Conduit Elbows, Nipples, Couplings (Rigid)</b>	<b>49-50</b>
<b>Conduit Elbows (EMT)</b>	<b>25</b>
<b>Control Switches</b>	<b>21</b>
<b>Dock Loading Lights</b>	<b>29</b>
<b>EMT Fittings</b>	<b>23-25</b>
Conduit Bodies	23
Conduit Elbows	25
EMT to Flex Connectors	23
EMT to Rigid Couplings	23
Offset Connectors	23
Pipe Straps	25
Pull Elbows	23
Raintight Couplings & Connectors	24
Set Screw Couplings & Connectors	24
<b>Explosion Proof Fittings</b>	<b>45</b>
<b>Flexible Conduit &amp; Connectors</b>	<b>48-49</b>
<b>Foot Switches</b>	<b>26</b>
<b>Grounding Clamps &amp; Grounding Lugs</b>	<b>27</b>
<b>Heat Shrink Products</b>	<b>33</b>
Breakout Boots	33
End Caps	33
Heavy Wall Tubing	33
Teck Cable Splice Kits	33
Wraparound Cable Support Sleeves	33
<b>Lugs &amp; Sleeves</b>	<b>30-32</b>
Adapters	32
Aluminum Compression	31
Copper Compression	30-31
Mechanical	32
<b>Marathon Special Products</b>	<b>1-19</b>
Fused Disconnect Switch	1
<b>Power Blocks</b>	<b>2-16</b>
Bulk Fastening	9
Covers	16
High Voltage	10-11
Miscellaneous Configurations	15
Splicer & Distribution	2-7
Splicer & Distribution (Enclosed)	7-8
Stud Configurations	12-14
<b>Terminal Blocks</b>	<b>17-19</b>
Dead Front	19
Heavy Duty	17-18

## **Index**

<b>Radiant Heating Products</b>	<b>29</b>
<b>Retractable Cords</b>	<b>20</b>
<b>Rigid Fittings</b>	<b>34-43</b>
<b>3 Piece Couplings</b>	<b>36</b>
<b>Bushed Nipples</b>	<b>37</b>
<b>Bushings – Grounding, Malleable Iron, Plastic</b>	<b>34-35</b>
<b>Compression Couplings &amp; Connectors</b>	<b>40</b>
<b>Conduit Bodies</b>	<b>42</b>
<b>Device Boxes &amp; Covers</b>	<b>43</b>
<b>Enlargers</b>	<b>37</b>
<b>Floor Flanges</b>	<b>37</b>
<b>Hole Seals &amp; Knock Outs</b>	<b>36</b>
<b>Hubs</b>	<b>39</b>
<b>Locknuts</b>	<b>35</b>
<b>Offset Nipples</b>	<b>37</b>
<b>O-Rings</b>	<b>36</b>
<b>Pull Elbows</b>	<b>39</b>
<b>Reducing Bushings &amp; Washers</b>	<b>40-41</b>
<b>Service Entrance Heads</b>	<b>36</b>
<b>Set Screw Couplings &amp; Connectors</b>	<b>40</b>
<b>Strain Relief Connectors</b>	<b>25-26</b>
<b>Straps &amp; Spacers</b>	<b>38</b>
<b>Swivel Fixture Hangers</b>	<b>37</b>
<b>Sealtite Connectors</b>	<b>46-48</b>
<b>Sealtite Hose</b>	<b>48</b>
<b>Space Heater</b>	<b>28</b>
<b>Stainless Steel Products</b>	<b>55-58</b>
<b>3 Piece Couplings</b>	<b>56</b>
<b>Beam Clamps</b>	<b>57-58</b>
<b>Conduit Bodies</b>	<b>56</b>
<b>Conduit, Couplings, Nipples, Elbows</b>	<b>55</b>
<b>Device Boxes &amp; Covers</b>	<b>56</b>
<b>EYS Fittings</b>	<b>55</b>
<b>Hangers</b>	<b>57</b>
<b>Hazardous Location Junction Boxes</b>	<b>55</b>
<b>Hubs</b>	<b>56</b>
<b>Locknuts</b>	<b>56</b>
<b>Reducing Bushings</b>	<b>57</b>
<b>Sealtite Connectors</b>	<b>56</b>
<b>Straps &amp; Spacers</b>	<b>57</b>
<b>Strut &amp; Strut Fittings</b>	<b>58</b>
<b>Threaded Plugs</b>	<b>57</b>
<b>U-Bolts</b>	<b>58</b>

**Index**

<b>Standoff Insulators</b>	<b>27</b>
<b>Stop &amp; Go Lights</b>	<b>29</b>
<b>Strain Relief Connectors</b>	<b>25-26</b>
<b>Strut Fittings</b>	<b>51-54</b>
<b>Angle Fittings</b>	<b>52</b>
<b>Beam Clamps</b>	<b>51</b>
<b>Clamping Nuts</b>	<b>53</b>
<b>Cush-A-Clamps</b>	<b>53</b>
<b>Flat Fittings</b>	<b>52</b>
<b>Miscellaneous Fittings</b>	<b>51</b>
<b>P Straps</b>	<b>53</b>
<b>Pipe Straps</b>	<b>52-54</b>
<b>Post Bases</b>	<b>51</b>
<b>U Fittings &amp; Joiners</b>	<b>51</b>
<b>Tape</b>	<b>22-23</b>
<b>Dacron Glass (Varnished)</b>	<b>22</b>
<b>Friction</b>	<b>22</b>
<b>Glass Cloth</b>	<b>22</b>
<b>High Voltage</b>	<b>22</b>
<b>Rubber</b>	<b>22</b>
<b>Shielding</b>	<b>22</b>
<b>Silicone</b>	<b>22</b>
<b>Tinned Copper Shielding Braid</b>	<b>22</b>
<b>Tinned Copper Shielding Tape</b>	<b>22</b>
<b>Underground Marking</b>	<b>23</b>
<b>Vinyl</b>	<b>22</b>
<b>Thread Adapters</b>	<b>28</b>
<b>Metric to NPT</b>	<b>28</b>
<b>PG to NPT</b>	<b>28</b>
<b>Toggle Switches</b>	<b>28</b>
<b>Wire Mesh Grips</b>	<b>34</b>
<b>Pulling</b>	<b>34</b>
<b>Strain Relief</b>	<b>34</b>
<b>Support</b>	<b>34</b>

**Numerical Index****59-69**

## Marathon Special Products

### Fused Disconnect Switch



#### Specifications

- 30 amps
- 600 volts AC
- Line/Load #4-18 AWG
- Factory & Field Wiring
- Minimum indicator voltage – 90V-AC
- Din-Rail mountable on any 35mm wide rail

#### Material Information

- Insulator base:
  - Thermoplastic
  - Flammability rating of insulator base UL94 V-0
  - Insulator base temperature rating: -40°C to 130°C (UL RTI)
- Fuse clip & Busses – plated copper
- Spring & Screws – plated steel
- RoHS compliant

#### Agency Compliance


- cULus Listed file no. WHTY.E483215
  - UL98 – Open type switches
  - CSA C22.2 No.4 – enclosed and deadfront switches
- IEC 60947-3 (Pending)
- IEC 60529 degree of protection IP20



Catalog Number	No. of Poles	Amps	Volts (AC)	SCCR	Wire type	Fuse Class
FDS-30-C-1	1	30	120	200kA	75°C CU Wire or Higher (CU75)	CC
FDS-30-C-2	2		600	200kA		
FDS-30-C-3	2		600	200kA		

## Power Blocks – Marathon Special Products

### Splicer & Distribution NEMA Power Blocks



#### Electrical

- 60 - 2280 amps
- 600 volts AC/DC (UL)
- Flexible stranded wire compliant
- Multiple wire rating - refer to data sheets for details
- Listed products provide feeder circuit terminal spacing

#### Mechanical

- Base, black thermoplastic or phenolic (see chart)
- Insulator temp-ratings
  - Thermoplastic: 125°C (257°F) - UL RTI
  - Phenolic: 150°C (302°F) - UL RTI
- Flammability, UL 94 V-0
- Mounting: panel mountable, 132 series is also DIN mountable

#### Standards

- See datasheets for product specific approvals listed
- UL listed - or - UL recognized
  - Listed file no. QPQS.E309401 (UL 1953)
  - Recognized file no. XCFR2.E62806 (UL 1059)
- CSA certified file no. LR19766 (CSA C22-2 No. 158)
- CE (Component IEC 60947-7-1)
- RoHS compliant (all)



































Covers available – see page 15

Blocks with “CH” suffix are complete with removable hinged cover

Amps	Poles (X)	Catalog # Substitute (X) for # of poles	Material		Line Side			Load Side		
			Insulator	Conn.	Wire Range AWG/kcmil	Connector Openings/Pole		Wire Range AWG/kcmil	Connector Openings/Pole	
60	1/2/3/4	141X403	Plastic	AL	#2 - #14	1		#10 - #18	2	
115	1/2/3/4	141X300	Plastic	AL	#2 - #14	1		#2 - #14	1	
	1/2/3	142X552	Phenolic	AL	#2 - #14	1		#2 - #14	1	
	1/2/3/4	141X400	Plastic	AL	#2 - #14	1		#10 - #18	4	
150	1/2/3	142X121	Phenolic	CU	1/0 - #14	1		1/0 - #14	1	
175	0/1/2/3	132X572CH	Plastic	AL	2/0 - #14	1		2/0 - #14	1	
	1/2/3	142X572	Phenolic	AL	2/0 - #14	1		2/0 - #14	1	

## Power Blocks – Marathon Special Products



































### Splicer & Distribution NEMA Power Blocks

Amps	Poles (X)	Catalog # Substitute (X) for # of poles	Material		Line Side			Load Side		
			Insulator	Conn.	Wire Range AWG/kcmil	Connector Openings/Pole		Wire Range AWG/kcmil	Connector Openings/Pole	
175	1/2/3	132X972CH	Plastic	CU	2/0 - #14	1		2/0 - #14	1	
	0/1/2/3	132X570CH	Plastic	AL	2/0 - #14	1		#4 - #14	4	
	1/2/3	142X570	Phenolic	AL	2/0 - #14	1		#4 - #14	4	
	0/1/2/3	132X580CH	Plastic	AL	2/0 - #14	1		#4 - #14	6	
	2/3	140X402	Phenolic	AL	2/0 - #14	1		#4 - #14	4	
	2/3	140X401	Phenolic	AL	2/0 - #14	1		#4 - #14	6	
	0/1/2/3	132X970CH	Plastic	CU	2/0 - #14	1		#4 - #14	4	
	1/2/3	142X970	Phenolic	CU	2/0 - #14	1		#4 - #14	4	
255	1/2/3	143X124	Phenolic	CU	250 - #6	1		250 - #6	1	
	1/2/3	143X123	Phenolic	AL	250 - #6	1		250 - #6	1	
	2/3	140X801	Phenolic	CU	250 - #6	1		250 - #6	1	
310	2/3	140X303	Phenolic	AL	350 - #6	1		350 - #6	1	
	1/2/3	143X126	Plastic	AL	350 - #6	1		350 - #6	1	
	1/2/3	133X126CH	Plastic	AL	350 - #6	1		350 - #6	1	
	2/3	140X404	Phenolic	AL	350 - #6	1		#4 - #14	6	
	1/2/3	133X554CH	Plastic	AL	350 - #6	1		2/0 - #14	2	
	2/3	140X410	Phenolic	AL	350 - #6	1		2/0 - #14	2	





































# Power Blocks – Marathon Special Products

## Splicer & Distribution NEMA Power Blocks

Amps	Poles (X)	Catalog # Substitute (X) for # of poles	Material		Line Side			Load Side		
			Insulator	Conn.	Wire Range AWG/kcmil	Connector Openings/Pole		Wire Range AWG/kcmil	Connector Openings/Pole	
310	1/2/3	143X554	Phenolic	AL	350 - #6	1		2/0 - #14	2	
	1/2/3	133X324CH	Plastic	AL	350 - #6	1		#8 - #14	24	
335	1/2/3	144X401	Phenolic	AL	400 - #6	1		#2 - #14	6	
	1/2/3	143X552	Phenolic	AL	400 - #6	1		#2 - #14	4	
	1/2/3	143X553	Phenolic	AL	400 - #6	1		#2 - #14	6	
	1/2/3	144X560	Phenolic	AL	400 - #6	1		#2 - #14	8	
	1/2/3	133X552CH	Plastic	AL	400 - #6	1		#2 - #14	4	
350	1/2/3	133X305CH	Plastic	AL	2/0 - #14	2		2/0 - #14	2	
	1/2/3	143X306	Phenolic	AL	2/0 - #14	2		2/0 - #14	2	
	1/2/3	143X555	Phenolic	AL	2/0 - #14	2		#4 - #14	6	
	1/2/3	133X555CH	Plastic	AL	2/0 - #14	2		#4 - #14	6	
	1/2/3	143X955	Phenolic	CU	2/0 - #14	2		#4 - #14	6	
	1/2/3	133X955CH	Plastic	CU	2/0 - #14	2		#4 - #14	6	
380	1/2/3	143X953	Phenolic	CU	500 - #4	1		#2 - #14	6	
	1/2/3	133X953CH	Plastic	CU	500 - #4	1		#2 - #14	6	
	1/2/3	144X551	Phenolic	AL	500 - #4	1		#2 - #14	6	
	1/2/3	145X579	Phenolic	AL	500 - #4	1		2/0 - #14	6	



































## Power Blocks – Marathon Special Products

### Splicer & Distribution NEMA Power Blocks

Amps	Poles (X)	Catalog # Substitute (X) for # of poles	Material		Line Side			Load Side		
			Insulator	Conn.	Wire Range AWG/kcmil	Connector Openings/Pole		Wire Range AWG/kcmil	Connector Openings/Pole	
380	1/2/3	133X587CH	Plastic	AL	500 - #4	1		#2 - #14 350 - #6	3/1	
	1/2/3	143X587	Phenolic	AL	500 - #4	1		#2 - #14 350 - #6	3/1	
	1/2/3	145X594	Phenolic	AL	500 - #4	1		#2 - #14	8	
	1/2/3	145X552	Phenolic	AL	500 - #4	1		#2 - #14	12	
420	1/2/3	144X557	Phenolic	AL	600 - #4	1		600 - #4	1	
	1/2/3	133X360CH	Plastic	AL	600 - #2	1		600 - #2	1	
	1/2/3	133X588CH	Plastic	AL	600 - #2	1		#2 - #14 1/0 - #14	6/3	
	1/2/3	133X595CH	Plastic	AL	600 - #2	1		#4 - #14	12	
	1/2/3	133X585CH	Plastic	AL	600 - #2	1		#2 - #14	8	
	1/2/3	133X575CH	Plastic	AL	600 - #2	1		2/0 - #14	4	
	1/2/3	133X565CH	Plastic	AL	600 - #2	1		250 - #6	2	
	1/2/3	135X601CH	Plastic	AL	600 - #2	1		#6 - #14	24	
475	1/2/3	135X701CH	Plastic	AL	750 - 1/0	1		750 - 1/0	1	
510	1/2/3	133X320CH	Plastic	AL	250 - 1/0	2		250 - 1/0	2	
	1/2/3	133X596CH	Plastic	AL	250 - 1/0	2		#4 - #14	12	
	1/2/3	133X597CH	Plastic	AL	250 - 1/0	2		#2 - #14	8	
	1/2/3	133X598CH	Plastic	AL	250 - 1/0	2		2/0 - #14	4	





## Power Blocks – Marathon Special Products

### Splicer & Distribution NEMA Power Blocks


Amps	Poles (X)	Catalog # Substitute (X) for # of poles	Material		Line Side			Load Side		
			Insulator	Conn.	Wire Range AWG/kcmil	Connector Openings/Pole		Wire Range AWG/kcmil	Connector Openings/Pole	
620	1/2/3	145X129	Phenolic	AL	350 - #4	2		350 - #4	2	
	1	1331348CH	Plastic	AL	350 - #4	2		#8 - #14	48	
690	1/2/3	145X587	Phenolic	AL	500 - #4 350 - #4	2		2/0 - #14	4	
760	1/2/3	145X301	Phenolic	AL	500 - #4	2		500 - #4	2	
	1/2/3	145X592	Phenolic	AL	500 - #4	2		#4 - #14	12	
	1/2/3	145X596	Phenolic	AL	500 - #6	2		2/0 - #14	8	
	1/2/3	145X992	Phenolic	CU	500 - #4	2		#2 - #14	12	
	1/2/3	145X986	Phenolic	CU	500 - #4	2		2/0 - #14	8	
	1/2/3	145X408	Phenolic	AL	500 - #6	2		#2 - #14	12	
840	1/2/3	145X411	Phenolic	AL	600 - #2	2		3/0 - #6 #4 - #14	4/4	
950	1/2/3	135X605 UL Listed	Plastic	AL	600 - #2	2		350 - #4	4	
	1/2/3	135X702 UL Listed	Plastic	AL	750 - 1/0	2		750 - 1/0	2	
	1/2/3	135X703 UL Listed	Plastic	AL	750 - 1/0	2		250 - #6	6	
	1/2/3	135X704 UL Listed	Plastic	AL	750 - 1/0	2		2/0 - #14	10	
	1/2/3	135X705 UL Listed	Plastic	AL	750 - 1/0	2		#2 - #14 250 - #6	12/3	
	1/2/3	135X706 UL Listed	Plastic	AL	750 - 1/0	2		#2 - #14 250 - #6	4/5	
	1/2/3	135X707 UL Listed	Plastic	AL	750 - 100	2		#2 - #14 3/0 - #6	12/4	





## Power Blocks – Marathon Special Products

### Splicer & Distribution NEMA Power Blocks

Amps	Poles (X)	Catalog # Substitute (X) for # of poles	Material		Line Side			Load Side		
			Insulator	Conn.	Wire Range AWG/kcmil	Connector Openings/Pole		Wire Range AWG/kcmil	Connector Openings/Pole	
950	1/2/3	135X708 UL Listed	Plastic	AL	750- 1/0	2		3/0 - #6	8	
2280	1	1453401	Phenolic	AL	500 - #4	6		2/0 - #14	18	
















### Splicer & Distribution - Enclosed Power Blocks (EPB)

	<b>Electrical</b>		<ul style="list-style-type: none"> <li>• 115 - 760 amps</li> <li>• 600 volts AC/DC (UL)</li> <li>• Up to 1000 volts (IEC) - reference data sheets</li> <li>• Flexible stranded wire compliant</li> <li>• Multiple wire rating - refer to data sheets for details</li> <li>• Listed products provide feeder circuit terminal spacing</li> </ul>
	<b>Mechanical</b>		<ul style="list-style-type: none"> <li>• Insulator - thermoplastic: 125°C (257°F) - UL RTI</li> <li>• Flammability, UL 94 V-0</li> <li>• Mounting: panel mountable and/or DIN mountable</li> </ul>
	<b>Standards</b>		<ul style="list-style-type: none"> <li>• See datasheets for product specific approvals listed</li> <li>• UL listed - or - UL recognized <ul style="list-style-type: none"> <li>○ Listed file no. QPQS.E309401 (UL 1953)</li> <li>○ Recognized file no. XCFR2.E62806 (UL 1059)</li> </ul> </li> <li>• CSA certified file no. LR19766 (CSA C22-2 No. 158)</li> <li>• CE (Component IEC 60947-7-1)</li> <li>• IEC 60529, IP-20</li> <li>• RoHS compliant (all)</li> </ul>

Amps	Catalog Number	Mounting Style	Max SCCR	Conn. Material	Line Side			Load Side		
					Wire Range AWG/kcmil	Connector Openings/Pole		Wire Range AWG/kcmil	Connector Openings/Pole	
115	EPBAD21	Both DIN & Panel	100,000	AL	#2 - #14	1		#2 - #14	1	
	EPBAD24	Both DIN & Panel	65,000	AL	#2 - #14	1		#10 - #18	4	

## Power Blocks – Marathon Special Products

## Splicer & Distribution - Enclosed Power Blocks (EPB)

Amps	Catalog Number	Mounting Style	Max SCCR	Conn. Material	Line Side			Load Side		
					Wire Range AWG/kcmil	Connector Openings/Pole		Wire Range AWG/kcmil	Connector Openings/Pole	
200	EPBAD42	DIN	100,000	AL	3/0 - #14	1		3/0 - #14	1	
	EPBAP42	Panel								
	EPBCD42	DIN	100,000	CU	3/0 - #14	1		3/0 - #14	1	
	EPBCP42	Panel								
	EPBAD45	DIN	100,000	AL	3/0 - #14	1		#2 - #14	4	
	EPBAP45	Panel								
	EPBCD45	DIN	100,100	CU	3/0 - #14	1		#2 - #14	4	
	EPBCP45	Panel								
335	EPBAD74	DIN	10,000	AL	400 - #6 2/0 - #14	1/1		#2 - #14	8	
	EPBAP74	Panel	100,000							
	EPBCD74	DIN	10,000	CU						
	EPBCP74	Panel	100,000							
510	EPBAD71	DIN	10,000	AL	250 - #6	2		250 - #6	2	
	EPBAP71	Panel	100,000							
	EPBCD71	DIN	10,000	CU						
	EPBCP71	Panel	100,000							
760	EPBAP81	Panel	100,000	AL	500 - #4	2		500 - #4	2	
	EPBAP84			2/0 - #14				8		
	EPBCP84									

## Power Blocks – Marathon Special Products

### Bulk Fastening Power Blocks (BFPB)

#### Electrical

- 1605 amps
- 1000 volts AC/DC (cULus)
- Multiple wire rating - refer to data sheets for details
- Provides feeder circuit terminal spacing

#### Mechanical

- Insulator - thermoplastic: 125°C (257°F) - UL RTI
- Flammability, UL 94 V-0
- Mounting: panel mountable

#### Features / Benefits

- Modular construction to accommodate numerous terminal options
- Available for 2 to 6 stud terminal positions
- Accommodates power distribution options for listed lugs sized up to 1000kcmil
- First power terminal block to have a high SCCR rating (35k) with no over current protection device
- Reliably terminates flexible stranded classes of wire with crimp lugs
- Suitable to terminate and distribute power with flexible bus bar

#### Standards

- UL recognized file no. XCFR2.E62806 (UL 1059)
- cUR recognized file no. XCFR8.E62806 (UL 1059)
- RoHS compliant (all)



Catalog Number	Stud Positions	Stud Size	Cover Part Number
BFPB-50-2-2	2	1/2"	CC-BFPB-2-2
BFPB-50-2-3	3		CC-BFPB-2-3
BFPB-50-2-4	4		CC-BFPB-2-4
BFPB-50-2-5	5		CC-BFPB-2-5
BFPB-50-2-6	6		CC-BFPB-2-6
BFPB-37-1-3	3	3/8"	CC-BFPB-1-3
BFPB-37-1-4	4		CC-BFPB-1-4
BFPB-37-1-5	5		CC-BFPB-1-5
BFPB-37-1-6	6		CC-BFPB-1-6

## Power Blocks – Marathon Special Products

### High Voltage Power Blocks (HVPB)



#### Electrical

- 350 - 950 amps
- 1500 volts AC/DC (UL)
- Provides feeder circuit terminal spacing at 600V
- Flexible stranded wire compliant
- Multiple wire rating - refer to data sheets for details

#### Mechanical

- Base, thermoplastic
- Insulator temp-rating: 110°C (230°F) - UL RTI
- Flammability, UL 94 V-0
- Mounting: panel mountable
- Modular construction for multi-pole configurations

#### Standards

- See datasheets for product specific approvals listed
- UL recognized file no. XCFR2.E62806 (UL 1059)
- cUR recognized file no. XCFR8.E62806 (UL 1059)
- RoHS compliant

Covers available – see page 15





























Amps	Catalog Number	Conn. Temp Rating	Material		Line Side			Load Side		
			Insulator	Conn.	Wire Range AWG/kcmil	Connector Openings/Pole		Wire Range AWG/kcmil	Connector Openings/Pole	
350	HVPB105	90°C	Plastic	AL	Stud, M10	1		#10 - #14 (a)	24	
420	HVPB108	75°C	Plastic	AL	600 - #2	1		#4 - #14	12	
	HVPB109	75°C	Plastic	AL	600 - #2	1		600 - #2	1	
430	HVPB101	90°C	Plastic	AL	Stud, M10	1		#6 - #14 (b)	12	
	HVPB103	90°C	Plastic	AL	Stud, M10	1		#4 - #14 (c)	8	

- (a) suitable for #8 AWG, limited to 40A per wire, copper only  
 (b) suitable for #4 AWG, limited to 75A per wire, copper only  
 (c) suitable for #2 AWG, limited to 95A per wire, copper, 75A per wire, aluminum

## Power Blocks – Marathon Special Products

### High Voltage Power Blocks (HVPB)


Amps	Catalog Number	Conn. Temp Rating	Material		Line Side			Load Side		
			Insulator	Conn.	Wire Range AWG/kcmil	Connector Openings/Pole		Wire Range AWG/kcmil	Connector Openings/Pole	
430	HVPB107	90°C	Plastic	CU	Stud, M10	1		Stud, M10	1	
	HVPB208	90°C	Plastic	CU	Stud, 1/2-13 x 1.44	1		Stud, 1/2-13 x 1.44	1	
750	HVPB112	90°C	Plastic	CU	Stud, 3/8"	1		Stud, 3/8"	1	
	HVPB114	90°C	Plastic	CU	Stud, 1/2"	1		Stud, 1/2"	1	
760	HVPB210	75°C	Plastic	AL	500 - #4	2		#2 - #14	12	
	HVPB211	75°C	Plastic	AL	500 - #4	2		2/0 - #14	8	
860	HVPB205	90°C	Plastic	AL	Stud, M10	1		#4 - #14 (c)	16	
	HVPB207	90°C	Plastic	AL	Stud, M10	2		#4 - #14 (c)	16	
	HVPB201	90°C	Plastic	AL	Stud, M10	1		#6 - #14 (b)	24	
	HVPB203	90°C	Plastic	AL	Stud, M10	2		#6 - #14 (b)	24	
950	HVPB602	90°C	Plastic	AL	600 - #2	2		600 - #2	2	
1500	HVPB212	90°C	Plastic	CU	Stud, 3/8"	2		Stud, 3/8"	2	
	HVPB214	90°C	Plastic	CU	Stud, 1/2"	2		Stud, 1/2"	2	

- (a) suitable for #8 AWG, limited to 40A per wire, copper only  
 (b) suitable for #4 AWG, limited to 75A per wire, copper only  
 (c) suitable for #2 AWG, limited to 95A per wire, copper, 75A per wire, aluminum



## Power Blocks – Marathon Special Products

### Power Blocks - Stud Configurations



#### Electrical

- 115 - 1680 amps
- 600 volts AC/DC (UL)
- Flexible stranded wire compliant
- Multiple wire rating - refer to data sheets for details

#### Mechanical

- Base, black thermoplastic or phenolic (see chart)
- Insulator temp-ratings
  - Thermoplastic: 125°C (257°F) - UL RTI
  - Phenolic: 150°C (302°F) - UL RTI
- Flammability, UL 94 V-0
- Mounting: panel mountable, 132 series is also DIN mountable

#### Standards

- See datasheets for product specific approvals listed
- UL recognized file no. XCFR2.E62806 (UL 1059)
- CSA certified file no. LR19766 (CSA C22-2 No. 158)
- CE (Component IEC 60947-7-1)
- RoHS compliant (all)

































Covers available – see page 15

Blocks with “CH” suffix are complete with removable hinged cover

Amps	Poles (X)	Catalog # Substitute (X) for # of poles	Material		Line Side			Load Side		
			Insulator	Conn.	Wire Range AWG/kcmil	Connector Openings/Pole		Wire Range AWG/kcmil	Connector Openings/Pole	
115	1/2/3/4	141X203	Plastic	AL	#2 - #14	1		#10-32 x .60	1	
175	0/1/2/3	132X574CH	Plastic	AL	2/0 - #14	1		1/4-20 x .50	1	
	0/1/2/3	132X474CH	Plastic	AL	2/0 - #14	1		M6 x 13	1	
	1/2/3	142X574	Phenolic	AL	2/0 - #14	1		1/4-20 x .50	1	
	1/2/3	143X590	Phenolic	AL	2/0 - #14	1		1/4-20 x 1.38	1	
200	0/1/2/3	132X122CH	Plastic	CU	1/4-20 x .56	1		1/4-20 x .56	1	
	0/1/2/3	132X422CH	Plastic	CU	M6 x 15	1		M6 x 15	1	



















# Power Blocks – Marathon Special Products

## Power Blocks - Stud Configurations

Amps	Poles (X)	Catalog # Substitute (X) for # of poles	Material		Line Side			Load Side		
			Insulator	Conn.	Wire Range AWG/kcmil	Connector Openings/Pole		Wire Range AWG/kcmil	Connector Openings/Pole	
200	1/2/3	142X122	Phenolic	CU	1/4-20 x .56	1		1/4-20 x .56	1	
230	1/2/3	143X563	Phenolic	CU	3/8-16 x 1.18	1		3/8-16 x 1.18	1	
	1/2/3	143X561	Phenolic	CU	3/8-16 x 1.18	1		1/4-20 x 1.38	1	
	1/2/3	144X553	Phenolic	CU	3/8-16 x 1.44	1		3/8-16 x 1.44	1	
260	1/2/3	144X122	Phenolic	CU	3/8-16 x 1.44	1		1/4-20 x .56	2	
310	1/2/3	133X564CH	Plastic	CU	M10 x 30	1		M10 x 30	1	
	1/2/3	133X563CH	Plastic	CU	3/8-16 x 1.18	1		3/8-16 x 1.18	1	
	1/2/3	143X559	Phenolic	AL	350 - #6	1		3/8-16 x 1.13	1	
	1/2/3	133X559CH	Plastic	AL	350 - #6	1		3/8-16 x 1.25	1	
	1/2/3	133X558CH	Plastic	AL	350 - #6	1		M10 x 30	1	
360	1/2/3	145X573	Phenolic	CU	3/8-16 x 1.44	1		3/8-16 x 1.44	2	
	1/2/3	145X583	Phenolic	CU	3/8-16 x 1.44	1		1/4-20 x 1.44	2	
380	1/2/3	144X569	Phenolic	AL	500 - #4	1		1/4-20 x 1.06	2	
	1/2/3	144X575	Phenolic	AL	500 - #4	1		3/8-16 x 1.31	1	
410	1/2/3	145X606	Phenolic	CU	1/2-13 x 1.44	1		1/2-13 x 1.44	1	
	1/2/3	133X611CH	Plastic	CU	1/2-13 x 1.38	1		1/2-13 x 1.38	1	

## Power Blocks – Marathon Special Products

### Power Blocks - Stud Configurations

Amps	Poles (X)	Catalog # Substitute (X) for # of poles	Material		Line Side			Load Side		
			Insulator	Conn.	Wire Range AWG/kcmil	Connector Openings/Pole		Wire Range AWG/kcmil	Connector Openings/Pole	
475	1/2/3	145X613	Phenolic	CU	3/8-16 x 1.44	2		3/8-16 x 1.44	1	
510	1/2/3	133X272CH	Plastic	AL	3/8-16 x 1.19	1		#4 - #14	12	
	1/2/3	133X280CH	Plastic	AL	3/8-16 x 1.19	1		#2 - #14	8	
	1/2/3	133X270CH	Plastic	AL	3/8-16 x 1.19	1		2/0 - #14	4	
760	1/2/3	145X282	Phenolic	AL	3/8-16 x 1.00	2		2/0 - #14	8	
	1/2/3	145X599	Phenolic	AL	500 - #4	2		3/8-16 x 1.31	2	
	1/2/3	145X610	Phenolic	AL	500 - #4	2		1/2-13 x 1.31	1	
840	1/2/3	144X614	Phenolic	CU	3/8-16 x 1.00	1		3/8-16 x 1.00	1	
1680	1/2/3	145X615	Phenolic	AL	600 - #4	4		1/2-13 x 1.56	1	

## Power Blocks – Marathon Special Products

### Power Blocks - Miscellaneous Configurations



#### Electrical

- 115 - 200 amps
- 600 volts AC/DC (cULus)
- Multiple wire rating - refer to data sheets for details

#### Mechanical

- Base, black thermoplastic or phenolic (see chart)
- Insulator temp-ratings
  - Thermoplastic: 125°C (257°F) - UL RTI
  - Phenolic: 150°C (302°F) - UL RTI
- Flammability, UL 94 V-0
- Mounting: panel mountable, 132 series is also DIN mountable

#### Standards

- See datasheets for specific approvals listed
- UL recognized file no. XCFR2.E62806 (UL 1059)
- CSA certified file no. LR19766 (CSA C22-2 No. 158)
- CE (Component IEC 60947-7-1)
- RoHS compliant (all)

Covers available – see page 15

Blocks with “CH” suffix are complete with removable hinged cover

Amps	Poles (X)	Catalog # Substitute (X) for # of poles	Material		Line Side			Load Side		
			Insulator	Conn.	Wire Range AWG/kcmil	Connector Openings/Pole		Wire Range AWG/kcmil	Connector Openings/Pole	
115	1/2/3/4	141X201	Plastic	AL	#2 - #14	1		#10-32 Tapped Hole	1	
	1/2/3/4	141X202	Plastic	AL	#2 - #14	1		1/4 Quick Connects	4	
	1/2/3/4	141X205	Plastic	AL	#2 - #14	1		1/4 Quick Connects & #10-32 Tap	2/1	
	1/2/3/4	141X301	Plastic	AL	#2 - #14	1		#2 - #14 & 1/4 Quick Connects	1/1	
175	1/2/3	142X553	Phenolic	AL	2/0 - #14	1		1/4-20 Tapped Hole	1	
	1/2/3	132X579CH	Plastic	AL	2/0 - #14	1		#2 - #14 & 1/4 Quick Connect	1/1	
	1/2/3	132X670CH	Plastic	AL	2/0-#14	1		#4 - #14 & 1/4 Quick Connect	4/1	
200	1/2/3	142X123	Phenolic	CU	1/4-20 Screw	1		1/4-20 Screw	1	

## Power Block Covers

Specifications: (please refer to spec sheets)

### 141 Series (Figure 1)

- Material UL recognized, QMFZ2, 125°C, clear protective plastic
- Snap on
- RoHS compliant

### 140/142/143/144/145 Series (Figure 2)

- Material UL recognized, QMFZ2, 125°C, clear protective plastic
- Thread cutting screws furnished with cover
- RoHS compliant

### 132/133/HVPB Series (Figure 3)

- Snap on, hinged cover, black thermoplastic
- UL recognized, QMFZ2, 125°C
- RoHS compliant

### 135 Series (Figure 4)

- Snap on, hinged cover, black thermoplastic
- UL recognized, QMFZ2, 125°C
- RoHS compliant

#### Dimensions (inches):

Catalog #	A	B	Figure #
CC1402	2.75	2.50	1
CC1403	4.00		
CC1411	0.77		
CC1412	1.42	2.40	2
CC1413	2.05		
CC1414	2.68		
CC1421	1.06	2.75	1
CC1422	1.87		
CC1423	2.68		
CC1431	1.78	3.38	1
CC1432	3.31		
CC1433	4.84		
CC1411	2.12	4.00	1
CC1442	4.00		
CC1443	5.87		
CC1451	2.87	4.50	1
CC1452	5.56		
CC1453	8.28		
CH1321	0.88	2.87	3
CH1322	1.69		
CH1323	2.50		
CH1331*	1.93	3.89	3
CH1332**	3.61		
CH1333	5.30		
CH1351 (1 POLE ONLY)	3.35	5.65	4

\*HVPB1xx \*\*HVPB2xx




FIGURE 1




FIGURE 2




FIGURE 3  
(Hinge Cover)




FIGURE 4  
(Hinge Cover)

## Heavy Duty Terminal Blocks – Marathon Special Products

### 1500 Series (Barrier Type) – 5/8" line-to-line spacing









#### Specifications

- 75 amps
- 600 volts AC/DC
- Base, phenolic, 150°C (UL RTI)
- Screws, #10-32 phil-slot, brass, nickel plated
- Connector, brass, nickel plated
- 5/8" (.625") line-to-line spacing
- Bare wire range #10-22 AWG CU
- Accepts lugs w/max width of .50"

#### Standards

- UL recognized file no. XCFR2.E62806
- CSA certified file no. LR19766
- CE (Component IEC 60947-7-1)
- RoHS compliant

#### Covers available

						
Poles	Standard connector with serrations for anti-rotation	Removable connector with brass insert	10-32 stud, removable connector	Short circuit bar with brass insert, 4 shorting pins per block	Standard connector with hinge cover	Multiple circuit jumper
2	1502(STD)	1502DJ	1502ST	1502SC	1502H	1502MCJ
4	1504(STD)	1504DJ	1504ST	1504SC	1504H	1504MCJ
6	1506(STD)	1506DJ	1506ST	1506SC	1506H	1506MCJ
8	1508(STD)	1508DJ	1508ST	1508SC	1508H	1508MCJ
12	1512(STD)	1512DJ	1512ST	1512SC	1512H	1512MCJ

## Heavy Duty Terminal Blocks – Marathon Special Products

### 1600 Series (Barrier Type) – 21/32" line-to-line spacing









#### Specifications

- 75 amps
- 600 volts AC/DC
- Base, phenolic, 150°C (UL RTI)
- Screws, #10-32 phil-slot, brass, nickel plated
- Connector, brass, nickel plated
- 21/32" (.656") line-to-line spacing
- Bare wire range #10-22 AWG CU
- Accepts lugs w/max width of .50"

#### Standards

- UL recognized file no. XCFR2.E62806
- CSA certified file no. LR19766
- CE (Component IEC 60947-7-1)
- RoHS compliant

#### Covers available

						
Poles	Standard connector with serrations for anti-rotation	Removable connector with brass insert	10-32 stud, removable connector	Short circuit bar with brass insert, 4 shorting pins per block	Standard connector with hinge cover	Multiple circuit jumper
2	1602(STD)	1602DJ	1602ST	1602SC	1602H	1602MCJ
4	1604(STD)	1604DJ	1604ST	1604SC	1604H	1604MCJ
6	1606(STD)	1606DJ	1606ST	1606SC	1606H	1606MCJ
8	1608(STD)	1608DJ	1608ST	1608SC	1608H	1608MCJ
12	1612(STD)	1612DJ	1612ST	1612SC	1612H	1612MCJ

## Dead Front Terminal Blocks – Marathon Special Products

### 885 RZ Series



#### Specifications

- 85 amps
- 600 volts AC/DC
- Base, thermoplastic, 130°C (UL RTI)
- Available in 1 to 12 terminal positions
- UL and cUL recognized component
- .432" centerline spacing
- 16 in lbs force
- Numbered terminal positions
- Accommodates conductor sizes #4 AWG - #18 AWG

### 985 GP Series



#### Specifications

- 85 amps
- 600 volts AC/DC
- Base, phenolic, 150°C (UL RTI)
- Screws, steel, tin plated
- Connector, aluminum, tin plated
- Wire Range:
  - (1) #4 - #18 AWG
  - (1-2) #8 AWG
  - (1-4) #10-12 AWG
  - (1-6) #14-16 AWG
  - (1-8) #18
- .625" centerline spacing

#### Standards

- UL recognized file no. XCFR2.E62806
- CSA certified file no. LR19766
- CE (Component IEC 60947-7-1)
- RoHS compliant

Poles	Catalog Number	
	885 RZ Series	985 GP Series
1	885RZ01	985GP01
2	885RZ02	985GP02
3	885RZ03	985GP03
4	885RZ04	985GP04
5	885RZ05	985GP05
6	885RZ06	985GP06
7	885RZ07	985GP07
8	885RZ08	985GP08
9	885RZ09	985GP09
10	885RZ10	985GP10
11	885RZ11	985GP11
12	885RZ12	985GP12



## Retractable Cords - Autac

### TPR POWER CORDS

Catalog Number	Retracted Length (inches)	Number of Conductors	Type	Maximum Voltage	Temperature (°C)	Cable OD (inches)
<b>18 AWG</b>						
72180	12, 24, 36, 48	2	SVEO/SVTO	300	105°	.242
72181	12, 24, 36, 48	2	SJEOW/SJTOW	300	105°	.300
73181	12, 24, 36, 48	3	SJEOW/SJTOW	300	105°	.308
74181	12, 24, 36, 48	4	SJEOW/SJTOW	300	105°	.340
75181	12, 24, 36, 48	5	SJEOW/SJTOW	300	105°	.385
77182	12, 24, 36, 48	7	SEOW/STOW	600	105°	.500
710182	12, 24, 36, 48	10	SEOW/STOW	600	105°	.590

### 16 AWG

73161	12, 24, 36, 48	3	SJEOW/SJTOW	300	105°	.340
74161	12, 24, 36, 48	4	SJEOW/SJTOW	300	105°	.365
74162	12, 24, 36, 48	4	SEOW/STOW	600	105°	.425
76162	12, 24, 36, 48	6	SEOW/STOW	600	105°	.530
78162	12, 24, 36, 48	8	SEOW/STOW	600	105°	.570

### 14 AWG

73142	12, 24, 36, 48	3	SEOW/STOW	600	105°	.540
74142	12, 24, 36, 48	4	SEOW/STOW	600	105°	.570

### 12 AWG

73122	12, 24, 36, 48	3	SEOW/STOW	600	105°	.580
74122	12, 24, 36, 48	4	SEOW/STOW	600	105°	.660

Soft, Bare Copper, TPR Insulated

TPR, Black Jacket

### PVC POWER CORDS

Catalog Number	Retracted Length (inches)	Number of Conductors	Type	Maximum Voltage	Temperature (°C)	Cable OD (inches)
<b>18 AWG</b>						
92180	12, 24, 36, 48	2	SVT	300	105°	.250
93180	12, 24, 36, 48	3	SVT	300	105°	.260
92181	12, 24, 26, 48	2	SJT	300	105°	.295
93181	12, 24, 36, 48	3	SJT	300	105°	.330
94181	12, 24, 36, 48	4	SJT	300	105°	.360
95181	12, 24, 36, 48	5	SJT	300	105°	.440

### 16 AWG

92161	12, 24, 36, 48	2	SJT	300	105°	.315
93161	12, 24, 36, 48	3	SJT	300	105°	.355
94161	12, 24, 36, 48	4	SJT	300	105°	.410

### 14 AWG

93141	12, 24, 36, 48	3	SJT	300	105°	.390
-------	----------------	---	-----	-----	------	------

### 12 AWG

93121	12, 24, 36, 48	3	SJT	300	105°	.435
-------	----------------	---	-----	-----	------	------

Soft, Bare Copper, PVC Insulated

PVC, Black Jacket (available in white)

#### LENGTH CHART (1:5 Extension Ratio)

Retracted Length	Extended Length	Tangent Length Both Ends
12 inches	5 feet	12 inches
24 inches	10 feet	6 inches
36 inches	15 feet	6 inches
48 inches	20 feet	6 inches



Many Other Cords Available. Please Call.

**REES Inc. A leader in the design of control switches for over 80 years**

## **Push Buttons**

### **Single Plunger**

- A broad selection of contact arrangements
- Heavy Duty rated
- Variety of lockable devices
- Available styles:
  - Momentary, Maintained and Latching
  - Keylock
  - Emergency Stop
  - Weatherproof



### **Double Plunger**

- A broad selection of contact arrangements
- Heavy Duty rated
- Variety of lockable devices



### **30.5mm Control Units**

- 4 styles of push button operators
- 3 styles of 2,3 and 4 position selector operators
- 4 styles of push-pull units
- Illuminated push buttons
- Variety of lockable devices
- All meet NEMA12/13 requirements when properly installed in an appropriate enclosure
- Variety of different cams to customize any installation



## **Pull to Stop**

### **Cable Operated Switches**

- Taut and slack cable styles for Emergency Stop applications as well as ordinary circuit control

### **Rope Operated Switches**

- Spring loaded Rope Operated Sequence Switch alternates between NC and NC states with a pull of the rope



## Tape

### 8.5 mil Premium Vinyl Tape - Professional Grade

5243	Black	3/4" x 66'	100
4247	Black	1" x 66'	80
4252	Black	1-1/2" x 66'	100
4311	Black	2" x 66'	40

### 7 mil Vinyl Tape - Economy Grade

5126	Black	3/4" x 60'	100
5898	Green	3/4" x 66'	10
5899	Yellow	3/4" x 66'	10
5900	Red	3/4" x 66'	10
5901	Blue	3/4" x 66'	10
5902	White	3/4" x 66'	10
5903	Brown	3/4" x 66'	10
5904	Orange	3/4" x 66'	10
5905	Grey	3/4" x 66'	10
5906	Violet	3/4" x 66'	10

### 7 mil Vinyl Tape - Professional Grade

5175	1/2" x 20'	10
Six Colour Combo Pack - Red, White, Yellow, Orange, Green, Blue		

### Friction Tape

1002	3/4" x 60'	100
------	------------	-----

### Rubber Tape - Splicing Compound

9002	3/4" x 22'	100
------	------------	-----

### Linerless High Voltage Insulating Tape

9211	3/4" x 30'	100
9212	1" x 30'	80
9213	1-1/2" x 30'	50
9214	2" x 30'	40

### High Voltage Insulating Tape with Liner

2117	3/4" x 30'	100
2132	1" x 30'	80
2134	1-1/2" x 30'	50
2145	2" x 30'	10

### Shielding Tape

2104	3/4" x 15'	50
------	------------	----

### Tinned Copper Shielding Tape

5415	1" x 15'	50
5416	1" x 100'	16

### Tinned Copper Grounding Braid

2711	3/8" x 100'	1
------	-------------	---

### Silicone Rubber Tape

3455	1" x 30'	50
------	----------	----

### Pressure Sensitive Glass Cloth Tape

3451	1/2" x 66'	50
3456	3/4" x 66'	50
3459	1" x 108'	20

### Varnished Dacron Glass Tape - with Adhesive

1121	3/4" x 60'	40
1122	1" x 108'	6
1123	1-1/2" x 108'	6



## Tape / EMT Fittings

### Underground Marking Tape - RED

#### "CAUTION BURIED ELECTRIC LINE BELOW"

AMT1003DRE	3" x 1000' X 5.0 mil thickness - Detectable	1
AMT1003RE	3" x 1000' X 4.0 mil thickness - Non-detectable	1
AMT1006RE	6" x 1000' X 4.0 mil thickness - Non-detectable	1

Other Widths, Colours and Printing Available



### Combination EMT/Rigid Conduit Bodies - c/w Cover and Gasket

LB	LL	LR	C		
LB1CA	LL1CA	LR1CA	C1CA	1/2"	10
LB2CA	LL2CA	LR2CA	C2CA	3/4"	10
LB3CA	LL3CA	LR3CA	C3CA	1"	5
LB4CA	LL4CA	LR4CA	C4CA	1-1/4"	1
LB5CA	LL5CA	LR5CA	C5CA	1-1/2"	1
LB6CA	LL6CA	LR6CA	C6CA	2"	1

#### T

T1CA	1/2"	10
T2CA	3/4"	10
T3CA	1"	5
T4CA	1-1/4"	1
T5CA	1-1/2"	1
T6CA	2"	1



### EMT Set Screw Conduit Bodies c/w Cover and Gasket

LB	LL	LR	C		
LB7ATCG	LL7ATCG	LR7ATCG	C7ATCG	2-1/2"	1
LB8ATCG	LL8ATCG	LR8ATCG	C8ATCG	3"	1
LB10ATCG	LL10ATCG	LR10ATCG	C10ATCG	4"	1



### EMT - Pull Elbows - Die Cast

#### Female to Female

1326	1/2"	10
1327	3/4"	5
1328	1"	1
1329	1-1/4"	1

#### Male to Female

1332	1/2"	10
1333	3/4"	5



### EMT Offset Set Screw Connector - Die Cast

1250	1/2"	10
1251	3/4"	10



### EMT to Flexible Metal Conduit Connector - Die Cast

170C	1/2" EMT - 3/8" Flex	50
171C	1/2" EMT - 1/2" Flex	25
172C	3/4" EMT - 3/4" Flex	20
173C	1" EMT - 1 Flex	10



### EMT Compression To Rigid Coupling

ERC22	1/2"	25
ERC23	3/4"	25
ERC24	1"	25



## EMT Fittings

### EMT Set Screw Connectors and Couplings - Steel

#### Connectors

S1110	1/2"	50
S1111	3/4"	25
S1112	1"	50
S1112A	1-1/4"	25
S1112B	1-1/2"	10
S1112C	2"	5
S1112D	2-1/2"	1
S1112E	3"	1
S1112F	4"	1



#### Connectors - Insulated

S4066	1/2"	50
S4067	3/4"	25
S4068	1"	50
S4069	1-1/4"	25
S4070	1-1/2"	10
S4071	2"	5
S4072	2-1/2"	1
S4073	3"	1
S4075	4"	1



#### Couplings

S1113	1/2"	50
S1114	3/4"	25
S1115	1"	50
S1115A	1-1/4"	25
S1115B	1-1/2"	10
S1115C	2"	5
S1115D	2-1/2"	1
S1115E	3"	1
S1115F	4"	1



### "BLUE CAP" EMT Raintight Connectors and Couplings - Steel

#### Connectors

S1010RT	1/2"	50
S1011RT	3/4"	25
S1012RT	1"	50
S1013RT	1-1/4"	25
S1014RT	1-1/2"	10
S1015RT	2"	5
S1015DRT	2-1/2"	1
S1015ERT	3"	1
S1015FRT	4"	1



#### Connectors - Insulated

S4060RT	1/2"	50
S4061RT	3/4"	25
S4062RT	1"	50
S4063RT	1-1/4"	25
S4064RT	1-1/2"	10
S4065RT	2"	5
S4065DRT	2-1/2"	1
S4065ERT	3"	1
S4065FRT	4"	1



#### Couplings

S1016RT	1/2"	50
S1017RT	3/4"	25
S1018RT	1"	50
S1019RT	1-1/4"	25
S1020RT	1-1/2"	10
S1021RT	2"	5
S1021DRT	2-1/2"	1
S1021ERT	3"	1
S1021FRT	4"	1



## EMT Fittings / Strain Relief Connectors

### EMT Pipe Straps

#### One Hole

142S	1/2"	100
143S	3/4"	100
144S	1"	50
145S	1-1/4"	50
146S	1-1/2"	50
147S	2"	50
138S	2-1/2"	25
139S	3"	25
141S	3-1/2"	10
148S	4"	10

#### Two Hole

2142S	1/2"	250
2143S	3/4"	200
2144S	1"	100
2145S	1-1/4"	50
2146S	1-1/2"	50
2147S	2"	25
2138S	2-1/2"	25
2139S	3"	20
2141S	3-1/2"	10
2148S	4"	10



### EMT Conduit Elbows

#### 90 Degree

#### 45 Degree

SWEEP50EMT	SWEEP50-45EMT	1/2"	50
SWEEP75EMT	SWEEP75-45EMT	3/4"	50
SWEEP100EMT	SWEEP100-45EMT	1"	25
SWEEP125EMT	SWEEP125-45EMT	1-1/4"	20
SWEEP150EMT	SWEEP150-45EMT	1-1/2"	15
SWEEP200EMT	SWEEP200-45EMT	2"	10
SWEEP250EMT	SWEEP250-45EMT	2-1/2"	1
SWEEP300EMT	SWEEP300-45EMT	3"	1
SWEEP350EMT	SWEEP350-45EMT	3-1/2"	1
SWEEP400EMT	SWEEP400-45EMT	4"	1



Available in 11-1/4, 15, 22-1/2, 30 and 60 Degree

### Strain Relief Connectors - Steel

#### 1/2"

#### Colour Code

#### Range

CG50-250	Red	0.15 - 0.25	25
CG50-350	White	0.25 - 0.35	25
CG50-450	Blue	0.34 - 0.45	25
CG50-560	Green	0.45 - 0.56	25
CG50-650	Brown	0.55 - 0.65	25

#### 3/4"

#### Colour Code

#### Range

CG75-250	Red	0.15 - 0.25	10
CG75-350	White	0.25 - 0.35	10
CG75-450	Blue	0.35 - 0.45	10
CG75-560	Green	0.45 - 0.56	10
CG75-650	Brown	0.56 - 0.65	10
CG75-750	Yellow	0.65 - 0.75	10
CG75-850	Purple	0.75 - 0.85	10

#### 1"

#### Colour Code

#### Range

CG100-560	Green	0.45 - 0.56	5
CG100-650	Brown	0.56 - 0.65	5
CG100-750	Yellow	0.65 - 0.75	5
CG100-850	Purple	0.75 - 0.85	5
CG100-950	Grey	0.85 - 0.95	5
CG100-1050	Black	0.95 - 1.05	5

Available in 45 and 90 Degree



## Strain Relief Connectors / Foot Switches

### Strain Relief Connectors - Steel

1-1/4"	Colour Code	Range	
CG125-850	Purple	0.75 - 0.85	5
CG125-950	Grey	0.85 - 0.95	5
CG125-1050	Black	0.95 - 1.05	5
CG125-1150	Orange	1.05 - 1.15	5
CG125-1250	Red	1.15 - 1.25	5
CG125-1375	White	1.25 - 1.375	5

1-1/2"	Colour Code	Range	
CG150-1050	Black	0.95 - 1.05	2
CG150-1150	Orange	1.05 - 1.15	2
CG150-1250	Red	1.15 - 1.25	2
CG150-1375	White	1.25 - 1.375	2

Available in 45 and 90 Degree



### Foot Switches

#### Clipper - Cast Iron

20A @ 125-250VAC / 1 H.P. @ 125-250VAC		Momentary Contacts	
632S	Single Pedal	SPDT	1
635S		DPDT	1
TWIN632S	Double Pedal	SPDT	1
TWIN635S		DPDT	1



#### Aqualine - Polymeric

15A @125-250VAC / 1/2 H.P. @ 125-250VAC		Momentary Contacts	
971S	Dark Gray	SPDT	1
971SB	Blue	SPDT	1
971SO	Orange	SPDT	1
974S	Dark Gray	DPDT	1



#### Treadlite II - Steel

15A @125-250 VAC/ 1/2 H.P. @ 125-250VAC		Momentary Contacts	
T91S	Momentary	SPDT	1
T91SC3*	Momentary	SPDT wired n/o	1

\* c/w 6 Foot 18/3 Cord and 3 Prong Series Plug




#### Optional Steel Guards for Above Foot Switches

522B14	Optional Single Shield	1
522B12	Optional TWIN Shield	1



#### Classic IV - Cast Aluminum

16A @ 125-250VAC / 1/2 H.P. @ 125-250VAC		Momentary Contacts	
88SH1-05	Single Pedal with Shield	SPDT	1
88SH2-05		DPDT	1
TWIN88SH1-05	Double Pedal with Shield	SPDT	1
TWIN88SH2-05		DPDT	1



#### Hercules - Cast Iron

20A @ 125-250VAC / 1 H.P. @ 125-250VAC		Momentary Contacts	
531SWH	Full Shield	SPDT	1
531SWN	Without Shield	SPDT	1
532SWH	Full Shield	DPDT	1
532SWN	Without Shield	DPDT	1
531SWHO	Oversize Shield	SPDT	1
532SWHO	Oversize Shield	DPDT	1



Hercules with Full Shield

20A @ 125-250VAC / 1 H.P. @ 125-250VAC		Maintained Contacts	
571DWH	Full Shield	SPDT	1
572DWH	Full Shield	DPDT	1



Hercules without Shield

Many Other Foot Switches Available

## Grounding / Insulators

### Lay-In Grounding Lugs

#### Aluminum

	Ground Wire Size	
AL4	4 - 14	100
AL1/0	1/0 - 8	100
AL3/0	3/0 - 6	50
AL250	250mcm - 6	50

#### Copper

	Ground Wire Size	
CL4	4 - 14	100
CL1/0	1/0 - 8	100
CL3/0	3/0 - 6	50
CL250	250mcm - 6	50



### Water Pipe Ground Clamps

#### Zinc Die Cast with Steel Screws

	Trade Size	Ground Wire Size MIN MAX	
10BG	1/2" - 1"	8 SOL. 2 STR.	25

#### Bronze with Bronze Screws for Direct Burial

	Trade Size	Ground Wire Size MIN MAX	
10BR	1/2" - 1"	10 SOL. 2 STR.	25

#### Bronze with Steel Screws

	Trade Size	Ground Wire Size MIN MAX	
10B	1/2" - 1"	10 SOL. 2 STR.	25
34B	1-1/4" - 2"	10 SOL. 2 STR.	1
35A	2-1/2" - 4"	10 SOL. 2 STR.	1
36A	4" - 6"	10 SOL. 2 STR.	1



### Ground Rod Clamps - Listed for Direct Burial

	Trade Size	
200	1/2"	100
201	5/8"	100
202	3/4"	100

#### Copper Alloy with Bronze Bolt



### Standoff Insulators

	Size	Suggested Indoor Voltage Rating	
559600 (black)	1" High - 1/4" x 20 Thread	600	1
559620 (black)	1-1/4" High - 1/4" x 20 Thread	600	1
559660 (black)	1-1/2" High - 3/8" x 16 Thread	1500	1
559670 (black)	1-3/4" High - 3/8" x 16 Thread	2000	1
559680 (black)	2" High - 3/8" x 16 Thread	2300	1
559681 (black)	2" High - 1/2" x 13 Thread	2300	1

#### Other Sizes Available





## Thread Adapters / Toggle Switches / Space Heater

### Thread Adapters

#### PG to NPT

	Male	Female	
1234/0912	PG9	1/2" NPT	1
1234/1112	PG11	1/2" NPT	1
1234/1138	PG11	3/8" NPT	1
1234/1312	PG13	1/2" NPT	1
1234/1612	PG16	1/2" NPT	1
1234/2112	PG21	1/2" NPT	1
1234/2134	PG21	3/4" NPT	1
1234/2910	PG29	1" NPT	1
1234/36125	PG36	1-1/4" NPT	1
1234/36150	PG36	1-1/2" NPT	1
1234/42150	PG42	1-1/2" NPT	1

#### Metric to NPT

	Male	Female	
1234M1612	M16	1/2" NPT	1
1234M2012	M20	1/2" NPT	1
1234M2512	M25	1/2" NPT	1
1234M2534	M25	3/4" NPT	1
1234M3210	M32	1" NPT	1
1234M3234	M32	3/4" NPT	1



### Toggle Switches

3/4 HP, 10A @ 250 VAC, 20A @ 125VAC

Screw	Terminal .250 Quick Connect	Solder	Function	Circuit	
1185/20	1185-Q/20	1185-S/20	ON - OFF	SPST	1
1196/20	1196-Q/20	1196-S/20	(ON) - OFF	SPST	1
1186/20	1186-Q/20	1186-S/20	ON - ON	SPDT	1
1241/20	1241-Q/20	-	(ON) - ON	SPDT	1
1187/20	1187-Q/20	1187-S/20	ON - OFF - ON	SPDT	1
1195/20	1195-Q/20	1195-S/20	(ON) - OFF - (ON)	SPDT	1

1-1/2 HP, 10A @ 250 VAC, 20A @ 125VAC

Screw	Terminal .250 Quick Connect	Solder	Function	Circuit	
1188/20	1188-Q/20	1188-S/20	ON - OFF	DPST	1
1194/20	1194-Q/20	1194-S/20	ON - ON	DPDT	1
1242/20	1242-Q/20	1242-S/20	(ON) - ON	DPDT	1
1189/20	1189-Q/20	1189-S/20	ON - OFF - ON	DPDT	1
1244/20	1244-Q/20	-	(ON) - OFF - ON	DPDT	1
1193-20	1193-Q/20	-	(ON) - OFF - (ON)	DPDT	1



( ) Momentary Contacts

Other Switches Available

### Space Heater

ESH	750 Watt Personal Space Heater	1
-----	--------------------------------	---

Ceramic heating element  
Two-step switch (fan, heat)  
Adjustable thermostat  
Safety tip over shut-off protection



## Radiant Heaters / Dock and Signal Lights

### Radiant Heaters

<b>NCL150</b>	COZY Legs - 150 Watts		1
<b>Includes Portable Stand and Hi-Low Switch</b>			
<b>NCFR</b>	COZY Foot Rest - 50 Watt		1
<b>NCT</b>	COZY Toes - 75 Watts		1
<b>NFWR</b>	Warehouse Foot Warmer - Regular	90 Watts	1
<b>NFWL</b>	Warehouse Foot Warmer - Large	135 Watts	1
<b>160731T</b>	Hi/Low Switch for COZY Products		1
<b>STAND</b>	Stand for NCL150		1



### Dock Lights

#### Single Arm

<b>SDL40P</b>	40" Single Arm	Incandescent	1
<b>SDL40PLED</b>	40" Single Arm	LED	1
<b>SDL60P</b>	60" Single Arm	Incandescent	1
<b>SDL60PLED</b>	60" Single Arm	LED	1

#### Double Arm

<b>DL24P</b>	24" Double Arm	Incandescent	1
<b>DL24PLED</b>	24" Double Arm	LED	1
<b>DL24HD-LED</b>	24" Double Arm	Heavy Duty - LED	1
<b>DL40P</b>	40" Double Arm	Incandescent	1
<b>DL40PLED</b>	40" Double Arm	LED	1
<b>DL40HD-LED</b>	40" Double Arm	Heavy Duty - LED	1
<b>DL60P</b>	60" Double Arm	Incandescent	1
<b>DL60PLED</b>	60" Double Arm	LED	1
<b>DL60HD-LED</b>	60" Double Arm	Heavy Duty - LED	1

#### HD-LED Heavy Duty LED HEAD

#### Other Arm Styles and Lengths Available

#### Gooseneck

<b>DLGN120</b>	27" Reach	Incandescent	1
<b>DLGN120P-LED</b>	27" Reach	LED	1

### Stop and Go Lights

#### Outdoor - 115 VAC

<b>SG10-115RG</b>	Incandescent	1
<b>SG10-115RG-LED</b>	LED	1

#### Indoor - 115 VAC

<b>SG20-115RG</b>	Incandescent	1
<b>SG20-115RG-LED</b>	LED	1


#### Outdoor / Indoor Kit - 115 VAC

<b>SG30-115RG</b>	Incandescent	1
<b>SG30-115RG-LED</b>	LED	1

Available in 12VDC and 24VDC



Heavy Duty LED Head



# Termination Lugs

## Copper Compression Lugs

### Short Barrel - 1 Hole

	Wire Size	Hole Size	
SAL6CT14	6 Str.	1/4"	1
SAL4CT14		1/4"	1
SAL4CT516	4 Str.	5/16"	1
SAL4CT38		3/8"	1
SAL2CT14		1/4"	1
SAL2CT516	2 Str.	5/16"	1
SAL2CT38		3/8"	1
SAL1CT14		1/4"	1
SAL1CT516	1 Str.	5/16"	1
SAL1CT38		3/8"	1
SAL25T516	1/0 Str.	5/16"	1
SAL25T38		3/8"	1
SAL26T38		3/8"	1
SAL26T12	2/0 Str.	1/2"	1
SAL27T38		3/8"	1
SAL27T12	3/0 Str.	1/2"	1
SAL28T38		3/8"	1
SAL28T12	4/0 Str.	1/2"	1
SAL29T12	250 Mcm	1/2"	1
SAL30T12	300 Mcm	1/2"	1
SAL31T12	350 Mcm	1/2"	1
SAL32T58	400 Mcm	5/8"	1
SAL34T58	500 Mcm	5/8"	1
SAL36T58	600 Mcm	5/8"	1
SAL39T58	750 Mcm	5/8"	1
SAL44T58	1000 Mcm	5/8"	1



### Long Barrel - 1 Hole

	Wire Size	Hole Size	
SA6C	6 Str.	1/4"	1
SA4C	4 Str.	1/4"	1
SA2C	2 Str.	5/16"	1
SA1C	1 Str.	5/16"	1
SA25	1/0 Str.	5/16"	1
SA26	2/0 Str.	3/8"	1
SA27	3/0 Str.	1/2"	1
SA28	4/0 Str.	1/2"	1
SA29	250 Mcm	1/2"	1
SA30	300 Mcm	1/2"	1
SA31	350 Mcm	1/2"	1
SA32	400 Mcm	1/2"	1
SA34	500 Mcm	1/2"	1
SA36	600 Mcm	1/2"	1
SA39	750 Mcm	1/2"	1
SA44	1000 Mcm	1/2"	1



### Long Barrel - 2 Hole

	Wire Size	Hole Size	
SA2C-2N	2 Str.	1/2"	1
SA1C-2N	1 Str.	1/2"	1
SA25-2N	1/0 Str.	1/2"	1
SA26-2N	2/0 Str.	1/2"	1
SA27-2N	3/0 Str.	1/2"	1
SA28-2N	4/0 Str.	1/2"	1
SA29-2N	250 Mcm	1/2"	1
SA30-2N	300 Mcm	1/2"	1
SA31-2N	350 Mcm	1/2"	1
SA32-2N	400 Mcm	1/2"	1
SA34-2N	500 Mcm	1/2"	1
SA36-2N	600 Mcm	1/2"	1
SA39-2N	750 Mcm	1/2"	1
SA44-2N	1000 Mcm	1/2"	1
SA46-2N	1500 Mcm	1/2"	1



## Termination Lugs and Sleeves

### Copper Compression Sleeves

#### Long Barrel

#### Short Barrel

#### Wire Size

SS6C	SSL6C	6 Str.	1
SS4C	SSL4C	4 Str.	1
SS2C	SSL2C	2 Str.	1
SS1C	SSL1C	1 Str.	1
SS25	SSL25	1/0 Str.	1
SS26	SSL26	2/0 Str.	1
SS27	SSL27	3/0 Str.	1
SS28	SSL28	4/0 Str.	1
SS29	SSL29	250 Mcm	1
SS30	SSL30	300 Mcm	1
SS31	SSL31	350 Mcm	1
SS32	SSL32	400 Mcm	1
SS34	SSL34	500 Mcm	1
SS36	SSL36	600 Mcm	1
SS39	SSL39	750 Mcm	1
SS44	SSL44	1000 Mcm	1



### Aluminum Compression Lugs

#### Long Barrel - 1 Hole

#### Wire Size

#### Hole Size

SA26A1	2/0 Str.	1/2"	1
SA27A3	3/0 Str.	1/2"	1
SA28A3	4/0 Str.	1/2"	1
SA29A1	250 Mcm	1/2"	1
SA30A3	300 Mcm	1/2"	1
SA31A1	350 Mcm	1/2"	1
SA32A1	400 Mcm	5/8"	1
SA34A1	500 Mcm	5/8"	1
SA36A1	600 Mcm	5/8"	1
SA39A3	750 Mcm	5/8"	1
SA44A1	1000 Mcm	5/8"	1



#### Long Barrel - 2 Hole

#### Wire Size

#### Hole Size

SA26A3	2/0 Str.	1/2"	1
SA27A5	3/0 Str.	1/2"	1
SA28A5	4/0 Str.	1/2"	1
SA29A3	250 Mcm	1/2"	1
SA30A3	300 Mcm	1/2"	1
SA31A3	350 Mcm	1/2"	1
SA32A3	400 Mcm	1/2"	1
SA34A3	500 Mcm	1/2"	1
SA36A3	600 Mcm	1/2"	1
SA39A5	750 Mcm	1/2"	1
SA44A3	1000 Mcm	1/2"	1



### Aluminum Compression Sleeves

#### Wire Size

SS26A1	2/0 Str.	1
SS27A1	3/0 Str.	1
SS28A1	4/0 Str.	1
SS29A1	250 Mcm	1
SS30A1	300 Mcm	1
SS31A1	350 Mcm	1
SS32A1	400 Mcm	1
SS34A1	500 Mcm	1
SS36A1	600 Mcm	1
SS39A1	750 Mcm	1
SS44A1	1000 Mcm	1



## Pin Adapters / Mechanical Lugs

### Compression Pin Adapters

Straight	Offset Pin	Wire Size	
SYP6		6 Str.	1
SYP4		4 Str.	1
SYP2		2 Str.	1
SYP1		1 Str.	1
SYP1/0	SYPO1/0	1/0 Str.	1
-	SYPO2/0	2/0 Str.	1
-	SYPO3/0	3/0 Str.	1
-	SYPO4/0	4/0 Str.	1
SYP250	SYPO250	250 Mcm	1
-	SYPO300	300 Mcm	1
SYP350	SYPO350	350 Mcm	1
-	SYPO400	400 Mcm	1
SYP500	SYPO500	500 Mcm	1
-	SYPO600	600 Mcm	1
SYP750	SYPO750	750 Mcm	1



### Mechanical Lugs

One Cable	Wire Range	Mounting Holes	
SA6S	#6 - #14 Awg	1	100
SA2	#2 - #14 Awg	1	100
SA0	1/0 - #14 Awg	1	50
SA2/0	2/0 - #14 Awg	1	50
SA250	250 Mcm - #6 Awg	1	24
SA300	300 Mcm - #6 Awg	1	24
SA350	350 Mcm - #6 Awg	1	20
SA500	500 Mcm - #4 Awg	1	6
SA600	600 Mcm - #2 Awg	1	6
SA800	800 - 300 Mcm	1	6
SA1000	1000 - 500 Mcm	1	6
SA350-2NS	350 Mcm - #6 Awg	2	8
SA600-2NS	600 Mcm - #2 Awg	2	4
SA800-2N	800 - 300 Mcm	2	4
SA1000-2N	1000 - 500 Mcm	2	4

#### Two Cables - Side by Side

SU0	1/0 - #14 Awg	1	50
SU2/0	2/0 - #14 Awg	1	50
SU250	250 Mcm - #6 Awg	1	10
SU350	350 Mcm - #6 Awg	1	20
SU600	600 Mcm - #2 Awg	1	6
SU800	800 - 300 Mcm	1	6
SU1000	1000 - 500 Mcm	1	2
SU350-2N	350 Mcm - #6 Awg	2	4
SU600-2NS	600 Mcm - #2 Awg	2	3
SU800-2NS	800 - 300 Mcm	2	2
SU1000-2NS	1000 - 500 Mcm	2	2

#### Three Cables - Side by Side

S3A4-250N	250 Mcm - #6 Awg	2 or 4	2
S3A4-350N	350 Mcm - #6 Awg	2 or 4	2
S3A4-600N	600 Mcm - #2 Awg	2 or 4	2
S3A4-800N	800 - 300 Mcm	2 or 4	2
S3A4-1000N	1000 - 500 Mcm	2 or 4	2

#### Four Cables - Side by Side

S4A4-600N	600 Mcm - #2 Awg	4	2
S4A4-1000N	1000 - 500 Mcm	4	2

#### Step Lugs - Two, Three and Four Cables

SB2-300	300 Mcm - #6 Awg	1	10
SB2-600	600 Mcm - #2 Awg	2	2
SB2-800	800 - 300 Mcm	2	2
SB3-600	600 Mcm - #2 Awg	2	2
SB4-600	600 Mcm - #2 Awg	2	2
SB4-800	800 - 300 Mcm	2	2


Suitable For Use With Aluminum and Copper Cables



## Heat Shrink Products


### Breakout Boots - 1KV

	Body Range (inches)	Leg Range (inches)	No. of Legs	
CBR2-1A	0.35 - 1.00	0.15 - 0.53	2	1
CBR2-2A	1.25 - 1.70	0.30 - 0.75	2	1
CBR2-3A	1.65 - 3.00	0.65 - 1.40	2	1
CBR3-1A	0.50 - 1.35	0.20 - 0.55	3	1
CBR3-2A	0.85 - 2.20	0.35 - 0.90	3	1
CBR3-3A	1.10 - 2.90	0.50 - 1.25	3	1
CBR3-4A	2.35 - 5.65	1.20 - 2.10	3	1
CBR4-1A	0.70 - 1.25	0.15 - 0.45	4	1
CBR4-2A	1.00 - 2.10	0.35 - 0.90	4	1
CBR4-3A	1.20 - 3.50	0.55 - 1.40	4	1
CBR4-4A	2.35 - 6.05	0.90 - 1.50	4	1



### 48" Long - Heavy Wall Tubing with Adhesive - 1KV

	Range (inches)	
WCSM12/3-1200S	0.14 - 0.39	1
WCSM16/4-1200S	0.18 - 0.55	1
WCSM24/6-1200S	0.26 - 0.87	1
WCSM34/8-1200S	0.35 - 1.22	1
WCSM48/12-1200S	0.51 - 1.73	1
WCSM56/16-1200S	0.69 - 1.97	1
WCSM70/20-1200S	0.87 - 2.48	1
WCSM110-30-1200S	1.30 - 3.94	1
WCSM130/35-1200S	1.49 - 4.65	1




### End Caps - 1KV

	Range (inches)	
ESC1A	.15 - .30	1
ESC2A	.30 - .70	1
ESC3A	.65 - 1.25	1
ESC4A	1.05 - 1.95	1
ESC5A	1.30 - 2.65	1
ESC6A	1.85 - 3.70	1
ESC7A	2.95 - 4.50	1



### Teck Cable Splice Kits - Aluminum/Copper

	Description	Wire Range (inches)	
TS14-4-3	1KV, 3 Conductor	#14 - #4	1
TS2-3/0-3	1KV, 3 Conductor	#2 - 3/0	1
TS4/0-400-3	1KV, 3 Conductor	4/0 - 400Mcm	1
TS500-1000-3	1KV, 3 Conductor	500 - 1000Mcm	1
TS14-4-4	1KV, 4 Conductor	#14 - #4	1
TS2-3/0-4	1KV, 4 Conductor	#2 - 3/0	1
TS4/0-400-4	1KV, 4 Conductor	4/0 - 400Mcm	1
TS500-1000-4	1KV, 4 Conductor	500 - 1000Mcm	1
TS5-3-2/0-3	5KV, 3 Conductor	#3 - 2/0	1
TS5-3/0-400-3	5KV, 3 Conductor	3/0 - 400Mcm	1
TS5-500-1000-3	5KV, 3 Conductor	500 - 1000Mcm	1




Compression Sleeves Not Included

Suitable for Direct Burial

### Wraparound Cable Support Sleeves - 10" Length

	Wire Range (inches)	
WCSS170/35	.35 - 1.70	1
WCSS280/60	.60 - 2.80	1
WCSS360/100	1.00 - 3.60	1
WCSS470/110	1.10 - 4.70	1



## Wire Mesh Grips / Gounding Bushings

### Wire Mesh Grips

	Cable Range (inches)	Hub Size	
<b>Strain Relief Connectors</b>			
BDSR24	.24 - .32	1/2"	1
BDSR32	.32 - .43	1/2"	1
BDSR43	.43 - .54	1/2"	1
BDSR54	.54 - .73	3/4"	1
BDSR73	.73 - .97	1"	1
BDSR97	.97 - 1.25	1-1/4"	1
BDSR125	1.25 - 1.50	1-1/2"	1
BDSR150	1.50 - 1.70	2"	1
BDSR170	1.70 - 2.00	2-1/2"	1
BDSR200	2.00 - 2.45	2-1/2"	1



### Support Grips - Double Eye - Split Mesh, Rod Closing

	Cable Range (inches)	Approx Break Strength	
SPSR050DE	.50 - .62	530	1
SPSR062DE	.63 - .74	790	1
SPSR075DE	.75 - .99	1020	1
SPSR100DE	1.00 - 1.24	1610	1
SPSR125DE	1.25 - 1.49	1610	1
SPSR150DE	1.50 - 1.74	1610	1
SPSR175DE	1.75 - 1.99	2150	1
SPSR200DE	2.00 - 2.49	3260	1
SPSR250DE	2.50 - 2.99	3260	1
SPSR300DE	3.00 - 3.49	5750	1
SPSR350DE	3.50 - 3.99	5750	1



### Pulling Grips - Heavy Duty, Rotating Eye

	Cable Range (inches)	Approx Break Strength	
PHS050	.50 - .61	5600	1
PHS062	.62 - .74	6800	1
PHS075	.75 - .99	9600	1
PHS100	1.00 - 1.49	16400	1
PHS150	1.50 - 1.99	16400	1
PHS200	2.00 - 2.49	27200	1
PHS250	2.50 - 2.99	33000	1
PHS300	3.00 - 3.49	41000	1
PHS350	3.50 - 3.99	48000	1



Other Grips Available

### Insulated Ground Bushings c/w Aluminum Lay-In Lug

#### Diecast

	Ground Lug Capacity		
20BIZ4L	14-4	1/2"	100
21BIZ4L	14-4	3/4"	50
22BIZ4L	14-4	1"	25
23BIZ4L	14-4	1-1/4"	25
24BIZ4L	14-4	1-1/2"	25
25BIZ4L	14-4	2"	25
26BIZ0L	14-2/0	2-1/2"	1
27BIZ0L	14-2/0	3"	1
28BIZ0L	14-2/0	3-1/2"	1
29BIZ0L	14-2/0	4"	1



#### Malleable Iron

	Ground Lug Capacity		
26BI0L	14-2/0	2-1/2"	1
27BI0L	14-2/0	3"	1
28BI0L	14-2/0	3-1/2"	1
29BI0L	14-2/0	4"	1
30BI40L	6-250	5"	1
31BI40L	6-250	6"	1



Available in Hot Dipped Galvanized



Split Grounding Bushing Available

## Rigid Fittings

### Bushings

#### Plastic

PB50	1/2"	100
PB75	3/4"	100
PB100	1"	50
PB125	1-1/4"	25
PB150	1-1/2"	25
PB200	2"	1
PB250	2-1/2"	1
PB300	3"	1
PB350	3-1/2"	1
PB400	4"	1
PB500	5"	1
PB600	6"	1



#### Malleable Iron Insulated

1206	1/2"	100
1207	3/4"	100
1208	1"	50
1209	1-1/4"	25
1210	1-1/2"	25
1211	2"	1
1212	2-1/2"	1
1213	3"	1
1214	3-1/2"	1
1215	4"	1
1216	5"	1
1217	6"	1



### Locknuts

#### Steel

705X	Oversize Locknut	3/8"	250
LN50		1/2"	100
LN75		3/4"	100
LN100		1"	50
LN125		1-1/4"	100
LN150		1-1/2"	100
LN200		2"	50
LN250		2-1/2"	50
LN300		3"	25
LN350		3-1/2"	25
LN400		4"	1
LN500		5"	1
LN600		6"	1



705X



#### Aluminum

LN50AL		1/2"	100
LN75AL		3/4"	100
LN100AL		1"	50
LN125AL		1-1/4"	100
LN150AL		1-1/2"	100
LN200AL		2"	50
LN250AL		2-1/2"	50
LN300AL		3"	25
LN350AL		3-1/2"	25
LN400AL		4"	1
LN500AL		5"	1
LN600AL		6"	1



#### Sealing Locknuts

706P		1/2"	100
707P		3/4"	100
708P		1"	50
709P		1-1/4"	1
710P		1-1/2"	1
711P		2"	1
712P		2-1/2"	1
713P		3"	1
714P		3-1/2"	1
715P		4"	1
716P		5"	1
717P		6"	1



#### Steel Locknut with Neoprene Gasket



## Rigid Fittings

### Sealing O-Rings

SR50	1/2"	100
SR75	3/4"	100
SR100	1"	100
SR125	1-1/4"	50
SR150	1-1/2"	50
SR200	2"	50
SR250	2-1/2"	1
SR300	3"	1
SR350	3-1/2"	1
SR400	4"	1
SR500	5"	1
SR600	6"	1



### Oil-Tight Hole Seals

S050	1/2"	10
S075	3/4"	10
S100	1"	10
S125	1-1/4"	10
S150	1-1/2"	10
S200	2"	10
S250	2-1/2"	10
S300	3"	10
S350	3-1/2"	10
S400	4"	10



Available in Stainless Steel

### Knock-Out Seals - Steel

SS50	1/2"	200
SS52	3/4"	100
SS54	1"	100
SS56	1-1/4"	50
SS58	1-1/2"	50
SS60	2"	25
SS62	2-1/2"	10
SS64	3"	10
SS66	3-1/2"	10
SS68	4"	10



### Service Entrance Head - Threaded - Aluminum

400	1/2"	10
401	3/4"	10
402	1"	10
403	1-1/4"	1
404	1-1/2"	1
405	2"	1
406	2-1/2"	1
407	3"	1
408	3-1/2"	1
409	4"	1



### 3 Piece Couplings - Malleable Iron

1022	1/2"	20
1023	3/4"	10
1024	1"	1
1025	1-1/4"	1
1026	1-1/2"	1
1027	2"	1
1028	2-1/2"	2
1029	3"	2
1030	3-1/2"	1
1031	4"	1



Available in Hot Dipped Galvanized

## Rigid Fittings

### Bushed Nipples (Chase)

#### Malleable Iron

90	1/2"	100
91	3/4"	100
92	1"	50
93	1-1/4"	25
94	1-1/2"	1
95	2"	1
96	2-1/2"	1
97	3"	1
98	3-1/2"	1
99	4"	1
995	5"	1
996	6"	1

#### Die Cast

90Z	1/2"	100
91Z	3/4"	100
92Z	1"	50
93Z	1-1/4"	25
94Z	1-1/2"	1
95Z	2"	1
96Z	2-1/2"	1
97Z	3"	1
98Z	3-1/2"	1
99Z	4"	1



### Offset Nipples

#### Diecast

C41	1/2"	10
C42	3/4"	10
C43	1"	10
C44	1-1/4"	5
C45	1-1/2"	5
C46	2"	2
C465	2-1/2"	1
C466	3"	1
C468	4"	1



#### Malleable Iron

OSN50	1/2"	10
OSN75	3/4"	10
OSN100	1"	10
OSN125	1-1/4"	5



### Enlargers - Male to Female

E35	1/2" Male - 3/4" Female	25
E36	3/4" Male - 1" Female	10
E37	1" Male - 1-1/4" Female	10
E38	1-1/4" Male - 1-1/2" Female	10



### Floor Flanges

1F	1/2"	1
2F	3/4"	1
3F	1"	1
4F	1-1/4"	1
5F	1-1/2"	1
6F	2"	1



### Swivel Fixture Hanger

SWV4R (round)	50 Lbs. Load Rating	1/2" or 3/4"	1
SWV4S (square)	50 Lbs. Load Rating	1/2" or 3/4"	1



Supplied with 3/4" x 1/2" Steel Reducer

# Rigid Fittings

## Conduit Straps and Spacers

### One Hole - Steel

132S	1/2"	100
133S	3/4"	100
134S	1"	100
135S	1-1/4"	100
136S	1-1/2"	50
137S	2"	50
138S	2-1/2"	50
139S	3"	1
141S	3-1/2"	1
148S	4"	1



### Two Hole - Steel

2132S	1/2"	250
2133S	3/4"	150
2134S	1"	100
2135S	1-1/4"	50
2136S	1-1/2"	50
2137S	2"	25
2138S	2-1/2"	25
2139S	3"	20
2141S	3-1/2"	15
2148S	4"	10
2150S	5"	10
2152S	6"	10



### One Hole - Malleable

132	1/2"	100
133	3/4"	100
134	1"	50
135	1-1/4"	1
136	1-1/2"	1
137	2"	1
138	2-1/2"	1
139	3"	1
141	3-1/2"	1
148	4"	1



Available in Hot Dipped Galvanized

### Clamp Backs - Malleable

900	1/2"	100
901	3/4"	100
902	1"	50
903	1-1/4"	50
904	1-1/2"	1
905	2"	1
906	2-1/2"	1
907	3"	1
908	3-1/2"	1
909	4"	1



Available in Hot Dipped Galvanized

# Rigid Fittings

## Conduit Hubs

### Zinc Die Cast

TWH10	1/2"	25
TWH20	3/4"	25
TWH30	1"	10
TWH40	1-1/4"	5
TWH50	1-1/2"	2
TWH60	2"	2
TWH70	2-1/2"	1
TWH80	3"	1
TWH90	3-1/2"	1
TWH100	4"	1



### Aluminum

TWH10A	1/2"	25
TWH20A	3/4"	25
TWH30A	1"	10
TWH40A	1-1/4"	5
TWH50A	1-1/2"	2
TWH60A	2"	2
TWH70A	2-1/2"	1
TWH80A	3"	1
TWH90A	3-1/2"	1
TWH100A	4"	1



### Malleable Iron

CHM50	1/2"	25
CHM75	3/4"	25
CHM100	1"	10
CHM125	1-1/4"	5
CHM150	1-1/2"	2
CHM200	2"	2
CHM250	2-1/2"	1
CHM300	3"	1
CHM350	3-1/2"	1
CHM400	4"	1



Available in Hot Dipped Galvanized

## Pull Elbows

### Female to Female - Die Cast

1313	1/2"	10
1314	3/4"	5
1315	1"	25
1316	1-1/4"	20



### Female to Female - Malleable Iron

PEF50	1/2"	10
PEF75	3/4"	5
PEF100	1"	1
PEF125	1-1/4"	1
PEF150	1-1/2"	1
PEF200	2"	1

### Male to Female - Die Cast

1320	1/2"	10
1321	3/4"	5



### Male to Female - Malleable Iron

PEM50	1/2"	10
PEM75	3/4"	5
PEM100	1"	1
PEM125	1-1/4"	1
PEM150	1-1/2"	1
PEM200	2"	1

## Rigid Fittings

### Rigid Compression Connectors - Malleable Iron

NTC50	1/2"	25
NTC75	3/4"	25
NTC100	1"	10
NTC125	1-1/4"	5
NTC150	1-1/2"	2
NTC200	2"	5
NTC250	2-1/2"	1
NTC300	3"	1
NTC350	3-1/2"	1
NTC400	4"	1

Available with Insulated Throat



### Rigid Compression Couplings - Malleable Iron

NTCC50	1/2"	25
NTCC75	3/4"	10
NTCC100	1"	5
NTCC125	1-1/4"	5
NTCC150	1-1/2"	2
NTCC200	2"	5
NTCC250	2-1/2"	1
NTCC300	3"	1
NTCC350	3-1/2"	1
NTCC400	4"	1



### Rigid Set Screw Connectors - Malleable Iron

TRC50	1/2"	25
TRC75	3/4"	25
TRC100	1"	5
TRC125	1-1/4"	5
TRC150	1-1/2"	5
TRC200	2"	2
TRC250	2-1/2"	2
TRC300	3"	1
TRC350	3-1/2"	1
TRC400	4"	1

Available with Insulated Throat



### Rigid Set Screw Couplings - Malleable Iron

TRCC50	1/2"	20
TRCC75	3/4"	20
TRCC100	1"	5
TRCC125	1-1/4"	5
TRCC150	1-1/2"	5
TRCC200	2"	2
TRCC250	2-1/2"	2
TRCC300	3"	1
TRCC350	3-1/2"	1
TRCC400	4"	1



### Conduit Reducing Bushings

RE21K	3/4" x 1/2"	200
RE31K	1" x 1/2"	100
RE32K	1" x 3/4"	100
RE41K	1-1/4" x 1/2"	50
RE42K	1-1/4" x 3/4"	50
RE43K	1-1/4" x 1"	50
RE51K	1-1/2" x 1/2"	50
RE52K	1-1/2" x 3/4"	50
RE53K	1-1/2" x 1"	50
RE54K	1-1/2" x 1-1/4"	50
RE61K	2" x 1/2"	25
RE62K	2" x 3/4"	25
RE63K	2" x 1"	25
RE64K	2" x 1-1/4"	25
RE65K	2" x 1-1/2"	25
RE71K	2-1/2" x 1/2"	10
RE72K	2-1/2" x 3/4"	10
RE73K	2-1/2" x 1"	10
RE74K	2-1/2" x 1-1/4"	10
RE75K	2-1/2" x 1-1/2"	10
RE76K	2-1/2" x 2"	10



## Rigid Fittings

### Conduit Reducing Bushings

RE81K	3" x 1/2"	10
RE82K	3" x 3/4"	10
RE83K	3" x 1"	10
RE84K	3" x 1-1/4"	10
RE85K	3" x 1-1/2"	10
RE86K	3" x 2"	10
RE87K	3" x 2-1/2"	10
RE91K	3-1/2" x 1/2"	5
RE92K	3-1/2" x 3/4"	5
RE93K	3-1/2" x 1"	5
RE94K	3-1/2" x 1-1/4"	5
RE95K	3-1/2" x 1-1/2"	5
RE96K	3-1/2" x 2"	5
RE97K	3-1/2" x 2-1/2"	5
RE98K	3-1/2" x 3"	5
RE101K	4" x 1/2"	5
RE102K	4" x 3/4"	5
RE103K	4" x 1"	5
RE104K	4" x 1-1/4"	5
RE105K	4" x 1-1/2"	5
RE106K	4" x 2"	5
RE107K	4" x 2-1/2"	5
RE108K	4" x 3"	5
RE109K	4" x 3-1/2"	5
RE01210K	5" x 4"	1
RE01412K	6" x 5"	1



Available with Hex Head

### Conduit Reducing Washers

CW21	3/4" x 1/2"	250
CW31	1" x 1/2"	250
CW32	1" x 3/4"	250
CW41	1-1/4" x 1/2"	100
CW42	1-1/4" x 3/4"	100
CW43	1-1/4" x 1"	100
CW51	1-1/2" x 1/2"	100
CW52	1-1/2" x 3/4"	100
CW53	1-1/2" x 1"	100
CW54	1-1/2" x 1-1/4"	100
CW61	2" x 1/2"	50
CW62	2" x 3/4"	50
CW63	2" x 1"	50
CW64	2" x 1-1/4"	50
CW65	2" x 1-1/2"	50
CW71	2-1/2" x 1/2"	50
CW72	2-1/2" x 3/4"	50
CW73	2-1/2" x 1"	50
CW74	2-1/2" x 1-1/4"	50
CW75	2-1/2" x 1-1/2"	50
CW76	2-1/2" x 2"	50
CW81	3" x 1/2"	25
CW82	3" x 3/4"	25
CW83	3" x 1"	25
CW84	3" x 1-1/4"	25
CW85	3" x 1-1/2"	25
CW86	3" x 2"	25
CW87	3" x 2-1/2"	25
CW91	3-1/2" x 1/2"	10
CW92	3-1/2" x 3/4"	10
CW93	3-1/2" x 1"	10
CW94	3-1/2" x 1-1/4"	10
CW95	3-1/2" x 1-1/2"	10
CW96	3-1/2" x 2"	10
CW97	3-1/2" x 2-1/2"	10
CW98	3-1/2" x 3"	10
CW101	4" x 1/2"	10
CW102	4" x 3/4"	10
CW103	4" x 1"	10
CW104	4" x 1-1/4"	10
CW105	4" x 1-1/2"	10
CW106	4" x 2"	10
CW107	4" x 2-1/2"	10
CW108	4" x 3"	10
CW109	4" x 3-1/2"	10



## Rigid Fittings

### Rigid Conduit Fittings - Malleable Iron - c/w Cover and Gasket

C	LB	LR	LL		
C1CG	LB1CG	LR1CG	LL1CG	1/2"	10
C2CG	LB2CG	LR2CG	LL2CG	3/4"	10
C3CG	LB3CG	LR2CG	LL2CG	1"	5
C4CG	LB4CG	LR4CG	LL4CG	1-1/4"	1
C5CG	LB5CG	LR5CG	LL5CG	1-1/2"	1
C6CG	LB6CG	LR6CG	LL6CG	2"	1
C7CG	LB7CG	LR7CG	LL7CG	2-1/2"	1
C8CG	LB8CG	LR8CG	LL8CG	3"	1
C9CG	LB9CG	LR9CG	LL9CG	3-1/2"	1
C10CG	LB10CG	LR10CG	LL10CG	4"	1



Available in Hot Dipped Galvanized

T			
T1CG	1/2"	10	
T2CG	3/4"	10	
T3CG	1"	5	
T4CG	1-1/4"	1	
T5CG	1-1/2"	1	
T6CG	2"	1	
T7CG	2-1/2"	1	
T8CG	3"	1	
T10CG	4"	1	



Available in Hot Dipped Galvanized

### Rigid Conduit Fittings - Aluminum - c/w Cover and Gasket

C	LB	LR	LL		
C7ACG	LB7ACG	LR7ACG	LL7ACG	2-1/2"	1
C8ACG	LB8ACG	LR8ACG	LL8ACG	3"	1
C10ACG	LB10ACG	LR10ACG	LL10ACG	4"	1



### Form 7 Rigid Conduit Fittings - Malleable Iron - c/w Cover and Gasket

C	LB	LR	LL		
C17F7	LB17F7	LR17F7	LL17F7	1/2"	10
C27F7	LB27F7	LR27F7	LL27F7	3/4"	10
C37F7	LB37F7	LR37F7	LL37F7	1"	5
C47F7	LB47F7	LR47F7	LL47F7	1-1/4"	10
C57F7	LB57F7	LR57F7	LL57F7	1-1/2"	10
C67F7	LB67F7	LR67F7	LL67F7	2"	1
C77F7	LB77F7	LR77F7	LL77F7	2-1/2"	1
C87F7	LB87F7	LR87F7	LL87F7	3"	1
C97F7	LB97F7	LR97F7	LL97F7	3-1/2"	1
C107F7	LB107F7	LR107F7	LL107F7	4"	1



T			
T17F7	1/2"	10	
T27F7	3/4"	10	
T37F7	1"	5	
T47F7	1-1/4"	10	
T57F7	1-1/2"	1	
T67F7	2"	1	
T77F7	2-1/2"	1	
T87F7	3"	1	
T107F7	4"	1	

Cast Covers also Available

### Mogul Fittings - Malleable Iron/Hot Dipped Galvanized

LB		
MLB100G	1"	1
MLB125G	1-1/4"	1
MLB150G	1-1/2"	1
MLB200G	2"	1
MLB250G	2-1/2"	1
MLB300G	3"	1
MLB350G	3-1/2"	1
MLB400G	4"	1



Also Available in C, LL, LR and T

1-1/4" to 4" Type "C" & "LB" Malleable Iron Conduit Bodies Have Rollers Installed

## Rigid Fittings

### Cast Device Boxes

#### Single Gang

FS50	Dead End - Shallow	1/2"	1
FS75	Dead End - Shallow	3/4"	1
FS100	Dead End - Shallow	1"	1
FSC50	Pull Thru - Shallow	1/2"	1
FSC75	Pull Thru - Shallow	3/4"	1
FSC100	Pull Thru - Shallow	1"	1
FD50	Dead End - Deep	1/2"	1
FD75	Dead End - Deep	3/4"	1
FD100	Dead End - Deep	1"	1
FDC50	Pull Thru - Deep	1/2"	1
FDC75	Pull Thru - Deep	3/4"	1
FDC100	Pull Thru - Deep	1"	1



Available in Hot Dipped Galvanized

#### Double Gang

FS2-50	Dead End - Shallow	1/2"	1
FS2-75	Dead End - Shallow	3/4"	1
FS2-100	Dead End - Shallow	1"	1
FSC2-50	Pull Thru - Shallow	1/2"	1
FSC2-75	Pull Thru - Shallow	3/4"	1
FSC2-100	Pull Thru - Shallow	1"	1
FD2-50	Dead End - Deep	1/2"	1
FD2-75	Dead End - Deep	3/4"	1
FD2-100	Dead End - Deep	1"	1
FDC2-50	Pull Thru - Deep	1/2"	1
FDC2-75	Pull Thru - Deep	3/4"	1
FDC2-100	Pull Thru - Deep	1"	1




Available in Hot Dipped Galvanized

### Device Box Covers


#### Single Gang

FSFD-CS1	Stamped Steel	Blank	5
FSFD-CS2	Stamped Steel	Switch	5
FSFD-CS3	Stamped Steel	Duplex Receptacle	5
FSFD-CS4	Stamped Steel	GFI	5
FSFD-CM1	Malleable	Blank	5
FSFD-CM2	Malleable	Switch	5
FSFD-CM3	Malleable	Duplex Receptacle	5
FSFD-CG	Gasket		10



#### Double Gang

FSFD2-CS1	Stamped Steel	Blank	5
FSFD2-CS2	Stamped Steel	Switch	10
FSFD2-CS3	Stamped Steel	Duplex Receptacle	10
FSFD2-CS4	Stamped Steel	GFI	5
FSFD2-CS5	Stamped Steel	Switch / Duplex Rec.	10
FSFD2-CS6	Stamped Steel	Switch / Single Rec.	10
FSFD2-CM1	Malleable	Blank	10
FSFD2-CM2	Malleable	Switch	5
FSFD2-CG	Gasket		20





## Beam Clamps and Hangers

### Conduit Hangers with Bolt - Steel

10CS	3/8" - 1/2"	100
11CS	3/4"	100
12CS	1"	100
13CS	1-1/4"	100
14CS	1-1/2"	100
15CS	2"	50
16CS	2-1/2"	50
17CS	3"	50
18CS	3-1/2"	25
19CS	4"	25



### Beam Clamps - Malleable Iron

620	1" (1/4-20)	25
625	2" (3/8-16)	25
627	2-1/2" (1/2-13)	25



### Type J

JC50	1/2"	25
JC75	3/4"	25
JC100	1"	10
JC100-125	1 - 1-1/4"	1
JC150-200	1-1/2 - 2"	1
JC250-300	2 - 3"	1
JC350-400	3-1/2 - 4"	1



### Right Angle Type

RA50	1/2"	50
RA75	3/4"	50
RA100	1"	50
RA125	1-1/4"	25
RA150	1-1/2"	25
RA200	2"	25
RA250	2-1/2"	10
RA300	3"	10
RA350	3-1/2"	10
RA400	4"	10



### Parallel Type

PAR50	1/2"	50
PAR75	3/4"	50
PAR100	1"	50
PAR125	1-1/4"	25
PAR150	1-1/2"	25
PAR200	2"	25
PAR250	2-1/2"	10
PAR300	3"	10
PAR400	4"	10



### Edge Type

ET50	1/2"	50
ET75	3/4"	50
ET100	1"	50
ET125	1-1/4"	25
ET150	1-1/2"	25
ET200	2"	25



## Explosion Proof Fittings

### Reducing Bushings

#### Steel

RB75-50S	3/4" x 1/2"	50
RB100-50S	1" x 1/2"	50
RB100-75S	1" x 3/4"	50
RB125-50S	1-1/4" x 1/2"	25
RB125-75S	1-1/4" x 3/4"	25
RB125-100S	1-1/4" x 1"	25
RB150-50S	1-1/2" x 1/2"	25
RB150-75S	1-1/2" x 3/4"	25
RB150-100S	1-1/2" x 1"	25
RB150-125S	1-1/2" x 1-1/4"	25
RB200-50S	2" x 1/2"	5
RB200-75S	2" x 3/4"	5
RB200-100S	2" x 1"	5
RB200-125S	2" x 1-1/4"	5
RB200-150S	2" x 1-1/2"	5



#### Aluminum

RB75-50A	3/4" x 1/2"	50
RB100-50A	1" x 1/2"	50
RB100-75A	1" x 3/4"	50
RB125-50A	1-1/4" x 1/2"	25
RB125-75A	1-1/4" x 3/4"	25
RB125-100A	1-1/4" x 1"	25
RB150-50A	1-1/2" x 1/2"	25
RB150-75A	1-1/2" x 3/4"	25
RB150-100A	1-1/2" x 1"	25
RB150-125A	1-1/2" x 1-1/4"	25
RB200-50A	2" x 1/2"	5
RB200-75A	2" x 3/4"	5
RB200-100A	2" x 1"	5
RB200-125A	2" x 1-1/4"	5
RB200-150A	2" x 1-1/2"	5



### Conduit Unions

#### Steel - Male

UM50S	1/2"	10
UM75S	3/4"	10
UM100S	1"	5

#### Steel - Female

UF50S	1/2"	10
UF75S	3/4"	10
UF100S	1"	5



#### Aluminum - Male

UM50A	1/2"	10
UM75A	3/4"	10
UM100A	1"	5

#### Aluminum - Female

UF50A	1/2"	10
UF75A	3/4"	10
UF100A	1"	5

## Sealtite Connectors

### Malleable Iron - Insulated Throat

#### Straight

SLT47T	3/8"	25
SLT27T	1/2"	25
SLT28T	3/4"	10
SLT29T	1"	5
SLT30T	1-1/4"	5
SLT31T	1-1/2"	10
SLT32T	2"	5
SLT33T	2-1/2"	1
SLT34T	3"	1
SLT60T	3-1/2"	1
SLT61T	4"	1
SLT62T	5"	1
SLT63T	6"	1



#### 90 Degree 45 Degree

SLT25T	SLT25-45T	3/8"	10
SLT35T	SLT35-45T	1/2"	10
SLT36T	SLT36-45T	3/4"	10
SLT37T	SLT37-45T	1"	5
SLT38T	SLT38-45T	1-1/4"	10
SLT39T	SLT39-45T	1-1/2"	10
SLT40T	SLT40-45T	2"	5
SLT65T	SLT65-45T	2-1/2"	1
SLT66T	SLT66-45T	3"	1
SLT67T	SLT67-45T	3-1/2"	1
SLT68T	SLT68-45T	4"	1



### Malleable Iron - Insulated Throat - with Aluminum Grounding Lug

#### Straight

##### Ground Lug Capacity

SLT47ALT	#4 - #14	3/8"	25
SLT27ALT	#4 - #14	1/2"	25
SLT28ALT	#4 - #14	3/4"	10
SLT29ALT	#4 - #14	1"	5
SLT30ALT	#4 - #14	1-1/4"	5
SLT31ALT	#4 - #14	1-1/2"	10
SLT32ALT	#4 - #14	2"	5
SLT33ALT	1/0 - #8	2-1/2"	1
SLT34ALT	1/0 - #8	3"	1
SLT60ALT	3/0 - #6	3-1/2"	1
SLT61ALT	3/0 - #6	4"	1
SLT62ALT	#6 - 250mcm	5"	1
SLT63ALT	#6 - 250mcm	6"	1



#### 90 Degree 45 Degree

##### Ground Lug Capacity

SLT25ALT	SLT25-45ALT	#4 - #14	3/8"	10
SLT35ALT	SLT35-45ALT	#4 - #14	1/2"	10
SLT36ALT	SLT36-45ALT	#4 - #14	3/4"	10
SLT37ALT	SLT37-45ALT	#4 - #14	1"	5
SLT38ALT	SLT38-45ALT	#4 - #14	1-1/4"	10
SLT39ALT	SLT39-45ALT	#4 - #14	1-1/2"	10
SLT40ALT	SLT40-45ALT	#4 - #14	2"	5
SLT65ALT	SLT65-45ALT	1/0 - #8	2-1/2"	1
SLT66ALT	SLT66-45ALT	1/0 - #8	3"	1
SLT67ALT	SLT67-45ALT	3/0 - #6	3-1/2"	1
SLT68ALT	SLT68-45ALT	3/0 - #6	4"	1



Available with Copper Grounding Lugs

## Sealtite Connectors

### Malleable Iron - Insulated Throat - Mechanical Galvanized

#### Straight

SLT27TMG	1/2"	25
SLT28TMG	3/4"	10
SLT29TMG	1"	5
SLT30TMG	1-1/4"	5
SLT31TMG	1-1/2"	10
SLT32TMG	2"	5
SLT33TMG	2-1/2"	1
SLT34TMG	3"	1
SLT60TMG	3-1/2"	1
SLT61TMG	4"	1
SLT62TG*	5"	1
SLT63TG*	6"	1



\* Hot Dipped Galvanized

#### 90 Degree 45 Degree

SLT35TMG	SLT35-45TMG	1/2"	10
SLT36TMG	SLT36-45TMG	3/4"	10
SLT37TMG	SLT37-45TMG	1"	5
SLT38TMG	SLT38-45TMG	1-1/4"	1
SLT39TMG	SLT39-45TMG	1-1/2"	1
SLT40TMG	SLT40-45TMG	2"	1
SLT65TG*	SLT65-45TG*	2-1/2"	1
SLT66TG*	SLT66-45TG*	3"	1
SLT67TG*	SLT67-45TG*	3-1/2"	1
SLT68TG*	SLT68-45TG*	4"	1



\* Hot Dipped Galvanized

### Malleable Iron - Insulated Throat - Mechanical Galvanized with Copper Grounding Lug

#### Straight

##### Ground Lug Capacity

SLT27CLTMG	#4 - #14	1/2"	25
SLT28CLTMG	#4 - #14	3/4"	10
SLT29CLTMG	#4 - #14	1"	5
SLT30CLTMG	#4 - #14	1-1/4"	5
SLT31CLTMG	#4 - #14	1-1/2"	10
SLT32CLTMG	#4 - #14	2"	5
SLT33CLTMG	1/0 - #8	2-1/2"	1
SLT34CLTMG	1/0 - #8	3"	1
SLT60CLTMG	3/0 - #6	3-1/2"	1
SLT61CLTMG	3/0 - #6	4"	1
SLT62CLTG*	#6 - 250mcm	5"	1
SLT63CLTG*	#6 - 250mcm	6"	1



\* Hot Dipped Galvanized

#### 90 Degree 45 Degree

##### Ground Lug Capacity

SLT35CLTMG	SLT35-45CLTMG	#4 - #14	1/2"	10
SLT36CLTMG	SLT36-45CLTMG	#4 - #14	3/4"	10
SLT37CLTMG	SLT37-45CLTMG	#4 - #14	1"	5
SLT38CLTMG	SLT38-45CLTMG	#4 - #14	1-1/4"	1
SLT39CLTMG	SLT39-45CLTMG	#4 - #14	1-1/2"	1
SLT40CLTMG	SLT40-45CLTMG	#4 - #14	2"	1
SLT65CLTG*	SLT65-45CLTG*	1/0 - #8	2-1/2"	1
SLT66CLTG*	SLT66-45CLTG*	1/0 - #8	3"	1
SLT67CLTG*	SLT67-45CLTG*	3/0 - #6	3-1/2"	1
SLT68CLTG*	SLT68-45CLTG*	3/0 - #6	4"	1



\* Hot Dipped Galvanized

Available with Aluminum Grounding Lugs

## Sealtite Connectors / Liquid-tite Flex / Flexible Conduit Connectors

### Zinc Die Cast - Non Insulated

#### Straight

LT47	3/8"	25
LT27	1/2"	25
LT28	3/4"	10
LT29	1"	5
LT30	1-1/4"	5
LT31	1-1/2"	1
LT32	2"	1
LT33	2-1/2"	1
LT34	3"	1
LT60	3-1/2"	1
LT61	4"	1



#### 90 Degree

LT25	3/8"	10
LT35	1/2"	10
LT36	3/4"	10
LT37	1"	5
LT38	1-1/4"	1
LT39	1-1/2"	1
LT40	2"	1
LT65	2-1/2"	1
LT66	3"	1
LT67	3-1/2"	1
LT68	4"	1



### Liquid-Tight Flexible Conduit

CSALT-3/8	30 meter carton*	3/8"
CSALT-1/2	30 meter carton*	1/2"
CSALT-3/4	30 meter carton*	3/4"
CSALT-1	30 meter carton*	1"
CSALT-1-1/4	15 meter carton*	1-1/4"
CSALT-1-1/2	15 meter carton*	1-1/2"
CSALT-2	15 meter carton*	2"
CSALT-2-1/2	8 meter carton	2-1/2"
CSALT-3	8 meter carton	3"
CSALT-4	8 meter carton	4"



Cut Lengths Available  
2" thru 4"

\* Available on Reels

### Flexible Conduit Connectors

#### Straight

C27Z	Zinc Die Cast	1/2"	25
C28Z	Zinc Die Cast	3/4"	25
C29Z	Zinc Die Cast	1"	10
C30Z	Zinc Die Cast	1-1/4"	10
C31Z	Zinc Die Cast	1-1/2"	5
C32Z	Zinc Die Cast	2"	10
C32	Malleable Iron	2"	1
C33	Malleable Iron	2-1/2"	1
C34	Malleable Iron	3"	1
C61	Malleable Iron	4"	1



#### 90 Degree

C35Z	Zinc Die Cast	1/2"	25
C36Z	Zinc Die Cast	3/4"	10
C37Z	Zinc Die Cast	1"	5
C38Z	Zinc Die Cast	1-1/4"	10
C39Z	Zinc Die Cast	1-1/2"	1
C40Z	Zinc Die Cast	2"	1
C40	Malleable Iron	2"	1
C65	Malleable Iron	2-1/2"	1
C66	Malleable Iron	3"	1
C68	Malleable Iron	4"	1



## Aluminum Flexible Conduit / Conduit Couplings, Elbows and Nipples

### Aluminum Flexible Conduit

HWA-3/8	75 meter coil*	3/8"
HWA-7/16	75 meter coil*	7/16"
HWA-1/2	30 meter coil*	1/2"
HWA-3/4	30 meter coil*	3/4"
HWA-1	30 meter coil*	1"
HWA-1-1/4	15 meter coil*	1-1/4"
HWA-1-1/2	15 meter coil*	1-1/2"
HWA-2	15 meter coil*	2"
HWA-2-1/2	8 meter coil	2-1/2"
HWA-3	8 meter coil	3"
HWA-4	8 meter coil	4"

\* Available on Reels



Cut Lengths Available  
2" thru 4"

### Rigid Conduit Couplings - Electro Plated

COUP50	1/2"	100
COUP75	3/4"	50
COUP100	1"	30
COUP125	1-1/4"	25
COUP150	1-1/2"	25
COUP200	2"	20
COUP250	2-1/2"	24
COUP300	3"	16
COUP350	3-1/2"	12
COUP400	4"	10
COUP500	5"	1
COUP600	6"	1



### Rigid Galvanized Conduit Elbows - Hot Dipped Galvanized

90 Degree	45 Degree	
SWEEP50	SWEEP50-45	1/2"
SWEEP75	SWEEP75-45	3/4"
SWEEP100	SWEEP100-45	1"
SWEEP125	SWEEP125-45	1-1/4"
SWEEP150	SWEEP150-45	1-1/2"
SWEEP200	SWEEP200-45	2"
SWEEP250	SWEEP250-45	2-1/2"
SWEEP300	SWEEP300-45	3"
SWEEP350	SWEEP350-45	3-1/2"
SWEEP400	SWEEP400-45	4"
SWEEP500		5"
SWEEP600		6"

Available in 11-1/4, 15, 22-1/2, 30 and 60 Degree



Hot Dipped Galvanized

### Rigid Conduit Nipples - Hot Dipped Galvanized

NP50XCL	1/2" x CLOSE	25
NP50X150	1/2" x 1-1/2"	25
NP50X200	1/2" x 2"	25
NP50X250	1/2" x 2-1/2"	25
NP50X300	1/2" x 3"	25
NP50X350	1/2" x 3-1/2"	25
NP50X400	1/2" x 4"	25
NP50X500	1/2" x 5"	25
NP50X600	1/2" x 6"	25
NP50X800	1/2" x 8"	25
NP50X1000	1/2" x 10"	25
NP50X1200	1/2" x 12"	25
NP75XCL	3/4" x CLOSE	25
NP75X200	3/4" x 2"	25
NP75X250	3/4" x 2-1/2"	25
NP75X300	3/4" x 3"	25
NP75X350	3/4" x 3-1/2"	25
NP75X400	3/4" x 4"	25
NP75X500	3/4" x 5"	25
NP75X600	3/4" x 6"	25
NP75X800	3/4" x 8"	25
NP75X1000	3/4" x 10"	25
NP75X1200	3/4" x 12"	25



Hot Dipped Galvanized

# Rigid Conduit Nipples

## Rigid Conduit Nipples - Hot Dipped Galvanized

NP100XCL	1" x CLOSE	25
NP100X200	1" x 2"	25
NP100X250	1" x 2-1/2"	25
NP100X300	1" x 3"	25
NP100X350	1" x 3-1/2"	25
NP100X400	1" x 4"	25
NP100X500	1" x 5"	25
NP100X600	1" x 6"	25
NP100X800	1" x 8"	25
NP100X1000	1" x 10"	25
NP100X1200	1" x 12"	25
NP125XCL	1-1/4" x CLOSE	25
NP125X200	1-1/4" x 2"	25
NP125X250	1-1/4" x 2-1/2"	25
NP125X300	1-1/4" x 3"	25
NP125X350	1-1/4" x 3-1/2"	25
NP125X400	1-1/4" x 4"	25
NP125X500	1-1/4" x 5"	25
NP125X600	1-1/4" x 6"	25
NP125X800	1-1/4" x 8"	25
NP125X1000	1-1/4" x 10"	25
NP125X1200	1-1/4" x 12"	25
NP150XCL	1-1/2" x CLOSE	25
NP150X200	1-1/2" x 2"	25
NP150X250	1-1/2" x 2-1/2"	25
NP150X300	1-1/2" x 3"	25
NP150X350	1-1/2" x 3-1/2"	25
NP150X400	1-1/2" x 4"	25
NP150X500	1-1/2" x 5"	25
NP150X600	1-1/2" x 6"	25
NP150X800	1-1/2" x 8"	25
NP150X1000	1-1/2" x 10"	25
NP150X1200	1-1/2" x 12"	25
NP200XCL	2" x CLOSE	25
NP200X250	2" x 2-1/2"	25
NP200X300	2" x 3"	25
NP200X350	2" x 3-1/2"	25
NP200X400	2" x 4"	25
NP200X500	2" x 5"	25
NP200X600	2" x 6"	25
NP200X800	2" x 8"	25
NP200X1000	2" x 10"	25
NP200X1200	2" x 12"	25
NP250XCL	2-1/2" x CLOSE	10
NP250X300	2-1/2" x 3"	10
NP250X350	2-1/2" x 3-1/2"	10
NP250X400	2-1/2" x 4"	10
NP250X500	2-1/2" x 5"	10
NP250X600	2-1/2" x 6"	10
NP250X800	2-1/2" x 8"	10
NP250X1000	2-1/2" x 10"	10
NP250X1200	2-1/2" x 12"	10
NP300XCL	3" x CLOSE	10
NP300X300	3" x 3"	10
NP300X350	3" x 3-1/2"	10
NP300X400	3" x 4"	10
NP300X500	3" x 5"	10
NP300X600	3" x 6"	10
NP300X800	3" x 8"	10
NP300X1000	3" x 10"	10
NP300X1200	3" x 12"	10
NP350XCL	3-1/2" x CLOSE	5
NP350X600	3-1/2" x 6"	5
NP400XCL	4" x CLOSE	5
NP400X400	4" x 4"	5
NP400X500	4" x 5"	5
NP400X600	4" x 6"	5
NP400X800	4" x 8"	5
NP400X1000	4" x 10"	5
NP400X1200	4" x 12"	5
NP500XCL	5" x CLOSE	1
NP500X600	5" x 6"	1
NP600XCL	6" x CLOSE	1
NP600X600	6" x 6"	1



Hot Dipped Galvanized

## Strut Fittings

### "U" Fittings and Joiners

C613	"U" Support	25
C616	Four Hole Splice Clevis - 1/4" stock	15
C649A	Strut Joiner External - Stamped Steel	25



C616



C649A



C613

### Beam Clamps

C684S	"I" Beam Clamp	25
C685S	Beam Clamp	25
C686	Beam Clamp	50
C855S	Angular "I" Beam Clamp	10
C907S	"I" Beam Clamp	25
C2651	Double Channel Beam Clamp	25
C2652	Single Channel Beam Clamp	25
C2654	Column Support (Jam Bracket)	20
C2622	Beam Clamp - For Use With 1/4" to 1/2" Rod	1
PS858*	Heavy Duty Beam Clamp - 7/8" Jaw opening	1
PS865*	Heavy Duty Beam Clamp - 1-11/16" Jaw opening	1

\*Specify Rod Size



C907S



C2651



C2652



C2654



C2622



C684S



C685S



C686



C855S



PS858



PS865

### Post Bases

C3033	Single Post Base - Offset	5
C3033SQ	Single Post Base - Square	5
C3064	Double Post Base - Offset	5
C3064SQ	Double Post Base - Square	5




C3033SQ

### Miscellaneous Fittings and Brackets

C655	Raceway End Cap	100
C2625	Wiring Stud Nut	100
C2631	Swing Gate Fixture Hanger	20
C2636	Fixture Stud Nut	200
P2749	Two Wheel Trolley c/w I-Bolt	25
P2751	Four Wheel Trolley c/w I-Bolt	25
PS9402	2 Hole Hinge Connector	1
PS9403	3 Hole Hinge Connector	1
PS9404	4 Hole Hinge Connector	1
C3373	Universal Shelf Bracket	10
C732*	Shelf Bracket	1
C651*	Reversible Channel Bracket	1
C809*	Double Channel Bracket	1
C3282*	Cable Tray Strut Bracket	1

\*Specify Length Required



C655




C2625




P2749




P2751



PS9402



PS9403




C2631




C2636




C3033




C732



C651



C809



C3282




## Strut Fittings

### Flat Fittings

C601	Two Hole Splice Plate	25
C602	Three Hole Splice Plate	25
C723	Four Hole Splice Plate	20
C619*	Square Washer - 1/4" / 3/8" / 1/2"	100
C712	Cross Plate	10
C714	Tee Plate	20
C718	Flat Angle Plate	50



C723



C619



C712



C714



C601

C602



C718

### Angle Fittings

C603	Two Hole Corner Angle	50
C605	Three Hole Corner Angle	25
C607	Four Hole Corner Angle	25
C633-45*	2 Hole 45 Degree Open Angle	25
C624-45*	2 Hole 45 Degree Closed Angle	30

\*Available in 15, 30 and 60 Degree



C605



C607



C633-45



C603



C624-45

### Rigid Pipe Straps - 2 Piece

#### Steel

C1125	3/8"	100
C1126	1/2"	100
C1127	3/4"	100
C1128	1"	100
C1129	1-1/4"	50
C1130	1-1/2"	50
C1131	2"	50
C1132	2-1/2"	50
C1133	3"	50
C1134	3-1/2"	25
C1135	4"	25
C1137	5"	25
C1138	6"	25
C1140	8"	25



Available in Hot Dipped Galvanized

#### Aluminum

C1126AL	1/2"	100
C1127AL	3/4"	100
C1128AL	1"	100
C1129AL	1-1/4"	50
C1130AL	1-1/2"	50
C1131AL	2"	50
C1132AL	2-1/2"	50
C1133AL	3"	50
C1134AL	3-1/2"	25
C1135AL	4"	25
C1137AL	5"	25



### EMT Pipe Straps - 2 Piece

C1025	3/8"	100
C1026	1/2"	100
C1027	3/4"	100
C1028	1"	100
C1029	1-1/4"	50
C1030	1-1/2"	50
C1031	2"	50
C1132	2-1/2"	50
C1133	3"	50
C1134	3-1/2"	25
C1135	4"	25



## Strut Fittings



### Adjustable "P" Straps

Steel	Aluminum	Stainless		
C55	C55AL	C55SS	.050 - .550	100
C81	C81AL	C81SS	.250 - .840	100
C110	C110AL	C110SS	.810 - 1.100	100
C135	C135AL	C135SS	.850 - 1.350	100
C175	C175AL	C175SS	1.250 - 1.750	50
C205	C205AL	C205SS	1.550 - 2.050	50
C250	C250AL	C250SS	2.000 - 2.500	50
C300	C300AL	C300SS	2.500 - 3.000	50
C325	C325AL	C325SS	2.750 - 3.325	50
C375	C375AL	C375SS	3.250 - 3.750	25
C425	C425AL	C425SS	3.750 - 4.250	25
C475	C475AL	C475SS	4.250 - 4.750	25





### Cush-a-Clamp Assembly® - Pipe Series

	Pipe Size (Nominal)	Dimension (A)
PS009N	1/4"	.54"
PS011N	3/8"	.67"
PS014N	1/2"	.84"
PS017N	3/4"	1.05"
PS021N	1"	1.31"
PS027N	1-1/4"	1.66"
PS030N	1-1/2"	1.90"
PS038N	2"	2.37"
PS046N	2-1/2"	2.87"
PS056N	3"	3.50"
PS064N	3-1/2"	4.00"
PS072N	4"	4.50"
PS089N	5"	5.56"
PS106N	6"	6.62"



### Cush-a-Clamp Assembly® - Tube Series

	Copper & Steel Tube O.D.Size	Copper Water Pipe (Nominal)	Dimension (A)
PS004T	1/4"		.25"
PS006T	3/8"	1/4"	.37"
PS008T	1/2"	3/8"	.050"
PS010T	5/8"	1/2"	.62"
PS012T	3/4"	5/8"	.75"
PS014T	7/8"	3/4"	.87"
PS016T	1"		1.00"
PS018T	1-1/8"	1"	1.12"
PS020T	1-1/4"		1.25"
PS022T	1-3/8"	1-1/4"	1.37"
PS024N	1-1/2"		1.50"
PS026N	1-5/8"	1-1/2"	1.62"
PS028N	1-3/4"		1.75"
PS030N	1-7/8"		1.87"
PS032N	2"		2.00"
PS034N	2-1/8"		2.12"
PS038N	2-3/8"		2.37"
PS040N	2-1/2"		2.50"
PS042N	2-5/8"		2.62"
PS046N	2-7/8"		2.87"
PS048N	3"		3.00"
PS050N	3-1/8"		3.12"
PS056N	3-1/2"		3.50"
PS058N	3-5/8"		3.62"
PS064N	4"		4.00"
PS066N	4-1/8"		4.12"
PS072N	4-1/2"		4.50"
PS082N	5-1/8"		5.12"
PS098N	6-1/8"		6.12"



Standard Finish: Electro-Galvanized / Available in Stainless Steel

### Clamping Nuts with Regular Spring

C6-1420RS	1/4 - 20	100
C8RS	3/8 - 16	100
C10RS	1/2 - 13	100

Available Without Spring



## Strut Fittings

### O.D.Pipe Straps - 2 Piece

PS1200-1/4	1/4"
PS1200-3/8	3/8"
PS1200-1/2	1/2"
PS1200-5/8	5/8"
PS1200-3/4	3/4"
PS1200-7/8	7/8"
PS1200-1	1"
PS1200-1-1/8	1-1/8"
PS1200-1-1/4	1-1/4"
PS1200-1-3/8	1-3/8"
PS1200-1-1/2	1-1/2"
PS1200-1-5/8	1-5/8"
PS1200-1-3/4	1-3/4"
PS1200-1-7/8	1-7/8"
PS1200-2	2"
PS1200-2-1/8	2-1/8"
PS1200-2-1/4	2-1/4"
PS1200-2-3/8	2-3/8"
PS1200-2-1/2	2-1/2"
PS1200-2-5/8	2-5/8"
PS1200-2-3/4	2-3/4"
PS1200-2-7/8	2-7/8"
PS1200-3	3"
PS1200-3-1/8	3-1/8"
PS1200-3-1/4	3-1/4"
PS1200-3-3/8	3-3/8"
PS1200-3-1/2	3-1/2"
PS1200-3-5/8	3-5/8"
PS1200-3-3/4	3-3/4"
PS1200-3-7/8	3-7/8"
PS1200-4	4"
PS1200-4-1/8	4-1/8"
PS1200-4-1/4	4-1/4"
PS1200-4-3/8	4-3/8"
PS1200-4-1/2	4-1/2"
PS1200-4-5/8	4-5/8"
PS1200-4-3/4	4-3/4"
PS1200-4-7/8	4-7/8"
PS1200-5	5"
PS1200-5-1/8	5-1/8"
PS1200-5-1/4	5-1/4"
PS1200-5-3/8	5-3/8"
PS1200-5-1/2	5-1/2"
PS1200-5-5/8	5-5/8"
PS1200-5-3/4	5-3/4"
PS1200-5-7/8	5-7/8"
PS1200-6	6"
PS1200-6-1/8	6-1/8"
PS1200-6-1/4	6-1/4"
PS1200-6-3/8	6-3/8"
PS1200-6-1/2	6-1/2"
PS1200-6-5/8	6-5/8"
PS1200-6-3/4	6-3/4"
PS1200-6-7/8	6-7/8"
PS1200-7	7"
PS1200-7-1/8	7-1/8"
PS1200-7-1/4	7-1/4"
PS1200-7-3/8	7-3/8"
PS1200-7-1/2	7-1/2"
PS1200-7-5/8	7-5/8"
PS1200-7-3/4	7-3/4"
PS1200-7-7/8	7-7/8"
PS1200-8	8"
PS1200-8-1/8	8-1/8"
PS1200-8-1/4	8-1/4"
PS1200-8-3/8	8-3/8"
PS1200-8-1/2	8-1/2"
PS1200-8-5/8	8-5/8"
PS1200-8-3/4	8-3/4"
PS1200-8-7/8	8-7/8"
PS1200-9	9"
PS1200-9-1/8	9-1/8"
PS1200-9-1/4	9-1/4"
PS1200-9-3/8	9-3/8"
PS1200-9-1/2	9-1/2"
PS1200-9-5/8	9-5/8"



Standard Finish: Electro-Galvanized / Available in Stainless Steel

## Stainless Steel Products

### Conduit

CND50-*	1/2"	10 feet
CND75-*	3/4"	10 feet
CND100-*	1"	10 feet
CND125-*	1-1/4"	10 feet
CND150-*	1-1/2"	10 feet
CND200-*	2"	10 feet
CND250-*	2-1/2"	10 feet
CND300-*	3"	10 feet
CND350-*	3-1/2"	10 feet
CND400-*	4"	10 feet

Available in 2 Grades - Type 304SS and Type 316SS. Substitute \* with 304 or 316  
Custom Lengths Available



### Conduit Couplings

CPL50-*	1/2"	1
CPL75-*	3/4"	1
CPL100-*	1"	1
CPL125-*	1-1/4"	1
CPL150-*	1-1/2"	1
CPL200-*	2"	1
CPL250-*	2-1/2"	1
CPL300-*	3"	1
CPL350-*	3-1/2"	1
CPL400-*	4"	1

Available in 2 Grades - Type 304SS and Type 316SS. Substitute \* with 304 or 316



### Conduit Elbows

ELB50-*	1/2"	1
ELB75-*	3/4"	1
ELB100-*	1"	1
ELB125-*	1-1/4"	1
ELB150-*	1-1/2"	1
ELB200-*	2"	1
ELB250-*	2-1/2"	1
ELB300-*	3"	1
ELB350-*	3-1/2"	1
ELB400-*	4"	1

Available in 2 Grades - Type 304SS and Type 316SS. Substitute \* with 304 or 316



### Conduit Nipples

Type 304SS	Type 316SS		
NIP50X*-304	NIP50X*-316	1/2"	1
NIP75X*-304	NIP75X*-316	3/4"	1
NIP100X*-304	NIP100X*-316	1"	1
NIP125X*-304	NIP125X*-316	1-1/4"	1
NIP150X*-304	NIP150X*-316	1-1/2"	1
NIP200X*-304	NIP200X*-316	2"	1

Replace \* with Length Required



### Hazardous Location Junction Boxes - Type 316SS

GUAC75SS	C	3/4"	1
GUAC100SS	C	1"	1
GUAT75SS	T	3/4"	1
GUAT100SS	T	1"	1
GUAX75SS	X	3/4"	1
GUAX100SS	X	1"	1
GUAB75SS	LB	3/4"	1
GUAB100SS	LB	1"	1
GUAL75SS	LL	3/4"	1
GUAL100SS	LL	1"	1



### EYS Sealing Fitting

EYS75	3/4"	1
EYS100	1"	1



## Stainless Steel Products

### Conduit Bodies c/w Cover & Gasket - Type 316SS

LB	T	TB	C	X	LR	LL		
7050LB	7050T		7050C				1/2"	1
7075LB	7075T	7075TB	7075C	7075X	7075LR	7075LL	3/4"	1
7100LB	7100T	7100TB	7100C	7100X	7100LR	7100LL	1"	1
7125LB	7125T	7125TB					1-1/4"	1
7150LB	7150T	7150TB					1-1/2"	1
7200LB	7200T	7200TB					2"	1
7250LB	7250T						2-1/2"	1
7300LB	7300T						3"	1
7400LB	7400T						4"	1



### Device Boxes and Covers - Type 316SS


#### Single and Double Gang

FD75	Single Gang - 3/4" Hub	Dead End	1
FDC75	Single Gang - 3/4" Hub	Pull Thru	1
FDA75	Single Gang - 3/4" Hub	Back Entry	1
FDS75	Single Gang - 3/4" Hub	2 Entry On Same Side	1
FDX75	Single Gang - 3/4" Hub	X Pattern	1
FDDX75	Double Gang - 3/4" Hub	X Pattern	1



#### Device Box Covers

7000BF	1G Blank	1
7000BC	1G Blank (Cast)	1
7000SF	1G Switch	1
7000RF	1G Duplex Receptacle	1
7000BF2	2G Blank	1
7000BC2	2 G Blank (Cast)	1



### Three Piece Couplings - Type 316SS

TPC50	1/2"	1
TPC75	3/4"	1
TPC100	1"	1
TPC125	1-1/4"	1
TPC150	1-1/2"	1
TPC200	2"	1



### Hubs - Type 316SS

Hub	Grounding Hub		
7050HUB	7050G-HUB	1/2"	1
7075HUB	7075G-HUB	3/4"	1
7100HUB	7100G-HUB	1"	1
7125HUB	7125G-HUB	1-1/4"	1
7150HUB	7150G-HUB	1-1/2"	1
7200HUB	7200G-HUB	2"	1
7250HUB	7250G-HUB	2-1/2"	1
7300HUB	7300G-HUB	3"	1
7400HUB	7400G-HUB	4"	1



### Locknuts - Type 316SS

Locknut	Grounding Locknut		
8050	8050G	1/2"	1
8075	8075G	3/4"	1
8100	8100G	1"	1
8215	8215G	1-1/4"	1
8150	8150G	1-1/2"	1
8200	8200G	2"	1
8250	8250G	2-1/2"	1
8300	8300G	3"	1
8400	8400G	4"	1



### Sealtite Connectors - Type 316SS

Str.	90°	45°		
LT50	LT5090	LT5045	1/2"	1
LT75	LT7590	LT7545	3/4"	1
LT100	LT10090	LT10045	1"	1



Grounding Sealtite Connectors also Available

## Stainless Steel Products

### Threaded Plugs - Type 316SS

Hex Head	Socket		
7050P	-	1/2"	1
7075P	7075SP	3/4"	1
7100P	7100SP	1"	1
7125P	-	1-1/4"	1
7150P	-	1-1/2"	1
7200P	-	2"	1
7250P	-	2-1/2"	1
7300P	-	3"	1
7400P	-	4"	1



### Reducing Bushings - Type 316SS

Hex Head	Face		
7500RB50X*	7500FB50X*	1/2" X *	1
7500RB75X*	7500FB75X*	3/4" X *	1
7500RB100X*	7500FB100X*	1" X *	1
7500RB125X*	-	1-1/4" X *	1
7500RB150X*	7500FB150X*	1-1/2" X *	1
7500RB200X*	7500FB200X*	2" X *	1
7500RB250X*	-	2-1/2" X *	1
7500RB300X*	-	3" X *	1
7500RB400X*	-	4" X *	1

Replace \* with Required Thread Size



### Conduit Straps - Type 316SS

One Hole	Two Hole		
-	3038-2	3/8"	1
3050	3050-2	1/2"	1
3075	3075-2	3/4"	1
3100	3100-2	1"	1
3125	3125-2	1-1/4"	1
3150	3150-2	1-1/2"	1
3200	3200-2	2"	1
3250	3250-2	2-1/2"	1
3300	3300-2	3"	1
3350	3350-2	3-1/2"	1
3400	3400-2	4"	1



### Clamp Back Spacer - Type 316SS

CBS3050	1/2"	1
CBS3075	3/4"	1
CBS3100	1"	1
CBS3125	1-1/4"	1
CBS3150	1-1/2"	1
CBS3200	2"	1
CBS3250	2-1/2"	1
CBS3300	3"	1
CBS3350	3-1/2"	1
CSB3400	4"	1



### Conduit Hangers - Type 316SS

6050	1/2"	1
6075	3/4"	1
6100	1"	1
6215	1-1/4"	1
6150	1-1/2"	1
6200	2"	1
6250	2-1/2"	1
6300	3"	1
6400	4"	1



### Beam Clamps - Type 316SS

2000 Series		
2001	1/4"	1
2003	3/8"	1
2004	1/2"	1



## Stainless Steel Products

### Beam Clamps - Type 316SS

Right Angle	Parallel		
1050	-	1/2"	1
1075	4075	3/4"	1
1100	4100	1"	1
1125		1-1/4"	1
1150		1-1/2"	1
1200		2"	1
1250		2-1/2"	1
1300		3"	1
1350		3-1/2"	1
1400		4"	1
1600		6"	1



### Strut Channel - 1-5/8 X 1-5/8 Slotted

5000SH-304SS	Type 304SS	10 Foot Length	10 feet
5000SH-316SS	Type 316SS	10 Foot Length	10 feet

Solid Channel also Available



### 2 Piece Strut Straps - Type 316SS

5050	1/2"	1
5075	3/4"	1
5100	1"	1
5125	1-1/4"	1
5150	1-1/2"	1
5200	2"	1
5250	2-1/2"	1
5300	3"	1
5350	3-1/2"	1
5400	4"	1
5500	5"	1
5600	6"	1
5800	8"	1



### Strut Accessories - Type 316SS

5990PB1	Single Post Base	1
5990PB4	Double Post Base	1
5990	Single Beam Clamp	1
5990L	Double Beam Clamp	1
5911	1/4" Spring Nut	1
5913	3/8" Spring Nut	1
5914	1/2" Spring Nut	1
5970*	*Specify hole size - 1/4", 3/8", 1/2"	1
5971	Square Washer	1
5974	2-Hole 90° Angle	1
5973	3-Hole 90° Angle	1
5963	4-Hole 90° Angle	1
5964	3-Hole Flat Angle	1
5965	4-Hole Flat Angle	1
5969	Cross Plate	1
5966	4-Hole Splice Plate	1
	Tee Plate	1



### U-Bolts

Standard	Figure 137 Style	
0050	0050-137	1/2"
0075	0075-137	3/4"
0100	0100-137	1"
0125	0125-137	1-1/4"
0150	0150-137	1-1/2"
0200	0200-137	2"
0250	0250-137	2-1/2"
0300	0300-137	3"
0350	0350-137	3-1/2"
0400	0400-137	4"
0500		5"
0600		6"
0800		8"
1000		10"
1200		12"
1400		14"
1600		16"
1800		18"
2000		20"



U-Bolt Plates available

# Numerical Index

Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #
0050-137	58	1125	58	1234/1138	28	132X579CH	15	135X702	6
50	58	1150	58	1234/1312	28	132X580CH	3	135X703	6
0075-137	58	1185-Q-S/20	28	1234/1612	28	132X670CH	15	135X704	6
75	58	1185-S/20	28	1234/2112	28	132X970CH	3	135X705	6
0100-137	58	1185-S/20	28	1234/2134	28	132X972CH	3	135X706	6
100	58	1186-Q-S/20	28	1234/2910	28	133	38	135X707	6
0125-137	58	1186-S/20	28	1234/36125	28	1331348CH	6	135X708	7
125	58	1186-S/20	28	1234/36150	28	1332	23	136	38
0150-137	58	1187-Q-S/20	28	1234/42150	28	1333	23	136S	38
150	58	1187-S/20	28	1234M1612	28	133S	38	137	38
0200-137	58	1187-S/20	28	1234M2012	28	133X126CH	3	137S	38
200	58	1188-Q/20	28	1234M2512	28	133X270CH	14	138	38
0250-137	58	1188-S/20	28	1234M2534	28	133X272CH	14	138S	25
250	58	1188/20	28	1234M3210	28	133X280CH	14	138S	38
0300-137	58	1189-Q/20	28	1234M3234	28	133X305CH	4	139	38
300	58	1189-S/20	28	1241-Q-S/20	28	133X320CH	5	139S	25
0350-137	58	1189/20	28	1241-S/20	28	133X324CH	4	139S	38
350	58	1193-Q/20	28	1242-Q/20	28	133X360CH	5	13CS	44
0400-138	58	1193/20	28	1242-S/20	28	133X552CH	4	1400	58
400	58	1194-Q/20	28	1242/20	28	133X554CH	3	1400	58
500	58	1194-S/20	28	1244-Q/20	28	133X555CH	4	140X303	3
600	58	1194/20	28	1244/20	28	133X558CH	13	140X401	3
800	58	1195-Q-S/20	28	1250	23	133X559CH	13	140X402	3
1000	58	1195-S/20	28	1250	58	133X563CH	13	140X404	3
1002	22	1195-S/20	28	1251	23	133X564CH	13	140X410	3
1022	36	1196-Q-S/20	28	12CS	44	133X565CH	5	140X801	3
1023	36	1196-S/20	28	1300	58	133X575CH	5	141	38
1024	36	1196-S/20	28	1313	39	133X585CH	5	141S	25
1025	36	11CS	44	1314	39	133X587CH	5	141S	38
1026	36	1200	58	1315	39	133X588CH	5	141X201	15
1027	36	1200	58	1316	39	133X595CH	5	141X202	15
1028	36	1206	35	132	38	133X596CH	5	141X203	12
1029	36	1207	35	1320	39	133X597CH	5	141X205	15
1030	36	1208	35	1321	39	133X598CH	5	141X300	2
1031	36	1209	35	1326	23	133X611CH	13	141X301	15
1050	58	1210	35	1327	23	133X953CH	4	141X400	2
1075	58	1211	35	1328	23	133X955CH	4	141X403	2
10B	27	1212	35	1329	23	134	38	142S	25
10BG	27	1213	35	132S	38	134S	38	142X121	2
10BR	27	1214	35	132X122CH	12	135	38	142X122	13
10CS	44	1215	35	132X422CH	12	1350	58	142X123	15
1100	58	1216	35	132X474CH	12	135S	38	142X552	2
1121	22	1217	35	132X570CH	3	135X601CH	5	142X553	15
1122	22	1234/0912	28	132X572CH	2	135X605	6	142X570	3
1123	22	1234/1112	28	132X574CH	12	135X701CH	5	142X572	2



# Numerical Index

Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #
142X574	12	145X610	14	1602DJ	18	201	27	3038-2	57
142X970	3	145X613	14	1602H	18	202	27	3050-2	57
143S	25	145X615	14	1602MCJ	18	20BIZ4L	34	3050	57
143X123	3	145X986	6	1602SC	18	2104	22	3075-2	57
143X124	3	145X992	6	1602ST	18	2117	22	3075	57
143X126	3	146S	25	1604(STD)	18	2132	22	30BI40L	34
143X306	4	147S	25	1604DJ	18	2132S	38	3100-2	57
143X552	4	148	38	1604H	18	2133S	38	3100	57
143X553	4	148S	25	1604MCJ	18	2134	22	3125-2	57
143X554	4	148S	38	1604SC	18	2134S	38	3125	57
143X555	4	14CS	44	1604ST	18	2135S	38	3150-2	57
143X559	13	1502(STD)	17	1606(STD)	18	2136S	38	3150	57
143X561	13	1502DJ	17	1606DJ	18	2137S	38	31BI40L	34
143X563	13	1502H	17	1606H	18	2138S	25	3200-2	57
143X587	5	1502MCJ	17	1606MCJ	18	2138S	38	3200	57
143X590	12	1502SC	17	1606SC	18	2139S	25	3250-2	57
143X953	4	1502ST	17	1606ST	18	2139S	38	3250	57
143X955	4	1504(STD)	17	160731T	29	2141S	25	3300-2	57
144S	25	1504DJ	17	1608(STD)	18	2141S	38	3300	57
144X122	13	1504H	17	1608DJ	18	2142S	25	3350-2	57
144X401	4	1504MCJ	17	1608H	18	2143S	25	3350	57
144X551	4	1504SC	17	1608MCJ	18	2144S	25	3400-2	57
144X553	13	1504ST	17	1608SC	18	2145	22	3400	57
144X557	5	1506(STD)	17	1608ST	18	2145S	25	3451	22
144X560	4	1506DJ	17	1612(STD)	18	2146S	25	3455	22
144X569	13	1506H	17	1612DJ	18	2147S	25	3456	22
144X575	13	1506MCJ	17	1612H	18	2148S	25	3459	22
144X614	14	1506SC	17	1612MCJ	18	2148S	38	34B	27
1453401	7	1506ST	17	1612SC	18	2150S	38	35A	27
145S	25	1508(STD)	17	1612ST	18	2152S	38	36A	27
145X129	6	1508DJ	17	16CS	44	21BIZ4L	34	3F	37
145X282	14	1508H	17	170C	23	22BIZ4L	34	400	36
145X301	6	1508MCJ	17	171C	23	23BIZ4L	34	401	36
145X408	6	1508SC	17	172C	23	24BIZ4L	34	402	36
145X411	6	1508ST	17	173C	23	25BIZ4L	34	403	36
145X552	5	1512(STD)	17	17CS	44	26BI0L	34	404	36
145X573	13	1512DJ	17	1800	58	26BIZ0L	34	405	36
145X579	4	1512H	17	18CS	44	2711	22	406	36
145X583	13	1512MCJ	17	19CS	44	27BI0L	34	407	36
145X587	6	1512SC	17	1F	37	27BIZ0L	34	4075	58
145X592	6	1512ST	17	200	27	28BI0L	34	408	36
145X594	5	15CS	44	2000	58	28BIZ0L	34	409	36
145X596	6	1600	58	2001	57	29BI0L	34	4100	58
145X599	14	1600	58	2003	57	29BIZ0L	34	4247	22
145X606	13	1602(STD)	18	2004	57	2F	37	4252	22

# Numerical Index

Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #
4311	22	5905	22	7050T	56	7200LB	56	77182	20
4F	37	5906	22	705X	35	7200P	57	78162	20
5000SH-304SS	58	5911	58	706P	35	7200T	56	8050	56
5000SH-316SS	58	5913	58	7075C	56	72180	20	8050G	56
5050	58	5914	58	7075G-HUB	56	72181	20	8075	56
5075	58	5963	58	7075HUB	56	7250G-HUB	56	8075G	56
5100	58	5964	58	7075LB	56	7250HUB	56	8100	56
5125	58	5965	58	7075LL	56	7250LB	56	8100G	56
5126	22	5966	58	7075LR	56	7250P	57	8150	56
5150	58	5969	58	7075P	57	7250T	56	8150G	56
5175	22	5970	58	7075T	56	7300G-HUB	56	8200	56
5200	58	5971	58	7075X	56	7300HUB	56	8200G	56
522B12	26	5973	58	707P	35	7300LB	56	8215	56
522B14	26	5974	58	708P	35	7300P	57	8215G	56
5243	22	5990	58	709P	35	7300T	56	8250	56
5250	58	5990L	58	7100C	56	73122	20	8250G	56
5300	58	5990PB1	58	7100G-HUB	56	73142	20	8300	56
531SWH	26	5990PB4	58	7100HUB	56	73161	20	8300G	56
531SWHO	26	5F	37	7100LB	56	73181	20	8400	56
531SWN	26	6050	57	7100LL	56	7400G-HUB	56	8400G	56
532SWH	26	6075	57	7100LR	56	7400HUB	56	885RZ01	19
532SWHO	26	6100	57	7100P	57	7400LB	56	885RZ02	19
532SWN	26	6150	57	7100T	56	7400P	57	885RZ03	19
5350	58	620	44	7100X	56	7400T	56	885RZ04	19
5400	58	6200	57	710182	20	74122	20	885RZ05	19
5415	22	6215	57	710P	35	74142	20	885RZ06	19
5416	22	625	44	711P	35	74161	20	885RZ07	19
5500	58	6250	57	7125G-HUB	56	74162	20	885RZ08	19
559600 (black)	27	627	44	7125HUB	56	74181	20	885RZ09	19
559620 (black)	27	6300	57	7125LB	56	7500FB100X*	57	885RZ10	19
559660 (black)	27	632S	26	7125P	57	7500FB150X*	57	885RZ11	19
559670 (black)	27	635S	26	7125T	56	7500FB200X*	57	885RZ12	19
559680 (black)	27	6400	57	712P	35	7500FB50X*	57	88SH1-05	26
559681 (black)	27	6F	37	713P	35	7500FB75X*	57	88SH2-05	26
5600	58	7000BC	56	714P	35	7500RB100X*	57	90	37
571DWH	26	7000BC2	56	7150G-HUB	56	7500RB125X*	57	900	38
572DWN	26	7000BF	56	7150HUB	56	7500RB150X*	57	9002	22
5800	58	7000BF2	56	7150LB	56	7500RB200X*	57	901	38
5898	22	7000RF	56	7150P	57	7500RB250X*	57	902	38
5899	22	7000SF	56	7150T	56	7500RB300X*	57	903	38
5900	22	7050C	56	715P	35	7500RB400X*	57	904	38
5901	22	7050G-HUB	56	716P	35	7500RB50X*	57	905	38
5902	22	7050HUB	56	717P	35	7500RB75X*	57	906	38
5903	22	7050LB	56	7200G-HUB	56	75181	20	907	38
5904	22	7050P	57	7200HUB	56	76162	20	908	38

# Numerical Index

Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #
909	38	985GP10	19	C10RS	53	C250	53	C40	48
90Z	37	985GP11	19	C110	53	C250AL	53	C40Z	48
91	37	985GP12	19	C110AL	53	C250SS	53	C41	37
91Z	37	98Z	37	C110SS	53	C2622	51	C42	37
92	37	99	37	C1125	52	C2625	51	C425	53
9211	22	995	37	C1126	52	C2631	51	C425AL	53
9212	22	996	37	C1126AL	52	C2636	51	C425SS	53
9213	22	99Z	37	C1127	52	C2651	51	C43	37
9214	22	AL1/0	27	C1127AL	52	C2652	51	C44	37
92161	20	AL250	27	C1128	52	C2654	51	C45	37
92180	20	AL3/0	27	C1128AL	52	C27F7	42	C46	37
92181	20	AL4	27	C1129	52	C27Z	48	C465	37
92Z	37	AMT1003DRE	23	C1129AL	52	C28Z	48	C466	37
93	37	AMT1003RE	23	C1130	52	C29Z	48	C468	37
93121	20	AMT1006RE	23	C1130AL	52	C2CA	23	C475	53
93141	20	BDSR125	34	C1131	52	C2CG	42	C475AL	53
93161	20	BDSR150	34	C1131AL	52	C300	53	C475SS	53
93180	20	BDSR170	34	C1132	52	C300AL	53	C47F7	42
93181	20	BDSR200	34	C1132	52	C300SS	53	C4CA	23
93Z	37	BDSR24	34	C1132AL	52	C3033	51	C4CG	42
94	37	BDSR32	34	C1133	52	C3033SQ	51	C55	53
94161	20	BDSR43	34	C1133	52	C3064	51	C55AL	53
94181	20	BDSR54	34	C1133AL	52	C3064SQ	51	C55SS	53
94Z	37	BDSR73	34	C1134	52	C30Z	48	C57F7	42
95	37	BDSR97	34	C1134	52	C31Z	48	C5CA	23
95181	20	BFPB-37-1-3	9	C1134AL	52	C32	48	C5CG	42
95Z	37	BFPB-37-1-4	9	C1135	52	C325	53	C6-1420RS	53
96	37	BFPB-37-1-5	9	C1135	52	C325AL	53	C601	52
96Z	37	BFPB-37-1-6	9	C1135AL	52	C325SS	53	C602	52
97	37	BFPB-50-2-2	9	C1137	52	C3282	51	C603	52
971S	26	BFPB-50-2-3	9	C1137AL	52	C32Z	48	C605	52
971SB	26	BFPB-50-2-4	9	C1138	52	C33	48	C607	52
971SO	26	BFPB-50-2-5	9	C1140	52	C3373	51	C61	48
974S	26	BFPB-50-2-6	9	C135	53	C34	48	C613	51
97Z	37	C1025	52	C135AL	53	C35Z	48	C616	51
98	37	C1026	52	C135SS	53	C36Z	48	C619	52
985GP01	19	C1027	52	C175	53	C375	53	C624-45	52
985GP02	19	C1028	52	C175AL	53	C375AL	53	C633-45	52
985GP03	19	C1029	52	C175SS	53	C375SS	53	C649A	51
985GP04	19	C1030	52	C17F7	42	C37F7	42	C65	48
985GP05	19	C1031	52	C1CA	23	C37Z	48	C651	51
985GP06	19	C107F7	42	C1CG	42	C38Z	48	C655	51
985GP07	19	C10ACG	42	C205	53	C39Z	48	C66	48
985GP08	19	C10ATCG	23	C205AL	53	C3CA	23	C67F7	42
985GP09	19	C10CG	42	C205SS	53	C3CG	42	C68	48

# Numerical Index

Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #
C684S	51	CBS3300	57	CG75-650	25	COUP75	49	CW65	41
C685S	51	CBS3350	57	CG75-750	25	CPL100-*	55	CW71	41
C686	51	CC1402	16	CG75-850	25	CPL125-*	55	CW72	41
C6CA	23	CC1403	16	CH1321	16	CPL150-*	55	CW73	41
C6CG	42	CC1411	16	CH1322	16	CPL200-*	55	CW74	41
C712	52	CC1411	16	CH1323	16	CPL250-*	55	CW75	41
C714	52	CC1412	16	CH1331	16	CPL300-*	55	CW76	41
C718	52	CC1413	16	CH1332	16	CPL350-*	55	CW81	41
C723	52	CC1414	16	CH1333	16	CPL400-*	55	CW82	41
C732	51	CC1421	16	CH1351	16	CPL50-*	55	CW83	41
C77F7	42	CC1422	16	CHM100	39	CPL75-*	55	CW84	41
C7ACG	42	CC1423	16	CHM125	39	CSALT-1-1/2	48	CW85	41
C7ATCG	23	CC1431	16	CHM150	39	CSALT-1-1/4	48	CW86	41
C7CG	42	CC1432	16	CHM200	39	CSALT-1	48	CW87	41
C809	51	CC1433	16	CHM250	39	CSALT-1/2	48	CW91	41
C81	53	CC1442	16	CHM300	39	CSALT-2-1/2	48	CW92	41
C81AL	53	CC1443	16	CHM350	39	CSALT-2	48	CW93	41
C81SS	53	CC1451	16	CHM400	39	CSALT-3	48	CW94	41
C855S	51	CC1452	16	CHM50	39	CSALT-3/4	48	CW95	41
C87F7	42	CC1453	16	CHM75	39	CSALT-3/8	48	CW96	41
C8ACG	42	CG100-1050	25	CL1/0	27	CSALT-4	48	CW97	41
C8ATCG	23	CG100-560	25	CL250	27	CSB3400	57	CW98	41
C8CG	42	CG100-650	25	CL3/0	27	CW101	41	DL24HD-LED	29
C8RS	53	CG100-750	25	CL4	27	CW102	41	DL24P	29
C907S	51	CG100-850	25	CND100-*	55	CW103	41	DL24PLED	29
C97F7	42	CG100-950	25	CND125-*	55	CW104	41	DL40HD-LED	29
C9CG	42	CG125-1050	26	CND150-*	55	CW105	41	DL40P	29
CBR2-1A	33	CG125-1150	26	CND200-*	55	CW106	41	DL40PLED	29
CBR2-2A	33	CG125-1250	26	CND250-*	55	CW107	41	DL60HD-LED	29
CBR2-3A	33	CG125-1375	26	CND300-*	55	CW108	41	DL60P	29
CBR3-1A	33	CG125-850	26	CND350-*	55	CW109	41	DL60PLED	29
CBR3-2A	33	CG125-950	26	CND400-*	55	CW21	41	DLGN120	29
CBR3-3A	33	CG150-1050	26	CND50-*	55	CW31	41	DLGN120P-LED	29
CBR3-4A	33	CG150-1150	26	CND75-*	55	CW32	41	E35	37
CBR4-1A	33	CG150-1250	26	COUP100	49	CW41	41	E36	37
CBR4-2A	33	CG150-1375	26	COUP125	49	CW42	41	E37	37
CBR4-3A	33	CG50-250	25	COUP150	49	CW43	41	E38	37
CBR4-4A	33	CG50-350	25	COUP200	49	CW51	41	ELB100-*	55
CBS3050	57	CG50-450	25	COUP250	49	CW52	41	ELB125-*	55
CBS3075	57	CG50-560	25	COUP300	49	CW53	41	ELB150-*	55
CBS3100	57	CG50-650	25	COUP350	49	CW54	41	ELB200-*	55
CBS3125	57	CG75-250	25	COUP400	49	CW61	41	ELB250-*	55
CBS3150	57	CG75-350	25	COUP50	49	CW62	41	ELB300-*	55
CBS3200	57	CG75-450	25	COUP500	49	CW63	41	ELB350-*	55
CBS3250	57	CG75-560	25	COUP600	49	CW64	41	ELB400-*	55

# Numerical Index

Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #
ELB50-*	55	FD50	43	FSFD2-CS6	43	JC350-400	44	LL37F7	42
ELB75-*	55	FD75	43	GUAB100SS	55	JC50	44	LL3CA	23
EPBAD21	7	FD75	56	GUAB75SS	55	JC75	44	LL3CG	42
EPBAD24	7	FDA75	56	GUAC100SS	55	LB107F7	42	LL47F7	42
EPBAD42	8	FDC-30-C-3	1	GUAC75SS	55	LB10ACG	42	LL4CA	23
EPBAD45	8	FDC100	43	GUAL100SS	55	LB10ATCG	23	LL4CG	42
EPBAD71	8	FDC2-100	43	GUAL75SS	55	LB10CG	42	LL57F7	42
EPBAD74	8	FDC2-50	43	GUAT100SS	55	LB17F7	42	LL5CA	23
EPBAP42	8	FDC2-75	43	GUAT75SS	55	LB1CA	23	LL5CG	42
EPBAP45	8	FDC50	43	GUAX100SS	55	LB1CG	42	LL67F7	42
EPBAP71	8	FDC75	43	GUAX75SS	55	LB27F7	42	LL6CA	23
EPBAP74	8	FDC75	56	HD-LED	29	LB2CA	23	LL6CG	42
EPBAP81	8	FDDX75	56	HVPB101	10	LB2CG	42	LL77F7	42
EPBAP84	8	FDS-30-C-1	1	HVPB103	10	LB37F7	42	LL7ACG	42
EPBCD42	8	FDS-30-C-2	1	HVPB105	10	LB3CA	23	LL7ATCG	23
EPBCD45	8	FDS75	56	HVPB107	11	LB3CG	42	LL7CG	42
EPBCD71	8	FDX75	56	HVPB108	10	LB47F7	42	LL87F7	42
EPBCD74	8	FS100	43	HVPB109	10	LB4CA	23	LL8ACG	42
EPBCP42	8	FS2-100	43	HVPB112	11	LB4CG	42	LL8ATCG	23
EPBCP45	8	FS2-50	43	HVPB114	11	LB57F7	42	LL8CG	42
EPBCP71	8	FS2-75	43	HVPB201	11	LB5CA	23	LL97F7	42
EPBCP74	8	FS50	43	HVPB203	11	LB5CG	42	LL9CG	42
EPBCP84	8	FS75	43	HVPB205	11	LB67F7	42	LN100	35
ERC22	23	FSC100	43	HVPB207	11	LB6CA	23	LN100AL	35
ERC23	23	FSC2-100	43	HVPB208	11	LB6CG	42	LN125	35
ERC24	23	FSC2-50	43	HVPB210	11	LB77F7	42	LN125AL	35
ESC1A	33	FSC2-75	43	HVPB211	11	LB7ACG	42	LN150	35
ESC2A	33	FSC50	43	HVPB212	11	LB7ATCG	23	LN150AL	35
ESC3A	33	FSC75	43	HVPB214	11	LB7CG	42	LN200	35
ESC4A	33	FSFD-CG	43	HVPB602	11	LB87F7	42	LN200AL	35
ESC5A	33	FSFD-CM1	43	HWA-1-1/2	49	LB8ACG	42	LN250	35
ESC6A	33	FSFD-CM2	43	HWA-1-1/4	49	LB8ATCG	23	LN250AL	35
ESC7A	33	FSFD-CM3	43	HWA-1	49	LB8CG	42	LN300	35
ET100	44	FSFD-CS1	43	HWA-1/2	49	LB97F7	42	LN300AL	35
ET125	44	FSFD-CS2	43	HWA-2-1/2	49	LB9CG	42	LN350	35
ET150	44	FSFD-CS3	43	HWA-2	49	LL107F7	42	LN350AL	35
ET200	44	FSFD-CS4	43	HWA-3	49	LL10ACG	42	LN400	35
ET50	44	FSFD2-CG	43	HWA-3/4	49	LL10ATCG	23	LN400AL	35
ET75	44	FSFD2-CM1	43	HWA-3/8	49	LL10CG	42	LN50	35
EYS100	55	FSFD2-CM2	43	HWA-4	49	LL17F7	42	LN500	35
EYS75	55	FSFD2-CS1	43	HWA-7/16	49	LL1CA	23	LN500AL	35
FD100	43	FSFD2-CS2	43	JC100-125	44	LL1CG	42	LN50AL	35
FD2-100	43	FSFD2-CS3	43	JC100	44	LL27F7	42	LN600	35
FD2-50	43	FSFD2-CS4	43	JC150-200	44	LL2CA	23	LN600AL	35
FD2-75	43	FSFD2-CS5	43	JC250-300	44	LL2CG	42	LN75	35

# Numerical Index

Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #
LN75AL	35	LT35	48	NP100X1200	50	NP250X350	50	NP75X350	49
LR107F7	42	LT36	48	NP100X200	50	NP250X400	50	NP75X400	49
LR10ACG	42	LT37	48	NP100X250	50	NP250X500	50	NP75X500	49
LR10ATCG	23	LT38	48	NP100X300	50	NP250X600	50	NP75X600	49
LR10CG	42	LT39	48	NP100X350	50	NP250X800	50	NP75X800	49
LR17F7	42	LT40	48	NP100X400	50	NP250XCL	50	NP75XCL	49
LR1CA	23	LT47	48	NP100X500	50	NP300X1000	50	NTC100	40
LR1CG	42	LT50	56	NP100X600	50	NP300X1200	50	NTC125	40
LR27F7	42	LT5045	56	NP100X800	50	NP300X300	50	NTC150	40
LR2CA	23	LT5090	56	NP100XCL	50	NP300X350	50	NTC200	40
LR2CG	42	LT60	48	NP125X1000	50	NP300X400	50	NTC250	40
LR37F7	42	LT61	48	NP125X1200	50	NP300X500	50	NTC300	40
LR3CA	23	LT65	48	NP125X200	50	NP300X600	50	NTC350	40
LR3CG	42	LT66	48	NP125X250	50	NP300X800	50	NTC400	40
LR47F7	42	LT67	48	NP125X300	50	NP300XCL	50	NTC50	40
LR4CA	23	LT68	48	NP125X350	50	NP350X600	50	NTC75	40
LR4CG	42	LT75	56	NP125X400	50	NP350XCL	50	NTCC100	40
LR57F7	42	LT7545	56	NP125X500	50	NP400X1000	50	NTCC125	40
LR5CA	23	LT7590	56	NP125X600	50	NP400X1200	50	NTCC150	40
LR5CG	42	MLB100G	42	NP125X800	50	NP400X400	50	NTCC200	40
LR67F7	42	MLB125G	42	NP125XCL	50	NP400X500	50	NTCC250	40
LR6CA	23	MLB150G	42	NP150X1000	50	NP400X600	50	NTCC300	40
LR6CG	42	MLB200G	42	NP150X1200	50	NP400X800	50	NTCC350	40
LR77F7	42	MLB250G	42	NP150X200	50	NP400XCL	50	NTCC400	40
LR7ACG	42	MLB300G	42	NP150X250	50	NP500X600	50	NTCC50	40
LR7ATCG	23	MLB350G	42	NP150X300	50	NP500XCL	50	NTCC75	40
LR7CG	42	MLB400G	42	NP150X350	50	NP50X1000	49	OSN100	37
LR87F7	42	NCFR	29	NP150X400	50	NP50X1200	49	OSN125	37
LR8ACG	42	NCL150	29	NP150X500	50	NP50X150	49	OSN50	37
LR8ATCG	23	NCT	29	NP150X600	50	NP50X200	49	OSN75	37
LR8CG	42	NFWL	29	NP150X800	50	NP50X250	49	P2749	51
LR97F7	42	NFWR	29	NP150XCL	50	NP50X300	49	P2751	51
LR9CG	42	NIP100X*-304	55	NP200X1000	50	NP50X350	49	PAR100	44
LT100	56	NIP100X*-316	55	NP200X1200	50	NP50X400	49	PAR125	44
LT10045	56	NIP125X*-304	55	NP200X250	50	NP50X500	49	PAR150	44
LT10090	56	NIP125X*-316	55	NP200X300	50	NP50X600	49	PAR200	44
LT25	48	NIP150X*-304	55	NP200X350	50	NP50X800	49	PAR250	44
LT27	48	NIP150X*-316	55	NP200X400	50	NP50XCL	49	PAR300	44
LT28	48	NIP200X*-304	55	NP200X500	50	NP600X600	50	PAR400	44
LT29	48	NIP200X*-316	55	NP200X600	50	NP600XCL	50	PAR50	44
LT30	48	NIP50X*-304	55	NP200X800	50	NP75X1000	49	PAR75	44
LT31	48	NIP50X*-316	55	NP200XCL	50	NP75X1200	49	PB100	35
LT32	48	NIP75X*-304	55	NP250X1000	50	NP75X200	49	PB125	35
LT33	48	NIP75X*-316	55	NP250X1200	50	NP75X250	49	PB150	35
LT34	48	NP100X1000	50	NP250X300	50	NP75X300	49	PB200	35

# Numerical Index

Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #
PB250	35	PS026N	53	PS1200-3-1/2	54	PS1200-8-1/4	54	RB150-75S	45
PB300	35	PS027N	53	PS1200-3-1/4	54	PS1200-8-1/8	54	RB200-100A	45
PB350	35	PS028N	53	PS1200-3-1/8	54	PS1200-8-3/4	54	RB200-100S	45
PB400	35	PS030N	53	PS1200-3-3/4	54	PS1200-8-3/8	54	RB200-125A	45
PB50	35	PS030N	53	PS1200-3-3/8	54	PS1200-8-5/8	54	RB200-125S	45
PB500	35	PS032N	53	PS1200-3-5/8	54	PS1200-8-7/8	54	RB200-150A	45
PB600	35	PS034N	53	PS1200-3-7/8	54	PS1200-8	54	RB200-150S	45
PB75	35	PS038N	53	PS1200-3	54	PS1200-9-1/2	54	RB200-50A	45
PEF100	39	PS038N	53	PS1200-3/4	54	PS1200-9-1/4	54	RB200-50S	45
PEF125	39	PS040N	53	PS1200-3/8	54	PS1200-9-1/8	54	RB200-75A	45
PEF150	39	PS042N	53	PS1200-4-1/2	54	PS1200-9-3/8	54	RB200-75S	45
PEF200	39	PS046N	53	PS1200-4-1/4	54	PS1200-9-5/8	54	RB75-50A	45
PEF50	39	PS046N	53	PS1200-4-1/8	54	PS1200-9	54	RB75-50S	45
PEF75	39	PS048N	53	PS1200-4-3/4	54	PS858	51	RE01210K	41
PEM100	39	PS050N	53	PS1200-4-3/8	54	PS865	51	RE01412K	41
PEM125	39	PS056N	53	PS1200-4-5/8	54	PS9402	51	RE101K	41
PEM150	39	PS056N	53	PS1200-4-7/8	54	PS9403	51	RE102K	41
PEM200	39	PS058N	53	PS1200-4	54	PS9404	51	RE103K	41
PEM50	39	PS064N	53	PS1200-5-1/2	54	RA100	44	RE104K	41
PEM75	39	PS064N	53	PS1200-5-1/4	54	RA125	44	RE105K	41
PHS050	34	PS066N	53	PS1200-5-1/8	54	RA150	44	RE106K	41
PHS062	34	PS072N	53	PS1200-5-3/4	54	RA200	44	RE107K	41
PHS075	34	PS072N	53	PS1200-5-3/8	54	RA250	44	RE108K	41
PHS100	34	PS082N	53	PS1200-5-5/8	54	RA300	44	RE109K	41
PHS150	34	PS089N	53	PS1200-5-7/8	54	RA350	44	RE21K	40
PHS200	34	PS098N	53	PS1200-5	54	RA400	44	RE31K	40
PHS250	34	PS106N	53	PS1200-5/8	54	RA50	44	RE32K	40
PHS300	34	PS1200-1-1/2	54	PS1200-6-1/2	54	RA75	44	RE41K	40
PHS350	34	PS1200-1-1/4	54	PS1200-6-1/4	54	RB100-50A	45	RE42K	40
PS004T	53	PS1200-1-1/8	54	PS1200-6-1/8	54	RB100-50S	45	RE43K	40
PS006T	53	PS1200-1-3/4	54	PS1200-6-3/4	54	RB100-75A	45	RE51K	40
PS008T	53	PS1200-1-3/8	54	PS1200-6-3/8	54	RB100-75S	45	RE52K	40
PS009N	53	PS1200-1-5/8	54	PS1200-6-5/8	54	RB125-100A	45	RE53K	40
PS010T	53	PS1200-1-7/8	54	PS1200-6-7/8	54	RB125-100S	45	RE54K	40
PS011N	53	PS1200-1	54	PS1200-6	54	RB125-50A	45	RE61K	40
PS012T	53	PS1200-1/2	54	PS1200-7-1/2	54	RB125-50S	45	RE62K	40
PS014N	53	PS1200-1/4	54	PS1200-7-1/4	54	RB125-75A	45	RE63K	40
PS014T	53	PS1200-2-1/2	54	PS1200-7-1/8	54	RB125-75S	45	RE64K	40
PS016T	53	PS1200-2-1/4	54	PS1200-7-3/4	54	RB150-100A	45	RE65K	40
PS017N	53	PS1200-2-1/8	54	PS1200-7-3/8	54	RB150-100S	45	RE71K	40
PS018T	53	PS1200-2-3/4	54	PS1200-7-5/8	54	RB150-125A	45	RE72K	40
PS020T	53	PS1200-2-3/8	54	PS1200-7-7/8	54	RB150-125S	45	RE73K	40
PS021N	53	PS1200-2-5/8	54	PS1200-7	54	RB150-50A	45	RE74K	40
PS022T	53	PS1200-2-7/8	54	PS1200-7/8	54	RB150-50S	45	RE75K	40
PS024N	53	PS1200-2	54	PS1200-8-1/2	54	RB150-75A	45	RE76K	40

# Numerical Index

Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #
RE81K	41	S1113	24	SA1C	30	SA36A1	31	SB2-300	32
RE82K	41	S1114	24	SA2	32	SA36A3	31	SB2-600	32
RE83K	41	S1115	24	SA2/0	32	SA39-2N	30	SB2-800	32
RE84K	41	S1115A	24	SA25-2N	30	SA39	30	SB3-600	32
RE85K	41	S1115B	24	SA25	30	SA39A3	31	SB4-600	32
RE86K	41	S1115C	24	SA250	32	SA39A5	31	SB4-800	32
RE87K	41	S1115D	24	SA26-2N	30	SA44-2N	30	SDL40P	29
RE91K	41	S1115E	24	SA26	30	SA44	30	SDL40PLED	29
RE92K	41	S1115F	24	SA26A1	31	SA44A1	31	SDL60P	29
RE93K	41	S125	36	SA26A3	31	SA44A3	31	SDL60PLED	29
RE94K	41	S150	36	SA27-2N	30	SA46-2N	30	SG10-115RG-LED	29
RE95K	41	S200	36	SA27	30	SA4C	30	SG10-115RG	29
RE96K	41	S250	36	SA27A3	31	SA500	32	SG20-115RG-LED	29
RE97K	41	S300	36	SA27A5	31	SA600-2NS	32	SG20-115RG	29
RE98K	41	S350	36	SA28-2N	30	SA600	32	SG30-115RG-LED	29
S050	36	S3A4-1000N	32	SA28	30	SA6C	30	SG30-115RG	29
S075	36	S3A4-250N	32	SA28A3	31	SA6S	32	SLT25-45ALT	46
S100	36	S3A4-350N	32	SA28A5	31	SA800-2N	32	SLT25-45T	46
S1010RT	24	S3A4-600N	32	SA29-2N	30	SA800	32	SLT25ALT	46
S1011RT	24	S3A4-800N	32	SA29	30	SAL1CT14	30	SLT25T	46
S1012RT	24	S400	36	SA29A1	31	SAL1CT38	30	SLT27ALT	46
S1013RT	24	S4060RT	24	SA29A3	31	SAL1CT516	30	SLT27CLTMG	47
S1014RT	24	S4061RT	24	SA2C-2N	30	SAL25T38	30	SLT27T	46
S1015DRT	24	S4062RT	24	SA2C	30	SAL25T516	30	SLT27TMG	47
S1015ERT	24	S4063RT	24	SA30-2N	30	SAL26T12	30	SLT28ALT	46
S1015FRT	24	S4064RT	24	SA30	30	SAL26T38	30	SLT28CLTMG	47
S1015RT	24	S4065DRT	24	SA300	32	SAL27T12	30	SLT28T	46
S1016RT	24	S4065ERT	24	SA30A3	31	SAL27T38	30	SLT28TMG	47
S1017RT	24	S4065FRT	24	SA30A3	31	SAL28T12	30	SLT29ALT	46
S1018RT	24	S4065RT	24	SA31-2N	30	SAL28T38	30	SLT29CLTMG	47
S1019RT	24	S4066	24	SA31	30	SAL29T12	30	SLT29T	46
S1020RT	24	S4067	24	SA31A1	31	SAL2CT14	30	SLT29TMG	47
S1021DRT	24	S4068	24	SA31A3	31	SAL2CT38	30	SLT30ALT	46
S1021ERT	24	S4069	24	SA32-2N	30	SAL2CT516	30	SLT30CLTMG	47
S1021FRT	24	S4070	24	SA32	30	SAL30T12	30	SLT30T	46
S1021RT	24	S4071	24	SA32A1	31	SAL31T12	30	SLT30TMG	47
S1110	24	S4072	24	SA32A3	31	SAL32T58	30	SLT31ALT	46
S1111	24	S4073	24	SA34-2N	30	SAL34T58	30	SLT31CLTMG	47
S1112	24	S4075	24	SA34	30	SAL36T58	30	SLT31T	46
S1112A	24	S4A4-1000N	32	SA34A1	31	SAL39T58	30	SLT31TMG	47
S1112B	24	S4A4-600N	32	SA34A3	31	SAL44T58	30	SLT32ALT	46
S1112C	24	SA0	32	SA350-2NS	32	SAL4CT14	30	SLT32CLTMG	47
S1112D	24	SA1000-2N	32	SA350	32	SAL4CT38	30	SLT32T	46
S1112E	24	SA1000	32	SA36-2N	30	SAL4CT516	30	SLT32TMG	47
S1112F	24	SA1C-2N	30	SA36	30	SAL6CT14	30	SLT33ALT	46



# Numerical Index

Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #
SLT33CLTMG	47	SLT39T	46	SLT67-45CLTG	47	SS28A1	31	SWEEP100EMT	25
SLT33T	46	SLT39TMG	47	SLT67-45T	46	SS29	31	SWEEP125-45	49
SLT33TMG	47	SLT40-45ALT	46	SLT67-45TG	47	SS29A1	31	SWEEP125-45EMT	25
SLT34ALT	46	SLT40-45CLTMG	47	SLT67ALT	46	SS2C	31	SWEEP125	49
SLT34CLTMG	47	SLT40-45T	46	SLT67CLTG	47	SS30	31	SWEEP125EMT	25
SLT34T	46	SLT40-45TMG	47	SLT67T	46	SS30A1	31	SWEEP150-45	49
SLT34TMG	47	SLT40ALT	46	SLT67TG	47	SS31	31	SWEEP150-45EMT	25
SLT35-45ALT	46	SLT40CLTMG	47	SLT68-45ALT	46	SS31A1	31	SWEEP150	49
SLT35-45CLTMG	47	SLT40T	46	SLT68-45CLTG	47	SS32	31	SWEEP150EMT	25
SLT35-45T	46	SLT40TMG	47	SLT68-45T	46	SS32A1	31	SWEEP200-45	49
SLT35-45TMG	47	SLT47ALT	46	SLT68-45TG	47	SS34	31	SWEEP200-45EMT	25
SLT35ALT	46	SLT47T	46	SLT68ALT	46	SS34A1	31	SWEEP200	49
SLT35CLTMG	47	SLT60ALT	46	SLT68CLTG	47	SS36	31	SWEEP200EMT	25
SLT35T	46	SLT60CLTMG	47	SLT68T	46	SS36A1	31	SWEEP250-45	49
SLT35TMG	47	SLT60T	46	SLT68TG	47	SS39	31	SWEEP250-45EMT	25
SLT36-45ALT	46	SLT60TMG	47	SPSR050DE	34	SS39A1	31	SWEEP250	49
SLT36-45CLTMG	47	SLT61ALT	46	SPSR062DE	34	SS44	31	SWEEP250EMT	25
SLT36-45T	46	SLT61CLTMG	47	SPSR075DE	34	SS44A1	31	SWEEP300-45	49
SLT36-45TMG	47	SLT61T	46	SPSR100DE	34	SS4C	31	SWEEP300-45EMT	25
SLT36ALT	46	SLT61TMG	47	SPSR125DE	34	SS50	36	SWEEP300	49
SLT36CLTMG	47	SLT62ALT	46	SPSR150DE	34	SS52	36	SWEEP300EMT	25
SLT36T	46	SLT62CLTG	47	SPSR175DE	34	SS54	36	SWEEP350-45	49
SLT36TMG	47	SLT62T	46	SPSR200DE	34	SS56	36	SWEEP350-45EMT	25
SLT37-45ALT	46	SLT62TG	47	SPSR250DE	34	SS58	36	SWEEP350	49
SLT37-45CLTMG	47	SLT63ALT	46	SPSR300DE	34	SS60	36	SWEEP350EMT	25
SLT37-45T	46	SLT63CLTG	47	SPSR350DE	34	SS62	36	SWEEP400-45	49
SLT37-45TMG	47	SLT63T	46	SR100	36	SS64	36	SWEEP400-45EMT	25
SLT37ALT	46	SLT63TG	47	SR125	36	SS66	36	SWEEP400	49
SLT37CLTMG	47	SLT65-45ALT	46	SR150	36	SS68	36	SWEEP400EMT	25
SLT37T	46	SLT65-45CLTG	47	SR200	36	SS6C	31	SWEEP50-45	49
SLT37TMG	47	SLT65-45T	46	SR250	36	STAND	29	SWEEP50-45EMT	25
SLT38-45ALT	46	SLT65-45TG	47	SR300	36	SU0	32	SWEEP50	49
SLT38-45CLTMG	47	SLT65ALT	46	SR350	36	SU1000-2NS	32	SWEEP500	49
SLT38-45T	46	SLT65CLTG	47	SR400	36	SU1000	32	SWEEP500EMT	25
SLT38-45TMG	47	SLT65T	46	SR50	36	SU2/0	32	SWEEP600	49
SLT38ALT	46	SLT65TG	47	SR500	36	SU250	32	SWEEP75-45	49
SLT38CLTMG	47	SLT66-45ALT	46	SR600	36	SU350-2N	32	SWEEP75-45EMT	25
SLT38T	46	SLT66-45CLTG	47	SR75	36	SU350	32	SWEEP75	49
SLT38TMG	47	SLT66-45T	46	SS1C	31	SU600-2NS	32	SWEEP75EMT	25
SLT39-45ALT	46	SLT66-45TG	47	SS25	31	SU600	32	SWV4R	37
SLT39-45CLTMG	47	SLT66ALT	46	SS26	31	SU800-2NS	32	SWV4S	37
SLT39-45T	46	SLT66CLTG	47	SS26A1	31	SU800	32	SYP1	32
SLT39-45TMG	47	SLT66T	46	SS27	31	SWEEP100-45	49	SYP1/0	32
SLT39ALT	46	SLT66TG	47	SS27A1	31	SWEEP100-45EMT	25	SYP2	32
SLT39CLTMG	47	SLT67-45ALT	46	SS28	31	SWEEP100	49	SYP250	32

# Numerical Index

Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #	Part #	Page #
SYP350	32	T3CG	42	TRC250	40	TS500-1000-4	33	UF100S	45
SYP4	32	T47F7	42	TRC300	40	TWH10	39	UF50A	45
SYP500	32	T4CA	23	TRC350	40	TWH100	39	UF50S	45
SYP6	32	T4CG	42	TRC400	40	TWH100A	39	UF75A	45
SYP750	32	T57F7	42	TRC50	40	TWH10A	39	UF75S	45
SYPO1/0	32	T5CA	23	TRC75	40	TWH20	39	UM100A	45
SYPO2/0	32	T5CG	42	TRCC100	40	TWH20A	39	UM100S	45
SYPO250	32	T67F7	42	TRCC125	40	TWH30	39	UM50A	45
SYPO3/0	32	T6CA	23	TRCC150	40	TWH30A	39	UM50S	45
SYPO300	32	T6CG	42	TRCC200	40	TWH40	39	UM75A	45
SYPO350	32	T77F7	42	TRCC250	40	TWH40A	39	UM75S	45
SYPO4/0	32	T7CG	42	TRCC300	40	TWH50	39	WCSM110-30-1200S	33
SYPO400	32	T87F7	42	TRCC350	40	TWH50A	39	WCSM12/3-1200S	33
SYPO500	32	T8CG	42	TRCC400	40	TWH60	39	WCSM130/35-1200S	33
SYPO600	32	T91S	26	TRCC50	40	TWH60A	39	WCSM16/4-1200S	33
SYPO750	32	T91SC3	26	TRCC75	40	TWH70	39	WCSM24/6-1200S	33
T107F7	42	TPC100	56	TS14-4-3	33	TWH70A	39	WCSM34/8-1200S	33
T10CG	42	TPC125	56	TS14-4-4	33	TWH80	39	WCSM48/12-1200S	33
T17F7	42	TPC150	56	TS2-3/0-3	33	TWH80A	39	WCSM56/16-1200S	33
T1CA	23	TPC200	56	TS2-3/0-4	33	TWH90	39	WCSM70/20-1200S	33
T1CG	42	TPC50	56	TS4/0-400-3	33	TWH90A	39	WCSS170/35	33
T27F7	42	TPC75	56	TS4/0-400-4	33	TWIN632S	26	WCSS280/60	33
T2CA	23	TRC100	40	TS5-3-2/0-3	33	TWIN635S	26	WCSS360/100	33
T2CG	42	TRC125	40	TS5-3/0-400-3	33	TWIN88SH1-05	26	WCSS470/110	33
T37F7	42	TRC150	40	TS5-500-1000-3	33	TWIN88SH2-05	26		
T3CA	23	TRC200	40	TS500-1000-3	33	UF100A	45		



## Summit Electric Products Ltd. – Sales Representatives

### **ALBERTA**

#### **Brydan Sales Inc.**

2181 – 78 Street  
Edmonton, AB T6K 2E4

#### **Dan Eaton**

Phone : (780) 328-1520 Fax: (780) 450-0662  
Cell: (780) 940-2671  
Email: [dan@brydansales.com](mailto:dan@brydansales.com)

#### **Anthony Eaton**

Cell: (780) 999-6592  
Email: [anthony@brydansales.com](mailto:anthony@brydansales.com)

### **BRITISH COLUMBIA**

#### **Northwest Electrical Solutions**

Unit 496 - 7184 120th Street  
Surrey, B.C. V3W 0M6

#### **Shawn Dooley**

Phone: (604) 630-5800 Fax: (604) 629-6145  
Cell: (604) 240-9078  
Email: [shawn@nwes.ca](mailto:shawn@nwes.ca)

### **NOVA SCOTIA**

#### **E.L.P. Marketing Ltd.**

32 McQuade Lake Cr.  
Bayers Lake Industrial Park  
Halifax, NS B3S 1B6

#### **Greg Drysdale C.E.T.**

Cell: (902) 441-6449  
Email: [gdrysdale@elp.ns.ca](mailto:gdrysdale@elp.ns.ca)

### **NEW BRUNSWICK**

#### **E.L.P. Marketing Ltd.**

212 Callowhill Rd.  
Riverview, NB E1B 4L4

#### **Tim Geldart C.E.T.**

Cell: (506) 871-4090  
Email: [tgeldart@elp.ns.ca](mailto:tgeldart@elp.ns.ca)

### **NEWFOUNDLAND**

#### **E.L.P. Marketing Ltd.**

PO Box 799  
41 Badcock Blvd  
Bay Roberts, NL A0A 1G0

#### **Robert Norman**

Phone: (709) 786-3828 Fax: (902) 450-1222  
Email: [rob@elp.ns.ca](mailto:rob@elp.ns.ca)

### **MANITOBA & N.W. ONTARIO**

#### **Douglas A. Ligertwood Ltd.**

525 St. Mary's Road  
Winnipeg, MB R2M 3L3

#### **Peter Ligertwood**

Phone: (204) 233-6873 Fax: (204) 237-0996  
Cell: (204) 228-5487  
Email: [ligertwd@mts.net](mailto:ligertwd@mts.net)

### **ONTARIO**

#### **Humelec Associates Ltd.**

755 The Queensway East, Unit 25  
Mississauga, ON L4Y 4C5  
Phone: (905) 276-3301  
Fax: (905) 276-7013

#### **Blake Thompson**

Email: [bthompson@humelec.ca](mailto:bthompson@humelec.ca)

#### **Romulo Yalung**

Email: [ryalung@humelec.ca](mailto:ryalung@humelec.ca)

### **P. E. I.**

#### **Please contact Summit Electric**

Phone : 1-800-265-4822 Fax: (519) 250-8389  
Email: [sales@summit-electric.com](mailto:sales@summit-electric.com)

### **QUEBEC**

#### **Promellis Inc.**

99 Emilien-Marcoux, Suite #104  
Blainville, QC J7C 0B4  
Fax: (514) 745-4069

#### **Sabastien Paquette**

Phone: (514) 745-0259 ext 106  
Email: [spaquette@promellis.com](mailto:spaquette@promellis.com)

#### **Vivianne Drapeau**

Phone: (514) 745-0259 ext 105  
Email: [vdrapeau@promellis.com](mailto:vdrapeau@promellis.com)

### **SASKATCHEWAN**

#### **Advance Electrical Agency**

2717B Wentz Avenue  
Saskatoon, SK S7K 4B6

#### **Darren Churchwell**

Phone: (306) 653-0313 Fax: (306) 244-4070  
Cell: (306) 280-7966  
Email: [advanceelectrical@sasktel.net](mailto:advanceelectrical@sasktel.net)