Week-2

Develop an application that receives user‟s name, contact and city and displays the same using Layout Managers and Event Listeners.

Android app in Java using Android Studio that receives the user's **name**, **contact**, and **city** via `EditText` fields and displays them in a `TextView` when a button is clicked.

Using **LinearLayout** as the layout manager and implement an **OnClickListener** for the button.

activity_main.xml

layout with 3 EditTexts, a Button, and a TextView to display the result.

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:padding="16dp"
    android:orientation="vertical">

    <EditText
        android:id="@+id/editTextName"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:hint="Enter Name"
        android:inputType="textPersonName" />

    <EditText
```

```
    android:id="@+id/editTextContact"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:hint="Enter Contact"
    android:inputType="phone" />


<EditText
    android:id="@+id/editTextCity"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:hint="Enter City"
    android:inputType="text" />

<Button
    android:id="@+id/buttonSubmit"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:text="Submit"
    android:layout_marginTop="16dp" />

<TextView
    android:id="@+id/textViewDisplay"
    android:layout_width="match_parent"
```

```
        android:layout_height="wrap_content"
        android:text=""
        android:textSize="18sp"
        android:layout_marginTop="24dp" />

</LinearLayout>
```



MainActivity.java

```
package com.example.userinputapp;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.TextView;

public class MainActivity extends AppCompatActivity {

    EditText editTextName, editTextContact, editTextCity;
    Button buttonSubmit;
    TextView textViewDisplay;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);


        // Initialize views
```

```
        editTextName = findViewById(R.id.editTextName);
        editTextContact = findViewById(R.id.editTextContact);
        editTextCity = findViewById(R.id.editTextCity);
        buttonSubmit = findViewById(R.id.buttonSubmit);
        textViewDisplay = findViewById(R.id.textViewDisplay);

        // Set listener for button
        buttonSubmit.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
                // Get input values
                String name = editTextName.getText().toString().trim();
                String contact = editTextContact.getText().toString().trim();
                String city = editTextCity.getText().toString().trim();

                // Display the values
                String displayText = "Name: " + name + "\nContact: " + contact + "\nCity: " + city;
                textViewDisplay.setText(displayText);
            }
        });
    }
}
```

Output:


Medium Phone API 36.0
vjit
9966053457
hyd
Submit
Name: vjit
Contact: 9966053457
City: hyd
1:1

Explanation:

- **Layout Manager:** `LinearLayout` arranges the views vertically.
- **Event Listener:** `buttonSubmit.setOnClickListener` listens for the button click.
- When the button is clicked, it fetches the input values and shows them in the `TextView`.