	manual	invitation	invitation	public	admin generated
	super	admin	dev	online student	offline student
username	required	generated	generated	generated	required
email	required	required	required	required	n/a
first_name	entered	required	required	required	postponed
last_name	entered	required	required	required	postponed
dob	entered	entered	entered	entered	postponed
tz	entered	entered	entered	entered	entered
gender	entered	entered	entered	entered	postponed

a⇒ admin_([a-f0-9]{32})
d⇒ developer_([a-f0-9]{32})
on_s⇒ student_([a-f0-9]{32})
off_s⇒ student_([0-9]{6})


GET	/monkeys/	index
GET	/monkeys/&/	show
GET	/monkeys/create/	new
GET	/monkeys/&/update/	edit
POST	/monkeys/	create
POST	/monkeys/&/	update
POST	/monkeys/&/delete	destroy
GET	/monkeys/&/action/	custom
POST	/monkeys/&/action/	custom


/student/

/developer/


/admin/


/super/



TestDomain
name
TestQuestionType
Category
name
order
TestQuestionTopic
TestSection
name
order
name
is_multi_language
questions
order
question_weight
TestParagraph
relative order
created_at
updated_at
paragraph_class
meta_data
User
Test
language_code
code
is_active
created_at
is_approved
TestQuestion
paragraph order
created_at
order
difficulty
weight
answer_class
meta_data
B I U
Answer classes
* multi-choice-one
* multi-choice-multi
* freeform
* refund SSL cert
* question
* answers + solution
* difficulty
* item type
* topic
* TextParagraph
* SplitTextParagraph
* ImageParagraph
* AudioParagraph



Account
Transaction
Amount
M
User
Refund
Cart
RefundLineItem
LineItem
Refund System
Cart System

* register
* create equity account
* view transactions (description; link to test result; link to order page)
* put money into account
* purchase products (test bundle; extras; ...)
    * produce records (quizzes; quiz_results; ...)
* testing platform
* order page
* results page



AccountLock
Account
Entry
Amount
M
Transaction
User
Refund
Cart
RefundLineItem
LineItem
Refund System
Cart System



AccountLock
Accounting system
Account
Transaction
Amount
M
User
Refund
Cart
RefundLineItem
LineItem
Refund system
Cart system



Accounting system
Account
Entry
Amount
M
User
Refund
Cart
RefundLineItem
LineItem
Refund System
Cart System
select_for_update()
on spending



Charger
PaymentProcessors
CartHandle
Item
Item
Item
- Credits
- Tests w/ dev share
- Tests w/o dev share
- Merchandise
- Extensive results upsale


things to buy:





Charger
PaymentProcessor
(Razkom, Credits)
funds(..)
funds(..)
CartHandle
funds(..)
checkout(..)
Item 1
Item 2
Item 3
* check for enough balance
* create transaction record


TestDomain
TestTaxonomy
User
TestSection
Test
TestTopic
TestQuestion
TestParagraph







* async tests loading




min: 1000₸ credit purchase



* track tests
* record answers
* record observations
* tests refresh





* free vs. non-free tests
* balance test sales
* non-repetative tests
* student-past tests recording
* guard mixin

} "next test" service


POST /student/buy-tests/xxxx/cart/

request:
* language
* sections
(* upsale)


response:
* totals
* sections availability
* language
* sections
(* upsale)
* can afford

GET /student /buy-tests/xxxx/cart/


response:
—n—



is_finished
started_at
due_at
ended_at



1. GET → a. not started → start POST or skip POST
   b. started → end POST or report POST
   c. expired → continue GET
   d. concluded → results link or buy tests link





A | L
Ex | Eq
D | R


* BBtdu
~~* BS~~
~~* RF~~

Jun 1 80.6kg
Jul 1 82.0kg

~~* fix all access redirect mixins~~
~~* make sure all views use access mixins~~
~~* go through other "redirect" mixins~~


Test
Question
TextParagraph
SplitTextParagraph
ImageParagraph
...
MultichoiceOneAnswer
MultichoiceMultiAnswer
...
MultichoiceTextChoice
...
DeveloperTest
DeveloperQuestion
DeveloperAttribute (Difficulty)
DeveloperAttribute (Taxonomy)
DeveloperAttribute (Topic)
DeveloperTextParagraph
DeveloperSplitTextParagraph
DeveloperImageParagraph
...
DeveloperMultichoiceOneAnswer
DeveloperMultichoiceMultiAnswer
...
DeveloperMultichoiceTextChoice
...


Test
DeveloperTest
DeveloperDeleteConfirmModal
DeveloperSelectorModal
StudentTestObject
PreviewTestObject
DeveloperTestObject


Ajax response
successful
2XX
unsuccessful
4XX
5XX
error w/o feedback
success
{
"success": true,
...
}
failure
{
"success": false
"errors": {
"key1": [
{"code":"...",
"message":"..."
}
...]
}
error w/ feedback

min: [illegible]

- queued
- started
- expired
- concluded

---

start [POST] → queued
started response
or
error

---


skip [POST] → queued
queued response
or
concluded response
or
error

---

end [POST] → started or expired
queued response
or
concluded response
or
error

---

report [POST] → started
(no response)
or
error


ResultRawModule
ResultDetailModule
BranchedResultDetailModule
SimpleResultDetailModule