Отчёт по лабораторной работе №4

Продвинутое использование git

Калиниченко Михаил Владиславович

Содержание

1 Цель работы **5**

2 Теоретические сведения **6**

3 Выполнение лабораторной работы **8**

3.1 Работа с тестовым репозиторием 8

3.2 Подготовка рабочего репозитория 19

4 Вывод **21**

Список иллюстраций

3.1 Node.js 9
3.2 установка commitizen 10
3.3 установка standard-changelog 11
3.4 package.json 12
3.5 Отправка 13
3.6 Инициализация и загрузка изменений 14
3.7 Завершение релиза 15
3.8 Отправка 16
3.9 Объединение веток 17
3.10 Завершение релиза 18
3.11 package.json и коммит 19
3.12 Завершение релиза 20

Список таблиц

1 Цель работы

Получение навыков правильной работы с репозиториями git.

2 Теоретические сведения

- Gitflow Workflow опубликована и популяризована Винсентом Дриссеном.
- Gitflow Workflow предполагает выстраивание строгой модели ветвления с учётом выпуска проекта.
- Данная модель отлично подходит для организации рабочего процесса на основе релизов.
- Работа по модели Gitflow включает создание отдельной ветки для исправлений ошибок в рабочей среде.
- Последовательность действий при работе по модели Gitflow:
- Из ветки master создаётся ветка develop.
- Из ветки develop создаётся ветка release.
- Из ветки develop создаются ветки feature.
- Когда работа над веткой feature завершена, она сливается с веткой develop.
- Когда работа над веткой релиза release завершена, она сливается в ветки develop и master.
- Если в master обнаружена проблема, из master создаётся ветка hotfix.

- Когда работа над веткой исправления hotfix завершена, она сливается в ветки develop и master.

3 Выполнение лабораторной работы

3.1 Работа с тестовым репозиторием

Для работы с Node.js добавим каталог с исполняемыми файлами, устанавливаемыми yarn, в переменную PATH.

```
mvkalinichenko@mvkalinichenko:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
 pnpm setup
Appended new lines to /home/mvkalinichenko/.bashrc

Next configuration changes were made:
export PNPM_HOME="/home/mvkalinichenko/.local/share/pnpm"
case ":$PATH:" in
  *":$PNPM_HOME:"*) ;;
  *) export PATH="$PNPM_HOME:$PATH" ;;
esac

To start using pnpm, run:
source /home/mvkalinichenko/.bashrc
mvkalinichenko@mvkalinichenko:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
 source ~/.bashrc
mvkalinichenko@mvkalinichenko:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
```

Рисунок 3.1: Node.js

Программа commitizen используется для помощи в форматировании коммитов. При этом устанавливается скрипт git-cz, который мы и будем использовать для коммитов.



Рисунок 3.2: установка commitizen

Программа standard-changelog используется для помощи в создании логов.

Рисунок 3.3: установка standard-changelog

Делаем первый коммит и выкладываем на github.

Необходимо заполнить несколько параметров пакета.

Таким образом, файл package.json приобретает вид:

Рисунок 3.4: package.json

Добавим новые файлы.

Выполним коммит.

Отправим на github.

```
mvkalinichenko@mvkalinichenko:~/git-extended$ git add .
mvkalinichenko@mvkalinichenko:~/git-extended$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:    Other changes that don't modify src
or test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
 (4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 742527a] chore: test
 1 file changed, 14 insertions(+)
 create mode 100644 package.json
mvkalinichenko@mvkalinichenko:~/git-extended$ git push
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.11 KiB | 1.11 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:darksword00/git-extended.git
   8b4138d..742527a  master -> master
mvkalinichenko@mvkalinichenko:~/git-extended$
```

Рисунок 3.5: Отправка

Инициализируем git-flow

Проверьте, что Вы на ветке develop

Загрузите весь репозиторий в хранилище

```
mvkalinichenko@mvkalinichenko:~/git-extended$ git flow init

Which branch should be used for bringing forth production releases?
   - master
Branch name for production releases: [master]
Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? [] v
Hooks and filters directory? [/home/mvkalinichenko/git-extended/.git/hooks]
mvkalinichenko@mvkalinichenko:~/git-extended$ git branch
* develop
  master
mvkalinichenko@mvkalinichenko:~/git-extended$ git push --all
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:      https://github.com/darksword00/git-extended/pull/new/develop
remote:
To github.com:darksword00/git-extended.git
 * [new branch]      develop -> develop
mvkalinichenko@mvkalinichenko:~/git-extended$
```

Рисунок 3.6: Инициализация и загрузка изменений

Установите внешнюю ветку как вышестоящую для этой ветки

Создадим релиз с версией 1.0.0

Создадим журнал изменений

Добавим журнал изменений в индекс

Зальём релизную ветку в основную ветку

```
mvkalinichenko@mvkalinichenko:~/git-extended$ standard-changelog --first-release
mvkalinichenko@mvkalinichenko:~/git-extended$ git add CHANGELOG.md
mvkalinichenko@mvkalinichenko:~/git-extended$ git commit -am 'chore(site): add changelog'
[release/1.0.0 73f989c] chore(site): add changelog
 1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
mvkalinichenko@mvkalinichenko:~/git-extended$ git flow release finish 1.0.0
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
Merge made by the 'ort' strategy.
 CHANGELOG.md | 4 ++++
 1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
Already on 'master'
Your branch is ahead of 'origin/master' by 2 commits.
  (use "git push" to publish your local commits)
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.
Merge made by the 'ort' strategy.
 CHANGELOG.md | 4 ++++
 1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
Deleted branch release/1.0.0 (was 73f989c).

Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged 'v1.0.0'
- Release tag 'v1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

mvkalinichenko@mvkalinichenko:~/git-extended$
```

Рисунок 3.7: Завершение релиза

Отправим данные на github

```
Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged 'v1.0.0'
- Release tag 'v1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

mvkalinichenko@mvkalinichenko:~/git-extended$
mvkalinichenko@mvkalinichenko:~/git-extended$ git push --all
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 2.67 KiB | 2.67 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:darksword00/git-extended.git
   742527a..1d85961  develop -> develop
   742527a..cc206d8  master -> master
mvkalinichenko@mvkalinichenko:~/git-extended$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 156 bytes | 156.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:darksword00/git-extended.git
 * [new tag]         v1.0.0 -> v1.0.0
mvkalinichenko@mvkalinichenko:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/darksword00/git-extended/releases/tag/v1.0.0
mvkalinichenko@mvkalinichenko:~/git-extended$
```

Рисунок 3.8: Отправка

Создадим ветку для новой функциональности По окончании разработки новой функциональности следующим шагом следует объединить ветку feature_branch с develop:

```
mvkalinichenko@mvkalinichenko:~/git-extended$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 156 bytes | 156.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:darksword00/git-extended.git
 * [new tag]         v1.0.0 -> v1.0.0
mvkalinichenko@mvkalinichenko:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/darksword00/git-extended/releases/tag/v1.0.0
mvkalinichenko@mvkalinichenko:~/git-extended$
mvkalinichenko@mvkalinichenko:~/git-extended$ git flow feature start feature_branch
Switched to a new branch 'feature/feature_branch'

Summary of actions:
- A new branch 'feature/feature_branch' was created, based on 'develop'
- You are now on branch 'feature/feature_branch'

Now, start committing on your feature. When done, use:

     git flow feature finish feature_branch

mvkalinichenko@mvkalinichenko:~/git-extended$ touch test2
mvkalinichenko@mvkalinichenko:~/git-extended$ git flow feature finish feature_branch
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.
Already up to date.
Deleted branch feature/feature_branch (was 1d85961).

Summary of actions:
- The feature branch 'feature/feature_branch' was merged into 'develop'
- Feature branch 'feature/feature_branch' has been locally deleted
- You are now on branch 'develop'

mvkalinichenko@mvkalinichenko:~/git-extended$
```

Рисунок 3.9: Объединение веток

Создадим релиз с версией 1.2.3

Обновите номер версии в файле package.json. Установите её в 1.2.3

Создадим журнал изменений

Добавим журнал изменений в индекс

Зальём релизную ветку в основную ветку

```
Deleted branch release/1.2.3 (was 9dbf465).

Summary of actions:
- Release branch 'release/1.2.3' has been merged into 'master'
- The release was tagged 'v1.2.3'
- Release tag 'v1.2.3' has been back-merged into 'develop'
- Release branch 'release/1.2.3' has been locally deleted
- You are now on branch 'develop'

mvkalinichenko@mvkalinichenko:~/git-extended$ git push --all
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 8 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 2.77 KiB | 2.77 MiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:darksword00/git-extended.git
   1d85961..5561cb1  develop -> develop
   cc206d8..61dd00b  master -> master
mvkalinichenko@mvkalinichenko:~/git-extended$ git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 156 bytes | 156.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:darksword00/git-extended.git
 * [new tag]         v1.2.3 -> v1.2.3
mvkalinichenko@mvkalinichenko:~/git-extended$ gh release create v1.2.3 -F CHANGELOG.md
https://github.com/darksword00/git-extended/releases/tag/v1.2.3
mvkalinichenko@mvkalinichenko:~/git-extended$
```

Рисунок 3.10: Завершение релиза

3.2 Подготовка рабочего репозитория

```
mvkalinichenko@mvkalinichenko:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
 git add .
mvkalinichenko@mvkalinichenko:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
 git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:   Other changes that don't modify src
or test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
 (1) 1
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 781b8e8] chore: 1
 1 file changed, 11 insertions(+), 11 deletions(-)
mvkalinichenko@mvkalinichenko:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
 git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.11 KiB | 1.11 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:darksword00/2026-1--study--os-intro.git
   8902764..781b8e8  master -> master
mvkalinichenko@mvkalinichenko:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
```

Рисунок 3.11: package.json и коммит

```
Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged 'v1.0.0'
- Release tag 'v1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

mvkalinichenko@mvkalinichenko:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
 git push --all
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 2.80 KiB | 2.80 MiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:darksword00/2026-1--study--os-intro.git
   781b8e8..38ae67a  develop -> develop
   781b8e8..a603693  master -> master
mvkalinichenko@mvkalinichenko:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
 git push --tags
Enumerating objects: 1, done.
Counting objects: 100% (1/1), done.
Writing objects: 100% (1/1), 155 bytes | 155.00 KiB/s, done.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:darksword00/2026-1--study--os-intro.git
 * [new tag]         v1.0.0 -> v1.0.0
mvkalinichenko@mvkalinichenko:~/work/study/2025-2026/Операционные системы/2026-1--study--os-intro$
```

Рисунок 3.12: Завершение релиза

4 Вывод

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.