Hillsborough County Fire Rescue STANDING ORDERS AND PROTOCOL

Section: Pediatric Medical Page 1 of 1

Subject: Poisons – Inhaled or Absorbed

Section #: 343.20

Issue Date: March 21, 2011
Revision Date: December 1, 2017

Approved By: Michael Lozano, Jr., M.D., HCFR Medical Director

1. Basic ALS Treatments

- 2. Specific ALS treatments:
 - a. Decontaminate the patient per HCFR policy and protocol.
 - b. Contact Poison Control (1-800-222-1222) if any doubt as to toxicity or expected adverse effects.
- 3. If wheezing is present albuterol (nebulized):
 - a. For weight < 20 kg, administer 2.5 mg via nebulizer q20 minutes PRN
 - b. For weight ≥ 20 kg, administer 5 mg via nebulizer g20 minutes PRN
- 4. Organophosphates (see also policy section on Organophosphates and Military Nerve Type Agents):
 - a. Avoid skin contact.
 - b. Flush area of exposure with copious amounts of water.
 - c. Atropine:
 - i. Less than 12 years old
 - 1. 0.02 mg/kg (minimum dose 0.1 mg) IV/IO q 5 min until bronchial secretions and hemodynamically significant bradycardia are controlled (no maximum dose).
 - ii. 12 years or older
 - 1. 2 mg IV q 5 minutes until bronchial secretions and hemodynamically significant bradycardia are controlled (no maximum dose).
 - d. Contact HIT for 2-PAM (pralidoxime) treatment if available and administration is timely
- 5. Contact Medic-1:
 - a. Recommendations from Poison Control not covered by HCFR policy.