

**govtportal****api\_error\_logs**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
post_time	datetime	No				
get_param	varchar(1024)	No				
post_param	text	No				
message	text	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**bbi\_incoming**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(32)	No				
portal_id	varchar(16)	No				
account_number	varchar(16)	No				
account_name	varchar(128)	No				
balance	decimal(8,2)	No				
active	tinyint(1)	No				
post_time	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**bbi\_transactions**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
pay_time	datetime	No				
entity	varchar(32)	No				

Column	Type	Null	Default	Links to	Comments	Media type
portal_id	varchar(16)	No				
account_name	varchar(128)	No				
account_number	varchar(16)	No				
card_type	varchar(16)	No				
amount	decimal(8,2)	No				
sent	tinyint(1)	No	0			
trans_all_id	bigint(20)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**ebtf\_customer**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
contact_id	varchar(32)	No				
contact_name	varchar(64)	No				
company_name	varchar(64)	No				
contact_type	varchar(16)	No				
status	varchar(16)	No				
payment_terms	int(11)	No				
payment_terms_label	varchar(32)	No				
currency_id	varchar(32)	No				
currency_code	varchar(8)	No				
outstanding_receivable_amount	decimal(8,2)	No				
unused_credits_receivable_amount	decimal(8,2)	No				
first_name	varchar(64)	No				
last_name	varchar(64)	No				
email	varchar(128)	No				
phone	varchar(64)	No				
mobile	varchar(64)	No				
created_time	datetime	No				

Column	Type	Null	Default	Links to	Comments	Media type
last_modified_time	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**emv\_machines**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(64)	No				
gateway	varchar(10)	No				
key1	varchar(128)	No				
key2	varchar(128)	No				
key3	varchar(128)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**emv\_portals**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
machine_id	int(11)	No				
portal_id	varchar(16)	No				
uniq	varchar(32)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
uniq	BTREE	Yes	No	uniq	0	A	No	

**emv\_terminals**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
gateway	varchar(16)	No				
key1	varchar(128)	No				
key2	varchar(128)	No				
key3	varchar(128)	No				
entity	varchar(32)	No				
portal_id	varchar(16)	No				
user_id	int(11)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**emv\_users**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
ep_id	int(11)	No				
user_id	int(11)	No				
portal_id	varchar(32)	No				
uniq	varchar(32)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
uniq	BTREE	Yes	No	uniq	0	A	No	

**esign\_gp\_templates**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
uuid	varchar(32)	No				
label	varchar(32)	No				
file_name	varchar(32)	No				
ratio	decimal(8,2)	No	1.00			

Column	Type	Null	Default	Links to	Comments	Media type
<b>Indexes</b>						
Keyname	Type	Unique	Packed	Column	Cardinality	Collation
PRIMARY	BTREE	Yes	No	id	0	A

## esign\_gp\_variables

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
template_id	varchar(32)	No				
type	varchar(32)	Yes	NULL			
name	varchar(32)	No				
label	varchar(128)	Yes	NULL			
font_size	decimal(8,2)	Yes	NULL			
width	decimal(8,2)	Yes	NULL			
height	decimal(8,2)	Yes	NULL			
location_x	decimal(8,2)	No				
location_y	decimal(8,2)	No				
is_required	tinyint(1)	No	0			
check_type	varchar(2)	Yes	NULL			
check_group	varchar(64)	Yes	NULL			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## etanew\_integrations

Column	Type	Null	Default	Links to	Comments	Media type
ID ( <i>Primary</i> )	int(11)	No				
BALAMT	varchar(8)	No			Balance Amount	
AAPP	enum('C', 'U', 'B')	No			Application Code - Mu Court, Utility Billing, Business License	
ACETA	varchar(3)	No			ETA Customer Code	

Column	Type	Null	Default	Links to	Comments	Media type
AORI	varchar(10)	No			Court ORI Number	
ACIF	varchar(7)	No			CIF Number	
ACASE	varchar(10)	No			Case Number	
AUTC	varchar(8)	No			Ticket Number	
ALNAME	varchar(18)	No			Last Name	
AFNAME	varchar(15)	No			First Name	
AMNAME	varchar(15)	No			Middle Name	
ABDATE	varchar(8)	No			Date of Birth	
AODATE	varchar(8)	No			Offense Date	
ACDATE	varchar(8)	No			Court Date	
ADESC	varchar(25)	No			Offense Description	
ARAMT	varchar(8)	No			Restitution Amount	
AFAMT	varchar(8)	No			Fine Amount	
ACAMT	varchar(8)	No			Court Cost Amount	
ALAMT	varchar(8)	No			Total Amount	
AADDR1	varchar(35)	No			Address-1	
AADDR2	varchar(35)	No			Address-2	
AADDR3	varchar(35)	No			Address-3	
ADRLIC	varchar(20)	No			Drivers License Number	
ADLST	varchar(2)	No			Drivers License State	
APART	varchar(1)	No			Allow Partial Payment	
AWEB	varchar(1)	No			Publish To WEB	
AEMAIL	varchar(1)	No			Email Address	
ASMS	varchar(1)	No			Cell Number	
AUETA	varchar(3)	No			ETA Customer Code	
AUACC	varchar(9)	No			Utility Account Number	
AUAMT	varchar(8)	No			Utility Amount	
AUNAME	varchar(18)	No			Last Name	
AUADD1	varchar(35)	No			Address-1	
AUADD2	varchar(35)	No			Address-2	

Column	Type	Null	Default	Links to	Comments	Media type
AUADD3	varchar(35)	No			Address-3	
ABETA	varchar(3)	No			ETA Customer Code	
ABACC	varchar(9)	No			License Account Number	
ABAMT	varchar(8)	No			License Amount	
ABNAME	varchar(35)	No			Business Name	
ABADD1	varchar(35)	No			Address-1	
ABADD2	varchar(35)	No			Address-2	
ABADD3	varchar(35)	No			Address-3	
ASCHE1	varchar(6)	No			Schedule 01	
ADESC1	varchar(35)	No			Description 01	
ASCHE2	varchar(6)	No			Schedule 02	
ADESC2	varchar(35)	No			Description 02	
ASCHE3	varchar(6)	No			Schedule 03	
ADESC3	varchar(35)	No			Description 03	
ASCHE4	varchar(6)	No			Schedule 04	
ADESC4	varchar(35)	No			Description 04	
ASCHE5	varchar(6)	No			Schedule 05	
ADESC5	varchar(35)	No			Description 05	
ASCHE6	varchar(6)	No			Schedule 06	
ADESC6	varchar(35)	No			Description 06	

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ID	0	A	No	

## etanew\_post\_log

Column	Type	Null	Default	Links to	Comments	Media type
id (Primary)	int(10)	No				
post_time	timestamp	No	current_timestamp()			
url	varchar(512)	No				
request	varchar(1024)	No				
success	tinyint(1)	No				

Column	Type	Null	Default	Links to	Comments	Media type
response	varchar(2048)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_apis**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
api_name	varchar(128)	No				
api_key	varchar(32)	No				
api_secret	varchar(32)	No				
portal_id	varchar(16)	No				
allow_manual	tinyint(1)	No	0			
allow_swipe	tinyint(1)	No	0			
allow_emv	tinyint(1)	No	0			
emv_id	int(11)	No	0			
user_emvs	tinytext	Yes	NULL			

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_api\_logs**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
post_type	varchar(128)	No				
post_time	datetime	No				
get_param	text	No				
post_param	text	No				
response	text	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## gp\_auto\_pay\_customers

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
form_data	varchar(1024)	No				
interval_type	enum('Weekly', 'Monthly', 'Yearly', 'Daily', 'Bi-Annually')	No				
week_day	enum('Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday', 'Saturday')	No				
day_number	int(2)	No				
month	int(2)	No				
day_type	enum('Day', 'First', 'Second', 'Third', 'Fourth', 'Last')	No				
day	enum('Sunday', 'Monday', 'Tuesday', 'Wednesday', 'Thursday', 'Friday', 'Saturday', 'Day', 'Weekday', 'Weekend')	No				
amount	decimal(8,2)	No				
num_left	int(3)	No				
register_date	datetime	No				
portal_id	varchar(16)	No				
next_date	date	No				
active	tinyint(1)	No				
email	varchar(128)	No				
phone	varchar(10)	No				
card_token	varchar(1024)	No				
card_type	varchar(16)	No				
card_last4	varchar(4)	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## gp\_auto\_pay\_logs

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
customer_id	int(11)	No				
portal_id	varchar(32)	No				
paid_date	datetime	No				
status	varchar(32)	No				
details	varchar(128)	Yes	NULL			
card	varchar(32)	No				
amount	decimal(8,2)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_auto\_pay\_wrs\_cards**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
customer_id	int(11)	No				
city_card_id	int(11)	No				
fee_card_id	int(11)	No				
inserted_dt	datetime	No				
active	tinyint(1)	No	1			
is_primary	tinyint(4)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_auto\_pay\_wrs\_customers**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
wp_user_id	bigint(20)	No				
portal_id	varchar(16)	No				
first_name	varchar(32)	No				

Column	Type	Null	Default	Links to	Comments	Media type
last_name	varchar(32)	No				
account_number	varchar(32)	No				
email	varchar(128)	No				
phone	varchar(16)	No				
enable_autopay	tinyint(1)	No	1			
enable_email_notify	tinyint(1)	No	1			
enable_text_notify	tinyint(1)	No	1			
created_dt	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
wp_user_id	BTREE	No	No	wp_user_id		A	No	

**gp\_chip\_logs**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
portal_id	varchar(16)	No				
expiration	datetime	No				
post_time	datetime	No				
request_key	varchar(64)	No				
api_key	varchar(32)	No				
api_pin	varchar(4)	No				
api_hash	varchar(256)	No				
transaction_id	int(11)	No				
response	text	No				
status	varchar(64)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## gp\_chip\_logs\_dump

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
chip_id	int(11)	No				
log_dt	datetime	No				
response	text	No				

### Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## gp\_customers

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
portal_id	varchar(32)	No				
api_key	varchar(32)	No				
api_secret	varchar(32)	No				
customer_id	varchar(32)	No				
customer_key	varchar(32)	No				
gateway	varchar(32)	No				

### Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## gp\_customer\_methods

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
customer_id	int(11)	No				
card_key	varchar(32)	No				
method_key	varchar(32)	No				
card_type	varchar(16)	No				
card_last4	varchar(4)	No				

Column	Type	Null	Default	Links to	Comments	Media type
pay_type	varchar(16)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## gp\_documents

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
doc_name	varchar(120)	No				
scope	text	Yes	NULL			
is_global	tinyint(1)	No	0			
content	longtext	Yes	NULL			

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## gp\_documents\_all

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
portal_id	varchar(8)	No				
portal_name	varchar(64)	No				
form_id	int(11)	No				
form_name	varchar(64)	No				
pay_amount	decimal(8,2)	No				
trans_id	int(11)	No				
document_data	text	No				
user	varchar(64)	No				
file_path	varchar(512)	No				
file_url	varchar(512)	No				
created_dt	datetime	No				

Column	Type	Null	Default	Links to	Comments	Media type
result	varchar(16)	No				
response	text	No				
acknowledged	tinyint(4)	No				
acknowledged_dt	datetime	No				
acknowledged_by	varchar(64)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_document\_insta**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(32)	No				
portal_id	varchar(16)	No				
form_name	varchar(64)	No				
form_data	tinytext	No				
code	varchar(10)	No				
url	varchar(1024)	No				
created_dt	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_emails**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
post_time	datetime	No	current_timestamp()			
source	varchar(32)	No				
source_id	varchar(32)	No				
source_data	varchar(2048)	No				
email	varchar(256)	No				

Column	Type	Null	Default	Links to	Comments	Media type
--------	------	------	---------	----------	----------	------------

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_emvs**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(32)	No				
portal_ids	varchar(128)	No				
device_key	varchar(64)	No				
device_serial	varchar(32)	No				
device_label	varchar(32)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_emv\_logs**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
portal_id	varchar(16)	No				
emv_id	int(11)	No				
post_time	datetime	No				
request_key	varchar(64)	No				
response	text	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_eswear\_all**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(32)	No				
portal_id	varchar(16)	No				
officer_name	varchar(64)	No				
officer_id	varchar(16)	No				
entry_dt	date	No				
defendant_name	varchar(64)	No				
case_number	varchar(16)	No				
ticket_number	varchar(16)	No				
court_date	date	No				
description	varchar(128)	No				
submit_dt	datetime	No				
submit_ip	varchar(32)	No				
file_path	varchar(128)	No				
status	varchar(16)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_gateway\_autopay\_accounts**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
gateway	varchar(16)	No				
merchant_key	varchar(64)	No				
customer_id	varchar(64)	No				
created_dt	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_gateway\_autopay\_card\_tokens**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
account_id	varchar(64)	No				
card_id	varchar(64)	No				
card_last4	varchar(4)	No				
card_type	varchar(32)	No				
card_token	varchar(32)	No				
created_dt	datetime	No				
updated_dt	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_gateway\_autopay\_logs**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
log_dt	datetime	No				
action	varchar(255)	No				
response	text	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_instabill**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
url	varchar(1024)	No				
phone	varchar(16)	No				
email	varchar(128)	No				
create_time	datetime	No				
code	varchar(12)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_int\_autos\_incoming**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
database_id	varchar(8)	No				
dealer_no	varchar(16)	No				
sale_no	varchar(8)	No				
account_token	varchar(64)	No				
cust_account_no	varchar(16)	No				
sale_date	date	Yes	NULL			
last_name	varchar(64)	No				
first_name	varchar(64)	No				
cell_phone	varchar(16)	No				
email	varchar(128)	No				
autos_year	int(4)	No				
autos_make	varchar(64)	No				
autos_model	varchar(64)	No				
autos_trim	varchar(64)	No				
autos_vin	varchar(64)	No				
amount_due	decimal(10,2)	No				
charge_back	decimal(10,2)	No				
pickup_due	decimal(10,2)	No				
sidenote_balance	decimal(10,2)	No				
sidenote_next_payment_due_date	date	Yes	NULL			
sidenote_due	decimal(10,2)	No				
fee_amount	decimal(10,2)	No				
entity	varchar(64)	No				
portal_id	varchar(8)	No				
balance	decimal(10,2)	No				
next_payment_due_date	date	Yes	NULL			

Column	Type	Null	Default	Links to	Comments	Media type
last_fee	decimal(8,2)	No	0.00			
inserted_time	datetime	No				
uploaded_time	datetime	No				
active	tinyint(1)	No				
reminded	tinyint(1)	No	0			

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_int\_autos\_post\_logs**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
post_time	datetime	No				
post_data	varchar(1024)	No				
response	varchar(1024)	No				
response_code	int(3)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_int\_autos\_reminder\_all**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
portal_id	varchar(16)	No				
last_name	varchar(32)	No				
account_number	varchar(16)	No				
email	varchar(64)	No				
phone	varchar(16)	No				
reminder_link	varchar(256)	No				
reminder_text	varchar(512)	No				

Column	Type	Null	Default	Links to	Comments	Media type
reminder_date	date	No				
email_result	varchar(128)	No				
phone_result	varchar(128)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
portal_id	BTREE	No	No	portal_id		A	No	
reminder_date	BTREE	No	No	reminder_date		A	No	

**gp\_int\_autos\_reminder\_logs**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
send_time	datetime	No				
email	varchar(128)	No				
reminder_link	varchar(512)	No				
error	varchar(256)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_int\_uop\_incoming**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(32)	No				
portal_id	varchar(8)	No				
account_name	varchar(64)	No				
account_number	varchar(16)	No				
phone	varchar(16)	No				
email	varchar(64)	No				
address	varchar(64)	No				
due_date	date	No				

Column	Type	Null	Default	Links to	Comments	Media type
amount	decimal(8,2)	No				
balance	decimal(8,2)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
portal_id_account_number	BTREE	Yes	No	portal_id		A	No	
				account_number	0	A	No	

**gp\_int\_uop\_post\_logs**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
post_time	datetime	No				
post_data	text	No				
response	text	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_int\_upload\_records**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
portal_id	varchar(16)	No				
upload_dt	datetime	No				
upload_by	varchar(32)	No				
upload_file	varchar(64)	No				
upload_result	varchar(128)	No				
upload_success	tinyint(1)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## gp\_int\_wyq\_incoming

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
portal_id	varchar(16)	No				
party	varchar(128)	No				
receipt_number	varchar(64)	No				
location	varchar(128)	No				
case_number	varchar(64)	No				
amount	decimal(8,2)	No				
balance	decimal(8,2)	No				
inserted_dt	datetime	No				
active	tinyint(1)	No				

### Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## gp\_lgs\_incoming

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
case_number	varchar(16)	No				
ticket_number	varchar(16)	No				
violator_name	varchar(32)	No				
dob	date	No				
issue_date	date	No				
court_date	date	No				
offense_code	int(11)	No				
offense_description	varchar(128)	No				
appearance_code	tinyint(1)	No				
total_fine	decimal(8,2)	No				
address	varchar(64)	No				
city	varchar(32)	No				

Column	Type	Null	Default	Links to	Comments	Media type
state	varchar(16)	No				
zip	varchar(8)	No				
gcic_code	varchar(8)	No				
partial_payment	tinyint(1)	No				
must_appear	tinyint(1)	No				
portal_id	varchar(8)	No				
inserted_dt	datetime	No				
balance	decimal(8,2)	No				
active	tinyint(1)	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## gp\_lgs\_transactions

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
pay_dt	datetime	No				
portal_id	varchar(8)	No				
violator_name	varchar(32)	No				
case_number	varchar(16)	No				
ticket_number	varchar(16)	No				
amount	decimal(8,2)	No				
auth_code	varchar(8)	No				
trans_all_id	int(11)	No				
status	varchar(16)	No				
sent	tinyint(1)	No	0			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## gp\_lobby\_data

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
portal_id	varchar(16)	No				
lobby_form_id	int(11)	No				
custom1	varchar(64)	No				
custom2	varchar(64)	No				
custom3	varchar(64)	No				
custom4	varchar(64)	No				
custom5	varchar(64)	No				
custom6	varchar(64)	No				
custom7	varchar(64)	No				
custom8	varchar(64)	No				
check_time	datetime	No				
attend_time	datetime	No				
close_time	datetime	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## gp\_lobby\_forms

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(32)	No				
form_name	varchar(64)	No				
custom1	varchar(512)	No				
custom2	varchar(512)	No				
custom3	varchar(512)	No				
custom4	varchar(512)	No				
custom5	varchar(512)	No				
custom6	varchar(512)	No				
custom7	varchar(512)	No				
custom8	varchar(512)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_mx\_ach\_fee\_accounts**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
merchant_name	varchar(64)	No				
merchant_id	varchar(16)	No				
merchant_key	varchar(32)	No				
merchant_secret	varchar(32)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_options**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(64)	No				
option_key	varchar(128)	No				
option_value	text	No				
update_time	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	47	A	No	

**gp\_pax\_trans**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
reference	varchar(16)	No				
amount	decimal(8,2)	No				
status	varchar(16)	No				

Column	Type	Null	Default	Links to	Comments	Media type
pax_ref	varchar(16)	No				
pax_label	varchar(32)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
reference	BTREE	Yes	No	reference	0	A	No	

## gp\_phones

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
post_time	datetime	No	current_timestamp()			
source	varchar(32)	No				
source_id	varchar(32)	No				
source_data	varchar(2048)	No				
phone	varchar(16)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## gp\_recurring\_standalone

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
portal_id	varchar(16)	No				
customer_name	varchar(128)	No				
customer_email	varchar(128)	No				
amount	decimal(8,2)	No				
custom_data	text	No				
city_card_id	int(11)	No				
fee_card_id	int(11)	No				
next_pay_date	date	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**gp\_report\_users**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(32)	No				
user	varchar(32)	No				
created_dt	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	
entity_user	BTREE	Yes	No	entity		A	No	
				user	1	A	No	

**gp\_templates**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(32)	No				
form_name	varchar(64)	No				
form_type	varchar(32)	No				
form_partner	varchar(32)	No				
form_need_sign	tinyint(1)	No				
form_fields	text	No				
pdf_fields	text	No				
file_path	varchar(1024)	No				
file_url	varchar(1024)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## gp\_trans

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
tran_id	int(11)	No				
kind	enum('city', 'fee', 'flat_fee')	No				
gateway	varchar(16)	No				
merchant_id	varchar(16)	Yes	NULL			
merchant_key	varchar(32)	No				
merchant_secret	varchar(32)	No				
merchant_tran_key	varchar(32)	No				
amount	decimal(10,2)	No				
status	varchar(16)	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## incoming

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	bigint(20)	No				
CourtDate	varchar(100)	Yes	NULL			
ts_inserted	timestamp	Yes	current_timestamp()			
ORI_number	varchar(100)	Yes	NULL			
CaseNumber	varchar(100)	Yes	NULL			
ProfileID	varchar(100)	Yes	NULL			
VName	varchar(100)	Yes	NULL			
DOB	varchar(100)	Yes	NULL			
LicenseState	varchar(100)	Yes	NULL			
License	varchar(100)	Yes	NULL			
CitationNumber	varchar(100)	Yes	NULL			
ViolationDate	varchar(100)	Yes	NULL			
Amount	varchar(100)	Yes	NULL			

Column	Type	Null	Default	Links to	Comments	Media type
Description	varchar(255)	Yes	NULL			
IneligibleFlag	varchar(100)	Yes	NULL			
DisposedFlag	varchar(100)	Yes	NULL			
ts_batch	timestamp	Yes	NULL			
mysql_CourtDate	varchar(100)	Yes	NULL			
vplookup	varchar(255)	Yes	NULL			
LastSent	datetime	No				
sent_times	varchar(3)	No	0			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## iplow\_incoming

Column	Type	Null	Default	Links to	Comments	Media type
ID (Primary)	int(21)	No				
IplowID	varchar(128)	No				
PortalID	varchar(32)	No				
SystemID	int(15)	No				
ProvisionDateTime	datetime	No				
Namekey	int(15)	No				
LastName	varchar(128)	No				
FirstName	varchar(128)	No				
Street	varchar(128)	No				
City	varchar(64)	No				
State	varchar(32)	No				
ZIP	varchar(15)	No				
PhoneHome	varchar(15)	No				
PhoneWork	varchar(15)	No				
DOB	date	No				
DLStateNumber	varchar(32)	No				
IDStateNumber	varchar(32)	No				

Column	Type	Null	Default	Links to	Comments	Media type
CaseNumber	varchar(32)	No				
CourtCode	varchar(32)	No				
CourtCodeDescription	varchar(512)	No				
SentenceDate	date	No				
FilingDate	date	No				
DispositionDate	date	No				
TotalAssessmentAmount	decimal(8,2)	No				
TotalPaymentAmount	decimal(8,2)	No				
TotalBalanceDue	decimal(8,2)	No				
StatusInternal	varchar(32)	No				
StatusExternal	varchar(32)	No				
StatusDate	date	No				
OmniStatus	varchar(32)	No				
ScheduledInstallmentDate	date	No				
ScheduledInstallmentAmount	decimal(8,2)	No				
LastPaymentDateTimeStamp	datetime	No				
LastPaymentAmount	decimal(8,2)	No				
SystemName	varchar(32)	No				
LocallyScofflawed	varchar(32)	No				
AllowPartialPayment	enum('Y', 'N')	No	N			
RecordSource	enum('API', 'FTP', 'TEST')	No	API			
InsertedTime	timestamp	No	current_timestamp()			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ID	0	A	No	

## iplow\_logs

Column	Type	Null	Default	Links to	Comments	Media type
id (Primary)	int(11)	No				
post_time	datetime	No				

Column	Type	Null	Default	Links to	Comments	Media type
request_method	varchar(32)	No				
post_url	varchar(1024)	No				
get_params	text	No				
post_params	text	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**iplow\_transactions**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	bigint(20)	No				
portal_id	varchar(32)	No				
iplowid	varchar(128)	No				
pay_type	enum('Sale', 'Void')	No				
paid_amount	decimal(8,2)	No				
paid_time	datetime	No				
card_number	varchar(32)	No				
card_type	varchar(32)	No				
ref_id	varchar(32)	No				
auth_code	varchar(32)	No				
trans_all_id	bigint(20)	No				
case_number	varchar(32)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**ipp\_additional**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
isv	varchar(128)	No				
processor	enum('PPS', 'Defyne', 'Worldpay', 'Mainstream')	No				

Column	Type	Null	Default	Links to	Comments	Media type
dba	varchar(128)	No				
type	enum('Income', 'Expense')	No				
date	varchar(4)	No				
title	varchar(128)	No				
description	varchar(512)	No				
amount	decimal(8,2)	No				
percent	decimal(5,2)	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## ipp\_apis

Column	Type	Null	Default	Links to	Comments	Media type
api_id ( <i>Primary</i> )	int(11)	No				
api_name	varchar(127)	No				
api_key	varchar(32)	No				
api_secret	varchar(32)	No				
portal_id	int(11)	No				
allow_manual	tinyint(1)	No				
allow_swipe	tinyint(1)	No				
allow_emv	tinyint(1)	No				
assigned_emv	int(11)	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	api_id	0	A	No	
api_key	BTREE	Yes	No	api_key	0	A	No	
api_secret	BTREE	Yes	No	api_secret	0	A	No	

## ipp\_api\_error\_logs

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
post_time	datetime	No				
get_param	tinytext	No				
post_param	text	No				
message	tinytext	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## ipp\_api\_logs

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
post_type	varchar(64)	No				
post_time	datetime	No				
get_param	text	No				
post_param	text	No				
response	text	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## ipp\_db\_logs

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
log_dt	datetime	No				
main_action	varchar(64)	No				
sub_action	varchar(64)	No				
log_data	text	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## ipp\_emvs

Column	Type	Null	Default	Links to	Comments	Media type
emv_id ( <i>Primary</i> )	int(11)	No				
emv_device_key	varchar(63)	No				
emv_device_label	varchar(127)	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	emv_id	0	A	No	
emv_device_key	BTREE	Yes	No	emv_device_key	0	A	No	

## ipp\_esign\_entries

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(32)	No				
portal_id	varchar(32)	No				
template_id	int(11)	No				
asset	varchar(1024)	No				
path	varchar(1024)	No				
fill_data	text	No				
fill_dt	datetime	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## ipp\_esign\_template

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(32)	No				
template_name	varchar(64)	No				

Column	Type	Null	Default	Links to	Comments	Media type
file_url	varchar(1024)	No				
file_path	varchar(1024)	No				
fields	text	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**ipp\_forms**

Column	Type	Null	Default	Links to	Comments	Media type
form_id <i>(Primary)</i>	int(11)	No				
form_name	varchar(127)	No				
form_fields	text	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	form_id	0	A	No	
form_name	BTREE	Yes	No	form_name	0	A	No	

**ipp\_int\_autos\_incoming**

Column	Type	Null	Default	Links to	Comments	Media type
id <i>(Primary)</i>	int(11)	No				
customer_id	varchar(64)	No				
customer_name	varchar(128)	No				
vehicle_info	varchar(512)	No				
next_due_date	date	No				
next_payment_amount	decimal(10,2)	No				
cell_phone	varchar(16)	No				
email	varchar(64)	No				
sale_date	date	No				
account_number	varchar(32)	No				
text_opt_in	tinyint(1)	No				

Column	Type	Null	Default	Links to	Comments	Media type
email_opt_in	tinyint(1)	No				
entity	varchar(32)	No				
portal_id	int(11)	No				
balance	decimal(10,2)	No				
active	tinyint(1)	No				
last_payment_date	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**ipp\_int\_autos\_transactions**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
portal_id	int(11)	No				
customer_id	varchar(64)	No				
amount	decimal(8,2)	No				
fee	decimal(8,2)	No				
trans_id	int(11)	No				
auto_accept	tinyint(1)	No	0			
trans_time	datetime	No				
ref	varchar(32)	No				
method	varchar(32)	No	Card			

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**ipp\_mainstream**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
isv	varchar(128)	No				
mids	varchar(1024)	No				

Column	Type	Null	Default	Links to	Comments	Media type
--------	------	------	---------	----------	----------	------------

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**ipp\_pays**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
date	varchar(4)	No				
ori	varchar(32)	No				
isv	varchar(128)	No				
amount	decimal(10,2)	No				
paid_date	date	No				
paid_by	varchar(128)	No				
paid_from	varchar(128)	No				
description	varchar(1024)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**ipp\_pay\_logs**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
proc_time	datetime	No				
get_param	varchar(1024)	No				
post_param	varchar(2048)	No				
message	varchar(1024)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## ipp\_pay\_tokens

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
pay_time	datetime	No				
pay_token	varchar(32)	No				

### Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## ipp\_portals

Column	Type	Null	Default	Links to	Comments	Media type
portal_id ( <i>Primary</i> )	int(11)	No				
entity	varchar(127)	No				
portal_name	varchar(127)	No				
portal_data	text	No				

### Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	portal_id	0	A	No	

## ipp\_pps

Table comments: *Payment Process Setting*

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
gpisv	varchar(128)	No				
processor	enum('PPS', 'Defyne', 'Worldpay', 'Mainstream')	No				
ori	varchar(128)	No				
mupt	decimal(5,2)	No				
mubp	decimal(5,2)	No				
mumf	decimal(8,2)	No				
rspt	decimal(5,2)	No				
rsbp	decimal(5,2)	No				

Column	Type	Null	Default	Links to	Comments	Media type
rsmf	decimal(5,2)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**ipp\_recurring\_invoices**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
portal_id	varchar(16)	No				
invoice_name	varchar(128)	No				
customer_name	varchar(128)	No				
customer_email	varchar(128)	No				
customer_phone	varchar(32)	No				
bill_amount	decimal(8,2)	No				
bill_interval	tinyint(4)	No				
bill_period	varchar(8)	No				
bill_length	int(11)	No				
init_amount	decimal(8,2)	No				
first_length	int(11)	No				
first_period	varchar(8)	No				
status	varchar(8)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**ipp\_recurring\_rules**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
portal_id	varchar(16)	No				
rule_name	varchar(64)	No				

Column	Type	Null	Default	Links to	Comments	Media type
bill_amount	decimal(8,2)	No				
bill_interval	tinyint(4)	No				
bill_period	varchar(8)	No				
bill_length	int(11)	No				
init_amount	decimal(8,2)	No				
first_length	int(11)	No				
first_period	varchar(8)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**ipp\_service\_logs**

Column	Type	Null	Default	Links to	Comments	Media type
id (Primary)	int(11)	No				
proc_time	datetime	No				
get_param	varchar(1024)	No				
post_param	varchar(2048)	No				
message	varchar(1024)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**ipp\_transactions**

Column	Type	Null	Default	Links to	Comments	Media type
id (Primary)	bigint(20)	No				
portal_id	int(11)	No				
portal_name	varchar(128)	No				
order_id	varchar(32)	Yes	NULL			
user	varchar(128)	No				
tran_time	datetime	No				
amount	decimal(8,2)	No				

Column	Type	Null	Default	Links to	Comments	Media type
fee	decimal(8,2)	Yes	NULL			
gateway	varchar(512)	No				
absorb_fee	tinyint(1)	No				
merge_fee	tinyint(1)	No				
percent_fee	decimal(8,2)	No	0.00			
min_fee	decimal(8,2)	No	0.00			
result	varchar(16)	No				
message	varchar(256)	Yes	NULL			
tran_ref	varchar(16)	No				
tran_auth	varchar(16)	No				
fee_ref	varchar(16)	Yes	NULL			
fee_auth	varchar(16)	Yes	NULL			
payment_info	varchar(512)	Yes	NULL			
custom_data	text	Yes	NULL			
parent_id	bigint(20)	No	0			

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**ipp\_upload\_data**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
mid	varchar(32)	No				
dba	varchar(256)	No				
isv	varchar(256)	No				
processor	enum('PPS', 'Defyne', 'Worldpay', 'Mainstream')	No				
vol	decimal(16,2)	No				
cnt	int(11)	No				
net	decimal(16,2)	No				
file_id	int(11)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## ipp\_upload\_files

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
upload_time	datetime	No				
filename	varchar(256)	No				
filedate	varchar(4)	No				
filetype	varchar(32)	No				
record_count	int(11)	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## lobby\_data

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
portal_id	varchar(64)	No				
form_name	varchar(128)	No				
form_data	text	No				
post_time	datetime	No				
status	enum('new', 'normal', 'served', 'closed')	No	new			
assign_time	datetime	No				
assign_by	varchar(64)	No				
close_time	datetime	No				
from_device	enum('unknown', 'kiosk', 'qrcode')	No	unknown			
da_attend	enum('yes', 'no')	No	no			
op_attend	enum('yes', 'no')	No	no			
co_attend	enum('yes', 'no')	No	no			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## lobby\_dockets

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(64)	No				
portal_id	varchar(64)	No				
last_name	varchar(64)	No				
case_number	varchar(16)	No				
docket_date	date	No				
description	varchar(128)	No				
docket_token	varchar(32)	No				
defendant_phone	varchar(16)	No				
defendant_status	enum('attend', 'checked', 'closed', 'none')	No	none			
defendant_check_time	datetime	No				
defendant_attend_time	datetime	No				
clerk	varchar(32)	No				
close_time	datetime	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
docket_token	BTREE	Yes	No	docket_token	0	A	No	

## lobby\_forms

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(50)	No				
portal_id	varchar(50)	No				
form_name	varchar(64)	No				
default_name	varchar(64)	No				
standard1	varchar(64)	No				

Column	Type	Null	Default	Links to	Comments	Media type
standard2	varchar(64)	No				
custom1	varchar(64)	No				
custom2	varchar(64)	No				
custom3	varchar(64)	No				
custom4	varchar(64)	No				
custom5	varchar(64)	No				
custom6	varchar(64)	No				
custom7	varchar(64)	No				
custom8	varchar(64)	No				
list1	varchar(64)	No				
list1_values	varchar(512)	No				
list2	varchar(64)	No				
list2_values	varchar(512)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**msg\_postback\_logs**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
created	datetime	No				
gateway	varchar(16)	No				
request	varchar(1024)	No				
response	varchar(1024)	No				
success	varchar(8)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**mx\_jwt\_tokens**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
mx_id	varchar(32)	No				
mx_key	varchar(32)	No				
token	text	No				
created_dt	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**onepos\_entities**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(32)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**pay\_tokens**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
post_time	datetime	No				
post_token	varchar(32)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**pgis\_actions**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
record_id	int(11)	No				

Column	Type	Null	Default	Links to	Comments	Media type
action_key	varchar(32)	No				
action_value	text	No				
action_dt	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
record_id	BTREE	No	No	record_id		A	No	
action_dt	BTREE	No	No	action_dt		A	No	
action_key	BTREE	No	No	action_key		A	No	

## pgis\_integrations

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(64)	No				
portal_id	varchar(64)	No				
balance	decimal(8,2)	No				
total_amount	decimal(8,2)	No				
var_key	varchar(32)	No				
biller_guid	varchar(32)	No				
invoice_id	varchar(32)	No				
pgis_cancel_url	varchar(256)	No				
pgis_approve_url	varchar(256)	No				
line_items	text	No				
inserted_dt	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## pgis\_transactions

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				

Column	Type	Null	Default	Links to	Comments	Media type
entity	varchar(32)	No				
portal_id	varchar(16)	No				
record_id	int(11)	No				
auth_code	varchar(16)	No				
amount	decimal(8,2)	No				
paid_dt	datetime	No				
trans_all_id	int(11)	No				
sent	tinyint(1)	No	0			

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
record_id	BTREE	No	No	record_id		A	No	

**portal\_boolean**

Column	Type	Null	Default	Links to	Comments	Media type
pb_id ( <i>Primary</i> )	bigint(20)	No				
pb_entity	varchar(191)	No				
pb_portal_id	varchar(191)	No				
pb_pre_download	varchar(20)	No	no			
pb_all_required	varchar(20)	No	yes			
pb_admin_receipt	varchar(20)	No	no			
pb_daily_receipt	enum('yes', 'no')	No	no			
pb_remove_header_from_receipt	enum('yes', 'no')	No				
pb_customer_receipt	varchar(20)	No	no			
pb_admin_email1	varchar(200)	No				
pb_admin_email2	varchar(200)	No				
pb_daily_receipt_email	varchar(512)	No				
pb_online_note	varchar(20)	No	no			
pb_online_note_content	varchar(200)	No				
pb_custom_header	varchar(20)	No	no			
pb_custom_header_content	varchar(200)	No				

Column	Type	Null	Default	Links to	Comments	Media type
pb_partial_payment	varchar(20)	No	no			
pb_online_partial_payment	varchar(20)	No	no			
pb_court_date	varchar(20)	No	yes			
pb_court_date_value	int(11)	No	-24			
pb_court_time_zone	tinyint(4)	No	0			
pb_court_time_content	varchar(200)	No				
pb_online_multi_payment	varchar(20)	No	yes			
pb_iplow_ftp_path	varchar(99)	No				
pb_eta_court_form	varchar(20)	No	no			
pb_code	enum('yes', 'no')	No	no			
pb_fixed	enum('yes', 'no')	No				
pb_fixed_amount	decimal(8,2)	No				
pb_code_hour	tinyint(4)	No	2			
pb_absorb_fee	enum('yes', 'no')	No	no			
pb_merge_fee	enum('yes', 'no')	No	no			
pb_lobby	enum('yes', 'no')	No	no			
pb_lobby_only	enum('yes', 'no')	No				
pb_lobby_form_id	int(11)	No				
pb_lobby_text	tinytext	No				
pb_lobby_docket_text	tinytext	No				
pb_lobby_sms	enum('yes', 'no')	No				
pb_lobby_phone	varchar(127)	No				
pb_lobby_docket	enum('yes', 'no')	No				
pb_recurring_payment	enum('yes', 'no')	No	no			
pb_recurring_days	varchar(99)	No				
pb_ach_payment	enum('yes', 'no')	No	no			
pb_ach_city_username	varchar(99)	No				
pb_ach_city_password	varchar(99)	No				
pb_ach_fee_username	varchar(99)	No				
pb_ach_fee_password	varchar(99)	No				
pb_quicksale	enum('yes', 'no')	No	yes			

Column	Type	Null	Default	Links to	Comments	Media type
pb_batch	enum('yes', 'no')	No	no			
pb_kiosk	enum('yes', 'no')	No	no			
pb_kiosk_env	int(11)	No				
pb_batch_zone	tinyint(1)	No	0			
pb_batch_hour	tinyint(4)	No	22			
pb_batch_minute	tinyint(4)	No	0			
pb_news_director	enum('yes', 'no')	No				
pb_news_director_content	tinytext	No				
pb_news_clerk	enum('yes', 'no')	No				
pb_news_clerk_content	tinytext	No				
pb_document	enum('yes', 'no')	No				
pb_recurring_failure_emails	enum('yes', 'no')	No				
pb_document_format	varchar(32)	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	pb_id	13	A	No	

## rba\_incoming

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(32)	No				
portal_id	varchar(16)	No				
balance	decimal(8,2)	No				
account_number	varchar(16)	No				
account_name	varchar(64)	No				
amount	decimal(8,2)	No				
location	varchar(64)	No				
route	varchar(16)	No				
district	varchar(16)	No				
active	tinyint(1)	No				
post_time	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**rba\_incoming\_general**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(32)	No				
portal_id	varchar(16)	No				
balance	decimal(8,2)	No				
account_number	varchar(16)	No				
account_name	varchar(64)	No				
account_phone	varchar(64)	No				
amount	decimal(8,2)	No				
active	tinyint(4)	No				
post_time	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**recurring\_customers**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
portal_id	varchar(20)	No				
account_number	varchar(32)	No				
account_name	varchar(128)	No				
email	varchar(128)	No				
card_token	varchar(512)	No				
max_amount	decimal(8,2)	No				
last_paid	datetime	No				
custom_data	text	No				
city_card_id	int(11)	No	0			

Column	Type	Null	Default	Links to	Comments	Media type
fee_card_id	int(11)	No	0			

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**rec\_logs**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
post_time	datetime	No				
portal_id	varchar(32)	No				
account_id	int(11)	No				
account_number	varchar(32)	No				
amount	decimal(8,2)	No				
result	varchar(32)	No				
note	tinytext	No				
email_delivery	tinyint(1)	No	1			

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
email_delivery	BTREE	No	No	email_delivery		A	No	

**redline\_integrations**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	bigint(20)	No				
last_update	datetime	No				
entity	varchar(128)	No				
balance	decimal(8,2)	No				
amount	decimal(8,2)	No				
account_number	varchar(64)	No				
account_name	varchar(256)	No				
account_address1	varchar(128)	No				

Column	Type	Null	Default	Links to	Comments	Media type
account_address2	varchar(128)	No				
account_city	varchar(128)	No				
account_state	varchar(32)	No				
account_zip	varchar(32)	No				
active	enum('true', 'false')	No	true			
comment	varchar(512)	No				
invoice	varchar(128)	No				
invoice_items	varchar(1024)	No				
invoice_date	date	No				
due_date	date	No				
late_date	date	Yes	NULL			
email	varchar(128)	No				
phone	varchar(32)	No				
last_remind	datetime	No				
remind_times	int(1)	No	0			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## redline\_transactions

Column	Type	Null	Default	Links to	Comments	Media type
id (Primary)	bigint(20)	No				
entity	varchar(64)	No				
post_date	date	No				
post_time	time	No				
invoice	varchar(64)	No				
amount	decimal(8,2)	No				
status	enum('Approved', 'Declined', 'Voided', 'Refunded')	No	Approved			
cc_type	varchar(32)	No				
ref_id	varchar(32)	No				
email	varchar(64)	No				

Column	Type	Null	Default	Links to	Comments	Media type
phone	varchar(32)	No				
trans_all_id	bigint(20)	No				
username	varchar(32)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## rvs\_integrations

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(64)	No				
portal_id	varchar(64)	No				
balance	decimal(8,2)	No				
past_due	decimal(8,2)	No				
customer_number	varchar(16)	No				
customer_name	varchar(128)	No				
customer_phone	varchar(16)	No				
customer_email	varchar(128)	No				
service_address	varchar(128)	No				
zip	varchar(16)	No				
inserted_dt	datetime	No				
active	tinyint(1)	No	1			

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## rvs\_transactions

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
entity	varchar(32)	No				
portal_id	varchar(16)	No				

Column	Type	Null	Default	Links to	Comments	Media type
customer_name	varchar(128)	No				
customer_number	varchar(16)	No				
auth_code	varchar(16)	No				
amount	decimal(8,2)	No				
pay_time	datetime	No				
trans_all_id	int(11)	No				
sent	tinyint(1)	No	0			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## sa\_codes

Column	Type	Null	Default	Links to	Comments	Media type
ID (Primary)	int(11)	No				
created_time	timestamp	No	current_timestamp()			
status	tinyint(1)	No	0			
entity	varchar(64)	No				
portal_id	varchar(64)	No				
amount	varchar(10)	No				
default_name	varchar(512)	No				
list1	varchar(512)	No				
list2	varchar(512)	No				
standard1	varchar(512)	No				
standard2	varchar(512)	No				
custom1	varchar(512)	No				
custom2	varchar(512)	No				
custom3	varchar(512)	No				
custom4	varchar(512)	No				
custom5	varchar(512)	No				
custom6	varchar(512)	No				
custom7	varchar(512)	No				

Column	Type	Null	Default	Links to	Comments	Media type
custom8	varchar(512)	No				
url	varchar(1024)	No				
code	varchar(10)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ID	0	A	No	

**sa\_fields**

Column	Type	Null	Default	Links to	Comments	Media type
sa_field_id <i>(Primary)</i>	int(11)	No				
entity	varchar(32)	Yes	NULL			
portal_id	varchar(32)	Yes	NULL			
form_name	varchar(99)	Yes	NULL			
default_name	varchar(99)	Yes	NULL			
standard1	varchar(99)	Yes	NULL			
standard1_label	varchar(99)	Yes	NULL			
standard2	varchar(99)	Yes	NULL			
standard2_label	varchar(99)	Yes	NULL			
list1	varchar(99)	Yes	NULL			
list1_label	varchar(99)	Yes	NULL			
custom1	varchar(99)	Yes	NULL			
custom1_label	varchar(99)	Yes	NULL			
custom2	varchar(99)	Yes	NULL			
custom2_label	varchar(99)	Yes	NULL			
custom3	varchar(99)	Yes	NULL			
custom3_label	varchar(99)	Yes	NULL			
custom4	varchar(99)	Yes	NULL			
custom4_label	varchar(99)	Yes	NULL			
custom5	varchar(99)	Yes	NULL			
custom5_label	varchar(99)	Yes	NULL			
custom6	varchar(99)	Yes	NULL			

Column	Type	Null	Default	Links to	Comments	Media type
custom6_label	varchar(99)	Yes	NULL			
custom7	varchar(99)	Yes	NULL			
custom7_label	varchar(99)	Yes	NULL			
custom8	varchar(99)	Yes	NULL			
custom8_label	varchar(99)	Yes	NULL			
list2	varchar(99)	Yes	NULL			
list2_label	varchar(99)	Yes	NULL			
field_1	varchar(512)	Yes	NULL			
field_2	varchar(512)	Yes	NULL			
field_3	varchar(512)	Yes	NULL			
field_4	varchar(512)	Yes	NULL			
field_5	varchar(512)	Yes	NULL			
field_6	varchar(512)	Yes	NULL			
field_7	varchar(512)	Yes	NULL			
field_8	varchar(512)	Yes	NULL			
field_9	varchar(512)	Yes	NULL			
field_10	varchar(512)	Yes	NULL			
field_11	varchar(512)	Yes	NULL			
field_12	varchar(512)	Yes	NULL			
field_13	varchar(512)	Yes	NULL			
field_14	varchar(512)	Yes	NULL			
field_15	varchar(512)	Yes	NULL			
field_16	varchar(512)	Yes	NULL			
field_17	varchar(512)	Yes	NULL			
field_18	varchar(512)	Yes	NULL			
field_19	varchar(512)	Yes	NULL			
field_20	varchar(512)	Yes	NULL			
requires	varchar(100)	Yes	NULL			
app_doc_id	int(11)	Yes	NULL			
list3	varchar(99)	No				
list3_label	varchar(99)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	sa_field_id	1	A	No	
form_name	BTREE	Yes	No	form_name	1	A	Yes	

sienungka\_dj

Column	Type	Null	Default	Links to	Comments	Media type
dejavoo_id <i>(Primary)</i>	int(88)	No				
portal_id	varchar(88)	No				
portal_name	varchar(88)	No				
entity	varchar(88)	No				
tfn	varchar(88)	No				
rid	varchar(88)	No				
auth_key	varchar(88)	No				
wan_ip_secure	varchar(88)	No				
user_id	int(11)	No	0			
device_sn	varchar(88)	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	dejavoo_id	0	A	No	
rid	BTREE	Yes	No	rid	0	A	No	

simple\_usaepay\_post\_logs

Column	Type	Null	Default	Links to	Comments	Media type
ID <i>(Primary)</i>	int(11)	No				
post_time	datetime	No				
request	text	No				
result	varchar(10)	No	Error			
response	text	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ID	0	A	No	

## transactions

Column	Type	Null	Default	Links to	Comments	Media type
TransactionID	varchar(100)	Yes	NULL			
id ( <i>Primary</i> )	int(11)	No				
amount	varchar(100)	Yes	NULL			
tdate	timestamp	Yes	current_timestamp()			
status	varchar(100)	Yes	NULL			
ORI_number	varchar(255)	Yes	NULL			
CaseNumber	varchar(255)	Yes	NULL			
CitationNumber	varchar(255)	Yes	NULL			
trans_type	varchar(255)	Yes	NULL			
authcode	varchar(255)	Yes	NULL			
session	varchar(255)	Yes	NULL			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## trans\_all

Column	Type	Null	Default	Links to	Comments	Media type
GP_id ( <i>Primary</i> )	bigint(20)	No				
portal_name	varchar(99)	Yes	NULL			
ORI_Number	varchar(99)	Yes	NULL			
Reference_Number	varchar(99)	Yes	NULL			
Portal_Id	varchar(25)	Yes	NULL			
PersonName	varchar(512)	Yes	NULL			
InvoiceNumber	varchar(25)	Yes	NULL			
AccountNumber	varchar(25)	Yes	NULL			
CardHolder	varchar(128)	Yes	NULL			
CaseNumber	varchar(25)	Yes	NULL			
CauseNumber	varchar(25)	Yes	NULL			
CitationNumber	varchar(25)	Yes	NULL			

Column	Type	Null	Default	Links to	Comments	Media type
TransIDCity	varchar(25)	Yes	NULL			
TransIDFee	varchar(25)	Yes	NULL			
Status	varchar(25)	Yes	NULL			
entity	varchar(25)	Yes	NULL			
cc_type	varchar(25)	Yes	NULL			
amount_city	varchar(25)	Yes	NULL			
amount_fee	varchar(25)	Yes	NULL			
tdate_city	varchar(25)	Yes	NULL			
tdate_fee	varchar(25)	Yes	NULL			
trans_type	varchar(25)	Yes	NULL			
authcode_city	varchar(25)	Yes	NULL			
authcode_fee	varchar(25)	Yes	NULL			
var	varchar(25)	Yes	NULL			
invoice_num	varchar(25)	Yes	NULL			
datastore_id	varchar(25)	Yes	NULL			
username	varchar(64)	Yes	NULL			
standard1	varchar(512)	Yes	NULL			
standard2	varchar(512)	Yes	NULL			
custom1	varchar(512)	Yes	NULL			
custom2	varchar(512)	Yes	NULL			
custom3	varchar(512)	Yes	NULL			
custom4	varchar(512)	Yes	NULL			
custom5	varchar(512)	Yes	NULL			
custom6	varchar(512)	Yes	NULL			
custom7	varchar(512)	Yes	NULL			
custom8	varchar(512)	Yes	NULL			
list1	varchar(512)	Yes	NULL			
description	varchar(255)	Yes	NULL			
gateway	varchar(32)	Yes	NULL			
void_reason	varchar(99)	Yes	NULL			
var_updated	varchar(99)	Yes	NULL			

Column	Type	Null	Default	Links to	Comments	Media type
source_name	varchar(99)	Yes	NULL			
fromfile	varchar(255)	Yes	NULL			
list2	varchar(512)	Yes	NULL			
absorb_fee	enum('yes', 'no')	No	no			
merge_fee	enum('yes', 'no')	No	no			
field_1	varchar(128)	Yes	NULL			
field_2	varchar(128)	Yes	NULL			
field_3	varchar(128)	Yes	NULL			
field_4	varchar(128)	Yes	NULL			
field_5	varchar(128)	Yes	NULL			
field_6	varchar(128)	Yes	NULL			
field_7	varchar(128)	Yes	NULL			
field_8	varchar(128)	Yes	NULL			
field_9	varchar(128)	Yes	NULL			
field_10	varchar(128)	Yes	NULL			
Status1	varchar(50)	Yes	NULL			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	GP_id	1	A	No	

## wp\_blogmeta

Column	Type	Null	Default	Links to	Comments	Media type
meta_id (Primary)	bigint(20)	No				
blog_id	bigint(20)	No	0			
meta_key	varchar(255)	Yes	NULL			
meta_value	longtext	Yes	NULL			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	meta_id	0	A	No	
meta_key	BTREE	No	No	meta_key (191)	0	A	Yes	
blog_id	BTREE	No	No	blog_id	0	A	No	

## wp\_blogs

Column	Type	Null	Default	Links to	Comments	Media type
blog_id ( <i>Primary</i> )	bigint(20)	No				
site_id	bigint(20)	No	0			
domain	varchar(200)	No				
path	varchar(100)	No				
registered	datetime	No	0000-00-00 00:00:00			
last_updated	datetime	No	0000-00-00 00:00:00			
public	tinyint(2)	No	1			
archived	tinyint(2)	No	0			
mature	tinyint(2)	No	0			
spam	tinyint(2)	No	0			
deleted	tinyint(2)	No	0			
lang_id	int(11)	No	0			

### Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	blog_id	1	A	No	
domain	BTREE	No	No	domain (50)	1	A	No	
				path (5)	1	A	No	
lang_id	BTREE	No	No	lang_id	1	A	No	

## wp\_commentmeta

Column	Type	Null	Default	Links to	Comments	Media type
meta_id ( <i>Primary</i> )	bigint(20)	No				
comment_id	bigint(20)	No	0			
meta_key	varchar(255)	Yes	NULL			
meta_value	longtext	Yes	NULL			

### Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	meta_id	0	A	No	
comment_id	BTREE	No	No	comment_id	0	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
meta_key	BTREE	No	No	meta_key (191)	0	A	Yes	

## wp\_comments

Column	Type	Null	Default	Links to	Comments	Media type
comment_ID ( <i>Primary</i> )	bigint(20)	No				
comment_post_ID	bigint(20)	No	0			
comment_author	tinytext	No				
comment_author_email	varchar(100)	No				
comment_author_url	varchar(200)	No				
comment_author_IP	varchar(100)	No				
comment_date	datetime	No	0000-00-00 00:00:00			
comment_date_gmt	datetime	No	0000-00-00 00:00:00			
comment_content	text	No				
comment_karma	int(11)	No	0			
comment_approved	varchar(20)	No	1			
comment_agent	varchar(255)	No				
comment_type	varchar(20)	No	comment			
comment_parent	bigint(20)	No	0			
user_id	bigint(20)	No	0			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	comment_ID	1	A	No	
comment_post_ID	BTREE	No	No	comment_post_ID	1	A	No	
comment_approved_date_gmt	BTREE	No	No	comment_approved	1	A	No	
				comment_date_gmt	1	A	No	
comment_date_gmt	BTREE	No	No	comment_date_gmt	1	A	No	
comment_parent	BTREE	No	No	comment_parent	1	A	No	
comment_author_email	BTREE	No	No	comment_author_email (10)	1	A	No	

## wp\_links

Column	Type	Null	Default	Links to	Comments	Media type
link_id ( <i>Primary</i> )	bigint(20)	No				
link_url	varchar(255)	No				
link_name	varchar(255)	No				
link_image	varchar(255)	No				
link_target	varchar(25)	No				
link_description	varchar(255)	No				
link_visible	varchar(20)	No	Y			
link_owner	bigint(20)	No	1			
link_rating	int(11)	No	0			
link_updated	datetime	No	0000-00-00 00:00:00			
link_rel	varchar(255)	No				
link_notes	mediumtext	No				
link_rss	varchar(255)	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	link_id	0	A	No	
link_visible	BTREE	No	No	link_visible	0	A	No	

## wp\_options

Column	Type	Null	Default	Links to	Comments	Media type
option_id ( <i>Primary</i> )	bigint(20)	No				
option_name	varchar(191)	No				
option_value	longtext	No				
autoload	varchar(20)	No	yes			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	option_id	181	A	No	
option_name	BTREE	Yes	No	option_name	181	A	No	
autoload	BTREE	No	No	autoload	4	A	No	

## wp\_postmeta

Column	Type	Null	Default	Links to	Comments	Media type
meta_id ( <i>Primary</i> )	bigint(20)	No				
post_id	bigint(20)	No	0			
meta_key	varchar(255)	Yes	NULL			
meta_value	longtext	Yes	NULL			

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	meta_id	369	A	No	
post_id	BTREE	No	No	post_id	184	A	No	
meta_key	BTREE	No	No	meta_key (191)	123	A	Yes	

**wp\_posts**

Column	Type	Null	Default	Links to	Comments	Media type
ID ( <i>Primary</i> )	bigint(20)	No				
post_author	bigint(20)	No	0			
post_date	datetime	No	0000-00-00 00:00:00			
post_date_gmt	datetime	No	0000-00-00 00:00:00			
post_content	longtext	No				
post_title	text	No				
post_excerpt	text	No				
post_status	varchar(20)	No	publish			
comment_status	varchar(20)	No	open			
ping_status	varchar(20)	No	open			
post_password	varchar(255)	No				
post_name	varchar(200)	No				
to_ping	text	No				
pinged	text	No				
post_modified	datetime	No	0000-00-00 00:00:00			
post_modified_gmt	datetime	No	0000-00-00 00:00:00			
post_content_filtered	longtext	No				
post_parent	bigint(20)	No	0			
guid	varchar(255)	No				

Column	Type	Null	Default	Links to	Comments	Media type
menu_order	int(11)	No	0			
post_type	varchar(20)	No	post			
post_mime_type	varchar(100)	No				
comment_count	bigint(20)	No	0			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ID	71	A	No	
post_name	BTREE	No	No	post_name (191)	71	A	No	
type_status_date	BTREE	No	No	post_type	10	A	No	
				post_status	17	A	No	
				post_date	71	A	No	
				ID	71	A	No	
post_parent	BTREE	No	No	post_parent	4	A	No	
post_author	BTREE	No	No	post_author	6	A	No	

## wp\_registration\_log

Column	Type	Null	Default	Links to	Comments	Media type
ID (Primary)	bigint(20)	No				
email	varchar(255)	No				
IP	varchar(30)	No				
blog_id	bigint(20)	No	0			
date_registered	datetime	No	0000-00-00 00:00:00			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ID	1	A	No	
IP	BTREE	No	No	IP	1	A	No	

## wp\_signups

Column	Type	Null	Default	Links to	Comments	Media type
signup_id (Primary)	bigint(20)	No				
domain	varchar(200)	No				

Column	Type	Null	Default	Links to	Comments	Media type
path	varchar(100)	No				
title	longtext	No				
user_login	varchar(60)	No				
user_email	varchar(100)	No				
registered	datetime	No	0000-00-00 00:00:00			
activated	datetime	No	0000-00-00 00:00:00			
active	tinyint(1)	No	0			
activation_key	varchar(50)	No				
meta	longtext	Yes	NULL			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	signup_id	0	A	No	
activation_key	BTREE	No	No	activation_key	0	A	No	
user_email	BTREE	No	No	user_email	0	A	No	
user_login_email	BTREE	No	No	user_login	0	A	No	
				user_email	0	A	No	
domain_path	BTREE	No	No	domain (140)	0	A	No	
				path (51)	0	A	No	

## wp\_site

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	bigint(20)	No				
domain	varchar(200)	No				
path	varchar(100)	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	1	A	No	
domain	BTREE	No	No	domain (140)	1	A	No	
				path (51)	1	A	No	

## wp\_sitemeta

Column	Type	Null	Default	Links to	Comments	Media type
meta_id <i>(Primary)</i>	bigint(20)	No				
site_id	bigint(20)	No	0			
meta_key	varchar(255)	Yes	NULL			
meta_value	longtext	Yes	NULL			

### Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	meta_id	39	A	No	
meta_key	BTREE	No	No	meta_key (191)	39	A	Yes	
site_id	BTREE	No	No	site_id	2	A	No	

## wp\_termmeta

Column	Type	Null	Default	Links to	Comments	Media type
meta_id <i>(Primary)</i>	bigint(20)	No				
term_id	bigint(20)	No	0			
meta_key	varchar(255)	Yes	NULL			
meta_value	longtext	Yes	NULL			

### Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	meta_id	0	A	No	
term_id	BTREE	No	No	term_id	0	A	No	
meta_key	BTREE	No	No	meta_key (191)	0	A	Yes	

## wp\_terms

Column	Type	Null	Default	Links to	Comments	Media type
term_id <i>(Primary)</i>	bigint(20)	No				
name	varchar(200)	No				
slug	varchar(200)	No				
term_group	bigint(10)	No	0			

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	term_id	9	A	No	
slug	BTREE	No	No	slug (191)	9	A	No	
name	BTREE	No	No	name (191)	9	A	No	

**wp\_term\_relationships**

Column	Type	Null	Default	Links to	Comments	Media type
object_id ( <i>Primary</i> )	bigint(20)	No	0			
term_taxonomy_id ( <i>Primary</i> )	bigint(20)	No	0			
term_order	int(11)	No	0			

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	object_id	11	A	No	
				term_taxonomy_id	11	A	No	
term_taxonomy_id	BTREE	No	No	term_taxonomy_id	11	A	No	

**wp\_term\_taxonomy**

Column	Type	Null	Default	Links to	Comments	Media type
term_taxonomy_id ( <i>Primary</i> )	bigint(20)	No				
term_id	bigint(20)	No	0			
taxonomy	varchar(32)	No				
description	longtext	No				
parent	bigint(20)	No	0			
count	bigint(20)	No	0			

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	term_taxonomy_id	9	A	No	
term_id_taxonomy	BTREE	Yes	No	term_id	9	A	No	
				taxonomy	9	A	No	
taxonomy	BTREE	No	No	taxonomy	9	A	No	

## wp\_usermeta

Column	Type	Null	Default	Links to	Comments	Media type
umeta_id <i>(Primary)</i>	bigint(20)	No				
user_id	bigint(20)	No	0			
meta_key	varchar(255)	Yes	NULL			
meta_value	longtext	Yes	NULL			

### Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	umeta_id	54	A	No	
user_id	BTREE	No	No	user_id	6	A	No	
meta_key	BTREE	No	No	meta_key (191)	54	A	Yes	

## wp\_users

Column	Type	Null	Default	Links to	Comments	Media type
ID <i>(Primary)</i>	bigint(20)	No				
user_login	varchar(60)	No				
user_pass	varchar(255)	No				
user_nicename	varchar(50)	No				
user_email	varchar(100)	No				
user_url	varchar(100)	No				
user_registered	datetime	No	0000-00-00 00:00:00			
user_activation_key	varchar(255)	No				
user_status	int(11)	No	0			
display_name	varchar(250)	No				
spam	tinyint(2)	No	0			
deleted	tinyint(2)	No	0			

### Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	ID	1	A	No	
user_login_key	BTREE	No	No	user_login	1	A	No	
user_nicename	BTREE	No	No	user_nicename	1	A	No	

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
user_email	BTREE	No	No	user_email	1	A	No	

## zoho\_api\_logs

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
action	varchar(128)	No				
action_dt	datetime	No				
action_body	text	No				
action_response	text	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## zoho\_hook\_logs

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
action	varchar(64)	No				
hook_dt	datetime	No				
get_param	text	No				
post_param	text	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## zoho\_invoices

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
portal_id	varchar(16)	No				
invoice_id	varchar(32)	No				
customer_id	varchar(32)	No				

Column	Type	Null	Default	Links to	Comments	Media type
recurring_invoice_id	varchar(32)	No				
customer_name	varchar(64)	No				
customer_email	varchar(128)	No				
invoice_number	varchar(64)	No				
due_date	date	No				
total	decimal(8,2)	No				
balance	decimal(8,2)	No				
status	varchar(32)	Yes	NULL			
last_paid	datetime	Yes	NULL			
created_dt	datetime	No				
updated_dt	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**zoho\_invoice\_numbers**

Column	Type	Null	Default	Links to	Comments	Media type
id ( <i>Primary</i> )	int(11)	No				
invoice_number	varchar(32)	No				
invoice_id	varchar(32)	No				
customer_id	varchar(32)	No				
invoice_dt	datetime	No				

**Indexes**

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

**zoho\_products**

Column	Type	Null	Default	Links to	Comments	Media type
Product_Id ( <i>Primary</i> )	bigint(20)	No				
Product_Owner	varchar(99)	Yes	NULL			
Product_Owner_Id	varchar(99)	Yes	NULL			

Column	Type	Null	Default	Links to	Comments	Media type
portal_name	varchar(99)	Yes	NULL			
Created_Time	varchar(99)	Yes	NULL			
Modified_Time	varchar(99)	Yes	NULL			
Location_URL	varchar(99)	Yes	NULL			
Var_Partner	varchar(99)	Yes	NULL			
Gateway	varchar(99)	Yes	NULL			
Source_Key	varchar(99)	Yes	NULL			
Source_Pin	varchar(99)	Yes	NULL			
Reporting_Source_Key	varchar(99)	Yes	NULL			
Service_Fee_Source_Key	varchar(99)	Yes	NULL			
Fee_Reported_Source_Key	varchar(33)	Yes	NULL			
Processor	varchar(99)	Yes	NULL			
Merchant_ID	varchar(99)	Yes	NULL			
Customer_Service_Number	varchar(99)	Yes	NULL			
Voice_Portal	varchar(99)	Yes	NULL			
Accounts_Name	varchar(99)	Yes	NULL			
Portal_Id	varchar(99)	Yes	NULL			
Service_Fee	varchar(99)	Yes	NULL			
Credential_Notes	varchar(99)	Yes	NULL			
Reporting_Email	varchar(99)	Yes	NULL			
GatewayUser_Login	varchar(99)	Yes	NULL			
Gateway_User_Password	varchar(99)	Yes	NULL			
Entity	varchar(79)	Yes	NULL			
ORI_Number_MSG_Only	varchar(49)	Yes	NULL			
Version_Number	varchar(89)	Yes	NULL			
Rules	varchar(69)	Yes	NULL			
Portal_Status	varchar(99)	Yes	NULL			
Customer_Service_Contact	varchar(99)	Yes	NULL			
WP_user_Login	varchar(89)	Yes	NULL			
WP_User_Password	varchar(89)	Yes	NULL			
Address	varchar(89)	Yes	NULL			

Column	Type	Null	Default	Links to	Comments	Media type
City	varchar(59)	Yes	NULL			
State	varchar(69)	Yes	NULL			
ZIP	varchar(49)	Yes	NULL			
Minimum	varchar(89)	Yes	NULL			
Phone_Payments	varchar(99)	Yes	NULL			
Number_of_MSR	varchar(59)	Yes	NULL			
Portal_Notes	varchar(99)	Yes	NULL			
Fee_Model	varchar(99)	Yes	NULL			
Auth_Trans_API	varchar(99)	Yes	NULL			
Auth_Trans_KEY	varchar(99)	Yes	NULL			
source_olp	varchar(99)	Yes	NULL			
voice_source	varchar(99)	Yes	NULL			
department_type	varchar(99)	Yes	NULL			
Account_Number	varchar(99)	Yes	NULL			
Routing_Number	varchar(99)	Yes	NULL			
Bank_Name	varchar(99)	Yes	NULL			
department_url	varchar(33)	Yes	NULL			
GP_VOID_SOURCE	varchar(33)	Yes	NULL			
OnlinePayment	varchar(33)	Yes	true			
device_key	varchar(99)	Yes	NULL			
emv_api_key	varchar(99)	Yes	NULL			
fee_emv_api_key	varchar(99)	Yes	NULL			
split	varchar(11)	Yes	NULL			
form_name	varchar(99)	Yes	NULL			
device_key2	varchar(99)	Yes	NULL			
integrated	varchar(99)	Yes	NULL			
mxid	varchar(99)	Yes	NULL			
fee_mxid	varchar(99)	Yes	NULL			
sig_cap	varchar(99)	Yes	NULL			
gateway_change_date	varchar(99)	Yes	NULL			
legacy_cutoff_date	varchar(99)	Yes	NULL			

Column	Type	Null	Default	Links to	Comments	Media type
old_usa_source_name	varchar(99)	Yes	NULL			
rules_active	varchar(99)	Yes	NULL			
mx_gp_fee_user	varchar(99)	Yes	NULL			
mx_gp_fee_pass	varchar(99)	Yes	NULL			
timezone_portal	varchar(99)	Yes	NULL			
rules_name	varchar(99)	Yes	NULL			
partial_allowed	varchar(33)	Yes	NULL			
disposed	varchar(33)	Yes	NULL			
rules_time	varchar(99)	Yes	NULL			
emv	varchar(99)	Yes	NULL			
secureCVV	varchar(99)	Yes	NULL			
Amex_Minimum	varchar(99)	Yes	NULL			
Amex_Service_Fee	varchar(99)	Yes	NULL			
Amex_Accepted	varchar(99)	Yes	NULL			
AbsorbFee	varchar(99)	Yes	NULL			
tpp	varchar(99)	Yes	NULL			
rid	varchar(99)	Yes	NULL			
auth_key	varchar(99)	Yes	NULL			
kiosk_form_name	varchar(99)	Yes	NULL			
token	varchar(99)	Yes	NULL			
cityaddon_usa_key	varchar(32)	Yes	NULL			
cityaddon_mx_id	varchar(32)	Yes	NULL			
cityaddon_mx_key	varchar(32)	Yes	NULL			
cityaddon_mx_secret	varchar(32)	Yes	NULL			
allow_ach	varchar(16)	Yes	NULL			
ach_fee_percent	varchar(16)	Yes	NULL			
ach_flat_fee_amount	varchar(16)	Yes	NULL			
ach_fee_merchant_secret	varchar(32)	Yes	NULL			
ach_fee_merchant_key	varchar(32)	Yes	NULL			
ach_fee_merchant_id	varchar(16)	Yes	NULL			
ach_fee_merchant	varchar(32)	Yes	NULL			

Column	Type	Null	Default	Links to	Comments	Media type
ach_fee_type	varchar(32)	Yes	NULL			
ach_fee_model	varchar(32)	Yes	NULL			
flatfee_usa_key	varchar(32)	Yes	NULL			
flatfee_mx_id	varchar(32)	Yes	NULL			
flatfee_mx_secret	varchar(32)	Yes	NULL			
flatfee_mx_key	varchar(32)	Yes	NULL			
link_only	varchar(8)	Yes	NULL			
link_url	tinytext	Yes	NULL			

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	Product_Id	17	A	No	

## zoho\_push\_logs

Column	Type	Null	Default	Links to	Comments	Media type
id (Primary)	int(11)	No				
push_id	varchar(32)	No				
push_dt	datetime	No				
push_ip	varchar(16)	No				
push_result	varchar(128)	No				

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	

## zoho\_recurring\_invoice

Column	Type	Null	Default	Links to	Comments	Media type
id (Primary)	int(11)	No				
portal_id	varchar(16)	No				
recurring_invoice_id	varchar(32)	No				
city_card_id	int(11)	No				
fee_card_id	int(11)	No				
created_dt	datetime	No				

Column	Type	Null	Default	Links to	Comments	Media type
--------	------	------	---------	----------	----------	------------

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	