

Antibiotic Resistance in **W**astewater: Transmission **R**isks for **E**mployees and **R**esidents around **W**aste **W**ater **T**reatment **P**lants

The AWARE-WWTP Study

PhD candidate: Daloha Rodríguez-Molina, MSc

✉ daloha.rodriguez_molina@med.uni-muenchen.de



🐦 @darokun

Supervisor: Prof. Dr. Katja Radon, MSc

Post-doc: Dr. Laura Wengenroth, MSc



1. Background - Antibiotic Resistance and WWTPs



2. Methods

Study design

Cross-sectional multi-country epidemiological study.

Exposure assessment

- Questionnaire data
- Quantitative models
 - Ingestion exposure: stool samples
 - Airborne exposure: air and water samples

Main outcome

Dose-response models for carriage of resistant genes as affected by proximity to WWTP as point source.

2. Methods

Study design

Cross-sectional multi-country epidemiological study.

Exposure assessment

- Questionnaire data
- Quantitative models
 - Ingestion exposure: stool samples
 - Airborne exposure: air and water samples

Main outcome

Dose-response models for carriage of resistant genes as affected by proximity to WWTP as point source.

Overview of the AWARE-WWTP study



Source: Wikipedia

2. Methods

Study design

Cross-sectional multi-country epidemiological study.


Exposure assessment

- Questionnaire data
- Quantitative models
 - Ingestion exposure: stool samples
 - Airborne exposure: air and water samples

Main outcome

Dose-response models for carriage of resistant genes as affected by proximity to WWTP as point source.

Overview of the AWARE-WWTP study



2. Methods

Study design

Cross-sectional multi-country epidemiological study.

Exposure assessment

- Questionnaire data
- Quantitative models
 - Ingestion exposure: stool samples
 - Airborne exposure: air and water samples

Main outcome

Dose-response models for carriage of resistant genes as affected by proximity to WWTP as point source.

Overview of the AWARE-WWTP study



2. Methods

Study design

Cross-sectional multi-country epidemiological study.

Exposure assessment

- Questionnaire data
- Quantitative models
 - Ingestion exposure: stool samples
 - Airborne exposure: air and water samples

Main outcome

Dose-response models for carriage of resistant genes as affected by proximity to WWTP as point source.

Overview of the AWARE-WWTP study



Source: Study Protocol

Source: Wikipedia

2. Methods

Study design

Cross-sectional multi-country epidemiological study.

Exposure assessment

- Questionnaire data
- Quantitative models
 - Ingestion exposure: stool samples
 - Airborne exposure: air and water samples

Main outcome

Dose-response models for carriage of resistant genes as affected by proximity to WWTP as point source.

Overview of the AWARE-WWTP study



Source: Study Protocol

Funding:



Source: Wikipedia

2. Methods

Population


n = 100/country



Close to WWTP: n = 400/country
Far from WWTP: n = 400/country




Three countries:



2. Methods

WWTP sampling campaign


- n = 80 to 100 plants in all three countries.
- Air and water samples.
- Treatment stages to sample: influent, aeration tank, effluent, sewage sludge.



2. Methods


Analyses

Microbiology + Genetics




Source: flickr

Spatial modeling



Source: Blogspot

3. Working packages



Source: Study Protocol

Acronyms

LMU



UB




UGOT



RIVM



4. Timeline. Start of the project: 01.06.2017



Source: Study Protocol

5. Potential risks to project results and how to tackle them


Potential risks

- Insufficient number of WWTPs.
- Recruitment of insufficient participants.
- Loss of sample during shipment.
- Potential Confounders.
- Difficulties within the consortium.

How to prevent these risks

- Positive past collaboration with >100 WWTPs in Sweden and the Netherlands.
- WWTPs and the general population have shown high response.
- Companies specialized in international transport of biological samples + sending samples in batches.
- Reduced through careful design of questionnaires.
- Clear consortium agreement, tight communication.

6. Motivation to join the AWARE-WWTP project



7. Motivation to enroll in the **PhD Medical Research – Epidemiology and Public Health** Program

- It is a structured PhD program
- I find the „Tailor-made learning“ attractive and fitting to my needs
- I would have the support from the IBE and the Pettenkofer School of Public Health
- I can further develop my expertise in the Epidemiology and Public Health fields

Thank you!

- Questions? Suggestions?

Contact

✉ daloha.rodriguez_molina@med.uni-muenchen.de

🐦 @darokun

References

- Berendonk, T. U. et al. Tackling antibiotic resistance: the environmental framework. *Nat Rev Micro* 13, 310–317 (2015).
- Martinez, J. L. et al. A global view of antibiotic resistance. *FEMS Microbiol. Rev.* 33, 44–65 (2009).
- Pruden, A. et al. Management options for reducing the release of antibiotics and antibiotic resistance genes to the environment. *Environ. Health Perspect.* 121, 878– 885 (2013).
- Bréchet, C. et al. Wastewater treatment plants release large amounts of extended- spectrum β -lactamase-producing *Escherichia coli* into the environment. *Clin. Infect. Dis.* 58, 1658–1665 (2014).
- Rizzo, L. et al. Urban wastewater treatment plants as hotspots for antibiotic resistant bacteria and genes spread into the environment: a review. *Sci. Total Environ.* 447, 345–360 (2013).

Image sources

- Slide 1:
 - email icon: <http://www.freeiconspng.com/free-images/email-icon-126>
 - Twitter icon: <http://imageog.flaticon.com/icons/png/512/23/23931.png?size=1200x630f&pad=10,10,10,10&ext=png&bg=FFFFFF>
- Slide 2:
 - left bacteria: <https://www.flickr.com/photos/ajc1/8344600413/>
 - top right bacteria: <https://www.flickr.com/photos/ajc1/8391004233/>
 - bottom right bacteria: <https://www.flickr.com/photos/ajc1/6992746296/>
 - flag of the EU: https://upload.wikimedia.org/wikipedia/commons/thumb/b/b7/Flag_of_Europe.svg/255px-Flag_of_Europe.svg.png
- Slide 4:
 - working lady: <https://www.flickr.com/photos/kevinschoenmakersnl/5683471876/>
 - family: <https://www.flickr.com/photos/frecklephoto/2231967958/>
 - flag of Germany: https://upload.wikimedia.org/wikipedia/en/thumb/b/ba/Flag_of_Germany.svg/1280px-Flag_of_Germany.svg.png
 - flag of Romania: https://upload.wikimedia.org/wikipedia/commons/thumb/7/73/Flag_of_Romania.svg/2000px-Flag_of_Romania.svg.png
 - flag of the Netherlands: https://upload.wikimedia.org/wikipedia/commons/thumb/2/20/Flag_of_the_Netherlands.svg/2000px-Flag_of_the_Netherlands.svg.png
- Slide 5:
 - WWTP process: <https://s-media-cache-ak0.pinimg.com/originals/c2/fb/ce/c2fbce6bb007d44e1841e308c8931b7a.jpg>
- Slide 6:
 - DNA: <https://www.flickr.com/photos/creativecomputer/261445720/>
 - spatial model: <http://1.bp.blogspot.com/-FIIQdyY5CE/Vd2CQmxy2hI/AAAAAAAAARGI/Mv7vp4p1sXc/s1600/Fig1.tif>
- Slide 7:
 - flag of Sweden: <http://www.demoshelsinki.fi/wp-content/uploads/2016/07/sweden.jpg>