

ch05quiz

- Due Feb 6 at 12:59am
- Points 28
- Questions 28
- Time Limit None
- Allowed Attempts 2

Instructions

28 questions - time limit 50 minutes

Take the Quiz Again

Attempt History

	Attempt	Time	Score
LATEST	Attempt 1	27 minutes	26 out of 28

Score for this attempt: 26 out of 28

Submitted Feb 9 at 7:58pm

This attempt took 27 minutes.



Question 1

1 / 1 pts

Given a string s='Guido Rossum'
what is the value of the string s after:
s[1] = 'X'

- ☐ 'Xuido Rossum'
- ☐ 'GXuido Rossum'

Correct!

- ☒ An Error will be thrown



Question 2

1 / 1 pts

Given a = [2, 3, 4, 5]
what is the value of a after: a[1] = 'X'

- ☐ ['X', 2, 4, 5]
- ☒ [2, 'X', 4, 5]
- ☐ An Error will be thrown



Question 3

1 / 1 pts

Given `a = [1, 2, 3]` and `b = [4, 5, 6]`

What is the value of `a` after `a += b`

Correct!

- ☒ `[1, 2, 3, 4, 5, 6]`
- ☐ `[ [1,2,3], [4,5,6] ]`
- ☐ An Error will be thrown



Question 4

1 / 1 pts

Given `a = [1, 2, 3]` and `b = 99`

What is the value of `a` after `a += b`

- ☐ `[1, 2, 3, 99]`
- ☐ `[ [1,2,3], 99 ]`

Correct!

- ☒ An Error will be thrown



Question 5

0 / 1 pts

Given `my_tuple = (1, 2, 3)`

What is the value of `my_tuple += [4, 5]`

- ☐ `(1, 2, 3, 4, 5)`

You Answered

- ☒ Error: tuples are immutable

Correct Answer

- ☐ Error: Cannot append list to a tuple
- ☐ Error: Illegal operation



Question 6

1 / 1 pts

Given the following list: `my_list = [10,20,30,40]`

What does `list(enumerate(my_list))` return

- ☐ a list of the elements in `my_list`

Correct!

- ☒ a list of tuples
- ☐ a list of the contents of `my_list` in numeric order



Question 7

1 / 1 pts

Given the following:

```
a = 'foo'
```

```
b = 'bar'
```

```
a, b = (b, a)
```

What is the value of a?

☐ no value

Correct!

☒ 'bar'

☐ 'foo'

☐ NoneS



Question 8

1 / 1 pts

What is the value of: (1,2) * 2

☐ (1,2)(1,2)

☐ (2,4)

Correct!

☒ (1,2,1,2)

☐ Error



Question 9

1 / 1 pts

What happens when you try to use '+=' with an immutable tuple, as in:

```
t1 = (1,2,3)
```

```
t1 += (4,5)
```

☐ Error

Correct!

☒ A new tuple is created called t1



Question 10

1 / 1 pts

What is the value of nums when you append a tuple to the list nums -- as in:

```
nums = [1,2,3]
```

```
nums += (4,5) # appending tuple
```

Correct!

☒ [1,2,3,4,5]

☐ [1,2,3, (4,5)]

☐ Error



Question 11

1 / 1 pts

Given the following slice technique to copy a sequence:

```
a = [9, (12,13) , [6,7,8], 10]
```

```
b = a[:]
```

Do a and b refer to the same underlying object so that they have the same id() value?

☐ Yes, same underlying object, same value for id()

Correct!

☒ No, not the same objects



Question 12

1 / 1 pts

Given the following code:

```
a = [9, (12,13) , [6,7,8], 10]
```

```
b = a[:]
```

```
a[0] = 100
```

What is the value of b?

☐ [100, (12,13) , [6,7,8], 10]

Correct!

☒ [9, (12,13) , [6,7,8], 10]

☐ Error



UnansweredQuestion 13

0 / 1 pts

Given the following code:

```
a = [9, (12,13) , [6,7,8], 10]
```

```
b = a[:]
```

```
a[2][0] = 100
```

What is the value of b?

Correct Answer

☐ [9, (12, 13) , [100 ,7, 8], 10]

☐ [9, (12,13) , [6,7,8], 10]

☐ Error



Question 14

1 / 1 pts

Assume a list defined as `my_list = [0,1,2,3,4,5,6]`

In a Jupyter Notebook we then execute a cell with: `list2 = my_list[:3]`

What is the value of `list2`?

☐ `[0,1,2,3]`

Correct!

☒ `[0,1,2]`

☐ `[0,1,2,3,4,5,6]`



Question 15

1 / 1 pts

Assume a list defined as `my_list = [0,1,2,3,4,5,6]`

We then execute the code: `my_list[1:3] = ['foo', 'bar']`

What is the value of `my_list`?

☐ `[0,1,2,3,4,5,6]`

Correct!

☒ `[0,'foo','bar',3,4,5,6]`

☐ Error



Question 16

1 / 1 pts

Assume a list defined as `my_list = [0,1,2,3,4,5,6]`

We then execute the code: `del my_list[1:3]`

What is the value of `my_list`?

☐ `[0,1,2,3,4,5,6]`

Correct!

☒ `[0,3,4,5,6]`

☐ `[2,3,4,5,6]`



Question 17

1 / 1 pts

Assume a list defined as `my_list = [6,5,4,3,2,1,0]`

We then execute the code: `my_list2 = sorted(my_list)`

What is the value of `my_list2`?

Correct!

☒ `[0,1,2,3,4,5,6]`

☐ `[6,5,4,3,2,1,0]`



Question 18

1 / 1 pts

Assume a string defined as `s = 'zxab'`

We then execute the code: `str.sort()`

What is the value of `s`? If an error occurs mark "Error" as the answer.

☐ 'abxz'

☐ 'zxab'

Correct!

☒ Error



Question 19

1 / 1 pts

Assume a string defined as `s = 'zxab'`

We then execute the code: `s = sorted(s)`

What is the value of `s`?

☐ 'abxz'

☐ 'zxab'

Correct!

☒ ['a', 'b', 'x', 'z']

☐ error



Question 20

1 / 1 pts

Given a list called `money`, which of the following will provide a Boolean that tells if the value 99 is in the list.

☐ `isInList(money, 99)`

☐ `isInList(99, money)`

Correct!

☒ `99 in money`

☐ `money.contains(99)`



Question 21

1 / 1 pts

Given a list called `money`, how can one add the value 100 to the end of the list?

☐ `money.add(100)`

Correct!

☒ `money.append(100)`

☐ `money['end'] = 100`

☐ `100.add_to.money`



Question 22

1 / 1 pts

Python lists can be used to simulate stacks with LIFO order. What two list methods can be used to simulate a stack?

- ☐ push and pop
- ☐ add and pop
- Correct!
- ☒ append and pop
- ☐ push and remove



Question 23

1 / 1 pts

What is the value of my_list after:

```
my_list = [x+1 for x in range(1,5) if x % 2 == 0]
```

- ☐ [2, 4]
- ☐ [2, 4, 5]
- ☐ [4, 5]

Correct!

- ☒ [3, 5]



Question 24

1 / 1 pts

Generator expressions produce generator objects that produce values on demand using lazy evaluation.

What function is used to extract the next value from a generator object?

- ☐ get_next(..)
- ☐ last(..)
- ☐ next_item(..)

Correct!

- ☒ next(..)



Question 25

1 / 1 pts

Python's filter function is used to determine if certain values should be included in sequences.

What is the first argument to the filter function?

Correct!

- ☒ a boolean function of one argument
- ☐ the sequence to be searched
- ☐ a generator

- ☐ a higher order function



Question 26

1 / 1 pts

What is the value of the following expression that includes a lambda function?

```
data = [1,2,3,4,5,6,7,8,9]
```

```
list(filter(lambda y: y % 3 != 0, data))
```

- ☐ [3, 6, 9]

- ☐ [3, 6]

Correct!

- ☒ [1, 2, 4, 5, 7, 8]

- ☐ {1, 4, 7}



Question 27

1 / 1 pts

Given the following lists, what is the result of the call to zip?

```
a = ['foo', 'bar']
```

```
b = [11, 66]
```

```
list(zip(a, b))
```

- ☐ ['foo', 'bar', 11, 66]

Correct!

- ☒ [('foo', 11), ('bar', 66)]

- ☐ ['foo', 11, 'bar', 66]

- ☐ ('foo', 11, 'bar', 66)



Question 28

1 / 1 pts

```
Given the following, what are the first three values that get printed?  
a = [[77, 68, 86, 73], [96, 87, 89, 81], [70, 90, 86, 81]]  
for row in a:  
    for item in row:  
        print(item, end=' ')
```

- ☐ 77, 96, 70

Correct!

- ☒ 77, 68, 86

- ☐ Error

Quiz Score: 26 out of 28