

No.	Time	Source	Destination	Protocol	Length	Info
1329	75.614047	10.0.4.100	128.119.245.12	IPv4	1514	Fragmented IP

protocol (proto=UDP 17, off=0, ID=f2d7) [Reassembled in #1330]
Frame 1329: 1514 bytes on wire (12112 bits), 1514 bytes captured (12112 bits) on interface en0, id 0

Section number: 1
Interface id: 0 (en0)
Interface name: en0
Interface description: Ethernet
Encapsulation type: Ethernet (1)
Arrival Time: Nov 19, 2024 19:54:32.032563000 EST
UTC Arrival Time: Nov 20, 2024 00:54:32.032563000 UTC
Epoch Arrival Time: 1732064072.032563000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 0.013786000 seconds]
[Time delta from previous displayed frame: 5.625570000 seconds]
[Time since reference or first frame: 75.614047000 seconds]
Frame Number: 1329
Frame Length: 1514 bytes (12112 bits)
Capture Length: 1514 bytes (12112 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ip:data]
[Coloring Rule Name: IPv4 TTL low or unexpected]
[Coloring Rule String: (ip.dst != 224.0.0.0/4 && ip.ttl < 5 && !(pim || ospf || eigrp || bgp || tcp.port==179)) || (ip.dst == 224.0.0.0/24 && ip.dst != 224.0.0.251 && ip.ttl != 1 && !(vrrp || carp || eigrp || rip || glbp))]
Ethernet II, Src: 18:4a:53:05:eb:2e, Dst: 90:09:d0:50:a4:88
Destination: 90:09:d0:50:a4:88
.....0. = LG bit: Globally unique address (factory default)
.....0. = IG bit: Individual address (unicast)
Source: 18:4a:53:05:eb:2e
.....0. = LG bit: Globally unique address (factory default)
.....0. = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 0]
Internet Protocol Version 4, Src: 10.0.4.100, Dst: 128.119.245.12
0100 = Version: 4
.... 0101 = Header Length: 20 bytes (5)
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
0000 00.. = Differentiated Services Codepoint: Default (0)
.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
Total Length: 1500
Identification: 0xf2d7 (62167)
001. = Flags: 0x1, More fragments
0... = Reserved bit: Not set
.0.. = Don't fragment: Not set
..1. = More fragments: Set
...0 0000 0000 0000 = Fragment Offset: 0
Time to Live: 1
[Expert Info (Note/Sequence): "Time To Live" only 1]
["Time To Live" only 1]
[Severity level: Note]
[Group: Sequence]
Protocol: UDP (17)
Header Checksum: 0x0000 [validation disabled]
[Header checksum status: Unverified]
Source Address: 10.0.4.100
Destination Address: 128.119.245.12
[Reassembled IPv4 in frame: 1330]
[Stream index: 5]
Data (1480 bytes)

[illegible]

[illegible]

Data [...]:

[illegible]

[Length: 1480]