

No.	Time	Source	Destination	Protocol	Length	Info
1330	75.614049	10.0.4.100	128.119.245.12	UDP	534	62166 → 33435

Len=1972

Frame 1330: 534 bytes on wire (4272 bits), 534 bytes captured (4272 bits) on interface en0, id 0

Section number: 1

Interface id: 0 (en0)

Interface name: en0

Interface description: Ethernet

Encapsulation type: Ethernet (1)

Arrival Time: Nov 19, 2024 19:54:32.032565000 EST

UTC Arrival Time: Nov 20, 2024 00:54:32.032565000 UTC

Epoch Arrival Time: 1732064072.032565000

[Time shift for this packet: 0.000000000 seconds]

[Time delta from previous captured frame: 0.000002000 seconds]

[Time delta from previous displayed frame: 0.000002000 seconds]

[Time since reference or first frame: 75.614049000 seconds]

Frame Number: 1330

Frame Length: 534 bytes (4272 bits)

Capture Length: 534 bytes (4272 bits)

[Frame is marked: False]

[Frame is ignored: False]

[Protocols in frame: eth:ethertype:ip:udp:data]

[Coloring Rule Name: IPv4 TTL low or unexpected]

[Coloring Rule String: (ip.dst != 224.0.0.0/4 && ip.ttl < 5 && !(pim || ospf || eigrp || bgp || tcp.port==179)) || (ip.dst == 224.0.0.0/24 && ip.dst != 224.0.0.251 && ip.ttl != 1 && !(vrrp || carp || eigrp || rip || glbp))]

Ethernet II, Src: 18:4a:53:05:eb:2e, Dst: 90:09:d0:50:a4:88

Destination: 90:09:d0:50:a4:88

.... 0. = LG bit: Globally unique address (factory default)

.... 0. = IG bit: Individual address (unicast)

Source: 18:4a:53:05:eb:2e

.... 0. = LG bit: Globally unique address (factory default)

.... 0. = IG bit: Individual address (unicast)

Type: IPv4 (0x0800)

[Stream index: 0]

Internet Protocol Version 4, Src: 10.0.4.100, Dst: 128.119.245.12

0100 = Version: 4

.... 0101 = Header Length: 20 bytes (5)

Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)

0000 00.. = Differentiated Services Codepoint: Default (0)

.... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)

Total Length: 520

Identification: 0xf2d7 (62167)

000. = Flags: 0x0

0... = Reserved bit: Not set

.0.. = Don't fragment: Not set

..0. = More fragments: Not set

...0 0000 1011 1001 = Fragment Offset: 1480

Time to Live: 1

[Expert Info (Note/Sequence): "Time To Live" only 1]

["Time To Live" only 1]

[Severity level: Note]

[Group: Sequence]

Protocol: UDP (17)

Header Checksum: 0x0000 [validation disabled]

[Header checksum status: Unverified]

Source Address: 10.0.4.100

Destination Address: 128.119.245.12

[2 IPv4 Fragments (1980 bytes): #1329(1480), #1330(500)]

[Frame: 1329, payload: 0-1479 (1480 bytes)]

[Frame: 1330, payload: 1480-1979 (500 bytes)]

[Fragment count: 2]

```
[Reassembled IPv4 length: 1980]
```

```
[Reassembled IPv4 data [...]:
```

[illegible]

```
[Stream index: 5]
```

User Datagram Protocol, Src Port: 62166, Dst Port: 33435

Source Port: 62166

Destination Port: 33435

```
[Expert Info (Chat/Sequence): Possible traceroute: hop #1, attempt #1]
```

```
[Possible traceroute: hop #1, attempt #1]
```

[Severity level: Chat]

[Group: Sequence]

Length: 1980

Checksum: 0xf71b [unverified]

[Checksum Status: Unverified]

```
[Stream index: 87]
```

[Stream Packet Number: 1]

[Timestamps]

```
[Time since first frame: 0.000000000 seconds]
```

[Time since previous frame: 0.000000000 seconds]

UDP payload (1972 bytes)

Data (1972 bytes)

[illegible]

[illegible]

[illegible]

Data [...]:

```
[Length: 1972]
```