

What instructBrain does, all of it

Eleven report types, a weekly compliance register and the field cockpit — read out of the product itself on 9 October 2026, not from the brochure.

ISSUED	OWNER	PRODUCT	READ FROM	OUTPUTS SHOWN
9 Oct 2026 (Rev 1)	D. Hopwood	instructBrain	50eb162 on main	Issued PDFs, real pages

One line: instructBrain turns a site walk into an issued, citation-backed report — photographs taken on site are drafted into findings, **a person confirms every one**, and the whole thing is published as a PDF that cannot change underneath you afterwards.

1 What it is, and who it is for

Someone walks a building with a phone. Each photograph is filed against the element, floor or room it belongs to. The product drafts what the photograph shows into plain findings — what is there, what it means, what to do about it — and pulls the reference it engages, if any, off a fixed list. A person then confirms, corrects or bins each item. What survives that gate is published as an issued PDF, with a reference, a version number and a permanent record of what was issued and when.

It is built for the people who currently produce that paperwork by hand: site managers and clerks of works (schedules of condition, snagging and remediation), health and safety consultants (compliance registers, H&S documentation), property and asset managers (property inventories, condition records), and fit-out and M&E teams (installation condition, commissioning records).

THE SHAPE OF IT	Project → report → photographs → draft findings → a person confirms each one → issue → distribute. Every stage is a screen, and every stage leaves a record behind it.
WHERE IT RUNS	A browser at instructbrain.com: on a laptop in the office, and on a phone or tablet on site. The on-site cockpit installs to a home screen and opens full-screen from a QR code.
WHAT COMES OUT	A paginated PDF, brand-consistent, with the report reference on every page, photographs with pins marking what each finding refers to, and a cover carrying project, client, address, reference, date, status and item count.

2 The eleven report types

These are the eleven templates in the product today, named as the product names them.

#	REPORT	WHAT IT PRODUCES
1	Schedule of Condition	Item-by-item condition grading. Each item carries its own photographs, a graded condition, the action required, and the reference the visible condition engages.
2	Site condition	The site walk recorded and issued: what was seen, where, and what follows from it.
3	Property inventory	A room-by-room inventory of what is present and in what state — fixtures, fittings, finishes, services, and meter readings where they are recorded.
4	Electrical installation condition	Condition of the electrical installation: observations, classifications and the standard each one engages.
5	Mechanical & HVAC installation	Plant, ventilation and heating condition and installation quality, against the acceptance and commissioning standards for each system.
6	Fit-out & finishes quality	Quality of the delivered fit-out by element: finishes, joinery, tiling, glazing, envelope — each item with severity and the responsible trade.
7	Damp, mould & water ingress	Where water is getting in and what it has done: location, extent, probable cause and the remedial route.
8	Weatherproofing membrane survey	Membrane and weathertightness condition, element by element, with the remedial action for each.
9	Finding identification & remedial schedule	The snagging and remediation list: every finding with its severity (cosmetic, workmanship, performance, compliance, structural or safety), its responsible trade , the action required, and the reference it engages.
10	Photo condition record	A photographic record of condition, filed and issued — the evidence, without the narrative layer.
11	Manual photographic report	No AI anywhere in the output. For the surveys where the report must be built by hand, the machine layer is off and the pages carry only the item reference and the capture date and time.

Every finding on every pin one of those templates carries the same spine: status, severity, trade, location, the photograph (with a pin marking the relevant area), the likely cause, the action required, and a reference — or

deliberately no reference at all.

3 The output you can hold

These are real pages from reports the product has produced, not mock-ups.

instructBrain

Finding identification & remedial schedule

Project	Riverside Court - Cat B Fit-Out, Phase 2
Client	Halloway Cross Estates Ltd
Address	Riverside Court, 42 Kelham Street, Sheffield S3 8LP
Reference	SNG-2026-10-006
Report date	1 October 2026
Status	Draft - not yet published
Items included	18

SNG-2026-10-006 Finding identification & remedial schedule

instructBrain AN INSTRUCTSITE COMPANY

Page 1 of 23


Item 10

Status: Graded - condition assessed

Reception floor finished with large-format polished stone-effect tiles laid to a grid, with a reflective surface. The tiles are visible across the foreground and toward the entrance; the surface appears clean and intact, with no visible cracking, lippage, staining or open joints within the area the photograph supports. Reflections from the ceiling lights and glazing are present, which is inherent to the polished finish. A strip of blue protective tape is present on the floor adjacent to the internal corner of the reception desk; this appears to be a temporary protective measure and is not recorded as a defect.

Required action

No action required to the floor finish. Remove the temporary protective tape once the adjacent work is complete and clean the floor in accordance with the finish manufacturer's recommendations.



Pin 1 of 5 - photograph 2
A crop of the area this item refers to.

Item 11

Status: Graded - condition assessed

A white reception desk is present to the centre right of the frame, of solid panel construction with a plain front and a matt finish, set on a recessed grey plinth. The desk panels are visible and appear flat and square, with no visible impact damage, joint separation or staining. A plant and a dark object rest on the desk top; both are loose items, not defects. No person is present behind the desk.

Required action

No action required. Maintain the finish under a routine cleaning regime and inspect the plinth and panel joints periodically for movement.



Pin 2 of 5 - photograph 2
A crop of the area this item refers to.

SOC-2026-10-001 Schedule of Condition - 8 October 2026

instructBrain AN INSTRUCTSITE COMPANY

Page 7 of 20

Cover. Project, client, address, report reference, date, status and item count — the fields a client or a court would ask for first.

Items and photographs. Each item is numbered, graded, given the action required, and shown with the photograph it was written from — with a pin marking the area the item refers to.

- SAMPLE REPORTS

Four complete issued reports sit beside this dossier as PDFs: [Schedule of Condition](#) (20 pages) · [Finding identification & remedial schedule](#) (22 pages) · [Electrical installation condition](#) (12 pages) · [Manual photographic report](#) (4 pages).
- WHAT THEY ARE

Demonstration projects, not client work. The projects, clients and addresses in these samples are invented for the purpose of showing the output.

4 The four rules that make the output defensible

Anyone can take a photograph and type a sentence. These are the rules that decide whether the resulting document can be relied on.

1 A person confirms every finding — the machine drafts nothing that issues itself

IN PRACTICE

Findings arrive as drafts. Each one is confirmed, corrected or removed by a person, and the product will not publish while anything is still unconfirmed or unassessed. There is a named gate for it, and the report simply does not issue through it.

2 Citations come off a fixed list — never invented

IN PRACTICE

The instruction the product gives itself is to select **the single most relevant reference, and only from the supplied list** — and never to invent, infer or guess a regulation, clause, section, table or paragraph number. Where nothing on the list applies, it cites nothing rather than reaching for something that sounds right.

3 An issued version is frozen

IN PRACTICE

Publishing locks the report. Reopening it does not edit what was issued — it starts a new version, and the published one is kept exactly as it was published, with its version number and date.

4 There is a manual path with no AI in it at all

IN PRACTICE

For work where a machine must not touch the output, that template runs with the automated layer off: photographs, item reference, capture date and time, and nothing generated. It is a mode of the product, not a workaround.

5 What it is allowed to cite

Read out of the product's own reference list on 9 October 2026. A finding may cite one of these, or none.

FAMILY	INSTRUMENTS ON THE LIST
Building Regulations 12 Approved Documents	A structure · B fire safety · C site preparation, contaminants and moisture · E sound · F ventilation · G sanitation, hot water and water efficiency · H drainage and waste disposal · J combustion appliances and fuel storage · K protection from falling, collision and impact · L conservation of fuel and power · M access and use · P electrical safety
British and EN standards 6	BS 7671 — IET Wiring Regulations, 18th Edition · BS 8000 — workmanship on construction sites · BS 7593 — water treatment in heating and cooling systems · BS EN 12599 — ventilation acceptance procedures · BS EN 14336 — heating systems installation and commissioning · BS EN 378-1 — refrigerating systems and heat pumps
HSE and statutory 6	HSE ACOP L8 and HSG274 — legionella control · HSG85 — electricity at work, safe working practices · HSR25 — electrical safety on construction sites · Electricity at Work Regulations 1989 · Water Supply (Water Fittings) Regulations 1999

The list is the ceiling, not a suggestion: the product selects one, or cites nothing.

6 The weekly compliance register

Alongside the reports, a project carries a **weekly compliance register**: the checks that were carried out, week by week, rolled up into one register that shows what was checked, when, and by whom, against a fixed window of weeks. It is the screen an H&S consultant or a principal contractor's auditor asks for, and it is built from the same evidence as the reports rather than typed up afterwards.

The register is read from the product's own compliance module and check definitions. I have not signed in and driven a live register run, so the flows above are described from the product's code and its issued documents, not from a session on the running system.

7 From the site to the issued PDF

#	STEP	WHAT HAPPENS
1	Capture	Photographs are taken on site and filed against the element, room or location they belong to. Location values stamp onto each photograph and become the location the report prints.
2	Draft	The product writes what the photograph shows into a finding: description, condition or severity, probable cause where the image supports it, and the action required.
3	Confirm	A person works through every item, correcting the language, setting the trade, and confirming, amending or deleting it. Nothing unconfirmed can publish.
4	Issue	The report is published: it gets its reference and version, the document is assembled, and the published version is frozen.
5	Distribute	The issued PDF is sent to the recipients on the project, or handed over as a link. Nothing leaves without a deliberate send.
6	Keep	Every issued version stays available with its number and date, so a superseded report can be produced years later exactly as it was issued.

8 Everything around the report

FIELD COCKPIT	A cut-down on-site screen at its own address, reachable by scanning a QR code and installable to a phone's home screen so it opens full-screen in a coat pocket. It captures; the office screens do the rest.
DIRECTORY	Trades and contacts per project, with the trades that appear on findings kept against the people responsible, and a fallback recipient held on the project so distribution never depends on one person's inbox.
TRADES AND RECIPIENTS	Reports go to the recipient list on the project. Individual links exist for sharing a report with a person or a trade without giving them the account.
LANGUAGES	30 languages , including right-to-left for Arabic and Hebrew, with English always kept as the record copy. Translated views switch off editing so the issued record and the translation cannot drift apart.
ORGANISATION BRANDING	Reports carry the customer's identity alongside the product mark, so the document goes out as their paperwork. Issued and manual-mode output keeps the fixed product identity rather than adopting an organisation colour.
REFERENCES	Report references are allocated by the database in a fixed pattern (for example SOC-2026-10-001 , SNG-2026-10-006) so two reports cannot claim the same one. Reports created before that existed keep their hand-typed reference, with a note saying so.

9 Data and access

WHO SEES WHAT	Every screen sits behind a sign-in and an organisation membership. A report belongs to an organisation; a user sees the organisations they are a member of, and nothing else.
THE RECORD	Issued versions, compliance registers and photographs are retained with their dates. Registers can be archived rather than deleted, so the record of a week's checks survives finishing the job.
DELETION	Deleting a project is a deliberate act that takes its reports, photographs and registers with it, and it says so before it does it.
ADMIN	An organisation owner manages the organisation, its directory and its people; a platform administrator role exists above that for support.

10 Where it fits

DONE BY HAND	INSTRUCTBRAIN
Photographs on a phone, then re-filed from the camera roll into folders	Photographs filed against the element as they are taken
Findings written up in the evening from memory and the camera roll	Drafted from the photograph, then confirmed by a person
Word template, hand-typed references, page numbers by hand	Numbered, paginated, branded PDF with a database-allocated reference
A regulation quoted from memory, and it may be the wrong one	Cited from a fixed list, or not cited at all
Email chain of attachments; the version in someone's inbox is the version	Issued versions kept in the product, with their number and date
Compliance checks typed into a spreadsheet after the event	Weekly register built from the checks as they are recorded

11 What it does not do

Stated on the document, because it travels further than this conversation does.

- **It is not a drawing or modelling tool.** There is no CAD, no BIM and no estimating in it. It documents what is there; it does not design what should be.
- **The machine drafts language, it does not decide engineering.** Severity, trade and sign-off are set and confirmed by a person. The product is built so an unreviewed item cannot be published.
- **It will not invent a citation.** Where the fixed list holds nothing that fits, the finding carries no reference. That is deliberate, and it means some findings cite nothing at all.
- **It sends nothing by itself.** Distribution is an action a person takes. There is no automatic outbound email from a report.
- **Verification limits on this dossier.** Every claim here was read from the product's own source code and its issued sample documents on 9 October 2026. **I did not sign in and walk the running application**, so screen behaviour is described from the code and from issued output rather than from a supervised session. Figures quoted (11 report types, 30 languages, 12 Approved Documents, 6 standards, 6 HSE or statutory instruments) are counts read from the source that day.
- **The projects in the samples are invented.** Riverside Court and Halloway Cross Estates are demonstration projects, not client work.

12 See it



instructBrain — capability dossier

<https://darrenhopwood13-maker.github.io/instructbrain-plan/capabilities/>

Scan the code, or follow the link. The product itself is at instructbrain.com.