## Darryl SANGARE TPnote

## ETAPE 1:

```
V SYMFONY [‡ E‡ ひ @

✓ ■ Reservation

 > 🛅 bin
  > 📭 config
                                # DO NOT DEFINE PRODUCTION SECRETS IN THIS FILE NOR IN ANY OTHER COMMITTED FILES.

# https://symfony.com/doc/current/configuration/secrets.html
 > migrations
> public
                                # Run "composer dump-env prod" to compile .env files for production use (requires symfony/flex >=1.2).
# https://symfony.com/doc/current/best_practices.html#use-environment-variables-for-infrastructure-con
  > kp src
  > 🖿 var
 > 📭 vendor
                                17 ###> symfony/framework-bundle ###
18 APP_ENV=dev
19 APP_SECRET=
20 ###< symfony/framework-bundle ###
    抗 .env.dev
      👀 .gitignore
     composer.json
     () composer.lock
                                22 DATABASE_URL="mysql://root:@127.0.0.1:3306/tpsymfonynote?serverVersion=8.0"
     🔓 symfony.lock
                                 24 ###> doctrine/doctrine-bundle ###
                                       # Format described at https://www.doctrine-project.org/projects/doctrine-dbal/en/latest/reference/conf:
# IMPORTANT: You MUST configure your server version, either here or in config/packages/doctrine.yaml
                                PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
                                                                                                                                                                                    ≥ po
                                       nine/doctrine-bundle instructions:
                                   * Modify your DATABASE_URL config in .env
                                  * Configure the driver (postgresql) and server_version (16) in config/packages/doctrine.yaml
```

PS C:\Users\principale\OneDrive\Bureau\MMI\MMI3\symfony\Reservation> php bin/console doctrine:database:create Created database `tpsymfonynote` for connection named default

## ETAPE 2

```
PS C:\Users\principale\OneDrive\Bureau\MMI\MMI3\symfony\Reservation> php bin/console make:entity User created: src/Entity/User.php
created: src/Repository/UserRepository.php

Entity generated! Now let's add some fields!
You can always add more fields later manually or by re-running this command.

New property name (press <return> to stop adding fields):
> email

Field type (enter ? to see all types) [string]:
> string

Field length [255]:
> 180

Can this field be null in the database (nullable) (yes/no) [no]:
> no
```

S C:\Users\principale\OneDrive\Bureau\MMI\MMI3\symfony\Reservation> php bin/console doctrine:migrations:migrate
WARNING! You are about to execute a migration in database "tpsymfonynote" that could result in schema changes and data loss. Are you sure you wi (yes/no) [yes]: > yes
[OK] Already at the latest version ("DoctrineMigrations\Version20241213105524")
S.C:\Users\nrincinale\OneDrive\Bureau\MMI\MMI3\symfony\Reservation>



ETAPE 3/4

